

**CIHM  
Microfiche  
Series  
(Monographs)**

**ICMH  
Collection de  
microfiches  
(monographies)**



**Canadian Institute for Historical Microreproductions / Institut canadien de microreproductions historiques**

**© 1996**

## Technical and Bibliographic Notes / Notes techniques et bibliographiques

The Institute has attempted to obtain the best original copy available for filming. Features of this copy which may be bibliographically unique, which may alter any of the images in the reproduction, or which may significantly change the usual method of filming are checked below.

- Coloured covers /  
Couverture de couleur
  - Covers damaged /  
Couverture endommagée
  - Covers restored and/or laminated /  
Couverture restaurée et/ou pelliculée
  - Cover title missing / Le titre de couverture manque
  - Coloured maps / Cartes géographiques en couleur
  - Coloured ink (i.e. other than blue or black) /  
Encre de couleur (i.e. autre que bleue ou noire)
  - Coloured plates and/or illustrations /  
Planches et/ou illustrations en couleur
  - Bound with other material /  
Relié avec d'autres documents
  - Only edition available /  
Seule édition disponible
  - Tight binding may cause shadows or distortion along  
interior margin / La reliure serrée peut causer de  
l'ombre ou de la distorsion le long de la marge  
intérieure.
  - Blank leaves added during restorations may appear  
within the text. Whenever possible, these have been  
omitted from filming / Il se peut que certaines pages  
blanches ajoutées lors d'une restauration  
apparaissent dans le texte, mais, lorsque cela était  
possible, ces pages n'ont pas été filmées.
  - Additional comments /  
Commentaires supplémentaires:

**Irregular pagination: [1]-2, 5, 4, 3 & 6 p.**

**This item is filmed at the reduction ratio checked below /**  
**Ce document est filmé au taux de réduction indiqué ci-dessous.**

The copy filmed here has been reproduced thanks to the generosity of:

National Library of Canada

The images appearing here are the best quality possible considering the condition and legibility of the original copy and in keeping with the filming contract specifications.

Original copies in printed paper covers are filmed beginning with the front cover and ending on the last page with a printed or illustrated impression, or the back cover when appropriate. All other original copies are filmed beginning on the first page with a printed or illustrated impression, and ending on the last page with a printed or illustrated impression.

The last recorded frame on each microfiche shall contain the symbol → (meaning "CONTINUED"), or the symbol ▽ (meaning "END"), whichever applies.

Maps, plates, charts, etc., may be filmed at different reduction ratios. Those too large to be entirely included in one exposure are filmed beginning in the upper left hand corner, left to right and top to bottom, as many frames as required. The following diagrams illustrate the method:

1	2	3
---	---	---

1	2
4	5

**L'exemplaire filmé fut reproduit grâce à la générosité de:**



**Bibliothèque nationale du Canada**

**Les images suivantes ont été reproduites avec le plus grand soin, compte tenu de la condition et de la netteté de l'exemplaire filmé, et en conformité avec les conditions du contrat de filmage.**


**Les exemplaires originaux dont la couverture en papier est imprimée sont filmés en commençant par le premier plat et en terminant soit par la dernière page qui comporte une empreinte d'impression ou d'illustration, soit par le second plié, selon le cas. Tous les autres exemplaires originaux sont filmés en commençant par la première page qui comporte une empreinte d'impression ou d'illustration et en terminant par la dernière page qui comporte une telle empreinte.**

**Un des symboles suivants apparaîtra sur la dernière image de chaque microfiche, selon le cas: le symbole → signifie "A SUIVRE", le symbole ▽ signifie "FIN".**

**Les cartes, planches, tableaux, etc., peuvent être filmés à des taux de réduction différents. Lorsque le document est trop grand pour être reproduit en un seul cliché, il est filmé à partir de l'angle supérieur gauche, de gauche à droite, et de haut en bas, en prenant le nombre d'images nécessaire. Les diagrammes suivants illustrent la méthode.**



MICROCOPY RESOLUTION TEST CHART  
(ANSI and ISO TEST CHART No. 2)



APPLIED IMAGE Inc

1653 East Main Street  
Rochester, New York 14609 USA  
(716) 482 - 0300 - Phone  
(716) 288 - 5989 - Fax

Circular No. 52

February, 1919

MANITOBA DEPARTMENT OF AGRICULTURE

# How to Spot Potato Top Diseases in July

International  
Institute Branch

SEP 29 1919

DEPT. OF  
AGRICULTURE



Healthy Plant with Leaf Roll on either side

By V. W. JACKSON, Professor of Botany,  
Manitoba Agricultural College,  
Winnipeg, Manitoba.

By Authority of Hon. Valentine Winkler, Minister of Agriculture and Immigration

## How to Spot Potato Top Diseases in July



Some varieties roll badly others are quite free. Often the difference is in the seed.

The top diseases of potatoes do more harm than the tuber diseases, often lessening the yield by one-half. The worst top diseases are Leaf Roll, Black Leg, Brown Ring, Black Scurf and Leaf Mosaic; and in this order of importance in the Kildonan-St. Vital district in 1918. July is the time to spot potato hills that carry hereditary diseases and thus prevent the spread of these troubles by seed.

Leaf Roll, which reduces the crop one-half and passes on this hereditary unfitness by seed, may be spotted by:



Typical Leaf Roll with clustered tubers



Typical Rhizoctonia, showing bushy top and potatoes clustered at surface of the ground.

Stems pull out easily and are dry, brown and withered at the base—not slimy or soft.

On cutting these stems higher up they show brown water tubes all the way up.

On cutting across the stem end of any potatoes on such stems you will find a brown ring.

Although fit for cooking, such potatoes are unfit for seed as they spread the disease, and, as it is internal, no treatment with formalin will check it.

---

**Rhizoctonia or Black Scurf.** The disease which causes the little black spots on so many of our potatoes can, at this time of year, be recognised in its entirety, and the damage estimated.



**Leaf Roll** is very common and is easily spotted.

All varieties are susceptible to it by poor seed, and hot and dry conditions.

Irish Cobbler, Carman, Green Mountain and Bovee do not show as much Leaf Roll as other varieties.

Get seed potatoes from districts free from Leaf Roll.

Kenora, Thunder Bay and Northern Manitoba are free from Leaf Roll.

---

**Black Leg** causes "misses" or empty hills.

Black Leg develops early - Early Bovee worst.

A gene: 1 wilting, rolling and browning of the top.  
The stems often fall outward and flat on the ground.

These are rotted off by a soft bacterial rot.



Clusters of tubers formed at the surface of the ground after the parts below had been badly injured by Rhizoctonia.



Dry rot due to Fusarium.

These stems pull out of the ground easily and are soft and slimy at the base, and usually black — hence the name "Black Leg."

If potatoes are cut open, many will show a slimy, hollow centre, developing from the stem end.

These potatoes will rot completely so that such hills should be pulled up as soon as spotted and fed to the pigs.

This disease is spread by seed.

Formalin is found to check the spread.

---

**Wilt or Brown Ring.**— Fusarium Wilt resembles Black Leg in affecting the whole top, but is distinguished from it by:

A bunching or rosetting of the top leaves.  
A yellowing of the lower ones.



Leaf roll beside a healthy plant

- A dwarfed plant of erect, stiff growth.
- A yellowish or speckled tinge to the top leaves.
- An upturning of the sides of the lower leaves.
- A browning or speckling of the tips of these leaves which lie on the ground.
- A thickening of these leaves so that they rattle when brushed and crackle when crushed.
- A glossy, thick look to the rolled leaves.
- When stems are pulled out there are usually small potatoes set close in on the stem.  
They are "Small potatoes and few in the hill."
- These carry this hereditary weakness.
- They can be culled out of potatoes only at this time of year.
- Hills with Leaf Roll should be pulled up and fed to the pigs, as they are unmarketable and unsafe for seed.



The whole top goes vigorous and bushy. The stems turn purple at the top and potato apples often form. Aerial potatoes often form in the axils of the basal leaves, and clusters of tiny potatoes form at the base of the stem. These are sure signs of Rhizoctonia, and due to the fact of this disease attacking the outside of the stem in the soil and preventing the downward flow of sap, which then forces itself into extra leaves and branches and freakish potatoes above the ground. As would be expected, the potatoes in such a hill are small, and this disease is sometimes called the "Little Potato" disease.



Spindly Sprout (on left) due to poor or small set.

**Leaf Mosaic.** Although not so common as the other diseases, some varieties of potatoes are very susceptible to Leaf Mosaic. It is recognized by a blistering or bulging of the surface of the leaves which have a mottled appearance. When these leaves are held up to the light, it is seen that the leaf green has a mottled or mosaic appearance, due to the attack of what is thought to be a bacterial organism. Like other leaf diseases, it is hereditary, and, therefore, spread by seed, and varieties showing a tendency to Leaf Mosaic should not be grown.



A Green Mountain Potato affected with Mosaic. Photo by Murphy



