

**CIHM  
Microfiche  
Series  
(Monographs)**

**ICMH  
Collection de  
microfiches  
(monographies)**



**Canadian Institute for Historical Microreproductions / Institut canadien de microreproductions historiques**

**© 1997**

## Technical and Bibliographic Notes / Notes techniques et bibliographiques

The Institute has attempted to obtain the best original copy available for filming. Features of this copy which may be bibliographically unique, which may alter any of the images in the reproduction, or which may significantly change the usual method of filming are checked below.

- Coloured covers / Couverture de couleur
- Covers damaged / Couverture endommagée
- Covers restored and/or laminated / Couverture restaurée et/ou pelliculée
- Cover title missing / Le titre de couverture manque
- Coloured maps / Cartes géographiques en couleur
- Coloured ink (i.e. other than blue or black) / Encre de couleur (i.e. autre que bleue ou noire)
- Coloured plates and/or illustrations / Planches et/ou illustrations en couleur
- Bound with other material / Relié avec d'autres documents
- Only edition available / Seule édition disponible
- Tight binding may cause shadows or distortion along interior margin / La reliure serrée peut causer de l'ombre ou de la distorsion le long de la marge intérieure.
- Blank leaves added during restorations may appear within the text. Whenever possible, these have been omitted from filming / Il se peut que certaines pages blanches ajoutées lors d'une restauration apparaissent dans le texte, mais, lorsque cela était possible, ces pages n'ont pas été filmées.
- Additional comments / Commentaires supplémentaires:

L'Institut a microfilmé le meilleur exemplaire qu'il lui a été possible de se procurer. Les détails de cet exemplaire qui sont peut-être uniques du point de vue bibliographique, qui peuvent modifier une image reproduite, ou qui peuvent exiger une modification dans la méthode normale de filmage sont indiqués ci-dessous.

- Coloured pages / Pages de couleur
- Pages damaged / Pages endommagées
- Pages restored and/or laminated / Pages restaurées et/ou pelliculées
- Pages discoloured, stained or foxed / Pages décolorées, tachetées ou piquées
- Pages detached / Pages détachées
- Showthrough / Transparence
- Quality of print varies / Qualité inégale de l'impression
- Includes supplementary material / Comprend du matériel supplémentaire
- Pages wholly or partially obscured by errata slips, tissues, etc., have been refilmed to ensure the best possible image / Les pages totalement ou partiellement obscurcies par un feuillet d'errata, une pelure, etc., ont été filmées à nouveau de façon à obtenir la meilleure image possible.
- Opposing pages with varying colouration or discolourations are filmed twice to ensure the best possible image / Les pages s'opposant ayant des colorations variables ou des décolorations sont filmées deux fois afin d'obtenir la meilleure image possible.

This item is filmed at the reduction ratio checked below / Ce document est filmé au taux de réduction indiqué ci-dessous.

10x	14x	18x	22x	26x	30x
12x	16x	20x	24x	✓	28x

The copy filmad here has been reproduced thanks to the generosity of:



National Library of Canada

The images appearing here are the best quality possible considering the condition and legibility of the original copy and in keeping with the filming contract specifications.

Original copies in printed paper covers are filmad beginning with the front cover and ending on the last page with a printed or illustrated impression, or the back cover when appropriate. All other original copies are filmad beginning on the first page with a printed or illustrated impression, and ending on the last page with a printed or illustrated impression.

The last recordad frame on each microfiche shall contain the symbol → (meaning "CONTINUED"), or the symbol ▽ (meaning "END"), whichever applies.

Maps, plates, charts, etc., may be filmad at different reduction ratios. Those too large to be entirely included in one exposure are filmad beginning in the upper left hand corner, left to right and top to bottom, as many frames as required. The following diagrams illustrate the method:



L'exemplaire filmé fut reproduit grâce à la générosité de:

Bibliothèque nationale du Canada


Les images suivantes ont été reproduites avec le plus grand soin, compte tenu de la condition et de la netteté de l'exemplaire filmé, et en conformité avec les conditions du contrat de filmage.

Les exemplaires originaux dont la couverture en papier est imprimée sont filmés en commençant par le premier plat et en terminant soit par la dernière page qui comporte une empreinte d'impression ou d'illustration, soit par la seconde plat, selon le cas. Tous les autres exemplaires originaux sont filmés en commençant par la première page qui comporte une empreinte d'impression ou d'illustration et en terminant par la dernière page qui comporte une telle empreinte.

Un des symboles suivants apparaîtra sur la dernière image de chaque microfiche, selon le cas: le symbole → signifie "À SUIVRE", le symbole ▽ signifie "FIN".

Les cartes, planches, tableaux, etc., peuvent être filmés à des taux de réduction différents. Lorsque le document est trop grand pour être reproduit en un seul cliché, il est filmé à partir de l'angle supérieur gauche, de gauche à droite, et de haut en bas, en prenant le nombre d'images nécessaires. Les diagrammes suivants illustrent la méthode.

MICROCOPY RESOLUTION TEST CHART  
(ANSI and ISO TEST CHART No. 2)



APPLIED IMAGE Inc.

1653 East Main Street  
Rochester, New York 14604 USA  
(716) 482-0300 - Phone  
(716) 288-5989 - Fax

DEPARTMENT OF THE INTERIOR, CANADA

HON. W. J. ROCHE, Minister; W. W. CORY, Deputy Minister

FORESTRY BRANCH—BULLETIN No. 54

R. H. CAMPBELL, Director of Forestry

FOREST PRODUCTS OF CANADA

1914

PULPWOOD

COMPILED BY

R. G. LEWIS, B.Sc. F.

ASSISTED BY W. GUY H. BOYCE

OTTAWA  
GOVERNMENT PRINTING BUREAU

1915



**DEPARTMENT OF THE INTERIOR, CANADA**

HON. W. J. ROCHE, Minister; W. W. CORY, Deputy Minister

**FORESTRY BRANCH—BULLETIN No. 54**

R. H. CAMPBELL, Director of Forestry

**FOREST PRODUCTS OF CANADA**

**1914**

**PULPWOOD**

COMPILED BY

**R. G. LEWIS, B.Sc. F.**


ASSISTED BY W. GUY H. BOYCE

---

OTTAWA

GOVERNMENT PRINTING BUREAU

1915



## LETTER OF TRANSMITTAL

FORESTRY BRANCH,

DEPARTMENT OF THE INTERIOR,

OTTAWA, MAY 20, 1915.

Sir,—I beg to transmit herewith a report on the production and manufacture of pulpwood and wood-pulp in Canada in the calendar year 1914, and to recommend its publication as Bulletin No. 54 of this branch.

The report contains statements showing: (1) the quantity and value of pulpwood produced in the Dominion according to the province in which it was produced, the kind of wood used and the method of manufacture; (2) the quantity and value of pulpwood exported from Canada and from the several provinces in an unmanufactured state; and (3) the value of wood-pulp exported from and imported into the Dominion.


The report contains also a map showing the location of the pulp-mills of the Dominion, and a diagram representing graphically the quantities of pulpwood used in Canada in the last five years, 1910 to 1914, inclusive.

I have the honour to be, sir,

Your obedient servant,

W. W. CORY, Esq., C.M.G.,  
Deputy Minister of the Interior,  
Ottawa.

R. H. CAMPBELL,  
*Director of Forestry.*



## TABLE OF CONTENTS.

	PAGE.
Introduction..	7
<b>Pulpwood—</b>	
Pulpwood, 1913 and 1914, by Provinces (Table No. 1),	7
Diagram No. 1: Pulpwood, 1913 and 1914, by Provinces, . . . . .	8
Pulpwood, 1913 and 1914, by Kinds of Wood (Table No. 2), . . . . .	8
Diagram No. 2: Pulpwood, 1913 and 1914, by Kinds of Wood, . . . . .	10
Pulpwood, 1913 and 1914, by Processes (Table No. 3), . . . . .	10
Diagram No. 3: Pulpwood, 1913 and 1914, by Processes . . . . .	11
Pulpwood, 1914, by Provinces, Kinds of Wood and Processes (Table No. 4), . . . . .	12
Canadian Pulpwood Exported Unmanufactured vs. that Manufactured in Canada, 1913 and 1914 (Table 5), . . . . .	13
<b>Wood-Pulp—</b>	
Export of Wood-pulp, 1913 and 1914 (Table 6), . . . . .	15
Imports of Wood-pulp, 1913 and 1914 (Table 7), . . . . .	16
<b>Appendix—</b>	
List of Active Canadian Pulp-mills, . . . . .	16

## DIAGRAM AND MAP.

Pulpwood Consumed in Canada, 1913-1914 .....	To face p.
Map showing Pulp-mills in Canada, . . . . .	8
	18



## Pulpwood Consumption, 1914.

The information in this bulletin was compiled from reports received from forty-nine firms or individuals operating pulp-mills in Canada during 1914. These forty-nine firms operated altogether sixty-six mills, distributed as follows: Quebec, twenty-three firms operating thirty-one mills; Ontario, fifteen firms operating twenty-one mills; Nova Scotia, five firms operating seven mills; New Brunswick, four firms operating four mills; and British Columbia, two firms operating three mills. Five mills operating in 1913 were idle in 1914. Four newly completed mills commenced operations in 1914, and two mills previously idle resumed operations during that year.

In addition to active mills, reports were received from eleven firms whose mills were idle in 1914, and from two firms with mills under construction.

The sixty-six active pulp-mills in Canada in 1914 consumed altogether 1,224,376 cords of pulpwood, valued at the mill at \$8,089,868. In addition to this home consumption a total quantity of 972,508 cords valued at \$6,680,490 was exported in the unmanufactured state from Canada to the United States, making altogether a total production of pulpwood of 2,196,884 cords valued at \$14,770,358.

### PULPWOOD.

Table 1 gives the details of the consumption of pulpwood in Canadian mills in 1913 and 1914 by provinces.

TABLE 1.

**PULPWOOD, 1913 AND 1914, BY PROVINCES:**—Quantity used and average value 1913 and 1914, and per cent distribution and total value 1914.

Provinces.	No. of Active Firms Reporting.	Quantity.		Per cent Distribution.	Total value	Average value per Cord.			
						1913	1914		
		Cords.	Cords.			\$	\$ c.		
<b>Canada.</b>	<b>49</b>	<b>1,109,934</b>	<b>1,224,376</b>	<b>100.0</b>	<b>\$8,089,868</b>	<b>6.53</b>	<b>6.61</b>		
Quebec...	23	629,934	636,496	52.0	4,148,405	6.52	6.52		
Ontario...	15	321,244	447,751	36.6	3,172,235	7.15	7.08		
British Columbia...	2	84,173	80,013	6.5	426,441	4.77	5.33		
New Brunswick...	4	53,121	49,339	4.0	296,709	6.44	6.01		
Nova Scotia...	5	20,502	10,777	0.9	46,015	4.61	4.27		

In spite of the widespread disturbances to industry in general occasioned by the war, the manufacture of wood-pulp in Canada is still on the increase. During the calendar year 1914 the quantity of wood used in this industry showed an increase of 10.4 per cent over the preceding year. The inserted diagram shows graphically the steady increase in the quantity of wood used in this industry in the past five years.

The increase from 1910 to 1911 was 12.3 per cent; from 1911 to 1912, 28.8 per cent; from 1912 to 1913, 28.1 per cent; and from 1913 to 1914, 10.4 per cent. The relative positions of the five provinces on the list remained the same as in 1913. Increases took place in the consumption of wood for this purpose in Quebec (1.0 per cent) and Ontario (39.4 per cent). Over four-fifths of the wood consumed in Canada was made into pulp in these two provinces. Decreases in consumption were reported from the three remaining provinces as follows:—British Columbia (4.9 per cent), New Brunswick (7.1 per cent), and Nova Scotia (47.6 per cent).

The average value of pulpwood at the mills in 1914 was \$6.61, an advance of only a few cents from the value reported for 1913. The value increased in British Columbia, remained the same in Quebec, and decreased elsewhere.

Diagram No. 1 presents in graphic form the pulpwood consumption of the various provinces for 1913 and 1914.

DIAGRAM NO. 1.






TABLE 2.

PULPWOOD, 1913 AND 1914, BY KINDS OF WOOD: Quantity used and average value 1913 and 1914, and per cent distribution and total value, 1914.

Kinds of Wood.	No. of Active Firms Reporting.	Quantity.		Per cent Distribution.	Total value	Average value per Cord.	
		1913.	1914.			1913.	1914.
		cords.	cords.	\$	\$	%	%
<b>Total.....</b>	<b>49</b>	<b>1,109,034</b>	<b>1,224,376</b>	<b>100.0</b>	<b>\$8,659,868</b>	<b>6.53</b>	<b>6.61</b>
Spruce.....	49	754,858	836,387	68.3	5,605,926	6.76	6.70
Balsam Fir.....	35	293,292	314,182	25.7	2,027,434	6.38	6.55
Hemlock.....	5	47,360	45,246	3.7	254,576	4.25	5.63
Jack Pine.....	3	19,383	24,715	2.0	135,762	5.25	5.49
Poplar.....	3	4,141	3,845	0.3	26,170	7.02	6.81





— MAP SHOWING PULP-MILLS  
IN  
CANADA —  
— 1914 —

- ACTIVE MILLS
- MILLS NOT OPERATING



p  
ee  
at  
Q  
ee  
ee  
B  
Sc

of  
Bi

va



Pu

—

To:

Spruc  
Balza  
Hemi  
Jack  
Popla

The woods most commonly used in pulp manufacture in Canada vary but slightly from year to year. The increased manufacture of sulphate, or kraft, pulp has enabled the manufacturers to use increasing proportions of jack pine. The use of balsam fir has increased steadily in past years. Hemlock is used to a greater extent than any other wood in British Columbia. In every other province but British Columbia, spruce heads the list of woods converted into pulp.

It might be well to explain that the five woods listed in the above table are in reality groups of species. Spruce pulpwood in the Maritime Provinces is composed mostly of red spruce (*Picea rubra*), a tree the distribution of which is confined to this region in Canada. With this are mixed smaller quantities of white spruce (*Picea canadensis*) and black spruce (*Picea mariana*).

In Ontario and western Quebec the red spruce is almost unknown, and forms only a small part of the wood used in pulp manufacture. White spruce grows in Canada from the Atlantic to the Yukon, and is undoubtedly the most important pulp species in the forests of this country. It probably forms 90 per cent of the spruce pulpwood cut in Ontario and Quebec. Smaller quantities of black spruce and red spruce are also cut. In British Columbia, the place of these three eastern spruces is taken by typical British Columbia species. The spruce pulpwood produced in this province at the present time is cut in the coast region, and is the wood of the Sitka spruce (*Picea sitchensis*). The Engelmann spruce of the Selkirk and the Rocky mountains (*Picea Engelmanni*) is not utilized for this purpose at the present time, not because of its lack of satisfactory pulp-producing qualities, but simply because the pulp industry has not been developed in interior British Columbia.

In Eastern Canada only one species of balsam fir occurs, and this tree (*Abies balsamea*) forms the entire production of balsam fir pulpwood in Ontario, Quebec, New Brunswick, and Nova Scotia. In British Columbia the most commonly used balsam fir species are amabilis fir (*Abies amabilis*) and lowland fir (*Abies grandis*). In the interior of the province and on the Rocky Mountain slopes the common species is mountain fir (*Abies lasiocarpa*), which has a similar distribution to Engelmann spruce and, like it, is not used for pulp at the present time.

Eastern hemlock (*Tsuga canadensis*) is not used extensively in the east for pulp manufacture, although it is reported from Ontario, Quebec, and Nova Scotia. The western species (*Tsuga heterophylla*) is the most important pulpwood in British Columbia at the present time, and forms almost half of the wood used in that province. It is said to be superior to the eastern species for pulpwood as well as for lumber and other products.

Jack pine (*Pinus Banksiana*) is used only in Quebec and Ontario, and only in the manufacture of sulphate or kraft pulp. Poplar is also used only in Quebec and Ontario, but is made into ground-wood pulp, sulphite, and kraft fibre. Two species are utilized, aspen poplar (*Populus tremuloides*) forming the greater part of the pulpwood consumed, and balsam poplar (*Populus balsamea*) being used in smaller quantities. Common cottonwood (*Populus deltoides*) and large-toothed aspen (*Populus grandidentata*) are probably also used occasionally. Pulp manufactured from the wood of the poplar species lacks the high tensile strength of that made from spruce, balsam fir, and other coniferous woods, and is used chiefly to give body to book and magazine paper. Mixed with a stronger, coarser pulp it fills in the interstices between the coarser fibres, and makes the paper smooth and opaque.

Diagram No. 2 shows the quantities of the various woods used for pulp in 1913 and 1914.

## DIAGRAM No. 2.




TABLE 3.

PULPWOOD, 1913 AND 1914, BY PROCESSES: Quantity used and average value 1913 and 1914, and per cent distribution, and total value 1914.

Processes.	No. of Active Firms Reporting.	Quantity.		Per cent Distribution.	Total value.	Average value per Cord.	
		1913	1914			1913	1914
		Cords.	Cords.	\$	\$ c.	\$ c.	\$ c.
<b>Total.....</b>	<b>49</b>	<b>1,109,031</b>	<b>1,221,376</b>	<b>100.0</b>	<b>8,089,868</b>	<b>6.53</b>	<b>6.61</b>
Mechanical.....	40	600,216	644,924	52.7	4,424,067	6.59	6.86
Sulphite.....	12	367,105	435,101	35.5	2,941,099	6.40	6.76
Sulphate.....	6	136,569	140,666	11.5	698,207	6.65	4.96
Soda.....	1	5,144	3,785	0.3	26,495	3.05	7.00

The proportion of wood used in the manufacture of chemical fibre in Canada is steadily increasing. In 1910, only 22 per cent of the wood was converted into pulp by the chemical processes. In 1914 this proportion had increased to 47.3 per cent, almost half the total.

In the mechanical process, where the fibres are more or less broken and their strength impaired, only the best quality of pulpwood can be used. The machinery, however, is comparatively cheap and easily installed, and as long as the supply of good pulpwood was convenient this process was largely used. Of late years the quantity of wood used in the sulphite process has steadily increased in spite of the high cost of installing the necessary plant. In this process the wood requirements are not so exacting, and the higher price for the pulp produced compensates for the greater cost of the plant.

The introduction of the sulphate or kraft process for the manufacture of coarse, strong, dark-coloured pulp for wrapping-papers has permitted the use of jack pine and other so-called inferior species in a greater proportion than had hitherto been possible.

In 1913 the wood used in the mechanical process for the manufacture of ground-wood pulp formed 54.1 per cent of the total consumption. This proportion was reduced to 52.7 per cent in 1914. The proportion in the case of

sulphite pulp increased from 33.1 to 35.5 per cent, but a decrease took place with the sulphate or kraft process from 12.3 per cent to 11.5 per cent. The only actual decrease in quantity was in the case of wood used in the soda process.

Diagram No. 3 shows the proportionate amounts of wood manufactured by the various processes.

DIAGRAM No. 3.




TABLE 4.

PULPWOOD, 1911, BY PROVINCES, KINDS OF WOOD, AND PROCESSES: Number of Active Firms reporting, quantity of pulpwood used, quantity of pulp produced, quantity of each kind of wood used in each process, total cost and average cost per cord.

	Total.	Quebec.	Ontario	British Columbia	New Brunswick	Nova Scotia
Number of Active Firms Reporting	49	23	15	2	4	5
Pulp Produced—						
Aggregate	tons	914,700	515,400	325,233	50,352	26,829
Mechanical	"	644,924	394,321	202,715	32,692	4,319
Sulphite	"	217,550	56,503	115,877	23,660	24,510
Sulphate	"	70,333	62,692	6,641	—	1,000
Soda	"	1,893	1,893	—	—	—
Wood Used—						
Aggregate	Cords	1,224,376	636,496	417,751	80,013	49,339
Aggregate cost	\$	8,033,868	\$1,148,405	\$3,172,235	\$426,444	\$296,769
Average cost	\$	6.61	6.52	7.08	5.33	6.01
Spruce—						
Total	Cords	836,387	401,290	358,988	21,637	41,805
Total cost	\$	\$5,605,926	\$2,083,759	\$2,508,748	\$116,143	\$255,125
Average cost	\$	6.70	6.64	6.98	5.37	6.09
Mechanical	Cords	419,162	258,997	168,897	8,816	2,875
Sulphite	"	302,211	67,592	181,778	12,821	37,020
Sulphate	"	81,797	74,484	5,313	—	2,000
Soda	"	3,217	3,217	—	—	—
Balsam Fir—						
Total	Cords	314,183	211,943	75,218	18,604	7,444
Total cost	\$	\$2,067,731	\$1,337,902	\$387,003	\$97,699	\$41,644
Average cost	\$	6.58	6.31	7.80	5.25	5.50
Mechanical	Cords	181,957	135,324	33,318	10,897	1,444
Sulphite	"	99,621	44,014	41,900	7,707	6,000
Sulphate	"	32,037	32,037	—	—	—
Soda	"	568	568	—	—	—
Hemlock—						
Total	Cords	15,246	172	5,076	39,772	—
Total cost	\$	\$254,576	\$	\$40,608	\$212,602	\$
Average cost	\$	5.63	\$	4.00	5.35	\$
Mechanical	Cords	13,205	—	—	12,979	—
Sulphite	"	31,869	—	5,076	26,793	—
Sulphate	"	172	172	—	—	—
Jack Pine—						
Total	Cords	24,715	16,746	7,969	—	—
Total cost	\$	\$135,762	\$	\$31,876	—	—
Average cost	\$	5.49	\$	4.00	—	—
Sulphite	Cords	24,715	16,746	7,969	—	—
Poplar—						
Total	Cords	3,845	3,345	500	—	—
Total cost	\$	\$26,170	\$	\$4,000	—	—
Average cost	\$	6.81	\$	8.00	—	—
Mechanical	Cords	500	—	500	—	—
Sulphite	"	4,400	4,400	—	—	—
Sulphate	"	1,945	1,945	—	—	—

The table above gives the same information as that contained in Tables 1, 2, and 3, but in a different form, showing more of the individual details of the consumption of wood in pulp manufacture. The average values given are values at the mill, and as these are affected by so many factors they cannot be taken to represent the intrinsic value of the material in each case. Mills on the Niagara peninsula, for instance, pay much higher transport charges on their

raw material than those situated in the heart of the pulpwood regions of Quebec. Many mills own their own limits and put a value on their raw material of little more than the bare cost of cutting and transporting it from the woods to the mill. Many firms, specially in Ontario, buy pulpwood on the open market.

The figures for pulp production are based on the assumption that one cord of wood will produce one ton of ground wood pulp, and one-half ton of chemical fibre, air dry. (Air-dry pulp is assumed to contain 10 per cent of moisture.)

The estimated quantity of wood-pulp manufactured was 934,700 tons, an increase over 1913 of 9.4 per cent. The increase in the manufacture of ground-wood pulp was only 7.1 per cent, while that of pulp produced by the three chemical processes was almost 11 per cent. Considering these three processes separately it is seen that the greater increase was in the case of sulphite pulp, amounting to 18.7 per cent of the production of 1913 while that of sulphate pulp was 3 per cent. The quantity of soda pulp estimated was a decrease of over a quarter from 1913.

Mechanical pulp is manufactured in all five provinces, Quebec leading with over 60 per cent of the total. Sulphite pulp is manufactured in every province but Nova Scotia. Ontario leads in the production of this class of fibre, with 53.3 per cent. Sulphate or kraft fibre is manufactured in Quebec, Ontario and New Brunswick; Quebec producing almost 90 per cent of the total. Soda pulp is produced only in Quebec province.

TABLE 5.

CANADIAN PULPWOOD EXPORTED UNMANUFACTURED VS. THAT MANUFACTURED IN CANADA, 1913 AND 1914: Quantity, average value per cord and per cent distribution.

	1913.				1914.			
	Quantity	Value	Value per Cord	Per Cent	Quantity	Value	Value per Cord	Per Cent
					Cords	\$	\$	%
Canada—								
Production..	2,141,064	14,313,939	6.68	100.0	2,196,884	14,770,358	6.72	100.0
Manufacture	1,109,034	7,243,568	6.53	51.7	1,224,376	8,080,868	6.60	55.7
Export..	1,035,030	7,070,571	6.83	48.3	972,508	6,686,460	6.87	44.3
Quebec—								
Production..	1,432,594	9,495,165	6.63	100.0	1,323,917	8,882,899	6.71	100.0
Manufacture	629,934	4,107,689	6.52	44.0	636,196	4,118,405	6.52	48.1
Export..	802,260	5,387,476	6.71	56.0	687,421	4,731,491	6.77	51.9
Ontario—								
Production..	405,943	2,822,859	6.95	100.0	587,191	4,020,510	6.84	100.0
Manufacture	321,241	2,297,389	7.15	79.4	447,751	3,172,235	7.08	76.2
Export..	84,699	525,170	6.20	20.9	139,713	348,275	6.07	23.8
New Brunswick—								
Production..	191,674	1,449,525	7.15	100.0	193,126	1,882,315	7.16	100.0
Manufacture	53,121	342,213	6.14	27.3	49,339	296,769	6.01	25.5
Export..	111,553	1,107,282	7.82	72.7	143,787	1,085,546	7.55	74.5
British Columbia—								
Production..	84,242	102,128	4.78	100.0	80,013	426,114	5.33	100.0
Manufacture	84,173	401,218	4.77	99.9	80,013	126,444	5.33	100.0
Export..	69	1,210	17.54	0.1				
Nova Scotia—								
Production..	26,611	113,962	5.41	100.0	12,334	58,190	4.72	100.0
Manufacture	20,562	94,829	4.61	77.3	10,777	46,015	4.27	87.4
Export..	6,049	49,133	8.12	22.7	1,557	12,175	7.82	12.6

The figures in the above table for exports of pulpwood were obtained from the Department of Customs for the calendar years 1913 and 1914. It is interesting to note the steadily increasing proportion of the pulpwood manufactured in Canadian mills. In 1910 only a little more than one-third (38.8 per cent) of the pulpwood cut in our forests was manufactured into pulp in our own mills. In 1911 this had increased to 41.2 per cent; in 1912 to 46.9 per cent; in 1913 to 51.7; and in 1914 to 55.7 per cent; well over half of the total. There was also a decrease in the actual quantity of raw pulpwood exported from Canada in 1914 as compared to 1913 of some 62,522 cords. While this condition of affairs may not be entirely satisfactory to the United States pulp companies which rely to a large extent on the forests of Canada for their supply of raw material, it is gratifying to note the fact that this form of forest product is becoming more thoroughly appreciated in Canada.

In Ontario, by an Order in Council, dated January 13, 1900, regulations were made by which the exportation of spruce and other woods suitable for pulp, cut on lands of the Crown, was prohibited. Recently in severe windstorms there were blown down large quantities of pulpwood, which would have been destroyed unless speedily cut and marketed, and as the market for pulpwood was more or less congested this "manufacturing condition," to which all sales and licensees had been subject, was suspended for the season of 1914 and again for 1915.

In the province of Quebec an article in the Regulations says that all timber cut on Crown lands in the province must be manufactured in Canada. This regulation came into force on April 26, 1910. The regulation was changed during the last year so as to exclude mine props to be used in coal mines in Great Britain if shipped during the past season of navigation.

Similar legislation was passed in New Brunswick on April 26, 1911, which was similarly amended with respect to pit props by an Order in Council dated October 15, 1914.

There are no statutes prohibiting or regulating the export of pulpwood from the provinces of Nova Scotia or British Columbia.

## WOOD-PULP.

The figures in the following tables of exports and imports of wood-pulp were furnished by the Customs Department.

TABLE 6.

**Exporters of Wood-pulp, 1913 and 1914:** Quantity, total value, average value per ton, per cent distribution and countries to which exported.

Kinds of Pulp and Countries to which Exported	1913				1914											
	Quantity	Value	Average Value per Ton	Per Cent Dist.	Quantity	Value	Average Value per Ton	Per Cent Dist.								
<b>Wood-pulp exported, aggregate.</b>	<b>298,169</b>	<b>8,913,560</b>	<b>19.83</b>	<b>100.0</b>	<b>126,711</b>	<b>8,863,146</b>	<b>20.87</b>	<b>100.0</b>								
Total Mechanical Pulp	230,611	3,347,565	14.88	77.4	314,185	1,509,260	11.31	71.0								
Total Chemical Pulp	67,525	2,565,995	38.44	22.6	110,398	4,356,176	39.46	26.6								
Total to United States,	168,110	1,471,939	22.57	66.4	295,671	7,008,312	23.70	69.6								
Mechanical	137,922	2,150,227	15.59		190,095	2,832,999	11.90									
Chemical	30,188	2,321,712	38.57		105,579	4,175,403	39.56									
Total to Great Britain	92,916	1,172,750	12.62	31.2	116,813	1,584,101	13.53	27.5								
Mechanical	92,722	1,167,358	12.59		116,820	1,580,301	13.53									
Chemical	194	5,412	27.90		23	800	31.78									
Total to France,					7,612	97,475	12.81	1.8								
Mechanical					7,569	96,050	12.69									
Chemical					43	1,425	33.11									
Total to Japan	7,031	295,071	37.70	2.4	1,755	178,518	37.55	1.1								
Chemical	7,031	295,071	37.70		1,755	178,518	37.55									
Total to China,	112	3,800	33.93	*												
Chemical, . . .	112	3,800	33.93													

\*Less than one-tenth of 1 per cent.

During 1914, Canada exported 126,711 tons more of manufactured wood-pulp than in 1913, an increase of 42.5 per cent. While the increase in the exportation of ground-wood was 36.1 per cent, that of chemical fibre was 63.5 per cent. This increase is partly due to the general advance of the industry in Canada and partly to the fact that while the capacity of pulp-mills has increased in the last year, the paper industry has not kept pace with the supply of pulp, and the surplus of manufactured fibre has found a market in other countries. The United States has been our most important purchaser of pulp in the past, and the proportion of Canadian pulp exported to that country in 1914 was almost 70 per cent of the total. Great Britain also buys large quantities of Canadian wood-pulp, and these two countries together usually take the bulk of the exports from Canada. France imported Canadian pulp in 1914 for the first time since 1910. Other countries, including Belgium, Mexico, Australia, Cuba, New Zealand, and Newfoundland have imported small quantities of wood-pulp from Canada in the last five years, but the trade with these countries has varied greatly from year to year. The average price of exported wood-pulp changed very slightly. That of ground-wood pulp decreased by a few cents, and that of chemical fibre increased by about one dollar a ton.

TABLE 7.

**IMPORTS OF WOOD-PULP, 1913 AND 1914:** Total value, per cent distribution and countries from which imported.

Countries from which imported.	1913		1914	
	Value.	Per Cent Distribution.	Value.	Per Cent Distribution.
<b>Total Value of Imports..</b>	\$ 356,862	100.0	\$ 426,601	100.0
United States	303,543	85.4	216,361	51.0
Sweden	36,843	10.3	136,540	32.2
Norway..	1,387	0.4	61,254	14.1
Switzerland..	1,006	0.3	5,285	1.2
Great Britain..	10,197	2.8	4,375	1.0
Austria-Hungary..			786	0.2
Germany..	3,886	1.1		

In spite of the fact that Canada in 1914 produced nearly a million tons of wood-pulp, valued at approximately twenty million dollars, and exported pulp to the value of over eight million dollars, we still import this commodity from other countries. The importations of wood-pulp in 1914 were valued at \$426,601, an increase over the imports of 1913 of 19 per cent. Although the greater part of the material comes from the United States (51 per cent), the value of imports from that country decreased by \$87,182 in 1914. A decrease took place in the value of imports from Great Britain, and no pulp was imported from Germany, but increases are to be noted with the other countries on the list, especially Sweden.

## APPENDIX.

### List of Active Canadian Pulp-mills.

The following is a list of firms operating pulp-mills in Canada in 1914 to whom the Forestry Branch is indebted for the data upon which this bulletin is compiled:

#### QUEBEC.

Belgo-Canadian Pulp and Paper Company, Ltd., Shawinigan Falls—Ground-wood Pulp.

Brompton Pulp and Paper Company, Ltd., Bromptonville—Ground-wood Pulp.

Brompton Pulp and Paper Company, Ltd., East Angus (2 mills)—Ground-wood Pulp and Sulphate Fibre.

Brown Corporation, La Tuque (office, Portland, Maine)—Sulphate Fibre.  
Canada Paper Company, Ltd., Windsor Mills (2 mills)—Ground-wood Pulp and Soda Fibre.

Chicoutimi Pulp Company, Chicoutimi—Ground-wood Pulp.

Dounacona Paper Company, Dounacona (2 mills)—Ground-wood Pulp and Sulphite Fibre.

**Dominion Paper Company, Kingsey Falls** (2 mills), (office, Montreal)—  
Ground-wood Pulp and Sulphate Fibre.

**Eddy, E. B., Co., Ltd., Hull** (2 mills)—Ground-wood Pulp and Sulphite Fibre.

**Gres Falls Company, Cap Magdeleine** (Union Bag and Paper Company, New York)—Ground-wood Pulp.

**Gulf Pulp and Paper Company, Clarke City**—Ground-wood Pulp.

**Jacques Cartier Pulp and Paper Company, Pont Ronge** (office, Montreal)—Ground-wood Pulp.

**Jonquieres Pulp Company, Ltd., Jonquieres**—Ground-wood Pulp.

**Lake Megantic Pulp Company, Lake Megantic**—Ground-wood Pulp.

**Laurentide Company, Limited, Grand Mere** (2 mills)—Ground-wood Pulp and Sulphite Fibre.

**MacLaren, James, Company, Ltd., Buckingham**—Ground-wood Pulp.

**News Pulp and Paper Company, Ltd., St. Raymond** (office, Montreal)—Ground-wood Pulp.

**Nielet Falls Pulp and Lumber Company, Nielet Falls**—Ground-wood Pulp.

**Ouiatchouan Falls Paper Company, Ouiatchouan Falls** (office, Chicoutimi)—Ground-wood Pulp.

**Price Brothers and Company, Ltd., Kenogami** (office Jonquieres) (2 mills)—Ground-wood Pulp and Sulphite Fibre.

**River du Loup Pulp Company, Ltd., Fraserville**—Ground-wood Pulp.

**Soucy, F. Florentin, St. Antonin** (office, Old Lake Road)—Ground-wood Pulp.

**Wayagamack Pulp and Paper Company, Ltd., Three Rivers** Sulphate Fibre.

**Wilson, J. C., Ltd., St. Jerome**—Ground-wood Pulp.

#### ONTARIO.

**Abitibi Power and Paper Company, Ltd., Iroquois Falls**—Ground-wood Pulp.

**Beaver Wood Fibre Company, Ltd., Thorold**—Ground-wood Pulp.

**Booth, J. R., Ottawa** (2 mills)—Ground-wood Pulp and Sulphite Fibre.

**Bronson Company, Ottawa**—Ground-wood Pulp.

**Davy Pulp and Paper Company, Ltd., Thorold**—Ground-wood Pulp.

**Dryden Timber and Power Company, Ltd., Dryden**—Sulphate Fibre.

**Foley-Rieger Pulp and Paper Company, Ltd., Thorold**—Ground-wood Pulp.

**Fort Frances Pulp and Paper Company, Ltd., Fort Frances**—Ground-wood Pulp.

**Lake Superior Paper Company, Ltd., Sault Ste. Marie** (2 mills) —(Spanish River Pulp and Paper Mills, Ltd.)—Ground-wood Pulp and Sulphite Fibre.

**Northumberland Paper and Electric Company, Ltd., Campbellford**—Ground-wood Pulp.

**Ontario Paper Company, Ltd., Thorold**—Ground-wood Pulp.

**Toronto Paper Manufacturing Company, Ltd., Cornwall**—Sulphite Fibre.

**Riordon Pulp and Paper Company, Ltd., Hawkesbury**—Sulphite Fibre.

**Riordon Pulp and Paper Company, Ltd., Merriton**—Sulphite Fibre.

**Spanish River Pulp and Paper Mills, Ltd., Sturgeon Falls** (2 mills)—Ground-wood Pulp and Sulphite Fibre.

**Spanish River Pulp and Paper Mills, Ltd., Espanola**—Ground-wood Pulp.

**Thorold Pulp Company, Ltd., Thorold**—Ground-wood Pulp.

**Trent River Paper Company, Frankford**—Ground-wood Pulp.

## NOVA SCOTIA.

Campbell Lumber Company, Ltd., Weymouth (2 mills)—Ground-wood Pulp.  
Clyde River Pulp and Paper Company, Ltd., Clyde River—Ground-wood Pulp.  
La Have Pulp Co., Ltd., New Germany (office, Bridgewater)—Ground-wood Pulp.  
MacLeod Pulp Company, Ltd., Milton (2 mills)—(office, Liverpool)—Ground-wood Pulp.  
Nova Scotia Wood-Pulp and Paper Company, Charleston—Ground-wood Pulp.

## NEW BRUNSWICK.

Dominion Pulp Company, Ltd., Chatham—Sulphite Fibre.  
New Brunswick Pulp and Paper Co., Ltd., Millerton—Sulphate Fibre.  
Partington, Edward, Pulp and Paper Company, Ltd., St. John—Sulphite Fibre.  
St. George Pulp and Paper Company, Ltd., St. George—Ground-wood Pulp.


## BRITISH COLUMBIA.

British Columbia Sulphite Fibre Company, Ltd., Mill Creek, Howe Sound, (office, Vancouver)—Sulphite Fibre.  
Powell River Company, Ltd., Powell River (2 mills)—Ground-wood Pulp and Sulphite Fibre.



# PULPWOOD Consumed in CANADIAN PULPMIL


One Cord 128 C



1910



1911



1912

OMILLE DURING THE PAST FIVE YEARS (1910-1914)

28 CUBIC FEET STACKED WOOD




1913




1914

D.B.  
115









## PUBLICATIONS ISSUED BY THE FORESTRY BRANCH.

(Where number and title are omitted the document is out of print.)

**Annual Reports—Director of Forestry—1905 to 1908 inclusive, and 1913.**

- Bulletin**
- 1. Tree Planting on the Prairies.
  - " 8. Forest Products of Canada, 1908.
  - " 10. The Farmer's Plantation.
  - " 11. Forest Products of Canada, 1909: Lumber, Square Timber, Lath and Shingles.
  - " 14. Forest Products of Canada, 1909: Pulpwood.
  - " 14. Forest Products of Canada, 1909: Cross-ties Purchased.
  - " 15. Forest Products of Canada, 1909.  
(Being Bulletins 11, 12, 13, 14, 19 and 20.) French edition only.
  - " 16. Forest Fires and Railways.
  - " 17. Timber Conditions on the Proposed Route of the Hudson Bay Railway.
  - " 18. The Rocky Mountains Forest Reserve.
  - " 22. Forest Products of Canada, 1910: Cross-ties.
  - " 23. Forest Products of Canada, 1910: Timber Used in Mining Operations.
  - " 24. Wood-using Industries of Canada, 1910: Agricultural Implements and Vehicles, Furniture and Cars and Veneer.
  - " 27. Forest Products of Canada, 1910: Cooperage.
  - " 28. Forest Products of Canada, 1910.  
(Being Bulletins 21, 22, 23, 24, 25, 26 and 27.) French edition only.
  - " 29. Timber Conditions in the Lesser Slave Lake Region.
  - " 32. The Turtle Mountain Forest Reserve.
  - " 33. Forest Conditions in the Rocky Mountains Forest Reserve.
  - " 34. Forest Products of Canada, 1911: Lumber, Square Timber, Lath and Shingles.
  - " 35. Forest Products of Canada, 1911: Poles and Cross-ties.
  - " 36. Wood-using Industries of Ontario.
  - " 37. Forest Products of Canada, 1911.  
(Being Bulletins 30: 31, 34 and 35.)
  - " 39. Forest Products of Canada, 1912: Poles and Ties.
  - " 40. Forest Products of Canada, 1912: Lumber, Square Timber, Lath and Shingles.
  - " 42. Co-operative Forest Fire Protection.
  - " 43. Forest Products of Canada, 1912 (Being Bulletins 38, 39 and 40.)
  - " 44. Wood-using Industries of the Maritime Provinces.
  - " 45. Timber and Soil Conditions in Southeastern Manitoba.
  - " 46. Forest Products of Canada, 1913: Pulpwood Consumption.
  - " 47. Forest Products of Canada, 1913: Poles and Cross-ties.
  - " 48. Forest Products of Canada, 1913: Lumber, Lath and Shingles.
  - " 49. Treated Wood-block Paving.
  - " 50. Wood-using Industries of the Prairie Provinces.
  - " 51. Game Preservation in the Rocky Mountains Forest Reserve.
  - " 52. Forest Products of Canada 1913. (Being Bulletins 46, 47 and 48.)
- Circular**
- 5. Planning a Tree Plantation for a Prairie Homestead.
  - 6. Preservative Treatment of Fence-posts.
  - 7. Manitoba a Forest Province.
  - 8. The Forest Products Laboratories.
  - 9. Chemical Methods for Utilizing Wood Wastes.
  - 10. The Care of the Woodlot.
  - 11. The Relation of Forestry to the Development of the Country.

