
IMAGE EVALUATION TEST TARGET (MT-3)



Photographic Sciences Corporation

23 WEST MAIN STREET WEBSTER, N.Y. 14580 (716) 872-4503 CIHM Microfiche
Series
(Monographs)

ICMH
Collection de
microfiches
(monographies)



Canadian Institute for Historical Microreproductions / Institut canadian de microreproductions historiques

(C) 1991

Technical and Bibliographic Notes / Notes techniques et bibliographiques

The Institute has attempted to obtain the best original copy available for filming. Features of this copy which may be bibliographically unique, which may alter any of the images in the reproduction, or which may.	L'Institut a microfilmé le meilleur exemplaire qu'il lui a été possible de se procurer. Les détails de cet exemplaire qui sont peut-être uniques du point de vue bibliographique, qui peuvent modifier une image reproduite, ou qui peuvent exiger une modification dans la méthode normale de filmage sont indiqués ci-dessous.		
significantly change the usual method of filming, are checked below.			
Coloured covers/ Couverture de couleur	Coloured pages/ . Pages de couleur		
Covers damaged/ Couverture endommagée	Pages damaged/ Pages endommagées		
Covers restored and/or laminated/ Couverture restaurée et/ou pelliculée	Pages restored and/or laminated/ Pages restaurées et/ou pelliculées		
Cover title missing/ La titre de couverture manque	Pages discoloured, stained or foxed/ Pages décolorées, tachetées ou piquées		
Coloured maps/ Cartes géographiques en couleur	Pages détachées Pages détachées		
Coloured ink (i.e. other than blue or black)/ Encre de couleur (i.e. autre que bleue ou noire)	Showthrough/ Transparence		
Coloured plates and/or illustrations/ Planches et/ou illustrations en couleur	Quality of print varies/ Qualité inégale de l'impression		
Bound with other material/ Reliè avec d'autres documents	Continuous pagination/ Pagination continue		
Tight binding may cause shadows or distortion along interior margin/ La reliure serrée peut causer de l'ombre ou de la	Includes index(es)/ Comprend un (des) index		
distorsion le long de la marge intérieure Blank leaves added during restoration may appear	Title on header taken from:/ Le titre de l'en-tête provient:		
within the text. Whenever possible, these have been omitted from filming/ Il se peut que certaines pages blanches ajoutées	Title page of issue/ Page de titre de la livraison		
lors d'une restauration apparaissent dans le texte, mais, lorsque cela était possible, ces pages n'ont pas été filmées.	Caption of issue/ Titre de départ de la livraison		
	Masthead/ Générique (périodiques) de la livraison		
Additional comments:/ Commentaires supplémentaires:	red.		
This item is filmed at the reduction ratio checked below/ Ce document est filme au taux de réduction indiqué ci-dessous.			
10X 14X 18X	22X 26X 30X		

The copy filmed here has been reproduced thanks to the generosity of:

Library of the National Archives of Canada

The images appearing here are the best quality possible considering the condition and legibility of the original copy and in keeping with the filming contract specifications.

Original copies in printed paper covers are filmed beginning with the front cover and ending on the last page with a printed or illustrated impression, or the back cover when appropriate. All other original copies are filmed beginning on the first page with a printed or illustrated impression, and ending on the last page with a printed or illustrated impression.

The last recorded frame on each microfiche shall contain the symbol → (meaning "CONTINUED"), or the symbol ▼ (meaning "END"), whichever applies.

Maps, plates, charts, etc., may be filmed at different reduction ratios. Those too large to be entirely included in one exposure are filmed beginning in the upper left hand corner, left to right and top to bottom, as many frames as required. The following diagrams illustrate the method:

L'exemplaire filmé fut reproduit grâce à la générosité de:

La bibliothèque des Archives nationales du Canada

Les images suivantes ont été reproduites avec le plus grand soin, compte tenu de la condition et de la netteté de l'exemplaire filmé, et en conformité avec les conditions du contrat de filmage.

Les exemplaires originaux dont la couverture en papier est imprimée sont filmés en commençant par le premier plat et en terminant soit par la demière page qui comporte une empreinte d'impression ou d'illustration, soit par le second plat, selon le cas. Tous les autres exemplaires originaux sont filmés en commençant par la première page qui comporte une empreinte par la dernière page qui comporte une telle d'empreinte.

Un des symboles suivants apparaîtra sur la dernière image de chaque microfiche, selon le cas: le symbole → signifie "A SUIVRE", lè symbole ♥ signifie "FIN".

Les cartes, planches, tableaux, etc., peuvent être filmés à des taux-de réduction différents. Lorsque le document est trop grand pour être reproduit en un seul cliché, il est filmé à partir de l'angle supérieur gauche, de gauche à droite, et de haut en bas, en prenant le nombre d'images nécessaire. Les diagrammes suivants illustrent le méthode.

1	2 ^	3		1
				2
•	• 1	2	3]
(. 4	5	6	:

SHIPMAN AND ACME

AUTOMATIC + STEAM + ENGINES.

COAL -- OIL -- FOR -- FUEL.

These Engines are patented in Canada, and manufactured exclusively by

JOHN CILLIES & CO., CARLETON PLACE, ONT.



E DESIRE PARTICULARLY to direct attention to the following Letters, from Mr. C. Hamilton, Collector of Customs, Kingston; Mr. E. F. Turley, Frankford Ont., and Mr. J. H. Morrow, Brighton, Ont. These gentlemen have had two years' experience with Ship man Rochester Models using Coal Oil for fuel, therefore we consider their remarks regarding our "Acme" of very great importance:—

One H. P. Acme 2 H. P. Boiler, 23 x 4 1-2 ft. Boat.

Kingston, 30th July, 1886.

Mesers. John Gillies & Co., Carleton Place, Ont. :

Sirs,—The One H. P. Acme Engine with the 'iwo H. P. Boiler attached, which I purchased from you, is now in perfect running order in my boat, 23 ft x 4 ft 6 in., capable of carrying 8 to 10 persons comfortably. I have abundance of Steam, usually carry 80 lbs. which gives me a speed of about Seven miles an hour, which I consider fast enough for a boat of these dimensions, but when desired and by a turn of the diaphragm key I can get 120 lbs. of steam in a few moments, with which pressure the speed of my boat is increased to 8 or 9 miles per hour. I can make no suggestions whereby you could simplify, or improve your Engine, as I consider it about perfect, and simplicity itself. Hoping you will receive for your Engine the demand its merits deserve.

I remain, yours truly, C. HAMILTON.

2 H. P. Acme, 25 x 6 ft. Boat.

FRANKFORD, 16 ugust, 1886.

Ino. Gillies & Co., Carleton Place;

Gentlemen.—Absence from home on a 3-weeks craise prevented me from writing you earlier regarding the satisfaction I have derived through use of Acme. My Boat is 25 feet by 6 feet Beam, and is propelled by 2 H. P. Acme Engine Propeller Wheel, 18 in. diameter with 2 Blades. I have given the Engine as severe tests as any reasonable man could desire, and as I have had a 1 H. P. Rochester Model in another boat for two seasons, and fully posted on Coal Oil Engines I claim to know whereof I speak, I can safely say the 2 H. P. Acme is all you represent it and fully carries out all you claim for it in your Catalogae, and I may say a little more as it does not use the quantity of Oil you state. As a proof of my feelings I beg to inform you that I send amount of your account by express, and permit me to say I shall be pleased to inform any intending purchasers as to the merits of your Engines, and should any call on me will practically demonstrate the truth of the assertions I have made in its favor. The "Acme" is undoubtedly the most complete and powerful little Boat Engine in use.

Yours truly, EDW. F. TURLEY.

One H P. Acme, 22 ft 4 in. x 4 ft 10 in. Boat.

BRIGHTON, 31st July, 1886.

Messrs. Jno., Gillies &, Co., Carleton Place :

GENTLEMEN,—As I suppose you would like to hear how I am pleased with the 1 H. P. Acme Engine I bought of you, all ¶ need say is, that it is even better than you represented to me and that I am delighted with it. I put it into a Boat 22 ft 4 in. over all, 22 fts Keel; 4 ft 10 inch beam, and 21 inch deep, and had no trouble in making over 7 miles an hour. You can draw on me for amount.

Yours truly, . J. II. MORITOW.

ABNERIOR, June 15, 1886.

John Gillies & Co., Carleton Place, Ont :

GENTLEMEN: —I received the No. 1 Acme Engine all safe, and set it in my boat. I got a small tank with a float ball in it to shut the oil off when at a certain height. My large tank fits bow of boat and holds six gallons, the small one is flat, about 4 inches deep, and holds about ½ gallon. This works perfectly satisfactory. She will run about 8 miles per hour in still water. I run her myself without the least trouble. Mrs. Wait has been with me the most of the trips and she enjoys the pleasure very much. I shall send you a photograph of the boat. You can send in your bill and I will send you check for same. The consumption of oil is much less than I expected. It consumes less than the old Rochester Model and keeps up steam better? On the 24th of May I towed a sail yacht against a strong wind for four miles, and made almost as good time as though we had nothing.

Yours truly,

JNO. T. WAIT.

Ремигоке, July 14, 1886.

John Gillies & Co., Carleton Place, Ont. :

Gentlemen:—After all my grombling about the delay in shipping the meth, I have no doubt you are anxious to know my opinion of leer after having tried her for several weeks. The boat, as you are aware, is 25 feet long, 5 feet beam, with a 2 H. P. Acme Engine, and is all that any one could desire for pleasure, countort and economy. I find that with an ordinary load she can easily make from 8 to 9 miles at hour, and, no difficulty in keeping the steam up to 100 lbs. I hav tried her both in fair and stormy weather, and in every case the result has been most satisfactory, both as regards her sailing and the amount of oil consumed, which does not exceed four gallons for ten hours running. Enclosed please find check in settlement of account.

Yours, etc.,

THOS. H. MOFFATT.

The Acme Boat Engines.

Mr. J. W. McGarvey, Seneca Falls, N. Y., writes as follows, under date of July 8, 1886:

Rochester Machine Tool, Works: .

GENTLEMEN:—I put the one-horse power Boat Engine obtained of you in a cedar boat, 20 ft. long by 4 ft. 4 in. beam, and 21 in. deep. With seven grown persons in her I have run one mile on the Seneca River in 6 minutes and 35 seconds. I have carried twelve men in her across Cayuga Lake, 13 miles in 14 minutes. Two or three boat builders have been to take the lines of this boat.

A few days later he writes:

I have at least got good speed out of the boat and engine. Last Thursday, with eight grown persons, I run a mile on the Seneca River in six minutes, starting from a dead stop, which was not fair. You are at liberty to publish this statement, as I can prove time and distance by seven mon who were in the boat with me.

Signed,

J. W. McGARVEY

Lock Box No. 78.

Seneca Falls, N. Y.

The following from Dr. Hall, of this city, who has had his engine and boiler in use for the past three months, speaks for itself:

ROCHESTER, N. Y., Júly 29, 1886.

Rochester Machine Tool Works:

DEAR Sins:—Your Ac no 1 H. P. Engine has been placed in my mucht, which is 25 ft. long, by 4½ ft. beam, and after trying it in river, canal and bay, it has give i perfect satisfaction; running in currents, swells amt heavy weather, and can depend on it every time to do its work. The speed I have attained has been 8 miles per hour, having run at that rate for three hours continuously; and I can with credit to any, recommend it to any one wishing such an engine, and will gladly do so.

Yours truly, . Wil

WILLIAM S. HALL, M. D.

PARKDALE, July 26th, 1886.

Jno. Gillies & Co., Carleton Place:

GENTERMY,—This is to certify that we have thoroughly tested the One Horse Power Acme Engine in our Launch and must say that we are well pleased with the satisfaction it has given, and will be glad to do anything we can for you.

Yours truly.

JNO. WANLESS & SON.


Our Engines are the most convenient, most reliable and durable small power in use for propelling Boats. Little space occupied for Fuel. No Coal Dust. No Cinders. No Coal or Wood Fire to Draw. Only the amount of Fuel is consumed that is required to give the power taken.

For further information, address

JOHN GILLIES & CO.,

CARLETON PLACE, ONTARIO.

WHAT PEOPLE SAY WHO ARE USING 1 2 H. P. STATIONARY ACMES.



NOTICE.---The Canadian Underwriters' Association permits the use of our Engines on the same basis as any ordinary Engines.

1 H. P. Acme in Printing Office.

ADVOCATE OFFICE, HUNTINGTON, Que., 6th July, 1886.

John Gillies & Co., Carleton Place, Ont. : .

Gentlemen,—Your man was here to day starting the 1 h. p. Acme Engine in my printing office, and I have no hesitation in saying that it works, splendidly, running my Campbell Cylinder Press and large Gordon Jobber with ease.

Yours truly,

HY. P. SOMERVILLE.

2 H. P. Engine Running Two Cylinder and Two Gordon Presses.

Lavis, Que., July 9th, 1886.

John Gillies & Co., Carleton Place, Ont.:

GENTLEMEN,—This is to certify that we have one of your 2 h. p. Engines in our office, running two Cylinder and two Gordon Presses. It does all you claim for it; we have more power than we require; it does its work to perfection, running the presses, etc.; with ease.

Yours truly.

MERCHÉR & CO.

The Acme Running Electric Light.

In April last a correspondence was opened with us by the Household Electric Light Co., of Boston, Mass., asking if we could guarantee that our engines could handle a Dynamo successfully. We replied we had never tried Dynamoes, but we believed our Automatic Governor would give as even a speed as any in the market, and wanted them to send a practical man to experiment in our works and report. After experimenting with a one-horse engine in our works, Mr. Sparrow purchased from us a one-horse Acme Automatic Engine. Under date of May 17th, he wrote us as follows:

HOUSEHOLD ELECTRIC LIGHT COMPANY,

153 Essex Street, Boston, Mass.

Geo. W. Davidson, Treasurer:

DEAR Sir,—The one-horse power engine arrived Saturday. I have started it. I get six 6 C. P. incandescent lamps. I have to use countershaft to get up speed on Dynamo. This is a rough trial but the engine worked nicely, and I must say that your Governor is ahead of anything yet. I shall have it up in a few days so as to give it a good test and see just what it will do With large Dynamoes, eight 16 C. P. lamps per horse power are obtained only under the most favorable conditions; and small Dynamos, like small engines, are not so economical as large ones; so I feel very well satisfied with the result so far.

Signed,

E. P. SPARROW, Manager.

Under date of May 24th, Mr. Sparrow writes us as follows:

Geo. W. Davison, Treasurer, Rochester, N. Y.:

Dear Sir:—I am happy to say that everything goes to my satisfaction. Have no trouble now in running eight 16 C. P. incandescent lamps with perfect ease, using oil as fuel, at the rate of about 6 gallons in ten hours. The engine is even better than I had hoped for, and I shall now go for business in house lighting in earnest. The best the——Engine, two horse, would do, was 10 or 12 lamps, and then you would think the house was coming down.

Signed, E. P. SPARROW, Manager.

Mr. J. I. Mackey, who has places of business at Old Orchard, Me., and Jacksonville, Fla., had the first two horse nower Acme Engine we ever sent out. Under date of June 19th, he writes us as follows:

Rochester Machine Tool Works:

Gentlemen:—I have at last received my engine, and it works like a charm. Running very smoothly indeed; although I have not work enough to show just what it can do. A good many people have been in to see it run, and all pronounce it a "Dandy." Please send me quite a lot of circulars of the engines, and I feel sure I can send you a number of orders for engines soon.

Signed, J. f. MACKEY.

AL MIL CATALANA CATALANA CATALANA CATALANA CATALANA

STATIONARY ACME.

The Acme as a Gas Burning Engine.

The following from La Porte, Ind., refers to one of our one-horse Acme Automatic Engines arranged to burn gas instead of kerosene as fuel:

Rochester Machine Tool Works:

Dear Sirs:—The little engine came to hand and have started it. I find it a powerful engine for so small a one. Am more than pleased with it. Indeed I think it a "Little Dandy."

Respectfully yours,

Signed, J. R. PARSONS.

LA PORTE, Ind., July 24, 1886.



ACME FOR BOAT.

The Acme Running Sewing Machines.

In February, 1886, Messrs. McDonald & Whiting of this city purchased from us a one horse Aeme Engine under a guarantee that it should run at least eight Wilcox & Gibbs manufacturing machines. Under date of June 2nd, they write us as follows:

OFFICE OF McDonald & Whiting,
Wholesale Straw Goods Manufacturers,
76 State Street.

Rochester Machine Tool Works:

Gentlemen:—We have used your one-horse power Oil Engine daily since last February, when we purchased it of you. It is running better now than ever. Can highly recommend it to any who are in need of small power.

McDONALD & WHITING, 76 State St., Rochester, N.Y.

2 H. P. Acme Hoisting Stone, Brick and Mortar.

The following comes entirely unsolicited:

OSBORNE, Kan., July 27, 1886.

Rochester Machine Tool Works, Rochester, N.Y.:

Gentlemen:—The Acme Engine (two-horse), purchased from you some weeks ago, arrived in time. In less than half an hour after it arrived I had up steam and had it running. I am hoisting stone, brick and mortar. I have so arranged that I can hoist 2000 pounds at a time: I never saw an engine work nicer and keep up steam easier than the Acme does. I would not sell her for the money I paid if I could not get another. She is what I call a "Daisy." There has been more than two thousand people come to see her work. Every one says she is nice. I have been talking toour printer and explained my engine to him, and gave him your address, and you will probably hear from him as he ought to have a new engine. I will cheerfully do all I can to help you introduce this engine and boiler.

igned, F. N. HATCH.

It is absolutely safe from Explosion. No Dust or Dirt. The moment the work is done the Fuel expense stops.

It puts out its own Fire, and re-lights it again when more power is needed. No Engineer required. The Fuel and Water supply is automatic.

SPECIAL NOTICE.—Every Engine is tested and thoroughly tried before it leaves our works. In the first place each Boiler is tested to 300 pounds hydrostatic pressure, though the boiler is rarely used at 120 lbs. steam pressure. After the Engine and Boiler have been "set up" they are critically tried and tested in every particular by actual use, and all parts accurately adjusted.

GUARANTEE.—We guarantee every Engine to be made of the very best quality of material, and finished in a strictly first-class manner, and to develop the power represented. Should any Engine fail to perform the duty specified, we will refund any payment made, and defray all expenses incurred.

Send for Catalogue giving prices, &c., &c., to

JOHN CILLIES & CO.,

CARLETON PLACE, ONTARIO.

