

10855 B. du P.

QUEBEC LUNATIC ASYLUM

Province of Quebec.

Jan 1

REPORT

OF THE

QUEBEC LUNATIC ASYLUM

ADDRESSED TO THE HONORABLE THE PROVINCIAL SECRETARY BY
THE MEDICAL SUPERINTENDENTS AND PROPRIETORS,

FOR 1877-78.



QUEBEC
"Le Canadien" Steam Printing Office.

1878

MED

ASSI

WAR

MATE

FIRST

SECON

FARM

ENGIN

CHIEF

MEN

DOOR

INSPEC

PRIS

COMMIS

VISITING

CHAPLA

PER
Z-H525



Quebec Lunatic Asylum.

1878.

| | |
|--|--|
| MEDICAL SUPERINTENDENTS..... | { J. E. J. LANDRY, Esq., M. D. F. E. ROY, Esq., M. D. |
| ASSISTANT-PHYSICIAN..... | U. A. BÉLANGER, Esq., M. D. |
| WARDEN..... | C. VINCELETTTE, Esq. |
| MATRON..... | MRS. C. VINCELETTTE. |
| FIRST ASST-MATRON..... | MISS B. BOURASSA. |
| SECOND ASST-MATRON..... | MISS V. JEAN. |
| FARMER | J. ROY. |
| ENGINEER..... | A. KAY. |
| CHIEF OF FIRE DEPARTMENT..... | N. E. CHAUMET. |
| DOOR KEEPER | A. OUELLET. |
| <hr/> | |
| INSPECTORS OF ASYLUMS AND PRISONS..... | { L. L. L. DÉSAULNIERS, Esq., H. H. MILES, Esq., L. L. D. E. TASSÉ, Esq. |
| COMMISSIONERS | { E. B. LINDSAY, Esq., PRESIDENT. DAN. McGIE, Esq. JOS. BOWLES, Esq. JOSEPH HAMEL, Esq. |
| VISITING PHYSICIAN..... | A. JACKSON, Esq., M. D. |
| CHAPLAINS | { REVD. J. B. Z. BOLDUC. REVD. W. S. VIAL. |

To

Sir

V

lun

187

Leg

I

rize

ann

mer

med

1877

W

ing

of a

desi

thos

laid

as 1

mem

offic



QUEBEC LUNATIC ASYLUM.

(TRANSLATION.)

To the Honorable

THE PROVINCIAL SECRETARY.

Sir,

We hasten to submit the medical report of the Quebec lunatic asylum, for the fiscal year ending the 30th June, 1878, in order that it may be immediately laid before the Legislature.

In the hope that the printing of this report will be authorized at a sufficiently early date to allow of its being annexed to that of last year, which is not yet printed, we merely give, without any comment, the statistics of our medical report; the numerous remarks made for the year 1877, being also applicable to that which has just expired.

We yearly notice, with regret, that the delay in publishing certain official documents deprives them, by their absence, of a great part of their interest. It would be extremely desirable that the reports of the superintendents, as well as those of the inspectors of asylums and prisons, should be laid before the House in printed form, in the same manner as the various reports of the public departments, so that members would not be obliged to wait a whole year for the official information and details which they may require.

The association of medical superintendents for american and canadian asylums, understanding the immense benefits which might accrue to institutions devoted to the insane, from the interchange of the observations made by their directors, on the various wants of their institutions, on the improvements introduced or required, and on the internal management as well as the medical treatment adopted, have deemed it advisable to pass resolutions calling upon its members to exchange their annual reports and to adopt the same size for their books in order to facilitate the binding of these documents and their being kept in serial form.

Thanks to the interest taken in the unfortunate insane, the Legislature, since 1872, has generously responded to the philanthropic appeal of the specialists and has not lagged behind the other provinces of the Dominion or the United States by supplying us with a sufficient number of reports (as requested) for exchange with foreign institutions of Great Britain, France, the United States and Belgium.

We are thus enabled to judge exactly of the treatment followed in foreign lunatic asylums, and to take advantage of the advice and observations of eminently qualified gentlemen; this has largely contributed to keep us in a position to fulfill our obligations, and incite us to emulate our sister institutions.

On the first of July 1877, we had under treatment 918 patients, 455 males and 463 females.

The number of admissions during the year was 162; 92 men and 70 women.

The whole number of patients treated during the year is 1080; 547 men and 533 women.

Although the number of the insane, admitted at the expense of the Government, seems to have increased, for the

past few years, to an alarming extent in the Province, we may say that, in our institution, this augmentation is nearly proportionate to the general increase in the population ; being only 18 patients more for the year.

There have been 81 patients discharged, 34 men and 47 women, being fifty per cent of the admissions during the year.

The deaths amounted to 63, 38 men and 25 women, representing a percentage of 5.83 on the whole number of inmates under treatment during the year.

This exceptionally favorable result, as compared with that obtained in other institutions of a like nature, shows clearly that our establishment combines all the best conditions which hygiene requires. We have not a single case of epidemic disease, and we are happy to be able to state that there has been not a single case of serious accident.

Our efforts, as in the past, have been directed towards providing for our patients, besides necessary comforts, all the means of amusement and diversion which are so useful in the treatment of mental diseases.

In conclusion, we are proud and happy to say that the officers of the establishment always perform their responsible duties in a satisfactory manner, and deserve the greatest confidence.

The inferior officers accomplish their painful task with much zeal.

Hoping to be favored by your kind approval we submit the present report, and have the honor to subscribe ourselves,

Your obedient servants,

J. E. J. LANDRY, M. D.,

F. E. ROY, M. D.

Quebec Lunatic Asylum, July 1878.

The
dica

The
hend
orde

The
enat
our p
form
take
which
and e

For
submi
order
report

We
follow

1
2
3
4
5

and now I have nothing else to say except to thank you all for your kind and considerate treatment of me during my stay here. I am very grateful for the opportunities given me to meet people from all over the world and to learn about their customs and ways of life. I have also had the chance to visit some of the most beautiful places in Quebec, such as the Saguenay River and the Gaspé Peninsula. I would like to thank you all for your help and support throughout my stay here. I am sorry to leave, but I know that I will always remember my time in Quebec City.

MEDICAL REPORT.

The various statistics which accompany our annual medical report always form the basis of our work.

They are essential to enable one to thoroughly comprehend the condition of the inmates, and indispensable in order to show the results obtained.

The extremely limited time remaining at our disposal to enable us to take advantage of the present session, prevents our presenting this report in its ordinary shape and complete form ; but we desire, at least, not to deprive those who take an interest in this speciality, of useful information which they may obtain from statistics prepared with care and exactness.

For the proper understanding of this report, we shall submit to the reader the various statistical tables in the order that we have adopted and followed in our previous reports.

We have divided these tables into five groups, under the following titles :

- 1st part : Movement of the population.
- 2nd " Admissions,
- 3rd " Discharges,
- 4th " Deaths.
- 5th " Summary.

FIRST PART.

MOVEMENT OF THE POPULATION.

The tables comprised in the first part of the report not only show the changes which have taken place in the population of the asylum in the course of the year, but also give a general view of the working of the institution since its foundation.

TABLE I.

Movement of the population.

TABLE II.

Synoptical table.

TABLE III.

Duration of residence.

TABLE IV.

Diseases treated during the year.

TABLE V.

Occupation.



TABLE I.

MOVEMENT OF THE POPULATION.

| | Males. | Females. | Total. |
|---|--------|----------|--------|
| Remaining in asylum on 1st July 1877..... | 455 | 463 | |
| Admitted during the year (1877-78) | 92 | 547 | 639 |
| Discharged..... | 34 | 47 | 81 |
| Dead..... | 38 | 25 | 63 |
| Remaining on 30th June 1878 | 475 | 461 | 936 |

PERCENTAGES.

Population under treatment: 1080. Discharged..81= 7.50 p. c.
Population admitted..... 162 " ..81=50.00 p. c.
Population remaining on
30th June, 1878. 936 " ..81= 8.65 p. c.

TABLE II.
SYNOPTICAL TABLE.

| Years. | ADMISSIONS. | | | DEATHS. | | | DISCHARGES. | | | REMAINING. | | | ANNUAL INCREASE. |
|---------------|-------------|------|--------|---------|-----|--------|-------------|-----|--------|------------|-----|--------|------------------|
| | M | F | Total. | M | F | Total. | M | F | Total. | M | F | Total. | |
| 1845 | 46 | 49 | 95 | 1 | 3 | 4 | ... | 1 | 1 | 45 | 45 | 90 | |
| 1846 | 32 | 26 | 58 | 6 | 10 | 16 | 11 | 7 | 18 | 60 | 54 | 114 | 24 |
| 1847 | 26 | 24 | 50 | 8 | 10 | 18 | 10 | 13 | 23 | 68 | 55 | 123 | 9 |
| 1848 | 36 | 24 | 60 | 12 | 4 | 16 | 9 | 4 | 13 | 83 | 71 | 154 | 31 |
| 1849 | 33 | 35 | 68 | 25 | 15 | 40 | 16 | 11 | 27 | 75 | 80 | 155 | 1 |
| 1850 | 46 | 23 | 69 | 17 | 8 | 25 | 11 | 16 | 27 | 93 | 79 | 172 | 17 |
| 1851 | 18 | 21 | 39 | 21 | 18 | 39 | 9 | 11 | 20 | 81 | 71 | 152 | |
| 1852 | 45 | 39 | 84 | 6 | 10 | 16 | 8 | 2 | 10 | 112 | 98 | 210 | 58 |
| 1853 | 35 | 61 | 96 | 20 | 17 | 37 | 22 | 17 | 39 | 105 | 125 | 230 | 20 |
| 1854 | 60 | 52 | 112 | 36 | 24 | 60 | 21 | 20 | 41 | 108 | 133 | 241 | 11 |
| 1855 | 51 | 65 | 116 | 15 | 13 | 28 | 23 | 14 | 37 | 121 | 171 | 292 | 51 |
| 1856 | 64 | 52 | 116 | 27 | 16 | 43 | 20 | 18 | 38 | 138 | 189 | 327 | 35 |
| 1857 | 84 | 59 | 143 | 27 | 16 | 43 | 33 | 17 | 50 | 162 | 215 | 377 | 50 |
| 1858 | 64 | 44 | 108 | 22 | 26 | 48 | 33 | 22 | 55 | 171 | 211 | 382 | 5 |
| 1859 | 52 | 52 | 104 | 17 | 22 | 39 | 21 | 18 | 39 | 185 | 223 | 408 | 26 |
| 1860 | 54 | 52 | 106 | 26 | 24 | 50 | 17 | 21 | 38 | 196 | 230 | 426 | 18 |
| 1861 | 32 | 22 | 54 | 18 | 10 | 28 | 15 | 10 | 25 | 195 | 232 | 427 | 1 |
| 1862 | 37 | 22 | 59 | 14 | 12 | 26 | 13 | 12 | 25 | 205 | 230 | 435 | 8 |
| 1863 | 55 | 84 | 139 | 24 | 18 | 42 | 14 | 16 | 30 | 222 | 280 | 502 | 67 |
| 1864 | 71 | 84 | 155 | 25 | 24 | 49 | 32 | 20 | 52 | 236 | 320 | 556 | 54 |
| 1865 | 60 | 42 | 102 | 14 | 39 | 53 | 28 | 20 | 48 | 254 | 303 | 557 | 1 |
| 1866 | 81 | 72 | 153 | 19 | 33 | 52 | 31 | 24 | 55 | 285 | 318 | 603 | 46 |
| 1867 | 59 | 69 | 128 | 36 | 30 | 66 | 30 | 19 | 49 | 278 | 338 | 616 | 13 |
| 1868 | 88 | 71 | 159 | 20 | 23 | 43 | 17 | 22 | 39 | 329 | 364 | 693 | 77 |
| 1869 | 78 | 60 | 138 | 31 | 43 | 74 | 25 | 17 | 42 | 351 | 364 | 715 | 22 |
| 1870 | 77 | 79 | 156 | 36 | 37 | 73 | 32 | 32 | 64 | 360 | 374 | 734 | 19 |
| 1871 | 92 | 75 | 167 | 35 | 25 | 60 | 29 | 24 | 53 | 388 | 400 | 788 | 54 |
| 1872 | 121 | 80 | 201 | 37 | 28 | 65 | 44 | 14 | 58 | 428 | 438 | 866 | 78 |
| 1873 | 61 | 53 | 114 | 22 | 22 | 44 | 19 | 33 | 52 | 448 | 436 | 884 | 18 |
| 1874 | 105 | 99 | 204 | 38 | 31 | 69 | 77 | 27 | 104 | 438 | 477 | 915 | 31 |
| 1875 | 84 | 83 | 167 | 40 | 56 | 96 | 69 | 107 | 176 | 413 | 397 | 810 | |
| 1876 | 104 | 78 | 182 | 34 | 23 | 57 | 34 | 24 | 58 | 449 | 428 | 877 | 67 |
| 1877 | 73 | 68 | 141 | 32 | 13 | 45 | 35 | 20 | 55 | 455 | 463 | 918 | 41 |
| 30th June '78 | 92 | 70 | 162 | 38 | 25 | 63 | 34 | 47 | 81 | 475 | 461 | 936 | 18 |
| Totals.. | 2116 | 1889 | 4005 | 799 | 728 | 1527 | 842 | 700 | 1542 | | | | |

S
of its
wall
discl
have

W
patie
meno

Admi
Perce

Admit

Admit
Remai

Ascerta

* The

Since its foundation, that is to say, during the 33 years of its existence, our establishment has received within its walls 4005 insane persons ; of this number 1542 have been discharged, and 1527 have died. At the present time we have 936 patients under our care.

We now give some statistics, which include all the patients who have been in our establishment since the commencement.

*Percentage of discharges and deaths * (sorties.)*

Admitted... 4,005 Discharged and died (*sorties*)... 3,069
Percentage 76.62

Percentage of discharges alone.

Admitted... 4,005 Discharged.... 1,542 Percentage... 38.50

Percentage of deaths.

Admitted 4,005 Died..... 1,527 Percentage... 38.10

Percentage on the known results.

Admitted..... 4005
Remaining 936

Ascertained results.. 3069 { Discharged, 1,542 p. c. 50.21
 } Died..... 1,527 " 49.75

* The French word *sorties* here includes both *discharged and died*.

TABLE III.
DURATION OF RESIDENCE.

| DURATION. | M | F | Total |
|---|-----|-----|-------|
| Insane treated since 1st July 1877 (12 months.) | | | |
| One month and under | 11 | 11 | 22 |
| From 1 to 2 months..... | 18 | 8 | 26 |
| “ 2 “ 3 “ | 10 | 14 | 24 |
| “ 3 “ 6 “ | 19 | 13 | 32 |
| “ 6 “ 12 “ | 41 | 34 | 75 |
| “ 12 “ 18 “ | 32 | 25 | 57 |
| “ 18 “ 24 “ | 20 | 26 | 46 |
| “ 2 to 3 years..... | 60 | 4 | 108 |
| “ 3 “ 5 “ | 68 | 97 | 165 |
| “ 5 “ 10 “ | 126 | 107 | 233 |
| “ 10 “ 15 “ | 67 | 70 | 137 |
| “ 15 “ 20 “ | 30 | 21 | 51 |
| “ 20 “ 25 “ | 27 | 38 | 65 |
| “ 25 “ 30 “ | 10 | 17 | 27 |
| 30 years and over..... | 8 | 4 | 12 |
| Totals..... | 547 | 533 | 1080 |

AVERAGE DURATION OF RESIDENCE.

Males..... 7 years, 2 months, 13 days.
Females..... 7 “ 6 “ 14 “
Both sexes..... 7 “ 4 “ 13 “



TABLE IV.
DISEASES TREATED DURING THE YEAR.

| FORM OF THE DISEASE. | SEX | TOTAL. | COMPLICATIONS. | | | | | | | | | | TOTAL. M. F. | |
|-----------------------------|-----|--------|----------------|------------|-----------|-----------|-------------|--------------------|----------|------------|------------|-----------|-----------------|---------|
| | | | Congenital. | Paralysis. | Epilepsy. | Puerperal | Hysterical. | Uterine disorders. | Onanism. | Inebriety. | Homicidal. | Suicidal. | | |
| | | | | | | | | | | | | | | |
| Mania | M | 153 | 1 | 1 | .. | .. | .. | 4 | 19 | 12 | 9 | 11 | 153 124 | |
| | F | 124 | 1 | 17 | 4 | 10 | 3 | 13 | 10 | 1 | 5 | | | |
| Chronic mania | M | 150 | 1 | .. | .. | .. | .. | 4 | 12 | 7 | 6 | 4 | 150 145 | |
| | F | 145 | 5 | 4 | 1 | 3 | 3 | 1 | 8 | 3 | 6 | | | |
| Monomania | M | 15 | .. | .. | .. | .. | .. | 3 | 1 | .. | 1 | 15 | 8 | |
| | F | 8 | .. | .. | .. | .. | .. | .. | 2 | .. | 1 | | | |
| Lypemania | M | 57 | .. | .. | .. | .. | .. | 7 | 4 | 4 | 4 | 16 | 57 68 | |
| | F | 68 | 2 | 10 | 2 | 4 | .. | 1 | 5 | 3 | 11 | | | |
| Chronic lypemania | M | 14 | .. | .. | .. | .. | .. | 2 | .. | 1 | 1 | 1 | 14 8 | |
| | F | 8 | .. | .. | 4 | 2 | .. | 2 | 1 | 2 | .. | 4 | | |
| Dementia | M | 28 | 1 | .. | .. | .. | .. | 4 | .. | 1 | 1 | 1 | 28 40 | |
| | F | 40 | 2 | 1 | .. | .. | .. | .. | .. | 5 | .. | 1 | | |
| Senile dementia | M | 8 | 1 | 1 | .. | .. | .. | 1 | .. | 1 | 1 | 1 | 8 15 | |
| | F | 15 | .. | .. | .. | .. | .. | .. | .. | 1 | .. | 1 | | |
| Paralytic mania | M | 19 | 19 | 1 | .. | .. | .. | 11 | .. | 1 | 3 | 19 | 7 | |
| | F | 7 | 3 | .. | 1 | .. | .. | 1 | .. | .. | .. | | | |
| Imbecility | M | 51 | 39 | 2 | .. | .. | .. | 6 | 1 | 2 | 2 | .. | 51 68 | |
| | F | 68 | 46 | 1 | 4 | .. | 3 | 3 | .. | 11 | .. | | | |
| Idiocy | M | 15 | 12 | 2 | .. | .. | .. | .. | .. | 4 | 1 | .. | 15 11 | |
| | F | 11 | 6 | 1 | 1 | .. | .. | .. | .. | .. | .. | .. | | |
| Epileptic mania | M | 37 | .. | 37 | .. | .. | .. | 2 | 2 | 1 | 1 | 3 | 37 39 | |
| | F | 39 | .. | 1 | 39 | .. | 3 | 2 | 1 | .. | 3 | .. | 4 | |
| Totals | | 1080 | 103 | 39 | 93 | 33 | 17 | 19 | 38 | 70 | 80 | 34 | 74 | 547 533 |

TABLE V.

OCCUPATION.

| OCCUPATION. | M | F | Total. |
|------------------------------|-----|-----|--------|
| Household work | 55 | 60 | 115 |
| Gardening and farming | 45 | 12 | 57 |
| Sewing and knitting..... | | 54 | 54 |
| Workshops | 15 | | 15 |
| Wash house and laundry | | 5 | 17 |
| Kitchen..... | 6 | 5 | 11 |
| Totals..... | 126 | 143 | 269 |

Such has been the movement of our population for the year 1877-78. This general view will give additional facilities in enabling one to understand the following tables.

SECOND PART.

ADMISSIONS.

The numerous tables contained in the second portion of the report are particularly interesting.

They give an historical review of the patients admitted and assist in forming at once a pretty definite idea of the results to be expected.

TABLE I.
Admissions.

TABLE II.
Causes of re-admission.

TABLE III.
Former residence.

TABLE IV.
Civil condition.

TABLE V.
Language.

TABLE VI.
Religion.

TABLE VII.
Origin.

TABLE VIII.
Occupations.

TABLE IX.
Age when admitted.

TABLE X.
Manifestation of disease previous to admission.

TABLE XI.
Diseases of patients admitted.

TABLE XII.
Probable chances of cure.

TABLE XIII.
Supposed causes of insanity.
3

TABLE I.
ADMISSIONS.

| | M | F | Total |
|--|------------------------|-------|-------|
| Admitted for the first time | 79 | 58 | 137 |
| Re-admissions, after escape | 5 | | 5 |
| Re-admissions of those discharged from 1845, to 30th June 1878, after more than one year's absence. | 1st Re-admissions... 4 | 1 | 5 |
| | 2nd " | 2 | 2 |
| | 3rd " | 1 | 1 |
| Re-admissions of those discharged after less than one year's absence. | 1st Re-admissions... 6 | 6 | 6 |
| | 2nd " | 1 | 1 |
| | 3rd " | 1 | 1 |
| | 4th " | 1 | 1 |
| | 5th " | 1 | 1 |
| Totals..... | 92 | 70 | 162 |

TABLE II.

CAUSES OF RE-ADMISSION.

TABLE III.

FORMER RESIDENCE OF PATIENTS.

| | Admitted during the year. | | | Admitted since 1845. | | |
|--------------------------------|---------------------------|-------|-------|----------------------|-------|------|
| | M. | F. | Tot. | M. | F. | Tot. |
| Coming from Cities.... | | | | | | |
| " " Gaols..... | 36 | 31 | 67 | 464 | 540 | 1004 |
| " " Districts... | 19 | 7 | 26 | 843 | 602 | 1445 |
| " " Hospitals.. | 34 | 32 | 66 | 696 | 622 | 1318 |
| " " Abroad.... | | | | 72 | 96 | 168 |
| " St. John's Asylum. | | | | 28 | 22 | 50 |
| " Kingston's Penitentiary..... | | | | 10 | 7 | 17 |
| Totals..... | 3 | | 3 | 3 | | 3 |
| | 92 | 70 | 162 | 2116 | 1889 | 4005 |

Percentage on the number of insane coming from gaol :—
On the total number of admissions 36 . 08 p. c.
On the admissions during the year 16 . 05 p. c.

TABLE IV.

CIVIL CONDITION.

| | Admitted during the year. | | | Treated during the year. | | |
|--------------|---------------------------|-------|-------|--------------------------|-----|------|
| | M. | F. | Tot. | M. | F. | Tot. |
| Single | 53 | 30 | 83 | 367 | 312 | 679 |
| Married..... | 35 | 34 | 69 | 151 | 186 | 337 |
| Widowed..... | 4 | 6 | 10 | 22 | 34 | 56 |
| Unknown..... | | | | 7 | 1 | 8 |
| Totals..... | 92 | 70 | 162 | 547 | 533 | 1080 |

TABLE V.

LANGUAGE.

| LANGUAGE. | Admitted since 1845. | Admitted during the year. |
|--------------|----------------------|---------------------------|
| French..... | 2375 | 114 |
| English..... | 1602 | 48 |
| Others..... | 28 | |
| | 4005 | 162 |

TABLE VI.
RELIGION.

| RELIGION. | Admitted since 1845. | Admitted dur- ing the year. |
|-----------------|-------------------------|--------------------------------|
| Catholic..... | 3309 | 139 |
| Protestant..... | 632 | 23 |
| Unknown..... | 64 | |
| | 4005 | 162 |

TABLE VII.
ORIGIN.

| ORIGIN. | Admitted during the year. | | |
|--------------------|------------------------------|-------|--------|
| | M. | F. | Total. |
| Canada..... | 65 | 47 | 112 |
| Scotland..... | 3 | 3 | 6 |
| United States..... | 1 | | 1 |
| France..... | 2 | | 2 |
| England..... | 4 | 3 | 7 |
| Poland..... | | 1 | 1 |
| Ireland..... | 16 | 16 | 32 |
| Unknown | 1 | | 1 |
| | 92 | 70 | 162 |

TABLE VIII.
OCCUPATIONS.

| ADMITTED DURING THE YEAR. | | | |
|--|-------|-------|------|
| | M. | F. | Tot. |
| Liberal professions.... | 3 | | 3 |
| Soldiers and seamen | 6 | | 6 |
| Industrial or commercial professions | 10 | 1 | 11 |
| Student..... | 1 | | 1 |
| Agricultural occupations..... | 20 | | 20 |
| Manual or mechanical professions | 10 | 2 | 12 |
| House-keepers..... | | 38 | 38 |
| Beggar..... | 1 | | 1 |
| Servants..... | 21 | 7 | 28 |
| Prostitute..... | | 1 | 1 |
| Without occupation | 19 | 21 | 40 |
| Occupations unknown..... | 1 | | 1 |
| Totals | 92 | 70 | 162 |

TABLE IX.
AGE WHEN ADMITTED.

| AGE. | ADMITTED DURING THE YEAR. | | | TREATED DURING THE YEAR. | | | ADMITTED SINCE 1845, | | |
|--------------------------|---------------------------------|----|-------|--------------------------------|-----|-------|-------------------------|------|-------|
| | M | F | Total | M | F | Total | M | F | Total |
| Under 15 years | 1 | 2 | 3 | 10 | 13 | 23 | 44 | 45 | 89 |
| From 15 to 20 years..... | 2 | 2 | 4 | 22 | 32 | 54 | 121 | 129 | 250 |
| " 20 to 25 " | 21 | 6 | 27 | 89 | 76 | 165 | 316 | 243 | 559 |
| " 25 to 30 " | 20 | 12 | 32 | 93 | 85 | 178 | 311 | 305 | 616 |
| " 30 to 35 " | 8 | 7 | 15 | 83 | 72 | 155 | 271 | 256 | 527 |
| " 35 to 40 " | 9 | 5 | 14 | 60 | 53 | 113 | 236 | 206 | 442 |
| " 40 to 45 " | 2 | 14 | 16 | 46 | 75 | 121 | 209 | 189 | 398 |
| " 45 to 50 " | 5 | 4 | 9 | 39 | 37 | 76 | 170 | 119 | 289 |
| " 50 to 60 " | 13 | 6 | 19 | 74 | 44 | 118 | 237 | 203 | 440 |
| " 60 to 70 " | 4 | 6 | 10 | 21 | 29 | 50 | 142 | 127 | 269 |
| " 70 to 80 " | 6 | 5 | 11 | 9 | 14 | 23 | 49 | 53 | 102 |
| 80 years and over..... | 1 | 1 | 2 | 1 | 3 | 4 | 10 | 14 | 24 |
| Totals | 92 | 70 | 162 | 547 | 533 | 1080 | 2116 | 1889 | 4005 |

TABLE X.
MANIFESTATION OF THE DISEASE
PREVIOUS TO ADMISSION.

| ADMITTED DURING THE YEAR. | M. | F. | Total |
|------------------------------------|-------|-------|-------|
| One month and under | 9 | 7 | 16 |
| From 1 month to 6 months..... | 17 | 11 | 28 |
| " 6 " to 1 year..... | 7 | 7 | 14 |
| " 1 year to 2 years | 8 | 8 | 16 |
| " 2 " to 3 " | 6 | | 6 |
| " 3 " to 4 " | 5 | 4 | 9 |
| " 4 " to 5 " | 3 | 3 | 6 |
| " 5 " to 10 " | 8 | 6 | 14 |
| " 10 " to 15 " | 2 | | 2 |
| " 15 " to 20 " | 1 | | 1 |
| " 20 " to 25 " | 1 | 2 | 3 |
| From birth..... | 9 | 3 | 12 |
| Undetermined time, not remote..... | 7 | 13 | 20 |
| " " of long standing. | 12 | 3 | 15 |
| Unknown..... | | | |
| Totals..... | 92 | 70 | 162 |

Average duration of the disease previous to admission :—

Males, 92 Duration : 3 years, 1 month, 5 days.

Females, 70 " 4 " 9 " 19 "

Both sexes, 162 " 3 " 11 " 12 "

TABLE XI.
DISEASES OF PATIENTS ADMITTED DURING THE YEAR.

| FORM OF DISEASE. | SEX. | COMPLICATIONS. | | | | | | | | | | TOTAL. | | | |
|---------------------|------|----------------|-------------|------------|------------|------------|-------------|-------------------|-----------|------------|-------------|------------|-----------|----|----|
| | | TOTAL. | Congenital, | Paralytic, | Epileptic, | Puerperal, | Hysterical, | Uterine disorders | Chromism, | Inebriety, | Hereditary, | Homicidal, | Suicidal. | M. | F. |
| Acute mania..... | M. | 29 | .. | .. | .. | .. | .. | .. | 2 | 5 | 4 | 3 | 4 | 29 | 27 |
| | F. | 27 | .. | .. | 4 | 1 | 2 | .. | 7 | 3 | 1 | 1 | .. | .. | .. |
| Chronic mania | M. | 13 | .. | 1 | .. | .. | .. | .. | 4 | 1 | 3 | 2 | 13 | 6 | .. |
| | F. | 6 | .. | .. | .. | 1 | .. | .. | .. | 1 | 1 | 1 | .. | .. | .. |
| Monomania..... | M. | 1 | .. | .. | .. | .. | .. | .. | 1 | .. | .. | 1 | 1 | 2 | .. |
| | F. | 2 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| Lypemania..... | M. | 15 | .. | .. | .. | .. | .. | .. | 3 | .. | 2 | 1 | 3 | 15 | 13 |
| | F. | 13 | .. | 1 | .. | 5 | 2 | 2 | .. | 2 | 2 | 4 | .. | .. | .. |
| Dementia..... | M. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 3 |
| | F. | 3 | .. | 1 | .. | .. | .. | .. | .. | 1 | .. | .. | .. | .. | .. |
| Senile dementia .. | M. | 6 | .. | .. | .. | .. | .. | .. | .. | 1 | .. | 1 | 1 | 6 | 7 |
| | F. | 7 | .. | .. | .. | .. | .. | .. | .. | .. | 1 | .. | 1 | .. | .. |
| Paralytic mania... | M. | 8 | .. | 8 | 1 | .. | .. | .. | .. | 7 | .. | 1 | 2 | 8 | 3 |
| | F. | 3 | .. | 3 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| Imbecility | M. | 7 | 2 | .. | 1 | .. | .. | .. | .. | .. | .. | .. | .. | 7 | 3 |
| | F. | 3 | 3 | .. | .. | .. | 1 | .. | .. | .. | 2 | .. | .. | .. | .. |
| Idiocy | M. | 5 | 4 | .. | 1 | .. | .. | .. | .. | .. | 1 | .. | .. | 5 | .. |
| | F. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| Epileptic mania... | M. | 8 | .. | .. | 8 | .. | .. | .. | .. | .. | .. | 1 | 2 | 8 | 6 |
| | F. | 6 | .. | .. | 6 | .. | 1 | .. | .. | .. | .. | .. | 2 | .. | .. |
| Totals | | 162 | 9 | 14 | 17 | 9 | 6 | 4 | 5 | 25 | 18 | 14 | 24 | 92 | 70 |

TABLE XII.

PROBABLE CHANCES OF CURE.

| OF THE PATIENTS ADMITTED DURING THE YEAR. | | | |
|---|----|----|------|
| | M. | F. | Tot. |
| Chances of cure—favorable..... | 31 | 31 | 62 |
| " " doubtful | 21 | 16 | 37 |
| " " unfavorable | 40 | 23 | 63 |
| Totals | 92 | 70 | 162 |

Percentage of favorable cases on the admissions for the year :

| | | | | | |
|------------------|----------|-----------------------|----|-------|-------|
| Males, | 92, | Favorable admissions, | 31 | p. c. | 33.69 |
| Females, | 70, | " " | 31 | p. c. | 44.28 |
| Both sexes, 162, | " " | " " | 62 | p. c. | 38.27 |

TABLE XIII.
SUPPOSED CAUSES OF INSANITY.

| ADMITTED DURING THE YEAR | | | | DETERMINING CAUSES. | | | | |
|--|---|-----|----|---------------------|--|----|------|-----|
| PREDISPOSING CAUSES. | | M | F | Tot. | M | F | Tot. | |
| Paternal (father, grand-father, grand-mother, uncle, aunt), | 7 | 5 | 12 | | (Congenital defect..... | 6 | 2 | 8 |
| Maternal " " | 3 | 4 | 7 | | Falls, blows, wounds & abscess. in the head..... | 3 | 3 | 3 |
| Paternal and maternal..... | 6 | 9 | 15 | | Convulsions, epilepsy..... | 8 | 6 | 14 |
| Collateral, brothers and sisters. | 2 | 3 | 5 | | Old age..... | 6 | 5 | 11 |
| Collateral and paternal..... | 1 | ... | 1 | | Fever, &c | 5 | 3 | 8 |
| and maternal..... | 1 | ... | 1 | | Alcoholic excesses..... | 16 | 7 | 23 |
| — paternal and maternal..... | 1 | ... | 1 | | Sunstroke | 1 | .. | 1 |
| Epilepsy and other nervous affections..... | 4 | 5 | 9 | | Heredity..... | 3 | 1 | 4 |
| Anterior attacks..... | 4 | 6 | 10 | | Other physical causes..... | 1 | 2 | 3 |
| | | | | | Mixed cau. Physicall causes..... | 1 | 1 | 2 |
| | | | | | Disorders of the genital functions..... | 1 | 1 | 2 |
| | | | | | Female diseases..... | 1 | 1 | 2 |
| | | | | | Excessive coition, onanism, dissipation..... | 1 | 1 | 2 |
| | | | | | Exposure and hardship..... | 1 | 1 | 2 |
| | | | | | Late hours, excessive intellectual labor..... | 1 | 1 | 2 |
| | | | | | Disappointed love..... | 1 | 1 | 2 |
| | | | | | Grief..... | 5 | 4 | 9 |
| | | | | | Domestic troubles..... | 5 | 2 | 7 |
| | | | | | Loss of fortune, business troubles..... | 1 | 5 | 6 |
| | | | | | Fear, anxiety, sudden emotion..... | 1 | 2 | 3 |
| | | | | | Jealousy..... | 5 | .. | 5 |
| | | | | | Ambition, disappointments..... | 3 | 6 | 9 |
| | | | | | Religion..... | 14 | 6 | 20 |
| | | | | | Unknown causes..... | 14 | 70 | 162 |
| | | | | | Totals..... | 28 | 32 | 60 |
| | | | | | | | | |



THIRD PART.

DISCHARGES.

The tables contained in this part of the report show the number of patients discharged and their mental condition at their departure.

We have taken special pains to establish the percentage of discharges, as it shows the results obtained during the year.

The division of the tables is as follows :

TABLE I.

Patients discharged during the year.

TABLE II.

Nature of the disease of discharged patients.

TABLE III.

Duration of the disease before admission.

TABLE IV.

Principal causes of insanity.

TABLE V.

Duration of treatment.

TABLE VI.

Total duration of the disease from its manifestation.

TABLE VII.

Age at time of discharge.

TABLE I.

DISCHARGES.

| PATIENTS DISCHARGED DURING THE YEAR. | | | | | | | | | | | | | | Patients discharged since 1845. |
|--------------------------------------|------------------|-----|--------|----------------|-----|--------|------------------|-----|--------|-----------------|----|--------|-----|---------------------------------|
| | MENTAL CONDITION | | | | | | | | | | | | | Patients discharged since 1845. |
| | Cured. | | | Im- proved. | | | Sta- tionary. | | | Grand total. | | | | |
| | M | F | Total. | M | F | Total. | M | F | Total. | M | F | Total. | M | F |
| Recommended for discharge..... | 16 | 18 | 34 | ... | ... | ... | ... | ... | ... | 16 | 18 | 34 | ... | ... |
| Claimed by relatives... | 6 | 4 | 10 | 3 | 2 | 5 | ... | 1 | 1 | 9 | 7 | 16 | 842 | 700 |
| Transferred..... | ... | ... | 1 | ... | 1 | 1 | 21 | 22 | 2 | 21 | 23 | ... | ... | 1542 |
| Escaped..... | 1 | ... | 1 | 3 | 1 | 4 | 3 | ... | 3 | 7 | 1 | 8 | ... | ... |
| Totals. | 23 | 22 | 45 | 7 | 3 | 10 | 4 | 22 | 26 | 34 | 47 | 81 | ... | ... |

Percentage of discharges of those cured among favorable cases on the 30th June, 1877 (76 m. 52 f.)

Favorable cases, Discharged cured, Average.
128 45 35.15 p. c.

Percentage of discharges of those cured and improved among favorable cases on the 30th June, 1877.

Favorable cases, Discharged cured and improved, Average.
128 55 42.96 p. c.

Population under treatment,
on the 30th June, 1877. Favorable cases. Average.
918 128 13.94 p. c.



DEDUCTING THE TRANSFERS.

| Admissions, | Discharges, | Average, |
|-------------|-------------|-------------|
| 162 | 58 | 35.80 p. c. |

Discharged cured and improved, transfers included.

| Admissions in the year, | Discharged | Average, |
|-------------------------|------------|-------------|
| 162 | 81 | 50.00 p. c. |

| Admissions in the year, | Discharged cured and improved, | Average, |
|-------------------------|-----------------------------------|-------------|
| 162 | 55 | 33.95 p. c. |

| Admissions in the year, | Discharged cured, | Average. |
|-------------------------|-------------------|------------|
| 162 | 45 | 27.77 p. c |

TABLE II

FORM OF THE DISEASE OF DISCHARGED PATIENTS.

| FORM OF THE DISEASE. | PATIENTS DISCHARGED DURING THE YEAR. | | | | | | | | | | | | |
|-------------------------|--------------------------------------|-------|--------|----------------|-------|--------|------------------|-------|--------|-------|-------|------------------|-------|
| | MENTAL CONDITION. | | | | | | | | | | | GR AND TOTAL. | |
| | Cured. | | | Im- proved. | | | Sta- tionary. | | | | | | |
| | M. | F. | Total. | M. | F. | Total. | M. | F. | Total. | M. | F. | Total. | |
| Mania..... | 16 | 17 | 33 | 4 | ... | 1 | 1 | 1 | ... | 1 | 18 | 17 | 35 |
| Chronic mania | | | | | | 2 | 2 | 4 | | 2 | 2 | 4 | |
| Lypemania..... | 6 | 3 | 9 | 2 | 3 | 5 | | | | 8 | 6 | 14 | |
| Chronic lypemania..... | | | 1 | | 1 | | | | | 1 | | 1 | |
| Monomania..... | 1 | 2 | 3 | | | | | | | 1 | 2 | 3 | |
| Epileptic insanity..... | | 2 | | 2 | | | | | | 2 | | 2 | |
| Dementia..... | | | | | | 2 | 2 | | 2 | | 2 | 2 | |
| Imbecility..... | | 1 | | 1 | 1 | 11 | 11 | 12 | 2 | 11 | 13 | | |
| Idiocy..... | | | | | | 7 | 7 | 7 | | 7 | 7 | 7 | |
| Totals..... | 23 | 22 | 45 | 7 | 3 | 10 | 4 | 22 | 26 | 34 | 47 | 81 | |



TABLE III.
DURATION OF THE DISEASE BEFORE ADMISSION.

| DURATION. | MENTAL CONDITION. | | | | | | | | | GRAND TOTAL. | |
|-------------------------------------|-------------------|----|-------|----------------|---|-------|------------------|----|-------|-----------------|----|
| | Cured. | | | Im- proved. | | | Sta- tionary. | | | | |
| | M | F | Total | M | F | Total | M | F | Total | M | F |
| 1 month and under..... | 4 | 3 | 7 | | | | | | | 4 | 3 |
| From 1 to 2 months..... | 5 | 3 | 8 | | | | | | | 5 | 3 |
| " 2 to 3 " | 1 | 2 | 3 | 2 | | 2 | | | | 3 | 2 |
| " 3 to 6 " | 5 | | 5 | | | | | 1 | 1 | 5 | 1 |
| " 6 to 12 " | 3 | 1 | 4 | 2 | | 2 | | | | 5 | 1 |
| " 12 to 18 " | 1 | | 1 | | | | | | | 1 | |
| " 18 to 24 " | | | | | 1 | 1 | | | | 1 | 1 |
| " 2 to 3 years..... | | | | | | | | | | | |
| " 3 to 4 " | | | | 1 | | 1 | 2 | 2 | | 1 | 2 |
| " 4 to 5 " | | 2 | 2 | 1 | 1 | | | | | 3 | 3 |
| 5 years and over..... | 1 | 1 | 1 | 1 | | 1 | 1 | 1 | 1 | 2 | 3 |
| Undetermined, but recent..... | 4 | 9 | 13 | 1 | 1 | | | | | 4 | 10 |
| Undetermined, of long standing..... | | | | | | | 1 | 1 | 2 | 1 | 1 |
| Since childhood and congenital..... | | | | 1 | | 1 | 16 | 17 | | 2 | 16 |
| Unknown..... | | | | 1 | 1 | | 2 | 1 | 3 | 2 | 2 |
| Totals..... | 23 | 22 | 45 | 7 | 3 | 10 | 4 | 22 | 26 | 34 | 47 |
| | | | | | | | | | | | 81 |

Out of the 45 cures obtained, we show in 31 cases the duration of disease before admission as follows :

| | | |
|-----------------|-------------|-------------------|
| Males..... | — | 4 months, 2 days. |
| Females | 1 year, 2 " | 21 " |
| Both sexes..... | — | 9 " 11 " |

TABLE IV.
PRINCIPAL CAUSES OF INSANITY.

| DETERMINING CAUSES. | MENTAL CONDITION. | | | | | | | | | GRAND TOTAL. | | | | |
|---------------------|--|-----|-------|----------------|-----|-------|------------------|-----|-------|-----------------|-----|-------|----|----|
| | Cured, | | | Im- proved, | | | Sta- tionary. | | | | | | | |
| | M | F | Total | M | F | Total | M | F | Total | M | F | Total | | |
| Physical. | Congenital defect, heredity . | 3 | 1 | 4 | ... | ... | 1 | 15 | 16 | 4 | 16 | 20 | | |
| | Convulsions, epilepsy..... | ... | ... | 2 | ... | 2 | ... | ... | 2 | ... | 2 | | | |
| | Falls, blow on the head..... | ... | ... | ... | ... | ... | 1 | 1 | 1 | ... | 1 | 1 | | |
| | Sunstroke | 1 | 1 | 1 | ... | ... | 1 | ... | 1 | ... | 1 | 1 | | |
| | Onanism, &c. | ... | ... | 1 | ... | 1 | ... | ... | 1 | ... | 1 | | | |
| | Alcoholic excesses..... | 2 | 7 | 9 | ... | ... | 1 | 1 | 1 | 3 | 7 | 10 | | |
| | Typhoid fever..... | 1 | 1 | 2 | 1 | ... | 1 | 1 | 1 | 2 | 2 | 4 | | |
| Mixed. | Female diseases, uterine disorders..... | ... | 4 | 4 | ... | 2 | 2 | 1 | 1 | ... | 7 | 7 | | |
| | Mental overwork..... | 1 | ... | 1 | ... | ... | 1 | 1 | 2 | 2 | 1 | 3 | | |
| | Debility, anxiety..... | 1 | ... | 1 | 1 | ... | 1 | ... | ... | 2 | ... | 2 | | |
| Moral. | Poverty, hardship..... | ... | 2 | 2 | ... | ... | ... | ... | ... | 2 | 2 | | | |
| | Fear, anxiety..... | ... | ... | ... | 1 | 1 | ... | ... | ... | 1 | 1 | | | |
| | Jealousy | 1 | 1 | 2 | ... | ... | ... | ... | ... | 1 | 1 | 2 | | |
| | Deception..... | 2 | ... | 2 | ... | ... | 1 | 1 | 2 | 1 | 1 | 3 | | |
| | Losses, reverses in business | 5 | ... | 5 | 1 | ... | 1 | ... | ... | 6 | ... | 6 | | |
| | Religious excitement | 1 | 3 | 4 | ... | ... | ... | ... | ... | 1 | 3 | 4 | | |
| | Grief, domestic troubles..... | 1 | 1 | 2 | ... | ... | ... | ... | ... | 1 | 1 | 2 | | |
| | Scruple | 1 | ... | 1 | ... | ... | 1 | 1 | 2 | 1 | ... | 1 | | |
| | Unknown | 3 | 2 | 5 | 1 | ... | 1 | 1 | 2 | 3 | 5 | 9 | | |
| Totals | | | 23 | 22 | 45 | 7 | 3 | 10 | 4 | 22 | 26 | 34 | 47 | 81 |



TABLE V.
DURATION OF TREATMENT.

| DURATION. | PATIENTS DISCHARGED DURING THE YEAR. | | | | | | | | | | | | Patients discharged since 1845. | | |
|----------------------|--------------------------------------|-----------|-------------|---|---|-------|--------------|----|-------|----|----|-------|---------------------------------|-----|------|
| | MENTAL CONDITION. | | | | | | GRAND TOTAL. | | | | | | | | |
| | Cured. | Improved. | Stationary. | M | F | Total | M | F | Total | M | F | Total | | | |
| 1 month and under... | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 48 | 40 | 88 | | | |
| From 1 to 2 months | 3 | 2 | 5 | 3 | 2 | 5 | 3 | 2 | 5 | 67 | 39 | 106 | | | |
| " 2 to 3 " | 1 | 5 | 6 | 1 | 5 | 6 | 1 | 5 | 6 | 86 | 67 | 153 | | | |
| " 3 to 6 " | 5 | 4 | 9 | 1 | 1 | 1 | 1 | 1 | 6 | 5 | 11 | 174 | 129 | 303 | |
| " 6 to 9 " | 5 | 2 | 7 | 2 | 2 | 3 | 3 | 3 | 5 | 7 | 12 | 85 | 85 | 170 | |
| " 9 to 12 " | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 70 | 53 | 123 | | | |
| " 12 to 18 " | 3 | 4 | 7 | 2 | 2 | 4 | 4 | 4 | 5 | 8 | 13 | 98 | 68 | 166 | |
| " 18 to 24 " | 2 | 2 | 2 | 1 | 2 | 3 | 3 | 2 | 5 | 50 | 45 | 95 | | | |
| " 2 to 3 years. | 2 | 1 | 3 | 1 | 1 | 2 | 1 | 2 | 3 | 4 | 4 | 8 | 49 | 44 | 93 |
| " 3 to 4 " | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 26 | 19 | 45 | | | |
| " 4 to 5 " | 1 | 2 | 1 | 1 | 1 | 2 | 3 | 3 | 1 | 5 | 6 | 15 | 23 | 38 | |
| 5 years and over.... | 1 | 1 | 2 | 1 | 1 | 2 | 6 | 8 | 4 | 7 | 11 | 74 | 88 | 162 | |
| Totals..... | 23 | 22 | 45 | 7 | 3 | 10 | 4 | 22 | 26 | 34 | 47 | 81 | 842 | 700 | 1542 |

Average period of treatment of patients discharged during the year:

Males..... 1 year, 4 months, 15 days,

Females..... 1 " 10 " 7 "

Both sexes..... 1 " 7 " 11 "

The long duration of residence of patients transferred, greatly increases the average duration of treatment.

TABLE VI.

TOTAL DURATION OF THE DISEASE FROM ITS
MANIFESTATION.

| DURATION. | MENTAL CONDITION. | | | | | | | | | | | |
|-------------------------------|-------------------|----|--------|-----------|----|--------|-------------|----|--------|--------------|----|--------|
| | Cured. | | | Improved. | | | Stationary. | | | GRAND TOTAL. | | |
| | M | F. | Total. | M | F. | Total. | M | F. | Total. | M | F. | Total. |
| From 1 to 2 months..... | | | | | | | | | | | | |
| " 2 to 3 " | 1 | 1 | 2 | | | | | | | | | 1 |
| " 3 to 6 " | 6 | 4 | 10 | | | | | | | | | 6 |
| " 6 to 9 " | 3 | 1 | 4 | | | | | | | | | 3 |
| " 9 to 12 " | 1 | 1 | 2 | 1 | 1 | 2 | | | | | | 1 |
| " 12 to 18 " | 5 | 1 | 6 | | | | | | | | | 5 |
| " 18 to 24 " | 2 | 2 | 4 | 1 | 1 | 2 | | | | | | 3 |
| " 2 to 3 years | 3 | 1 | 4 | 1 | 1 | 2 | | | | | | 4 |
| " 3 to 4 " | | | | | | | | | | | | |
| " 4 to 5 " | | | | | | | 2 | 2 | 4 | 1 | 1 | 3 |
| 5 years and over..... | 3 | 3 | 6 | 3 | 3 | 6 | 3 | 3 | 6 | 3 | 6 | 9 |
| Undetermined but recent.... | 1 | 5 | 6 | 1 | 1 | 2 | | | | | | 1 |
| Undeterm., of long standing.. | 1 | 1 | 2 | | | | | | | | | 1 |
| Since childhood | | | | 1 | 1 | 2 | 13 | 13 | 26 | 1 | 13 | 14 |
| Unknown..... | 2 | 4 | 6 | | | | 4 | 5 | 9 | 6 | 9 | 15 |
| Totals..... | 23 | 22 | 45 | 7 | 3 | 10 | 4 | 22 | 26 | 34 | 47 | 81 |

TABLE VII.
AGE WHEN DISCHARGED.

| AGES. | Discharged during the year. | | | Discharged since 1845. | | |
|--------------------------|-----------------------------------|-------|--------|---------------------------|-----|--------|
| | M | F | Total. | M | F | Total. |
| Under 15 years..... | 2 | 2 | 9 | 13 | 22 | |
| From 15 to 20 years..... | 2 | 7 | 9 | 58 | 54 | 112 |
| " 20 to 25 " | 8 | 5 | 13 | 146 | 101 | 247 |
| " 25 to 30 " | 11 | 4 | 15 | 137 | 120 | 257 |
| " 30 to 35 " | 4 | 6 | 10 | 126 | 109 | 235 |
| " 35 to 40 " | 4 | 5 | 9 | 88 | 65 | 153 |
| " 40 to 45 " | 2 | 11 | 13 | 90 | 73 | 163 |
| " 45 to 50 " | 4 | 4 | 73 | 53 | 126 | |
| " 50 to 60 " | 2 | 2 | 4 | 69 | 73 | 142 |
| " 60 to 70 " | 1 | 1 | 2 | 35 | 33 | 68 |
| " 70 to 80 " | | | | 11 | 6 | 17 |
| Totals..... | 34 | 47 | 81 | 842 | 700 | 1542 |

FOURTH PART.

DEATHS.

We beg specially to draw the reader's attention to the exceptionally favorable percentage of deaths this year.

This satisfactory result contributes greatly to prove the excellence of the hygienic system of our establishment.

The tables of deaths are given as follows :

TABLE I.

Deaths.

TABLE II.

Deaths classified according to the form of mental disease.

TABLE III.

Duration of treatment.

TABLE IV.

Age at death.

TABLE V.

Causes of death.



TABLE I.
DEATHS.

| INSANE PATIENTS DECEASED DURING THE YEAR. | | | |
|---|----|----|--------|
| | M. | F. | Total. |
| Through sickness..... | 38 | 25 | 63 |
| Totals..... | 38 | 25 | 63 |

PERCENTAGE OF THE DEATHS :

| Treated. | Died. | Percentage. |
|----------------------|-------|-------------|
| Males..... 547 | 38 | 6.94 p. c. |
| Females..... 533 | 25 | 4.69 p. c. |
| Both sexes..... 1080 | 63 | 5.83 p. c. |

Duration of treatment of patients deceased during the year :—

Males..... 5 years, 8 months, 27 days.
Females 5 " 5 " 13 "
Both sexes..... 5 " 7 " 5 "

TABLE II.

DEATHS CLASSIFIED ACCORDING TO THE FORM
OF MENTAL DISEASE.

| INSANE PATIENTS DECEASED DURING THE YEAR. | | | |
|---|----|----|--------|
| | M. | F. | Total. |
| Suffering from : | | | |
| Acute mania..... | 4 | 1 | 5 |
| Chronic " | 7 | 6 | 13 |
| Acute hypemania..... | 1 | 2 | 3 |
| Chronic " | 1 | 3 | 4 |
| Monomania..... | 1 | | 1 |
| Ordinary dementia..... | 2 | 2 | 4 |
| Senile " | 7 | 5 | 12 |
| Paralytic insanity..... | 5 | 2 | 7 |
| Epileptic " | 5 | 2 | 7 |
| Imbecility..... | 1 | 2 | 3 |
| Idiocy..... | 4 | | 4 |
| Totals..... | 38 | 25 | 63 |

During the period just elapsed, chronic forms of mental alienation give, on the total number of deaths, the following percentage :

| | | |
|---------------------------------------|----|-------------------|
| Chronic mania and hypemania..... | 17 | say : 26.98 p. c. |
| Simple and senile dementia..... | 16 | " 25.39 " |
| Paralytic and epileptic insanity..... | 14 | " 22.22 " |
| Imbecility and idiocy | 7 | " 11.11 " |
| Acute disorders | 9 | " 14.28 " |

TABLE III.
DURATION OF TREATMENT.

| DURATION. | INSANE PATIENTS DECEASED DURING THE YEAR. | | | SINCE 1845. | | |
|---------------------------|--|-----|--------|-------------|-----|--------|
| | M. | F. | Total. | M. | F. | Total. |
| 1 month and under..... | 5 | 1 | 6 | 54 | 27 | 81 |
| From 1 to 2 months..... | 5 | 2 | 7 | 55 | 25 | 80 |
| " 2 to 3 " | 3 | 2 | 5 | 65 | 34 | 99 |
| " 3 to 6 " | 2 | 1 | 3 | 99 | 66 | 165 |
| " 6 to 9 " | 6 | 3 | 9 | 65 | 53 | 118 |
| " 9 to 12 " | 1 | 1 | 2 | 49 | 39 | 88 |
| " 12 to 18 " | 1 | 2 | 3 | 66 | 80 | 146 |
| " 18 to 24 " | 1 | 2 | 3 | 49 | 49 | 98 |
| " 2 to 3 years..... | 8 | ... | 8 | 82 | 78 | 160 |
| " 3 to 4 " | 1 | 1 | 2 | 59 | 49 | 108 |
| " 4 to 5 " | .. | 2 | 2 | 34 | 51 | 85 |
| " 5 to 10 " | 3 | 4 | 7 | 61 | 102 | 163 |
| " 10 to 15 " | 1 | 3 | 4 | 34 | 50 | 84 |
| " 15 to 20 " | .. | .. | .. | 11 | 15 | 26 |
| 20 years and upwards..... | 1 | 1 | 2 | 16 | 10 | 26 |
| Totals..... | 38 | 25 | 63 | 799 | 728 | 1527 |

TABLE IV.

AGE AT DEATH.

| Ages. | INSANE PATIENTS DECEASED DURING THE YEAR. | | | SINCE 1845. | | |
|---------------------------|--|----|--------|-------------|-----|-------|
| | M | F | Total. | M | F | Total |
| Under 15 years | .. | .. | .. | 16 | 10 | 26 |
| From 15 to 20 years..... | 2 | 2 | 4 | 17 | 18 | 35 |
| " 20 to 25 " | 4 | 4 | 8 | 54 | 47 | 101 |
| " 25 to 30 " | 2 | 2 | 4 | 69 | 69 | 138 |
| " 30 to 35 " | 3 | 2 | 5 | 84 | 79 | 163 |
| " 35 to 40 " | 2 | 2 | 4 | 89 | 76 | 165 |
| " 40 to 45 " | 2 | 3 | 5 | 93 | 79 | 172 |
| " 45 to 50 " | 1 | 2 | 3 | 72 | 51 | 123 |
| " 50 to 60 " | 8 | 3 | 11 | 118 | 127 | 245 |
| " 60 to 70 " | 6 | 6 | 12 | 117 | 107 | 224 |
| " 70 to 80 " | 7 | 3 | 10 | 54 | 48 | 102 |
| 80 years and upwards..... | 1 | 2 | 3 | 16 | 17 | 33 |
| Totals | 38 | 25 | 63 | 799 | 728 | 1527 |

Average age at death (of the deceased during the year.)

Males..... 49 years, 1 month, 5 days.

Females..... 49 " 6 " 12 "

Both sexes..... 49 " 3 " 24 "

TABLE V.
CAUSES OF DEATH.

| INSANE PATIENTS DECEASED DURING THE YEAR. | | | |
|---|-------------------------------|----|------|
| | M. | F. | Tot. |
| Diseases : | | | |
| Diseases of the brain and nervous system. | { Apoplexy | 1 | 1 |
| | Chronic meningitis..... | 1 | 1 |
| | { Paralysis..... | 9 | 2 |
| | Epilepsy..... | 2 | 2 |
| | Nervous exhaustion..... | 2 | 1 |
| Disease of the heart. | { Valvular insufficiency..... | 1 | 1 |
| Diseases of the lungs. | { Empyema | 1 | 1 |
| | Phthisis..... | 7 | 4 |
| | Congestion..... | 1 | 1 |
| Diseases of the digestive organs. | { Chronic gastritis | 1 | 1 |
| | Chronic enteritis..... | 1 | 1 |
| Various diseases. | { Exhaustion | 4 | 2 |
| | Marasmus..... | 5 | 2 |
| | Anemia..... | 1 | 2 |
| | Senile debility..... | 5 | 5 |
| Totals..... | | 38 | 25 |
| | | | 63 |

FIFTH PART.

SUMMARY.

This last part of the report shows the number of patients remaining under treatment at the end of the year.

The following tables indicate their mental condition, and give a more or less correct idea of their chances of cure, etc.

TABLE I.

Movement of the population.

TABLE II.

Duration of residence.

TABLE III.

Age.

TABLE IV.

Diseases of patients remaining.

TABLE V.

Probable chances of cure.



TABLE I.

MOVEMENT OF THE POPULATION.

| | M. | F. | Total | M. | F. | Total |
|--------------------------------------|----|----|-------|-----|-----|-------|
| Population on 1st July, 1877..... | | | | 455 | 463 | 918 |
| Admitted during the year..... | | | | 92 | 70 | 162 |
| Totals..... | | | | 547 | 533 | 1080 |
| Discharges..... | 34 | 47 | 81 | | | |
| Deaths..... | 38 | 25 | 63 | | | |
| | 72 | 72 | 144 | 72 | 72 | 144 |
| Totals..... | | | | 475 | 461 | 936 |

TABLE II.
DURATION OF RESIDENCE.

| DURATION. | M. | F. | TOTAL. |
|---------------------------|-----|-----|--------|
| Under 1 month..... | 5 | 9 | 14 |
| From 1 to 2 months..... | 10 | 4 | 14 |
| " 2 to 3 " | 6 | 7 | 13 |
| " 3 to 6 " | 12 | 7 | 19 |
| " 6 to 12 " | 28 | 23 | 51 |
| " 12 to 18 " | 25 | 15 | 40 |
| " 18 to 24 " | 16 | 22 | 38 |
| " 2 to 3 years..... | 48 | 44 | 92 |
| " 3 to 5 " | 66 | 88 | 154 |
| " 5 to 10 " | 119 | 99 | 218 |
| " 10 to 15 " | 66 | 65 | 131 |
| " 15 to 20 " | 30 | 20 | 50 |
| " 20 to 25 " | 26 | 37 | 63 |
| " 25 to 30 " | 10 | 17 | 27 |
| 30 years and upwards..... | 8 | 4 | 12 |
| Totals..... | 475 | 461 | 936 |

AVERAGE DURATION OF RESIDENCE.

Males..... 475 : 7 years, 7 months, 6 days.

Females..... 461 : 7 " 10 " 15 "

Both sexes..... 936 : 7 " 8 " 25 "

TABLE III.

AGE.

INSANE PATIENTS REMAINING ON 30TH JUNE, 1878.

| STATEMENT OF AGES. | M. | F. | Total |
|---------------------------|-----|-----|-------|
| Under 15 years..... | 4 | 2 | 6 |
| From 15 to 20 years..... | 7 | 7 | 14 |
| " 20 to 25 " | 39 | 26 | 65 |
| " 25 to 30 " | 58 | 54 | 112 |
| " 30 to 35 " | 56 | 50 | 106 |
| " 35 to 40 " | 72 | 58 | 130 |
| " 40 to 45 " | 49 | 58 | 107 |
| " 45 to 50 " | 49 | 48 | 97 |
| " 50 to 60 " | 86 | 76 | 162 |
| " 60 to 70 " | 39 | 56 | 95 |
| " 70 to 80 " | 15 | 22 | 37 |
| 80 years and upwards..... | 1 | 4 | 5 |
| Totals..... | 475 | 461 | 936 |

TABLE IV.
DISEASES OF PATIENTS REMAINING ON THE 30TH JUNE 1878.

| FORM OF THE DISEASE | SEX | TOTAL. | COMPLICATIONS. | | | | | | | | | TOTAL. | |
|---------------------|-----|--------|----------------|------------|------------|------------|-------------|--------------------|----------|-----------|-------------|-----------|-----|
| | | | Congenital. | Paralytic. | Epileptic. | Puerperal. | Hysterical. | Uterine disorders. | Onanism. | Inebriety | Hereditary. | Suicidal. | |
| M | F | | | | | | | | | | | | |
| Mania | M | 131 | .. | 1 | 1 | .. | .. | 3 | 14 | 8 | 8 | 8 | 131 |
| | F | 108 | .. | 1 | .. | 17 | 3 | 7 | 3 | 6 | 10 | 1 | 108 |
| Chronic mania.... | M | 141 | .. | 1 | .. | .. | .. | 4 | 11 | 7 | 6 | 4 | 141 |
| | F | 136 | .. | 4 | 4 | .. | 3 | 3 | .. | 1 | 8 | 3 | 136 |
| Monomania..... | M | 13 | .. | .. | .. | .. | .. | .. | 2 | 1 | .. | 1 | 13 |
| | F | 6 | .. | .. | .. | .. | .. | .. | .. | 2 | .. | 1 | 6 |
| Lypemania..... | M | 48 | .. | .. | .. | .. | .. | 7 | 4 | 2 | 3 | 12 | 48 |
| | F | 60 | .. | 2 | .. | 6 | 1 | 2 | .. | 1 | 5 | 2 | 60 |
| Chronic lypemania | M | 12 | .. | .. | .. | .. | .. | 2 | .. | 1 | 1 | .. | 12 |
| | F | 5 | .. | .. | .. | 4 | 2 | .. | 2 | 1 | 2 | .. | 5 |
| Dementia | M | 25 | .. | .. | .. | .. | .. | 4 | .. | 1 | 1 | .. | 25 |
| | F | 36 | .. | 2 | 1 | .. | .. | .. | .. | 5 | .. | 1 | 36 |
| Senile dementia .. | M | 2 | .. | 1 | 1 | .. | .. | .. | .. | .. | .. | 2 | 10 |
| | F | 10 | .. | .. | .. | .. | .. | .. | .. | 1 | .. | 1 | 10 |
| Paralytic mania... | M | 13 | .. | 13 | .. | .. | .. | .. | 6 | .. | 1 | 3 | 13 |
| | F | 5 | .. | 5 | .. | 1 | .. | .. | 1 | .. | .. | .. | 5 |
| Imbecility | M | 48 | 38 | .. | 2 | .. | .. | 6 | 1 | 2 | 1 | .. | 48 |
| | F | 54 | 33 | .. | 1 | .. | 2 | .. | 1 | .. | 8 | .. | 54 |
| Idiocy | M | 11 | 9 | .. | .. | .. | .. | .. | .. | 4 | 1 | .. | 11 |
| | F | 4 | 1 | 1 | .. | .. | .. | .. | .. | .. | .. | .. | 4 |
| Epileptic mania .. | M | 31 | .. | 31 | .. | .. | .. | 2 | 1 | 1 | 1 | 2 | 31 |
| | F | 37 | .. | 1 | 37 | .. | 3 | 2 | 1 | .. | 3 | .. | 4 |
| Totals..... | | 936 | 81 | 32 | 78 | 28 | 14 | 14 | 35 | 49 | 71 | 29 | 475 |
| | | | | | | | | | | | | | 461 |

TABLE V.

PROBABLE CHANCES OF CURE

OF INSANE PATIENTS REMAINING ON 30TH JUNE 1878.

| | | M. | F. | Total |
|--------------------------------|--|-----|-----|-------|
| Chances of cure—favorable..... | | 75 | 51 | 126 |
| " " very doubtful | | 71 | 60 | 131 |
| " " unfavorable | | 329 | 350 | 679 |
| Totals..... | | 475 | 461 | 936 |

Let

Con

Mov

I. Tab

I. Tabl



TABLE OF CONTENTS.

Letter to the Honorable the Provincial Secretary..... Page 5

MEDICAL REPORT.

Considerations on the medical report..... Page 9

FIRST PART.

Movement of the population.—I. Table : movement of the population during the year.—II. Table : synoptical table showing the movement of the population from 1845 to 30th June, 1878.—Statistics.—III. Table : duration of residence of patients treated since 1st July, 1877.—IV. Table : classification of diseases treated during the year.—V. Table : occupation of the insane..... Page 10

SECOND PART.—ADMISSIONS.

I. Table : Admissions during the year.—II. Table : causes of re-admission.—III. Table : former residence of patients.—IV. Table : civil condition.—V. Table : language.—VI. Table : religion.—VII. Table : origin and nationality.—VIII. Table : occupations.—IX. Table : age of patients when admitted.—X. Table : duration of the mental disease before admission.—XI. Table : diseases of patients admitted during the year.—XII. Table : probable chances of cure of patients admitted during the year.—XIII. Table : supposed causes of insanity..... Page 1*

THIRD PART.—DISCHARGES.

I. Table : patients discharged during the year.—Statistics.—II. Table : form of the disease of discharged patients.—III Table : duration of the disease before admission.—IV. Table : principal causes of insanity.—V. Table

duration of treatment.—VI. Table : total duration of the disease from its manifestation.—VII. Table : age of patients when discharged..... Page 29

FOURTH PART.—DEATHS.

I. Table : patients deceased during the year ; average of deaths.
—II. Table : deaths classified according to the form of mental disease.—III. Table : duration of treatment of patients deceased during the year.—IV. Table : age at death.—V. Table : causes of death..... Page 38

FIFTH PART.—SUMMARY.

I. Table : movement of the population.—II. Table : duration of residence of patients remaining on 30th June, 1878.—
III. Table : age of inmates.—IV. Table : classification of mental diseases of inmates on 30th June, 1878.—
V. Table : probable chances of cure..... Page 44

APPENDIX.—TABLES.

Table I.—Number of patients admitted to the asylum during the year 1877—admission of patients by month.—Table II.—Number of patients remaining on 30th June, 1878—patients by month.—Table III.—Number of patients deceased during the year 1877—deaths by month.—Table IV.—Average duration of treatment of patients deceased during the year 1877—duration of treatment by month.—Table V.—Causes of death of patients deceased during the year 1877—causes of death by month.—Table VI.—Probable chances of cure of patients admitted to the asylum during the year 1877—chances of cure by month.

APPENDIX.—TABLES.

Table I.—Number of patients admitted to the asylum during the year 1877—admission of patients by month.—Table II.—Number of patients remaining on 30th June, 1878—patients by month.—Table III.—Number of inmates of the asylum on 30th June, 1878—age of inmates by month.—Table IV.—Classification of inmates of the asylum on 30th June, 1878—classification by month.

