






**IMAGE EVALUATION
TEST TARGET (MT-3)**



**Photographic
Sciences
Corporation**

23 WEST MAIN STREET
WEBSTER, N.Y. 14580
(716) 872-4503



**CIHM/ICMH
Microfiche
Series.**

**CIHM/ICMH
Collection de
microfiches.**



Canadian Institute for Historical Microreproductions / Institut canadien de microreproductions historiques



© 1987

Technical and Bibliographic Notes/Notes techniques et bibliographiques

The Institute has attempted to obtain the best original copy available for filming. Features of this copy which may be bibliographically unique, which may alter any of the images in the reproduction, or which may significantly change the usual method of filming, are checked below.

L'Institut a microfilmé le meilleur exemplaire qu'il lui a été possible de se procurer. Les détails de cet exemplaire qui sont peut-être uniques du point de vue bibliographique, qui peuvent modifier une image reproduite, ou qui peuvent exiger une modification dans la méthode normale de filmage sont indiqués ci-dessous.

- Coloured covers/
Couverture de couleur
- Covers damaged/
Couverture endommagée
- Covers restored and/or laminated/
Couverture restaurée et/ou pelliculée
- Cover title missing/
Le titre de couverture manque
- Coloured maps/
Cartes géographiques en couleur
- Coloured ink (i.e. other than blue or black)/
Encre de couleur (i.e. autre que bleue ou noire)
- Coloured plates and/or illustrations/
Planches et/ou illustrations en couleur
- Bound with other material/
Relié avec d'autres documents
- Tight binding may cause shadows or distortion
along interior margin/
La reliure serrée peut causer de l'ombre ou de la
distorsion le long de la marge intérieure
- Blank leaves added during restoration may
appear within the text. Whenever possible, these
have been omitted from filming/
Il se peut que certaines pages blanches ajoutées
lors d'une restauration apparaissent dans le texte,
mais, lorsque cela était possible, ces pages n'ont
pas été filmées.
- Additional comments:/
Commentaires supplémentaires:

- Coloured pages/
Pages de couleur
- Pages damaged/
Pages endommagées
- Pages restored and/or laminated/
Pages restaurées et/ou pelliculées
- Pages discoloured, stained or foxed/
Pages décolorées, tachetées ou piquées
- Pages detached/
Pages détachées
- Showthrough/
Transparence
- Quality of print varies/
Qualité inégale de l'impression
- Includes supplementary material/
Comprend du matériel supplémentaire
- Only edition available/
Seule édition disponible
- Pages wholly or partially obscured by errata
slips, tissues, etc., have been refilmed to
ensure the best possible image/
Les pages totalement ou partiellement
obscurcies par un feuillet d'errata, une pelure,
etc., ont été filmées à nouveau de façon à
obtenir la meilleure image possible.

This item is filmed at the reduction ratio checked below/
Ce document est filmé au taux de réduction indiqué ci-dessous.

10X	12X	14X	16X	18X	20X	22X	24X	26X	28X	30X	32X
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

The copy filmed here has been reproduced thanks to the generosity of:



Harold Campbell Vaughan Memorial Library
Acadia University

The images appearing here are the best quality possible considering the condition and legibility of the original copy and in keeping with the filming contract specifications.

Original copies in printed paper covers are filmed beginning with the front cover and ending on the last page with a printed or illustrated impression, or the back cover when appropriate. All other original copies are filmed beginning on the first page with a printed or illustrated impression, and ending on the last page with a printed or illustrated impression.

The last recorded frame on each microfiche shall contain the symbol \rightarrow (meaning "CONTINUED"), or the symbol ∇ (meaning "END"), whichever applies.

Maps, plates, charts, etc., may be filmed at different reduction ratios. Those too large to be entirely included in one exposure are filmed beginning in the upper left hand corner, left to right and top to bottom, as many frames as required. The following diagrams illustrate the method:



L'exemplaire filmé fut reproduit grâce à la générosité de:

Harold Campbell Vaughan Memorial Library
Acadia University

Les images suivantes ont été reproduites avec le plus grand soin, compte tenu de la condition et de la netteté de l'exemplaire filmé, et en conformité avec les conditions du contrat de filmage.

Les exemplaires originaux dont la couverture en papier est imprimée sont filmés en commençant par le premier plat et en terminant soit par la dernière page qui comporte une empreinte d'impression ou d'illustration, soit par le second plat, selon le cas. Tous les autres exemplaires originaux sont filmés en commençant par la première page qui comporte une empreinte d'impression ou d'illustration et en terminant par la dernière page qui comporte une telle empreinte.


Un des symboles suivants apparaîtra sur la dernière image de chaque microfiche, selon le cas: le symbole \rightarrow signifie "A SUIVRE", le symbole ∇ signifie "FIN".

Les cartes, planches, tableaux, etc., peuvent être filmés à des taux de réduction différents. Lorsque le document est trop grand pour être reproduit en un seul cliché, il est filmé à partir de l'angle supérieur gauche, de gauche à droite, et de haut en bas, en prenant le nombre d'images nécessaire. Les diagrammes suivants illustrent la méthode.

tails
du
odifier
une
image

rata
o
elure,
à

PROSPECTUS
OF THE
DOUGLAS SLATE QUARRY, &c.
OF THE
PROVINCE OF NOVA SCOTIA.



PROSPECTUS

OF THE

DOUGLAS SLATE QUARRY, &c.,

OF THE PROVINCE OF NOVA SCOTIA,

Consisting—First: of land, situate, lying and being in the Township of Douglas, in the County of Hants, and Province of Nova Scotia, known as the “McDonald property,” consisting in fee simple of eighty-three acres of land, be the same more or less; also, cottage, barn, stable, steam engine, engine house and factory, slate cutter, pump, sawing machine, cutting tables, knives, and other implements used at the slate quarry for preparing and quarrying slate.

Also, the right of mining over the lands known as the “Kileup property,” consisting of one hundred and thirty-five acres more or less, and such portions of the said land as may be necessary for quarrying and mining same, together with two dwelling houses and black-smith’s shop.

Also, the right of mining over the land known as the “Scott property,” in so far as slate, slabs, and all slate material are concerned, extending over upwards of eight hundred acres, with water power, two mills, dwelling house, out-buildings, and such other property as may be agreed on. The last mentioned property may be had partly in fee simple, partly the right of mining—the coal and iron ore reserved, and right of surface damages. The property is considered valuable, and if properly worked would be remunerative.

The present Manager at the Quarry has had many years' experience in slate quarries in Wales, and is open to an engagement.

The present proprietor is willing to sell the property to suit a purchaser, or to have a company formed to work same, and in the latter event would take shares.

The reports of Professor Lawson and Messrs. Malcom & Johnston, are annexed.—For further particulars apply to Messrs. McCULLY & BLANCHARD, Solicitors, Prince Street, Halifax, N. S., or to JAMES STEINSON, Halifax Hotel.

REPORT OF PROFESSOR LAWSON.

HALIFAX, 18th MAY, 1868.

Having been requested to inspect the Douglas Slate Quarry and adjoining lands, with a view to forming an opinion as to the value of the minerals contained and the practicability of working them to advantage, I now beg to submit the following Report.

I visited the locality in Douglas Gore on the 1st of May, and spent two days in examining the property. Being accompanied by Mr. Steinson, the accredited agent of the proprietor, he pointed out the boundaries and furnished other necessary information, whilst Mr. Thomas, the manager, explained the results obtained in the workings hitherto, and answered enquiries on various other points.

The distance of the slate lands from the Elmsdale railway station is estimated at 14 miles; the road is for the most part level, and good for a country road, but might be much improved by a slight expenditure judiciously applied.

The Slate Quarry properties consist of 83 acres of land, held in fee simple, which is in form of a narrow strip, running in a westerly direction, nearly parallel with the slate beds, from the old Nine Mile River road and back over the Rawdon River, where it is densely covered with timber. There is likewise an area of 135 acres (Kilcup's farm) over which a right of mining is held.

The slate bands are large and extensive, running in an easterly and westerly direction, and there is a deep valley cut through them at right angles, north and south. There being little soil on the surface, the slates are exposed all along the opposite faces of the two hills which form this valley,—one of the hills rises to a height of about 250 feet above the level of the brook, and the other hill is somewhat higher. The slate beds extend over both hills, showing continuously from the

bottom of the valley to the tops of the hills. It is obvious, therefore, that the slates are not only extensive in horizontal range, but likewise extend to a very great depth, at least on the northern portion of the property,—the rising up of whin on the southern portion of the Kileup lands cuts off the slates to the southward.

On one part of the Kileup property is situate the Slate Quarry which has been opened and worked for several years; this quarry is in the face of the hill looking towards the west. A considerable quantity of roofing slate has been taken out, and likewise slabs of eight to ten or fifteen feet in diameter. Some of the surface slates were of an inferior character, and one portion of the band is quite wavy and shaky. Some slates taken out here were likewise found to be liable to crack from not having been cut, as Mr. Thomas informed me, in the proper line of grain. But the slate improves very much in going downwards, and the roofing slate that has lately been taken out is of a very superior character. The slates are hard, compact, uniform in thickness, of good colour, and excellent quality. Several roofs recently furnished from the quarry present a neat, clean, uniform appearance, and show no indication of suffering from our severe climate. The best roofing slates have been found in the bottom of the quarry, and it is evident that in descending the slates become harder, less shaky, and of more uniform colour. The colour of the hard slates is an unobtrusive dark blue, very suitable for roofing.

In connection with the Slate Quarry there is a Slate Yard and Factory, with most of the necessary apparatus required for carrying on the business of quarrying. The quarry is kept dry by a pump driven by a ten horse steam engine, which likewise supplies power to the other machinery. The erections are situate close to the quarry, and in the north eastern corner of the property held in fee simple, on the face of the opposite hill to the westward, there is a manager's dwelling house, barns, and extensive stabling for horses.

The steam engine and pumping gear were at work during the time of my visit, but no quarrying had been done since the preceding season. In resuming operations it will be advisable to consider seriously whether a change in the method of working is not required. It is indeed possible to continue

the quarrying on the face of the present opening; but, if any great amount of work is to be done, it will be necessary, from the shaky and imperfect character of the upper portion of slate, to incur a great expense in removing from day to day a very large quantity of useless material. Farther, on account of the faulty character of the bed, the working surface obtainable at this spot is insufficient for economical working on a large scale. Mr. Thomas, from his experience and intimate acquaintance with slate working, is very sensible of this difficulty. It is therefore proposed, instead of continuing the present opening, to make a larger facing to the northward, at the place marked in the plan "New Quarry." At that place the slate is of a more uniform character, free from waves or shakes, and some which I had taken out show that even the surface slate was perfectly hard and of good colour, suitable for roofing.

In taking out roofing slates large slabs are likewise obtained, and it is therefore very desirable to find a market for them. Several very fine slabs have been got out, and some of them have been polished and show to much advantage. But the hardness of the slates on the Kilcup property, which is a quality so advantageous in roofing slate, is a serious objection where cutting, planing, and polishing are required. It remains, in fact, to be ascertained whether the prices realized will justify the labor required to bring these large hard slabs into saleable condition. In view of these facts it appears to be very desirable to secure a band of *soft* slates, without which the manufacture of cut and polished articles is not likely to prove remunerative.

Soft slate of this character has been observed in the "Scott property" adjoining, and portions of the slate which I examined on exposures by the roadsides and on the banks of the river, appeared to be well adapted for manufacture. The Scott property embraces a tract of land upwards of 800 acres in extent. The available slate bed is from 300 to 400 yards wide, (so far as can be ascertained,) and probably a mile and a half in length. A portion of it consists of a very fine quality of roofing slate, but the slates are for the most part of the soft kind to which reference has been made, and might be cut, planed, and polished for tables, mantle pieces, cisterns and ornamental work of various kinds. The water power

and saw mills on the river which flows through the slate band, cutting it nearly at right angles, offer great facilities for a factory of this kind—both the saw mill and shingle mill, which belong to the property, being capable of conversion into planing and polishing factories, whilst the farm buildings and dwelling houses would afford other accommodation required. From information obtained from business men in the city, I have reason to believe that there would arise in Halifax alone an extensive demand for mantle pieces and fire grate fittings; and also for school slates, which are at present imported from Germany. Some examples of school slates have been made by roughly polishing a few pieces picked from the surface. If carefully selected and properly prepared, there seems no good reason why Douglas slates should not take the place of imported slates in the schools throughout the Dominion. The market in the United States for manufactured slate of all kinds, both useful and ornamental, is very extensive.

In conclusion, I would beg leave to express very strongly my opinion that the slate properties above described are of a valuable character, and that if judiciously worked by a company possessed of moderate capital, the concern will prove a thoroughly safe and permanent investment. The slate exists in such quantities that the supplies are not likely to be exhausted for several generations, even if extensively worked. In order, however, that the property may be remunerative, and its value permanently maintained, it will be necessary to avoid waste of labor, waste of material, and unnecessary accumulations of rubbish, by establishing at the outset a thoroughly systematic method of working, by opening up a working face of sufficient extent to meet the probable demands. The facilities for drainage are such that under proper management there need not be much expense incurred for the next ten or twelve years, and before then, if the business has increased, probably new quarries will have been opened on other parts of the property.

GEORGE LAWSON, PH. D., LL. D.,
*Professor of Chemistry and Mineralogy,
Dalhousie College and University, Halifax, N. S.*

POSTSCRIPT.

HALIFAX, 18TH MAY, 1868.

At a distance of between 200 and 300 yards southwards from the opening on the slate bands on the Kilcup property, there appear one or two narrow bands of "whin rock," (quartzite,) through which run veins of white quartz. Judging from the general appearance of the quartz, the appearance in it of mispickel, and the reports respecting it by persons who have searched for gold and found a few "sights" in it, I believe that it is auriferous. A gold license has accordingly been secured on 30 areas of 250 x 150 feet each over the quartz leads.

At a distance of a mile or more in the other direction, viz., to the northward, there occur compact beds of iron ore, which are visible in a brook where the soil has been washed away. From its partly carbonaceous character and other circumstances, the iron-stone appears to belong to the carboniferous or coal series of rocks. The iron-stone is overlaid by a black, odorous, bituminous gravel, or slightly coherent conglomerate. Farther on to the north east, appear out-cropping strata at several points, consisting of shaley sandstones, such as occur in the coal measures with sigillaria and other coal fossil plants, and from beneath these shales, culm as well as large pieces of bituminous coal have been dug out. By scraping out the loose material at the outcrop I obtained a few fragments of coal. All these facts indicate the probable existence of coal beds at no great depth. The dip, both of the iron bands and of the fossiliferous shales and sandstones, is to the north east, and although the point of contact of the two has not been laid bare, I have no doubt but that the iron band will be found to be inferior in position to the shales and sandstones, and the coal beds may be found between.

A license to search for coal has been secured over five square miles of the most likely portion of the district.

GEORGE LAWSON, PH. D., LL. D.,
Professor of Chemistry and Mineralogy.

REPORT OF MALCOM & JOHNSTON.

HALIFAX, N. S., 20TH MAY, 1868.

Having been asked our opinion of the slates from the Douglas Slate Quarry, we have much pleasure in being able to say that we roofed some buildings with them four years ago, and they have stood without leak or break during that time. The slates we used were from the top of the bed, and were not of that uniform color and thickness that could be desired. We have, however, had slates from a greater depth in the same quarry, and can recommend them to builders and others as being fully as durable and suitable for general use as any. The color is more uniform, being a dark blue.

MALCOM & JOHNSTON,
Government Contractors.

e
e
s
t
l
e
h
d
e

