

**CIHM  
Microfiche  
Series  
(Monographs)**

**ICMH  
Collection de  
microfiches  
(monographies)**



**Canadian Institute for Historical Microreproductions / Institut canadien de microreproductions historiques**

**© 1996**

## Technical and Bibliographic Notes / Notes techniques et bibliographiques

The Institute has attempted to obtain the best original copy available for filming. Features of this copy which may be bibliographically unique, which may alter any of the images in the reproduction, or which may significantly change the usual method of filming are checked below.

- ☐ Coloured covers / Couverture de couleur
- ☐ Covers damaged / Couverture endommagée
- ☐ Covers restored and/or laminated / Couverture restaurée et/ou pelliculée
- ☐ Cover title missing / Le titre de couverture manque
- ☐ Coloured maps / Cartes géographiques en couleur
- ☐ Coloured ink (i.e. other than blue or black) / Encre de couleur (i.e. autre que bleue ou noire)
- ☐ Coloured plates and/or illustrations / Planches et/ou illustrations en couleur
- ☒ Bound with other material / Relié avec d'autres documents
- ☐ Only edition available / Seule édition disponible
- ☒ Tight binding may cause shadows or distortion along interior margin / La reliure serrée peut causer de l'ombre ou de la distorsion le long de la marge intérieure.
- ☐ Blank leaves added during restorations may appear within the text. Whenever possible, these have been omitted from filming / Il se peut que certaines pages blanches ajoutées lors d'une restauration apparaissent dans le texte, mais, lorsque cela était possible, ces pages n'ont pas été filmées.
- ☐ Additional comments / Commentaires supplémentaires:

L'Institut a microfilmé le meilleur exemplaire qu'il lui a été possible de se procurer. Les détails de cet exemplaire qui sont peut-être uniques du point de vue bibliographique, qui peuvent modifier une image reproduite, ou qui peuvent exiger une modification dans la méthode normale de filmage sont indiqués ci-dessous.

- ☐ Coloured pages / Pages de couleur
- ☐ Pages damaged / Pages endommagées
- ☐ Pages restored and/or laminated / Pages restaurées et/ou pelliculées
- ☒ Pages discoloured, stained or foxed / Pages décolorées, tachetées ou piquées
- ☐ Pages detached / Pages détachées
- ☒ Showthrough / Transparence
- ☐ Quality of print varies / Qualité inégale de l'impression
- ☐ Includes supplementary material / Comprend du matériel supplémentaire
- ☐ Pages wholly or partially obscured by errata slips, tissues, etc., have been refilmed to ensure the best possible image / Les pages totalement ou partiellement obscurcies par un feuillet d'errata, une pelure, etc., ont été filmées à nouveau de façon à obtenir la meilleure image possible.
- ☐ Opposing pages with varying colouration or discolourations are filmed twice to ensure the best possible image / Les pages s'opposant ayant des colorations variables ou des décolorations sont filmées deux fois afin d'obtenir la meilleure image possible.

This item is filmed at the reduction ratio checked below /  
Ce document est filmé au taux de réduction indiqué ci-dessous.

|     |     |     |     |     |     |     |     |     |     |     |     |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 10x |     | 14x |     | 18x |     | 22x |     | 26x |     | 30x |     |
|     |     |     |     |     |     |     |     |     |     |     |     |
|     | 12x |     | 16x |     | 20x |     | 24x |     | 28x |     | 32x |

The copy filmed here has been reproduced thanks to the generosity of:

Library  
Agriculture Canada

The images appearing here are the best quality possible considering the condition and legibility of the original copy and in keeping with the filming contract specifications.

Original copies in printed paper covers are filmed beginning with the front cover and ending on the last page with a printed or illustrated impression, or the back cover when appropriate. All other original copies are filmed beginning on the first page with a printed or illustrated impression, and ending on the last page with a printed or illustrated impression.

The last recorded frame on each microfiche shall contain the symbol → (meaning "CONTINUED"), or the symbol ▼ (meaning "END"), whichever applies.

Maps, plates, charts, etc., may be filmed at different reduction ratios. Those too large to be entirely included in one exposure are filmed beginning in the upper left hand corner, left to right and top to bottom, as many frames as required. The following diagrams illustrate the method:

|   |   |   |
|---|---|---|
| 1 | 2 | 3 |
|---|---|---|

|   |   |
|---|---|
| 1 | 2 |
| 4 | 5 |

L'exemplaire filmé fut reproduit grâce à la générosité de:



Bibliothèque  
Agriculture Canada

Les images suivantes ont été reproduites avec le plus grand soin, compte tenu de la condition et de la netteté de l'exemplaire filmé, et en conformité avec les conditions du contrat de filmage.

Les exemplaires originaux dont la couverture en papier est imprimée sont filmés en commençant par le premier plat et en terminant soit par la dernière page qui comporte une empreinte d'impression ou d'illustration, soit par le second plat, selon le cas. Tous les autres exemplaires originaux sont filmés en commençant par la première page qui comporte une empreinte d'impression ou d'illustration et en terminant par la dernière page qui comporte une telle empreinte.


Un des symboles suivants apparaîtra sur la dernière image de chaque microfiche, selon le cas: le symbole  $\rightarrow$  signifie "A SUIVRE", le symbole  $\nabla$  signifie "FIN".

Les cartes, planches, tableaux, etc., peuvent être filmés à des taux de réduction différents. Lorsque le document est trop grand pour être reproduit en un seul cliché, il est filmé à partir de l'angle supérieur gauche, de gauche à droite, et de haut en bas, en prenant le nombre d'images nécessaire. Les diagrammes suivants illustrent la méthode.



# MICROCOPY RESOLUTION TEST CHART

(ANSI and ISO TEST CHART No. 2)



APPLIED IMAGE Inc

1653 East Main Street  
Rochester, New York 14609 USA  
(716) 482 - 0300 - Phone  
(716) 288 - 5989 - Fax

019527

RECEIVED

INSTITUTE  
BRANCH



A WELL INOCULATED ROOT

# ALFALFA AND OTHER LEGUMES INOCULATION



**C. H. LEE**  
Professor of Bacteriology

DEPARTMENT OF BACTERIOLOGY  
**MANITOBA AGRICULTURAL COLLEGE**

Published by authority of Hon. George Lawrence  
Minister of Agriculture

# ALFALFA INOCULATION

The Manitoba Agricultural College investigations show that many of the failures in growing alfalfa in the Province are due to the fact that the soil or seed was not inoculated with nitrogen-fixing bacteria. These small organisms, living in nodules on the roots of the plant, have the faculty of being able to convert the nitrogen of the soil air into a form that can be used by the plant. This is very necessary, as the soil under ordinary conditions is not rich enough in the above element to supply the needs of this highly nutritious legume. It is therefore necessary to have these germs present in the soil, if success is to be insured. In some districts they are found naturally in the soil, but on the average farm they have to be introduced in some way. This point was illustrated quite clearly on several of the demonstration plots in the Province. The first year little difference could be noticed in the treated and untreated portions; however, the plant roots on one acre produced nodules, and the plants on the uninoculated tract did not. The second year there was an appreciable difference, the inoculated plot producing much more vigorous plants and giving a higher yield of hay.

There are two ways of insuring this success, or in other words, there are two methods of inoculation. The first is called "seed inoculation with nitro-culture," and consists in applying the bacteria to the alfalfa seed. The germ in this case is grown on a jelly-like substance called gelatine, and is put up in small bottles. There is enough material in each bottle to inoculate 60 lbs. of seed. In using the culture the following points should be observed.—

## DIRECTIONS

### FOR INOCULATING ALFALFA, CLOVER AND OTHER LEGUMES

1. Do not open the bottle of culture nor expose it for any length of time to the light until you are ready to inoculate the seed, and do not inoculate more seed at one time than can be sown in a day.
2. The whole contents of the bottle may be used on a small amount of seed without doing any harm.
3. To treat the seed, put into a clean disl. one pint of sweet skimmed milk and four tablespoons of sugar. Heat the milk to the boiling point, stirring occasionally, and boil it for a minute or two. Let it stand until the milk is cold. If less than a bushel

of seed is to be treated, proportionately less milk and sugar may be used.

4. When the milk is cold, pour a little into the bottle of culture, replace the cork and shake the bottle vigorously. Pour this portion of the milk from the bottle back into the dish. Repeat this at least six times. The jelly in the bottle will not dissolve, but should be broken up with a clean stick and mixed with the milk. The bacteria are on the surface of the jelly, hence it is not necessary that the latter be dissolved.
5. Heap the seed on a clean floor or table, pour the mixture over it and mix thoroughly with the hands or shovel until each seed is wet. It is important that this mixing be done very thoroughly, so that each seed will be inoculated.
6. Spread the seed in a thin layer, out of sunlight, handling over at intervals until it is dry enough to sow. This will not usually take over half an hour.
7. The seed should be sown immediately after treatment.

The second method is known as "soil inoculation," and consists of spreading broadcast on the land which has been prepared for seeding, some soil from a field of vigorous growing alfalfa.

There are a few points to be observed when this system is used:—

1. Soil should be from a field that is producing nodule-bearing alfalfa plants.
2. The soil should be fresh and should not be exposed to strong sunlight or allowed to dry out.
3. Best results are obtained when the soil is applied at time of planting.
4. It is preferable to spread the soil on a cloudy day and harrow the field immediately.
5. The soil should not be applied in quantities of less than 100 lbs. per acre.

Both of the above plans have given good satisfaction where care has been taken in doing the work. The first has the advantage where a large acreage is to be sown and there are no alfalfa fields in the vicinity. The cost of shipping large quantities of soil increases the expense of getting a stand of alfalfa. With the nitro-culture there is also less danger of introducing weed seeds. If the bacteria are living when re-

ceived, and the directions are carefully followed, there is no reason why nitro-culture will not give good results. Some growers, to make inoculation doubly sure, use both methods. Nitro-culture should be used in less than a month after it is received, as it works better when fresh.

The nitro-culture may be secured by sending an application to the Bacteriological Department, Manitoba Agricultural College, enclosing twenty-five cents, which pays for the postage, bottle and mailing case, with a small margin for the culture material.

The Manitoba Agricultural College is also prepared to supply nitro-culture to inoculate the seed of Red Clover, Sweet Clover, Field Peas, Garden Peas, Garden Beans and Sweet Peas. The same method of treating the seed is followed as in the case of alfalfa.

A special strain of bacteria, however, is required for each of the above and in ordering you should state which legume you wish to inoculate.

Enough culture to inoculate one bushel of seed of any of these legumes will be sent for TWENTY-FIVE CENTS.

Address:

**Bacteriological Department,  
Manitoba Agricultural College,  
Winnipeg, Man.**



Alfalfa at Manitoba Agricultural College



