
FAIRBANKS

Shirley Patent

GATE VALVES



THE LARGEST GATE VALVE IN THE WORLD



THE CANADIAN FAIRBANKS CO., LIMITED

MONTREAL

TORONTO

WINNIPEG


VANCOUVER

IRON BODY DOUBLE GATE VALVES

Brass Mounted, Bolted Bonnet, Screwed and Flanged Ends

Screw Packing Nut

Stationary Spindle




SIZE			2	2 1 2	3	312	1	4.12	5	6
Price, Screwed or Flan Distance, End to End, Distance, Face to Face Diameter of Flanges Diameter of Bolt Circle Number of Bolts Size of Bolts	Scre , Fla	ewed	\$10,00 4 ³ 4 6 ¹ 4 6 4 ³ 4 4 58	12.00 5 ¹ 2 7 7 5 ¹ 2 4 58	15.00 6 7 ¹ ₂ 7 ¹ ₂ 6 4 58	18.00 6 ¹ ₂ 8 8 ¹ ₂ 7 4 5 ₈	20.00 7 83 ₄ 9 7 ¹ ₂ 4 3 ₄	23 (00) 834 914 734 8	25.00 81 ₄ 9 10 81 ₂ 8	30,00 9 9 ¹ 4 11 9 ¹ 2 8


STANDARD #

IRON BODY DOUBLE GATE VALVES

Brass Mounted, Bolted Bonnet, Screwed or Flanged Ends

Bolted Packing Gland Stationary Spindle







Size		7	8 .	9	10	I 2
Price Screwed or Flanged .		\$45.00	55.00	80,00	90,00	125.00
Distance, End to End, Screwed		91/2	10	1014	1012	I 1 1/2
Distance, Face to Face, Flanged		91/2	10	1014	101/2	11
Diameter of Flanges		121/2	131/2	15	16	19
Diameter of Bolt Circle .		103/4	1134	1314	144	17
Number of Bolts		8	8	I 2	I 2	12
Size of Bolts		34	3/4	3/4	1 7/8	7/8

IRON BODY DOUBLE GATE VALVES

Brass Mounted, Bolted Bonnet, Screwed or Flanged Ends Rising Spindle







Size	. 2	212	3	3.12	4	4 1 2	5	6
Price, Screwed or Flanged Distance, End to End, Screw Distance, Face to Face, Flan Diameter of Flanges Diameter of Bolt Circle Number of Bolts	\$18.00 d 4 ³ 4 ged 6 ¹ 4 6 4 ³ 4 4 5	20,00 5 ¹ ₂ 7 7 5 ¹ ₂ 4 5 ₈	23 00 6 7 ¹ 2 7 ¹ 2 6 4 5 ₈	28.00 6 ¹ ₂ 8 8 ¹ ₂ 7 4 58	33.00 7 83 ₄ 9 71 ₂ 4 3 ₄	40.00 7 ¹ ₂ 9 ¹ ₄ 7 ³ ₄ 8	46.00 8 ¹ ₄ 9 10 8 ¹ ₂ 8	55.00 9 9 ¹ 4 11 9 ¹ 2 8

IRON BODY DOUBLE GATE VALVES

Brass Mounted, Bolted Bonnet, Screwed or Flanged Ends Rising Spindle






SIZR			7	8	9	10	12
Price, Screwed or Flange	d .		\$70.00	90.00	115.00	135.00	170.00
Distance, End to End, So	crewed		91/2	10	1014	101/2	1112
Distance, Face to Face, I			91,	10	1014	1012	11
Diameter of Flanges .			121/2	131/2	15	16	19
Diameter of Bolt Circle			103/	1134	1314	1112	17
Number of Bolts			8	8	12	12	12
Size of Bolts			34	3,4	7/8	7/8	7/6

IRON BODY DOUBLE GATE VALVES

Brass Mounted, Bolted Bonnet, Bell Ends

Square Nut on Spindle



* .								- 1	
SIZE	2	3	4	5	6	. 7	8	10	12
Price	\$10.00	15.00	20.00	25.00	30,00	45.00	55.00	90.00	25.00
Depth of Bell	2 1/2	2 1/2	2 3/4	3	3	3	3	3	3 1/4
Distance, End to End of Pipe when laid in Bell	23/4	31/4	4 1/4	41/2	4¾	5	51/8	51/4	5 1/2



EXTENSION VALVE BOXES

These boxes are for use with our Valves underground, in order that they may be operated from the surface by means of a wrench. They are made adjustable to conform to depth Valve may be placed, so that the top will be exactly flush with the surface.

The cover fits snugly, and is not liable to be dislodged by anything passing over it; at the same time is free enough to admit of being readily removed by a pick or other similar tool. The words "Water" or "Gas"

will be cast on top, as specified. In the absence, however, of any definite instructions on this point, we always furnish covers with the word "Water."

Inquiries on Boxes should state number required, size of Valve and depth of trench, and orders should state, in addition, whether covers are wanted marked "Water," "Gas," or some initial letter.

INDICATOR VALVE POSTS

For Fire Protection Valves

This post shows plainly whether the Valve is Open or Closed, and is intended to be used with fire protection valves in street mains, factory and mill yards, grounds of public buildings, etc. It is specified by the Fire Underwriters for this purpose, and prevents all delay and mistakes in finding and operating the valve.

The size and shape of the operating nut will be made to conform to the standard of the system in which the valves are to be used. Our standard for operating nut is 1½ inches square.

In ordering state whether valves turn to right or to left; distance from surface of ground to bottom of pipe; number of turns required to open valve; size and shape of operating nut.





FAIRBANKS HYDRANTS AND **WATER VALVES**



VALVE BOXES INDICATOR VALVE POSTS

PIPE FITTINGS

SUPPLIES



THE

FAIRBANKS COMPANY

LIMITED

MONTREAL

TORONTO

VANCOUVER

GROUND LINE



