


DEPARTMENT OF MARINE AND FISHERIES
DOMINION OF CANADA
METEOROLOGICAL SERVICE

6121 CFMB
P346
QC
925.1.C3
C3
1906

RAIN AND SNOW-FALL OF CANADA

TO THE END OF 1902

WITH



CHARTS OF ANNUAL PRECIPITATION

BY

HUGH V. PAYNE, Climatologist

OOGB

Published under the direction of R. F. STEPHART, Esq., F.R.S.C., Director of the Meteorological Service

X
OTTAWA
PRINTED BY S. E. DAWSON, PRINTER TO THE KING'S MOST
EXCELLENT MAJESTY
1906



OOEB

C O N T E N T S

	PAGE
Letter of transmittal.....	v
Introduction.....	vi
 GENERAL NOTES—	
British Columbia.....	viii
North-west Provinces.....	viii
Ontario.....	viii
Quebec and the Maritime Provinces.....	viii
 TABLE No. I.—Giving the total precipitation at all stations from 1871 to 1902.....	2 to 53
 TABLE No. II.—Giving the rainfall and number of days of fall, at selected stations, for each month and each year from 1874 to 1902.....	56 to 165
 TABLE No. II (Supplementary).—Giving the rainfall and number of days of fall, for each month and each year from observations taken prior to 1874.....	166 to 111 ⁹
 TABLE No. III.—Giving the snowfall and number of days of fall, at selected stations, for each month and each year from 1874 to 1902.....	114 to 163 ²²
 TABLE No. III (Supplementary).—Giving the snowfall and number of days of fall for each month and each year from observations taken prior to 1874.....	164 to 169 ⁸⁴
 TABLE No. IV.—Giving annual precipitation at a few stations prior to 1871.....	170 to 171 ⁸⁷
 Chart of British Columbia	172 ⁶⁵
“ the North-west Territories.....	173 ⁵⁰
“ Manitoba and Northern Ontario.....	174 ⁹¹
“ Southern Ontario.....	175 ⁵²
“ Quebec and the Maritime Provinces.....	176 ⁴³

R.

Re
sta
sh

eu

Et
er
pe

M
fu

R. F. STUPART, Esq., F.R.S.C.,
Director, Meteorological Service of Canada,
Toronto.

Sir,—In accordance with your request, I have the honour to submit herewith my Report on the Rain and Snow-fall of the Dominion of Canada. It contains the most complete collection of these statistics yet published and is accompanied by five sectional maps of the Dominion of Canada, showing by means of shading and figures the distribution of the mean annual precipitation.

The tables will furnish all available complete annual records for the precipitation of any particular place.

It is presented as the best accumulation of such statistics obtainable at the present time. Errors in individual observations, and in compiling such a quantity of tabular matter, may have crept in, and it is much desired, that should any discrepancies be noted by others, that they be pointed out, so that in a future and more improved edition they may be eliminated.

I wish to thank all observers for their assistance in making these records so complete and also Mr. W. A. Stewart and Mr. W. F. Davison, of the Toronto Office, for their assistance to me in furnishing data.

I have the honour to be, Sir,

Your obedient servant,

HUGH V. PAYNE.

INTRODUCTION.

The statistics of rain and snowfall given herewith are compiled from the observations of the paid and volunteer observers in the Dominion of Canada. Whenever it has been found that the records of a station were not complete for at least one year, they have not been made use of. These records are the most complete yet published and give a fairly accurate knowledge of the distribution of precipitation throughout the settled portions of the country. In the unsettled portions, observations are necessarily few and far between; but whatever records were obtainable have been tabulated and made use of in the accompanying tables and charts. The charts have been constructed by plotting the mean annual rain and snowfall at each station and then drawing lines of equal fall, or isohyetal lines, inclosing areas of each five inches; but at isolated stations figures only have been used.

The method of obtaining the amount of the rain and snowfall in Canada has been, with few exceptions and those in the early days, that of using a uniform gauge for measuring rain, and melting the snow or measuring the fall and averaging its depth as being equal to one-tenth of the fall of rain, i.e. 1 inch of snow = 10 inch of rain.

The rain gauge in general use throughout Canada has invariably been supplied to observers by the Meteorological Service. It is a gauge whose circular mouth has an area equal to 10 square inches, so that the depth of rain is found by dividing the cubic contents by 10, i.e. by moving the decimal point one place to the left. Thus—

Corresponding to a volume of cubic inches 11·2 ; 4·3 ; 2 ; 4 ; 2·37. The depth will be in inches 1·12 ; 0·43 ; 0·20 ; 0·04 ; 0·237.

The general appearance of the gauge and of its various parts is shown in Fig. I where A represents the gauge complete, and B represents the measuring glass.

The rain gauge apparatus is made up of the following parts:—

(1.) The upper part, which consists of a vertical cylinder whose cross section has an area of 10 square inches, and is open at the top to receive the rain, being connected at its lower part with a funnel and pipe, through which the rain runs to a receiver beneath. This upper part is made either of brass or of sheet iron japanned; but in either case the upper rim is of brass, and is formed into a well defined sharp edge. The side of the cylinder is high enough to prevent the rain when striking the funnel from rebounding out of the gauge. This part of the apparatus is shown in an inverted position in Fig. I (C).

(2.) The large receiver upon which the upper part is fitted. The large receiver is made either of brass or sheet iron. It is shown in Fig. I (D).

(3.) The small receiver which stands within the large receiver, and into which the rain enters directly by the down pipe. It is made large enough to hold rather more than 5 cubic inches. It is sometimes made to expand a little at its upper end so as to neatly fit the outer surface of the funnel, and thus diminish the surface of water exposed to evaporation. Fig. I (E).

(4.) The outer stand (made of sheet iron) on which the large receiver rests by a flange designed to prevent the entrance of rain or snow into the stand, which by freezing would cause the large receiver to adhere to the stand. Fig. I (F).

Up to the present time no snow gauge has been used in the Canadian Service. It is assumed that on an average ten inches of snow are equivalent to one inch of water, and observers are instructed to measure the depth of snow by means of a rod divided to inches and then divide the depth thus obtained by 10.




FIG. I.

The instructions as to position either given by letter, by the direction of an inspector, or through the medium of the 'Book of Instructions' prepared by the late director, G. T. Kingston, M.A., is to place the gauge in a position as near the surface of the ground as possible, so that the mouth of the gauge be about one foot above the level; to see that the mouth of the gauge be kept strictly level and to see that its position be sufficiently removed from any building, tree or other objects that might interfere with the free access of rain, even when it falls with considerable obliquity.

As will be seen the tables commence with the year 1871, the Meteorological Service being organized in 1870, and continue until the year 1902. Many observations taken by volunteers are necessarily only for short connected periods and often give a broken series, but the paid observers give complete records or nearly so.

In a few cases observations were taken for some years before the inception of the Service and other than the regulation gauge was used. These extra years of observations are given as supplementary tables, and there is no reason to believe that the measurements so made differed materially from those made by the standard gauge.

Much care has been taken to try to leave out doubtful records, but when so much depends on the work of volunteer observers, it is impossible to find out all omissions of observation, but in plotting these records on the charts and comparing the observations at neighbouring stations a fair idea has been obtained as to which are most reliable and due allowance made.

The Tables have been divided into three separate series, Table No. I contains the sums of the annual precipitation from the year 1871 to 1902 for every station the record of which it has been considered advisable to use and wherever a year's observations were not complete the records have not been used, except in a few instances and in these cases a foot note calls attention to their possible errors. These yearly sums have been divided into five year periods and the pentad means struck, so that any period beginning with the year 1871 either for part or the whole years of observation may be easily obtained.

Table No II gives the monthly and annual rainfall together with the number of days of fall from a number of selected stations which give the more continued series, dating from the year 1874 up to 1902, and in cases where observations were taken before 1874 supplementary tables are given under the heading of Table No. II (supplementary).

Table No III contains the same information in regard to snowfall together with the supplementary tables.

Table No. IV gives the total precipitation at a few stations where observations were taken prior to 1871.

Following the tables are five charts giving at a glance the total mean annual precipitation in grades of each five inches. Each chart represents a part of the Dominion, viz: 1 British Columbia, 2 the Northwest Territories, 3 Manitoba and the district north of the Great Lakes east to the Quebec boundary, 4 Ontario proper and 5 Quebec and the Maritime Provinces.

RAIN AND SNOW-FALL OF CANADA.

In dealing with the mean annual precipitation of the Dominion, it has been found necessary, owing to the comparatively narrow extended line of the country where observations have been taken, stretching from the Pacific to the Atlantic Oceans, to plot the mean annual precipitation on five separate maps instead of one; whilst in the tabular matter of the total precipitation the records are given as seems most convenient, starting from the Pacific Ocean coast-line and working gradually eastward until the Atlantic Coast is reached. In the older portions of Ontario with its more dense population a division has been made into several districts, *viz.* Lake Superior District, North and Northwest District, Southwest District, Southeast District and Northeast District.

The following is a brief statement as to the distribution of precipitation over the Dominion:

BRITISH COLUMBIA is a territory with very pronounced geographic features, several lofty chains of mountains paralleling the coast from the extreme north to the most southerly boundary. Along the exposed western coast the precipitation is somewhere between 110 and 136 inches, and eastward over Vancouver island and the mainland the western slopes of the various ranges each claim a much larger percentage of moisture from the Pacific winds than do the valleys and interior plateaus. Near the more eastern shores of Vancouver island, the annual precipitation ranges between 35 and 50 inches, while across the Straits of Georgia in the valley of the lower Fraser, it is very generally over 60 and less than 80 inches. Eastward of the coast ranges the climate of Yale, Kamloops and the Okanagan District is decidedly drier and an annual precipitation ranging from about 7 to 18 inches, according to orographic situation, is an approximate valuation. Approaching the Selkirk range the precipitation increases, and at the higher altitudes is very great, chiefly owing to a heavy snowfall between October and April.

A feature of very pronounced importance in connection with precipitation over the North-west Provinces of Canada, is that in Manitoba 50 per cent and further west more than 62 per cent of the total for the year falls between May and August, and June is the month of heaviest rainfall, just the very period when moisture is required for the growing crops.

In Manitoba the rainfall is greater than in the other North-west Provinces. The normal annual precipitation over the Province is approximately 22 inches, and the May to August rainfall is 11·5 inches; drought is therefore not much to be feared here, but westward the danger increases. From Regina westward to Medicine Hat and northward to Saskatoon there are very few rainfall records of over a few years, but there is fair evidence that the average annual precipitation over this area nowhere exceeds 15 inches, and at many points is less than that amount, but extremes may vary from 9 inches at Medicine Hat to 22 inches at Qu'Appelle. By reference to the tables it will be seen that the records of 20 years indicate an average rainfall of 11 inches in Saskatchewan and 12 inches in Alberta, which with a snowfall of about 55 inches, gives a total annual precipitation of 16 or 17 inches over the larger part of Saskatchewan and 17 or 18 inches in Alberta. But it is to be remembered that the seasonal precipitation in the far west is very variable. At Calgary in 1892 the total precipitation of the year was but 7·91 inches, while in 1902 it was 34 inches.

ONTARIO.—The precipitation in the older portions of Ontario ranges very generally between 30 and 40 inches but some thing less than the lower value obtains north of Lake Superior and an excess of the latter value is found on the western slopes of the counties lying to the eastward of Lake Huron and the Georgian Bay.

In Quebec the precipitation ranges between 30 and 45 inches; in New Brunswick and Prince Edward Island between 35 and 47 inches and in Nova Scotia from 42 to 56 inches.

RAI

ing to
teling
instead
conve-
oast is
made
strict,

ins of
g the
r Van-
lager
more
across
ian 80
riet is
raphie
and at

h-west
e total
very

annual
nches;
west-
years,
nches,
t to 22
ate an
out 55
1 17 or
s very
it was

30 and
of the
nd the

dward

RAIN AND SNOW-FALL OF CANADA

TABLE I

MEAN ANNUAL PRECIPITATION

RAIN AND SNOW-FALL OF CANADA.

TABLE I.—Annual Precipitation.

Station and Province or District.	Lat. N.	Long. W.	Elevation above M. S. L.	1874.	1875.	Means.	1876.	1877.	1878.	1879.	1880.	Pentad Means.
			Feet.	In.	In.	In.	In.	In.	In.	In.	In.	In.
<i>British Columbia.</i>	"	"	"									
Abbotsford.	49 15	122 49										
Alberni.	49 15	124 49	300									
Agassiz.	49 14	121 31	52									
Barkererville.	53 2	121 35	4,180									
Bella Coola.	52 40	126 30	150									
Beaver Creek.	49 22	124 34										
Bullion.	52 45	121 55	2,775									
Canobie.	48 49	123 44	190									
Chilliwack.	49 10	121 57	21									49 42
Clinton.	51 6	122 48	2,978									
Cranbrook.	49 30	115 50										
Clayoquot.	49 11	125 47										
Carmanah.	48 25	124 47	130									
Caulfields.	49 21	123 16	30									
Cape Scott.	50 48	128 27										
Coquitlam.												
Donald.	51 28	117 11	2,690									
Douglas Lake.	50 37	121 30										
Enderby.	50 32	119 7	1,180									
French Creek.	49 20	124 36										
Fort Steele.	49 40	115 42	2,433									
Garry Point.	49 21	123 17										
Glacier.	51 16	117 28	4,072									
Goldstream.	48 31	123 22										
Grand Prairie.	50 25	119 58										
Griffin Lake.	50 56	118 29	1,517									
Hazelmere.	49 3	122 43										
Hatzic.	49 15	124 49										
Hope.	49 20	121 35										74 23
Kaslo.	49 56	117 0										
Kuper Island.	48 58	123 38	20									
Kamloops.	50 41	120 29	1,193									
Keremeos.	49 15	119 35	900									
Lillooet.	50 42	122 2	690									10 51 22 67 13 19
Langley.	49 11	122 32										32 89
Ladner's Landing.	49 5	123 4										36 96
Midway.	49 0	118 46	1,800									
Mission Valley.	49 51	119 28										
Massett.	53 58	132 9										
Matsqui.	49 7	122 16										
Nanaimo (city).	49 10	123 53										
Nanaimo.	49 10	123 53										

Stat
and Prov
Distri

British C

Abbotsfor

Alberni

Agassiz

Barkerill

Bella Co

Beaver Cr

Bullion

Canobie

Chilliwac

Clinton

Cranbroo

Clayoquot

Carmahan

Caulfiel

Cape Scot

Coquithl

Donald

Douglas I

Enderby

French C

Fort Stee

Garry Po

Glacierr

Goldstra

Grand Pr

Griffin L

Hazelme

Hatzic

Hope

Kaslo

Kuper Isl

Kamloop

Keremeo

Lillooet

Langley

Ladner

Midway

Mission V

Massett

Matsqui

Nanaimo

Nanaimo

TABLE I.—Annual Precipitation.

TABLE I.—Annual Precipitation.

RAIN AND SNOW-FALL OF CANADA.

5

TABLE I.—Annual Precipitation.

Station and Province or District.	1896	1897	1898	1899	1900	Pentad Means.	1901	1902	—	—	—	—
<i>British Columbia.</i>												
Abbotsford.....	56.21	57.96	50.31	64.95
Alberni.....	51.37	53.38	82.68	68.47	74.99
Agassiz.....	68.25	60.15	50.21	69.01	70.00	63.52	52.98	54.68
Barkerville.....	20.61	25.77	31.25	29.61	35.75	32.00
Bella Coola.....	48.86	40.80
Beaver Creek.....	82.94	56.79	54.75	77.19	30.03	22.63	21.88
Bullion.....
Canobie.....	61.08
Chilliwack.....	71.94	66.93	57.97	73.83	64.04	62.13
Clinton.....	23.38
Cranbrook.....
Clayoquot.....	148.67	146.56
Carmanah.....	139.45	109.44	84.19	120.43	118.86	113.47	94.11
Caulfields.....	65.25
Cape Scott.....	102.25	112.52	135.76
Coquitlam.....	77.53
Donald.....	19.32
Douglas Lake.....
Enderby.....	18.49	21.89	23.97	28.02	22.55	22.98
French Creek.....	37.93	33.79	28.61	30.55	42.62	34.70	33.17	40.54
Fort Steele.....	13.58
Garry Point.....	39.16	33.15	46.96	47.62	39.42	39.42
Glacier.....	56.05	48.58
Goldstream.....	84.35	70.19	56.06	74.84	74.44	71.98	71.88	73.25
Grand Prairie.....
Griffin Lake.....	38.55	39.77	64.69
Hazelmere.....	47.43	43.24	58.81	48.44
Hatzic.....	77.92
Hope.....
Kaslo.....	25.25
Kuper Island.....	62.85	42.99	33.12	47.61	41.02	49.15
Kainloops.....	11.53	12.73	9.80	11.61	10.84	11.30	7.07	12.00
Kerenoes.....
Lillooet.....
Langley.....	66.66	61.82	54.24	67.94
Ladner's Landing.....	29.21	35.22
Midway.....	9.35	11.77	16.71	18.25	13.11	13.72	10.09	9.73
Mission Valley.....	11.59	46.33	35.98
Masset.....	74.11	60.00	60.33
Matsqui.....	43.11
Nanaimo (city)....	49.37	42.90	34.29	52.85	52.89	46.46	40.14	43.21
Nanaimo.....	43.11

RAIN AND SNOW-FALL OF CANADA.

TABLE I.—Annual Precipitation.

Station and Province or District.	Lat. N.	Long. W.	Elevation, above M.S.L.	1874.	1875.	Means.	1876.	1877.	1878.	1879.	1880.	Pentad Means.	Station and Province or District.
<i>British Columbia—</i> Con.	*	*	Feet.	In.	In.	In.	In.	In.	In.	In.	In.	In.	<i>British Columbia—</i> Con.
Nicola Lake....	50 9	120 39	2,120	9 75	17 42	8 80	Nicola Lake
N. Nicomen....	49 12	122 2	59	N. Nicomen
New Westminster....	49 13	122 54	330	64 42	55 52	71 86	47 67	50 82	71 17	60 26	60 36	New Westminster
Naas Harbour....	54 56	129 56	Naas Harbour
Port Moody....	49 14	123 16	Port Moody
Princeton....	49 29	120 29	1,650	Princeton
Port Simpson....	54 34	130 26	26	Port Simpson
Pilot Bay....	49 39	116 55	Pilot Bay
Port Essington....	54 9	129 53	Port Essington
Port Bobs....	50 32	128 3	Port Bobs
Quamichan....	48 47	123 42	Quamichan
Quesnelle Forks....	52 45	121 55	Quesnelle Forks
Quesnelle....	52 59	122 30	1,700	Quesnelle
River's Inlet....	51 39	127 19	20	River's Inlet
Royal Oak....	48 24	123 19	75	Royal Oak
Rosland....	49 6	117 40	3,400	Rosland
Revelstoke....	51 0	118 6	1,476	Revelstoke
Salt Spring Island....	48 50	123 20	Salt Spring Island
Salmon Arm....	50 42	119 18	1,152	Salmon Arm
Spence's Bridge....	50 23	121 20	770	9 99	11 84	6 81	11 96	Spence's Bridge
Stuart's Lake....	54 28	124 12	1,800	Stuart's Lake
Soda Creek....	52 20	122 19	1,690	Soda Creek
Tobacco Plains....	49 1	115 5	2,300	Tobacco Plains
Union Mines....	49 10	125 0	Union Mines
Vernon....	50 14	119 15	1,246	Vernon
Valdez Island....	49 6	123 25	Valdez Island
Vancouver....	49 17	123 5	195	Vancouver
Victoria....	*48 24	123 19	85	35 87	23 50	25 91	21 63	Victoria
Reclamation Farm....	49 20	117 56	Reclamation Fa...

* These observations were taken at Victoria until August, 1880, after which they were taken at Esquimalt, about three miles away.

† No snow n

RAIN AND SNOW-FALL OF CANADA.

7

TABLE I.—Annual Precipitation.

Pentad
Means.

In.	Station and Province or District.	Pentad Means.										Pentad Means.
		1881.	1882.	1883.	1884.	1885.	1886.	1887.	1888.	1889.	1890.	
	<i>British Columbia</i>											
	Con.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.
Nicola Lake	13.26	9.87	8.55	9.98	12.51	10.83	12.78	10.77	14.29	9.97	13.52
N. Nicomen
60 36	New Westminster	66.88	62.59	60.05	60.77	49.60	60.58	56.19	72.60	63.46	47.81
	Nasa Harbour	72.39	53.60	69.15
	Port Moody
	Princeton	101.62	108.64	103.63	108.00
	Port Simpson
	Pilot Bay
	Port Essington
	Port Bobs
	Quamichan	43.18	32.94	39.14
	Quesnelle Forks
	Quesnelle
	River's Inlet
	Royal Oak
	Rosland
	Revelstoke
	Salt Spring Island
	Salmon Arm
	Spence's Bridge	1.77	6.85	12.87
	Stuart's Lake
	Soda Creek	9.24	4.53	4.68
	Tobacco Plains
	Union Mines
	Vernon
	Valdez Island
	Vancouver
	Victoria	+87.99	+27.85	28.35	24.28	28.94	28.29	39.54	23.90	18.56	28.12
	Reclamation Farm	27.48

+ No snow measured.

away.

RAIN AND SNOW-FALL OF CANADA.

TABLE I.—Annual Precipitation.

Station and Province or District.	Lat. N.	Lat. W.	Elevation above M. L. S.	1891.	1892	1893.	1894.	1895.	Pentad Means.	—	—	—
			Feet.	In.	In.	In.	In.	In.				
<i>British Columbia—</i>	—	—	—	—	—	—	—	—	—	—	—	—
Con.												
Nicola Lake	50 9	120 39	2,120	11 07	10 80	11 44	8 05	9 32	10 56	—	—	—
N. Nicomen	49 12	122 2	59			90 08	96 84	77 65	—	—	—	—
New Westminster	49 13	122 54	330					41 72	—	—	—	—
Naas Harbour	54 56	129 56								—	—	—
Port Moody	49 14	123 16		82 87						—	—	—
Princeton	49 29	120 29	1,650				9 14	10 74	—	—	—	—
Port Simpson	54 34	130 26	26			92 12	124 23	96 80	—	—	—	—
Pilot Bay	49 39	116 55						39 41	—	—	—	—
Port Essington	54 9	129 55							—	—	—	—
Port McNeil	50 32	128 2								—	—	—
Quamichan	48 47	123 42		43 14	33 56	45 17	34 32	29 27	37 13	—	—	—
Quesnelle Fork	52 45	121 55								—	—	—
Quesnelle	52 59	122 30	1,700							—	—	—
Rivers Inlet	51 39	127 19	20					168 72	—	—	—	—
Royal Oak	48 24	123 19	75						31 04	—	—	—
Rosslard	49 6	117 40	3,400							—	—	—
Revelstoke	51 0	118 6	1,476							—	—	—
Salt Spring Island	48 50	123 20						32 66	—	—	—	—
Salmon Arm	50 42	119 18	1,152				12 93	16 94	—	—	—	—
Spence's Bridge	50 23	121 20	770	8 91	7 95	8 91	13 54	7 90	9 44	—	—	—
Stuart's Lake	54 28	124 12	1,800						19 50	—	—	—
Soda Creek	52 20	122 19	1,600							—	—	—
Tobacco Plains	49 1	115 5	2,300							—	—	—
Union Mines	49 10	125 0						65 47	—	—	—	—
Vernon	50 14	119 15	1,246							—	—	—
Valdez Island	49 6	123 25								—	—	—
Vancouver	49 17	123 5	195							—	—	—
Victoria	48 24	123 19	85	44 66	35 97	51 63	42 79	32 73	41 44	—	—	—
Reclamation Farm	49 20	117 50								—	—	—

TABLE I.—Annual Precipitation.

Station and Province or District.	1896.	1897.	1898.	1899.	1900.	Pentad Means.	1901.	1902.	—	—	—
<i>British Columbia—Con.</i>											
Nicola Lake.....	10.58	13.27	9.55	14.52	14.37	12.46	9.12	13.36
N. Nicomen.....	74.54	71.87	81.51	84.26	74.24	72.24
New Westminster.....	46.18	54.97	54.86	69.17	63.45	63.24
Naas Harbour.....	88.95	76.06
Port Moody.....
Princeton.....	11.18	11.51	16.77
Port Simpson.....	78.14	109.24	91.87	100.18	63.52	89.39	91.86	74.66
Pilot Bay.....	35.80	127.95
Port Essington.....	108.57	102.53	118.84	135.60	127.05
Port Bala.....
Quamichan.....
Quesnelle Forks.....	27.56	28.95
Quesnelle.....	16.69	17.43
Rivers Inlet.....	106.02	92.54	102.81	122.84	119.43	108.53	131.21	109.94
Royal Oak.....	44.00	40.44	29.34	42.21	35.47	38.29	38.66	40.15
Rossland.....	34.79
Revelstoke.....	46.60
Salt Spring Island.....	42.01	38.53	32.24
Salmon Arm.....	16.62
Spence's Bridge.....	5.53
Stuart's Lake.....	19.24	19.25	8.74	10.56	13.22	14.20	12.68	15.99
Soda Creek.....
Tobacco Plains.....	18.39	21.31	18.70	17.25	18.68
Union Mines.....	76.74
Vernon.....	12.54	9.66
Valdez Island.....	61.34	60.17	52.52
Vancouver.....	71.54	65.29
Victoria.....	34.47	39.77	26.92	35.14	28.12	32.88	26.13	26.45
Reclamation Farm.....	23.36	16.98	24.17	25.30	22.86	27.92

RAIN AND SNOW-FALL OF CANADA.

TABLE I.—Annual Precipitation.

Station and Province or District.	Lat. N.	Long. W.	Eleva- tion above M. S. L. Feet.	1881.	1892.	1883.	1884.	1885.	Pentad Means.	1886.	1887.	1888.	1889.	1890.	
<i>North-west Territories.</i>	"	"	"												
Alameda.....	49 15	102 17												
Balgonie.....	50 30	109 10							4 16	6 84			
Banff.....	51 10	115 35	4,542										19 50	
Big Hill Springs.....												
Broadview.....	50 25	102 30				9 08								
Beaver Hills W.....												
Battleford.....	52 41	108 20	1,620											
Beaver Hills, S.E.....												
Cannington Manor.....	49 43	102 2												
Crane Lake.....	50 0	109 56												
Crescent Lake.....												
Calgary.....	51 2	114 2	3,389				12 91	11 32	13 69	17 51	11 59	15 47	
Coutts.....	49 0	112 0												
Dirt Hills.....												
Duck Lake.....	52 54	106 9												
Didsbury.....												
Edmonton.....	53 33	113 30	2,158	9 27	15 67	15 36	9 22	12 50	19 93	8 16	22 01		
Fort Chippewyan.....	58 42	111 10				10 09	10 88	14 58	13 93	14 92	12 07	
Fort Good Hope.....												
*Fort Dunvegan.....	55 56	119 2	1,305	34 61	19 51									
Fort Simpson.....	61 52	121 43												
Glen Adelaide.....	49 50	102 2												
Grenfell.....	50 23	102 53	1,957				10 12				10 05	20 30	
Henrietta.....	51 22	108 30												
Indian Head.....	50 28	103 40	1,924											
Innisfail.....	52 0	114 0												
Kilnap.....	51 15	102 14				11 17	10 83	16 96	13 10	6 31		
Knee Hill.....	51 55	113 47												
Lethbridge.....												
Maple Creek.....	49 55	109 30					7 76	10 96	11 51	11 63	8 54	
Moosomin.....												
Macleod.....	49 44	113 24					14 93	9 37	6 12	9 89	14 67	8 01	9 13
Martin's Falls.....												

* Fort Dunvegan for 1880, 15 27 in.

Stat
or Dis

 North
Territor
Alameda
Balgonie
Banff
Big Hill S
Broadview
Beaver H
Battleford
Beaver H
Canningt
Crane Lal
Crescent
Calgary
Coutts ..
Chaplin
Dirt Hill
Duck Lal
Didsbury
Edmonto
Fort Chip
Fort Goo
Fort Du
Fort Sim
Glen Ad
Grenfell.
Henriett
Indian H
Innisfail
Kilnap.
Knee Hi
Lethbrid
Maple Cr
Moosomi
Macleod
Martin's

RAIN AND SNOW-FALL OF CANADA.

11

TABLE I.—Annual Precipitation.

Station and Province or District.	Pentad Means.	1891.	1892.	1893.	1894.	1895.	Pentad Means.	1896.	1897.	1898.	1899.	1900.	Pentad Means.	1901.	1902.	
<i>North-west Territories—Con.</i>	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	
Alameda					16.58	12.34										
Balganie							13.93	16.53	14.15							
Banff	16.48		10.88		21.53		15.86	23.40	20.58	26.34	23.30	21.76	19.27	30.59		
Big Hill Springs														23.89		
Broadview																
Beaver Hills W.												26.41		25.39	22.13	
Battleford	9.35	11.66	10.93	13.47	12.01	11.36	12.93	16.53	14.25	18.42	20.41	16.51	16.57	13.49		
Beaver Hills, S.E.														27.64	22.47	
Cannington Manor							21.00	12.59	25.96	17.83						
Crane Lake												16.01		18.21		
Crescent Lake														23.39	21.24	
Calgary	13.88	10.44	7.91	11.96	11.10	15.12	11.25	16.05	20.58	16.21	26.15	17.57	19.31	22.31	34.57	
Coutts													15.85			
Chaplin																
Dirt Hills															10.62	
Duck Lake												24.22				
Didsbury															23.97	
Edmonton	14.36	17.90	16.85	17.87	16.13	14.68	16.60	15.24	14.55	10.90	20.89	27.81	17.88	27.51	20.86	
Fort Chipewyan									14.12	14.11			12.37		9.72	14.49
Fort Good Hope															11.51	22.30
Fort Dunvegan																
Fort Simpson										13.10	17.79	12.37				
Glen Adelaide	23.77	14.99	16.27													
Greenfell																
Henrietta						11.48		16.88	12.83							
Indian Head						15.12		14.89	16.40	20.63	13.34	15.36	16.12	23.26	16.01	
Innisfail												23.65		24.94	22.58	
Kilnap																
Knee Hill								17.73	11.54	24.99						
Lethbridge															28.13	
Maple Creek																
Moosomin														18.66		
Macleod	9.56						12.73	12.77	13.58	19.07	10.08	13.65	12.21			
Martin's Falls						11.80		10.38	11.18	13.33	13.03	15.21	12.85	11.51	22.30	

TABLE I.—Annual Precipitation.

Station and Province or District.	Lat. N.	Long. W.	Eleva- tion above M. S. L.	1881.	1882.	1883.	1884.	1885.	Pentad Means.	1886.	1887.	1888.	1889.	1890.
<i>North-west Territories—Con.</i>														
Medicine Hat	50° 1'	110° 37'	2,161	14° 81'	8° 64'	6° 72'	9° 89'	14° 67'	7° 96'	9° 13'
Misowpetung
Northern	50° 55'	104° 35'
Norway House
Oonikup	53° 30'	101° 20'	19° 52'
Pincher Creek	49° 30'	113° 50'	3,750
Pheasant Fork	50° 45'	102° 52'	4° 56'
Prince Albert	53° 10'	106° 0'	1,402	8° 05'	11° 00'	*13° 29'	*13° 04'	11° 37'	19° 01'
Qu'Appelle	50° 30'	103° 47'	2,115	13° 97'	11° 92'	10° 14'	14° 47'	17° 00'	10° 54'	24° 97'
Regina	50° 27'	104° 37'	1,885	11° 90'	15° 38'	24° 98'	13° 63'	14° 82'
Regina (2)	50° 27'	104° 37'
Red Deer	52° 15'	113° 30'
Swift Current	50° 20'	107° 45'	2,439	10° 62'	18° 01'	14° 09'	10° 46'	17° 56'
Saltcoats	51° 0'	102° 5'
Tagish (Yukon)	60° 17'	134° 15'
Wallace	51° 30'	102° 0'
Weyburn

*Doubtful.

Station
and Prov.
or Distri.

North-
Territories—
Medicine Hat
Misowpetu-
Northern
Norway Hou-
Oonikup
Pincher Cre-
Pheasant For-
Prince Alber-
Qu'Appelle
Regina
Regina (2)
Red Deer
Swift Current
Saltcoats
Tagish (Yukon)
Wallace
Weyburn

RAIN AND SNOW-FALL OF CANADA.

13

TABLE I.—Annual Precipitation.

1890.	Station and Province or District,	Pentad Means.	1891.	1892.	1893.	1894.	1895.	Pentad Means.	1896.	1897.	1898.	1899.	1900.	Pentad Means.	1901.	1902.	
			In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	
	<i>North-west Territories—Con.</i>																
96 9' 13	Medicine Hat.	9 67	13 14	12 22	14 60	13 04	12 13	13 03	17 88	17 23	15 90	22 28	22 05	19 07	20 80	13 68	
	Misericordia.													17 89	16 02		
	Northern.													17 89	16 02	20 45	
	Norway House.													19 91	22 07	16 99	
19 52	Oonikup.	13 94	19 13	17 04										16 96	19 72	19 13	
	Pincher Creek.								23 71	20 23	13 29						27 57
	Pheasant Fork.																
37 19 01	Prince Albert.		11 25	12 06	10 53	9 25	14 14	11 45	19 64	18 63	15 74	29 88	22 40	21 12	19 46	20 01	
54 24 97	Qu'Appelle.	15 42	19 02	16 49	16 35	12 52	15 29	15 93	21 63	12 65	21 65	19 27	16 52	18 34	20 47	24 37	
53 14 82	Regina.		14 82	12 52	8 05	6 26	11 29	10 60	18 90	9 32	13 28	11 59	11 81	12 98	18 62	15 22	
	Regina (2).															23 25	
	Red Deer.													25 56		28 91	
16 17 50	Swift Current.	14 14	24 55	20 25	14 54	9 66	12 33	16 28	14 11	16 24	15 25	19 38	14 60	15 92	18 58	17 64	
	Saltcoats.													14 04		16 36	
	Tagish (Yukon).													5 74			
	Wallace.			21 17		17 71	20 23										
	Weyburn.														25 14	27 13	

TABLE I.—Annual Precipitation.

RAIN AND SNOW-FALL OF CANADA.

15

TABLE I.—Annual Precipitation.

In.	Pentad Mean.	Station and Province or District.	1881.					1882.					1883.					1884.					1885.					Pentad Mean.	1886.					1887.					1888.					1889.					Pentad Mean.
			In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.																
Adelphi.....		Manitoba—Con.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.																
Asemissipi			In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.																
Aweme.....																																																	
Beausejour.....																																																	
Barnardo.....																																																	
Birtle.....*																																																	
Bowsman (Swan River).....																																																	
Brandon.....																																																	
Burnside.....																																																	
Cartwright.....																																																	
Channel Island.....																																																	
Clandeboye.....																																																	
Clarkleigh.....																																																	
Craiglea.....																																																	
De Clair.....																																																	
Deloraine.....																																																	
Desford.....																																																	
Eden.....																																																	
Elkhorn.....																																																	
Emerson.....																																																	
Fort Ellice.....																																																	
Foxton.....																																																	
Fort Garry.....																																																	
Gretna.....																																																	
Gladstone.....																																																	
Griswold.....																																																	
Hartney.....																																																	
Hillview.....																																																	
Little Britain.....																																																	
Lorne.....																																																	
Mary Hill.....																																																	
Minnedosa.....																																																	
Morden.....																																																	
Norquay.....																																																	
Ossawa.....																																																	
Oak Bank.....																																																	
Oak Lake.....																																																	
Pilot Mound.....																																																	
Poplar Heights.....																																																	
Portage la Prairie.....																																																	
Posen.....																																																	
Rapid City.....																																																	
Ruttanville.....																																																	

* Doubtful.

RAIN AND SNOW FALL OF CANADA.

TABLE I.—Annual Precipitation.

Station and Province or District.	Lat. N.	Long. W.	Elevation above M.S.L.	1861.	1892.	1893.	1894.	1895.	Pentad Mean.	—	—	—
			Feet.	In.	In.	In.	In.	In.	In.			
<i>Manitoba</i> —Con.												
Adelphi												
Assissippi	51 1	101 17										
Aweme	49 43	99 33		19 45	16 99	12 79	17 67	16 15	16 49			
Beausejour	50 4	96 39										
Barnardo	50 59	101 20		14 07								
Birtle	50 26	101 1										
Bowsman (Swan River)	101 10	92 10										
Brandon	49 51	99 57	1176	17 46	15 35	9 35	10 33	14 93	13 48			
Burnside	49 56	98 30										
Cartwright	49 10	99 31	1533									
Channel Island	52 18	97 23	710		11 14	16 79	17 67	18 43				
Clandeboye	50 14	96 55										
Clarkleigh	50 35	97 59										
Craiglea	49 25	99 22										
De Clair	50 15	101 17										
Deloraine	100 32	49 09										
Desford												
Eden	50 22	99 27										
Elkhorn	48 58	101 16						18 23				
Emerson	49 0	97 13					19 04					
Fort Ellice	50 20	101 15		37 21								
Foxton	49 53	97 11	710									
Gretna	49 1	97 32					15 70					
Gladstone	50 12	98 57										
Griswold	49 52	100 21										
Hartney	49 28	100 27						24 27				
Hillview	49 54	100 35		15 66	20 21	16 29	17 38	20 20	17 95			
Little Britain												
Lorne	49 7	98 18										
Mary Hill	50 38	98 5										
Minnedosa	50 10	99 48	1690	16 12	14 21	13 35	15 29	15 34	14 85			
Morden	49 12	98 5	978									
Norquay	49 30	98 40						22 36				
Ossawa	50 7	97 12										
Oak Bank	49 57	96 42			22 34	24 15	23 13	20 78				
Oak Lake	49 38	100 45										
Pilot Mound	49 14	98 56	1,547									
Poplar Heights	50 4	97 47										
Portage la Prairie	49 57	98 1	830		12 24		13 89					
Posen	50 5	98 0		23 23	17 39							
Rapid City	50 2	100 1										
Ruttanville	49 10	98 45										

Station
Province or*Manitoba*

Adelphi
 Assissippi
 Aweme
 Beausejour
 Barnardo
 Birtle
 Bowsman (Sw.)
 Brandon
 Burnside
 Cartwright
 Chauvel Island
 Clandeboye
 Clarkleigh
 Craiglea
 De Clair
 Deloraine
 Desford
 Eden
 Elkhorn
 Emerson
 Fort Ellice
 Foxton
 Gretna
 Gladstone
 Griswold
 Hartney
 Hillview
 Little Britain
 Lorne
 Mary Hill
 Minnedosa
 Morden
 Norquay
 Ossawa
 Oak Bank
 Oak Lake
 Pilot Mound
 Poplar Height
 Portage la Pra
 Posen
 Rapid City
 Ruttanville

RAIN AND SNOW FALL OF CANADA.

17

TABLE I.—Annual Precipitation.

Station and Province or District	1896.	1897.	1898.	1899.	1900.	Pentad Mean	1901.	1902.	—	—	—	—
Manitoba—Con.	In.	In.	In.	In.	In.	In.	In.	In.				
Adelphi
Asessippi
Aweme	12.52	17.23	20.49	20.74	20.72
Beausejour
Barnardo	18.98	14.99	20.49	15.62	21.46	18.08	18.70	15.64
Birtle
Bowsman (Swan River)	24.78	21.94
Brandon	23.03	14.65	21.48	15.93	17.58	18.53	19.05
Burnside
Cartwright
Champlain Island	21.38	16.54	20.57	18.06	19.74	18.10	19.97	13.62
Clandeboye	31.23
Clarkleigh
Craigleau
De Clair
Deloraine	31.23
Desford
Eden
Elkhorn	17.81	19.68	15.51
Emerson	24.85	21.12
Fort Ellice
Foxton
Gretna
Gladstone
Griswold
Hartney	22.30	15.88	20.23
Hillview	27.32	19.40	23.48	18.90	20.97	22.01	20.86	21.19
Little Britain
Lorne
Mary Hill	22.91	30.35
Minnedosa	23.72	13.99	18.71	15.82	19.70	18.39	19.95	19.30
Morden	28.09	19.14	17.90	15.54	15.09	19.15
Norquay	27.69	18.93	21.36	17.69
Ossawa
Oak Bank	17.54	18.02	22.16	20.09
Oak Lake	18.02
Pilot Mound	24.92	17.56	18.22
Poplar Heights
Portage la Prairie	24.93	12.04
Posen
Rapid City	14.32	19.16
Rutanville

RAIN AND SNOW FALL OF CANADA.

TABLE I.—Annual Precipitation.

Station and Province or District.	Lat. N.	Long. W.	Elevation above M. S. L.	1874.	1875.	Mean.	1876.	1877.	1878.	1879.	1880.	Pentad Mean.
<i>Manitoba—Con.</i>												
Russell.....	50 59	101 20
St. Andrew's.....	50 5	97 0
Shell River.....
Shoal Lake.....	50 27	100 33	850
Souris.....	49 35	100 7
Sourisford.....	49 7	101 8
Stony Mountain.....	50 5	97 12	803	15 16	20 04	19 01
Strathclair.....	50 33	100 23
Treherne.....	49 38	98 42
Turtle Mountain.....	49 11	100 18	2150
Wakopa.....	49 5	99 42
† Winnipeg.....	49 53	97 7	760	18 29	18 69	30 69	25 08	28 75	25 81	27 60	27 59
<i>Hudson's Bay.</i>												
York Factory.....	57 0	92 28	55	21 03	14 34	*53 78
Ashe's Inlet.....	62 33	70 35
Stupart's Bay.....	61 35	71 32
Port Burwell.....	60 24	64 46

*Doubtful.

†Winnipeg precipitation for 1873, 24 04.

Stat
and Pre
Dis

Manito

Russell

St. Andrew's

Shell River..

Shoal Lake..

Selkirk, E.

Souris..

Sourisford..

Stony Mount

Strathclair..

Swampy Islan

Treherne..

Turtle Moun

Wakopa..

Winnipeg..

Huds

York Factor

Ashe's Inlet

Stupart's Ba

Port Burwel

RAIN AND SNOW FALL OF CANADA.

19

TABLE I.—Annual Precipitation.

1880.	1881.	1882.	1883.	1884.	1885.	1886.	1887.	1888.	1889.	1890.	Pentad Mean.
											In.
<i>Manitoba—Con.</i>											
Russell.....				14 81	21 02		14 40	20 61	19 72	8 57	29 65
St. Andrew's.....			19 82	22 76							
Shell River.....				14 81	14 13	14 40	20 60	19 72	8 57		
Shoal Lake.....				15 19	11 50					12 91	
Selkirk, E.....							20 75				
Souris.....					13 07						
19 01 Sourisford.....					13 50		16 81	10 41			
Stony Mountain.....				26 94	10 28		8 25	13 19	12 78	12 20	18 59
Strathclair.....					13 54						
Swampy Island.....							14 23		13 57		
Treherne.....						11 53	24 49				
27 60 27 59 Turtle Mountain.....				17 52	21 01	14 59				29 51	
Wakopa.....						14 29	23 81				
Winnipeg.....	20 08	25 58	20 01	25 15	16 50	21 46	14 84	17 98	17 04	14 95	24 91
<i>Hudson's Bay.</i>											
York Factory.....		25 78									
Ashe's Inlet.....					16 67						
Stupart's Bay.....					25 22						
Port Burwell.....					22 56						

RAIN AND SNOW FALL OF CANADA.

TABLE I.—Annual Precipitation.

Station and Province or District.	Lat. N.	Long. W.	Elevation above M.S.L.	1891.	1892.	1893.	1894.	1895.	Pentad Mean.	—	—	—
<i>Manitoba—Con.</i>												
Russell.....	50 59	101 20	Feet.	In.	In.	In.	In.	In.	—	—	—	—
St. Andrew's.....	50 5	97 0										
Shell River.....												
Shoal Lake.....	50 27	100 33	850									
Souris.....	49 25	100 7										
Sourisford.....	49 7	101 8										
Stony Mountain.....	50 5	97 2	803	15 83								
Strathclair.....	50 33	100 23										
Treherne.....	49 38	98 42						21 21				
Turtle Mountain.....	49 11	100 18	2,150					24 05				
Wakopa.....	49 5	99 42										
Winnipeg.....	49 53	97 7	760	19 43	22 23	23 93	18 14	18 41	20 43			
<i>Hudson's Bay.</i>												
York Factory.....	57 0	92 28										
Ashe's Inlet.....	62 33	70 35										
Stupart's Bay.....	61 35	71 32										
Port Burwell.....	60 24	64 46										

Station
Province or
Territory

Manitoba

St. Andrew's

Shell River

Shoal Lake

Souris

Sourisford

Stony Mountain

Strathclair

Treherne

Turtle Mountain

Wakopa

Winnipeg

Hudson's Bay

York Factory

Ashe's Inlet

Stupart's Bay

Port Burwell

TABLE I.—Annual Precipitation.

Station and Province or District.	1896.	1897.	1898.	1899.	1900.	Pentad Mean.	1901.	1902.	—	—	—	—
<i>Manitoba</i> —Con.	In.	In.	In.	In.	In.	In.	In.	In.				
St. Andrew's												
Shell River												
Shoal Lake												
Souris												
Sourisford												
Stony Mountain				21 81	18 59		20 37	16 77				
Strathclair												
Treherne	28 96	9 24			16 95		13 95					
Turtle Mountain	23 09	12 24	18 92	22 21	25 83	19 65	33 64					
Wakopa												
Winnipeg	26 29	17 59	27 19	19 82	18 58	21 89	23 96	20 22				
<i>Hudson's Bay.</i>												
York Factory												
Ashe's Inlet												
Stupart' Bay												
Port Burwell												

PROPERTY OF THE LIBRARY

Rec'd. JUL 12 1928

GOVERNMENT BUREAU OF STATISTICS

TABLE I.—Annual Precipitation.

Station and Province or District.	Lat. N.	Long. W.	Elevation above M.S.L.	1871.	1872.	1873.	1874.	1875.	Pentad Mean.	—	—	—
	*	*	Feet.	In.	In.	In.	In.	In.				
<i>ONTARIO.</i>												
<i>Lake Superior District.</i>												
Barclay	49 50	92 49	1,251
Biscotasing	47 3	82 8
Buda	48 35	90 0
Cartier	46 40	89 59
Fort Francis	49 37	93 30
Finnmark	49 32	88 52	1,180
Heron Bay	48 40	87 10
Little Forks	48 33	93 42
Missanabie	48 21	83 28
Nipigon	48 50	88 40
Port Arthur	48 27	89 12	644
Rat Portage	49 48	94 32	1,087
Savanne	48 55	90 18	1,506
Schreiber	48 50	87 15
Sault St. Marie	46 32	84 19
Thompson	46 14	83 9
White River	48 35	85 16	1,232
<i>N. and N. W. Districts.</i>												
Ailsa Craig	43 7	81 40
Alton	43 51	80 5	1,250
Aurora	43 57	79 24	643
Axe Lake	45 23	79 30
* Barrie	44 23	79 41	839	26 00	28 66	26 79	21 25	24 24	25 39
Beatrice	45 8	79 20
Bognor	44 40	80 50
Bancroft	45 1	77 50
Bond Head	44 7	79 40
Bracebridge	45 0	79 30
Burk's Falls	45 30	79 18
Bruce Mine	46 18	83 45
Carlow	43 45	81 39
Charlinch	45 20	79 25
Cockburn Island	45 57	83 18	610
Coldwater	44 38	79 40
Calvin	46 15	78 48
Durham	44 10	80 50
Egmondville	43 31	81 25
Erasmus	43 58	80 22
Egremont	41 1	80 50
Emsdale	44 30	79 14
* Georgina	44 19	79 18	735	25 91	22 93	30 22	23 24	27 37	25 93

* See supplementary table for observations prior to the year 1871.

Section
Province or
ONTARIO
Lake Superior District.
Barclay.....
Biscotasing.....
Buda.....
Cartier.....
Fort Francois.....
Finnmark.....
Heron Bay.....
Little Forks.....
Missanabie.....
Nipigon.....
Port Arthur.....
Rat Portage.....
Savanne.....
Schreiber.....
Sault St. Marie.....
Thompson.....
White River.....
N. and N. W. Districts.
Ailsa Craig.....
Alton.....
Aurora.....
Axe Lake.....
Barrie.....
Beatrice.....
Bognor.....
Bancroft.....
Bond Head.....
Bracebridge.....
Burk's Falls.....
Bruce Mine.....
Carlow.....
Charlinch.....
Cockburn Island.....
Coldwater.....
Calvin.....
Durham.....
Egmondville.....
Erasmus.....
Egremont.....
Emsdale.....
Georgina.....

TABLE I.—Annual Precipitation.

Section and Province or District.	1876.	1877.	1878.	1879.	1880.	Pentad Mean.	1881.	1882.	1883.	1884.	1885.	Pentad Mean.
ONTARIO.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.
<i>Lake Superior District—Con.</i>												
Barclay.												
Biscotasing.												
Buda.												
Cartier.												
Fort Francis.												
Finnmark.												
Heron Bay.												
Little Forks.												
Missanabie.												
Nipigon.												
Port Arthur.		24·48	27·42	29·58			26·63	21·35	22·75	25·76	18·84	23·07
Rat Portage.												
Savanne.												
Schreiber.												
Sault St. Marie.												
Thompson.												
White River.												
<i>N. and N.-W. Districts.</i>												
Ailsa Craig.										42·58	29·84	34·05
Alton.												
Aurora.											27·28	
Axe Lake.												
Barrie.	32·37	22·14	38·25	26·52	32·96	30·45	24·90	25·62	31·97	25·57	29·88	27·59
Beatrie.		35·26	46·66	43·42	60·96		38·09	46·62	54·81	47·94	44·11	46·31
Bognor.										46·26	45·71	
Bancroft.												
Bond Head.												
Bracebridge.										42·48	30·72	29·91
Burk's Falls.												
Bruce Mine.												
Carlow.									38·70	38·73		
Charlinoch.												
Cockburn Island.												
Coldwater.										46·07	42·87	
Calvin.												
Durham.										47·26	42·49	50·57
Egmondville.										52·48	32·40	
Erasmus.												
Egremont.							31·58	23·59	46·22	32·03	33·54	33·39
Emsdale.												
Georgina.	28·37	21·93	36·79	31·88	30·11	29·82	24·31	22·49	38·21	30·16	28·11	28·66

TABLE I.—Annual Precipitation.

Station and Province or District.	Lat.	N.	Long.	W.	Elevation above M. S. L.	1886.	1887.	1888.	1889.	1890.	Pentad Mean.	1891.	1892.	1893.	1894.	1895.	
					Feet.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.
ONTARIO—Con.																	
<i>Lake Superior District.</i>																	
Barclay.....	49	50	92	49	1,251	49.51
Bisotasing.....	47	3	82	8	23.52	16.23	21.59
Buda.....	48	35	90	0	11.31
Cartier.....	46	40	80	50	26.18	30.29	32.25	23.42	28.00	30.61	30.86
Fort Francis.....	49	37	93	30
Finnmark.....	49	32	89	52	1,180	10.59
Heron Bay.....	48	40	87	10
Little Forks.....	48	33	93	42	53.82	42.76
Missanabie.....	48	21	83	28	23.52	21.10	29.17
Nipigon.....	48	50	88	40	17.73	15.60	17.00	16.30	15.97
Port Arthur.....	48	27	89	12	644	23.28	25.52	26.36	24.30	20.17	23.97	20.50	19.12	23.15	22.52	22.47
Rat Portage.....	49	48	94	32	1,087	13.31
Savanne.....	48	55	90	18	1,506	26.54	19.43	30.59	26.69	22.19	27.20	28.91
Schreiber.....	48	50	87	15	31.16	30.85
Sault Ste. Marie.....	46	32	84	19	29.59	45.66
Thompson.....	46	14	83	9
White River.....	48	35	85	16	1,252	33.18	25.24	17.07	18.19	28.12	23.88	26.08
<i>N. and N. W. Districts.</i>																	
Ailsa Craig.....	43	7	81	40	30.67	30.56
Alton.....	43	51	89	5	1,250	27.32	32.35	37.68	34.09	30.19	38.20	29.46	31.15
Aurora.....	43	57	79	24	643	28.57	22.06	22.82	28.98	31.32	26.75	27.90	30.13	29.32	32.90	35.48
Axe Lake.....	45	23	79	39	35.10	29.47	23.80
Barrie.....	44	23	79	41	839	28.44	21.97	26.90	33.44	36.38	29.44	31.86	35.87	34.08	28.80	49.36
Beatrice.....	45	8	79	20	44.01	36.72	44.10	35.77	37.24	39.57	40.55	40.54	45.58	35.43	35.02
Bognor.....	44	40	80	50	36.28	32.03	29.17	30.71	38.46	34.73	43.61	43.79	43.11	32.52	33.44
Bancroft.....	45	1	77	50
Bond Head.....	44	7	79	49	35.82
Bracebridge.....	45	0	79	30
Burk's Falls.....	45	30	79	18	42.03	29.10
Bruce Mines.....	46	18	83	45
Carlow.....	43	45	81	39
Charlinch.....	45	20	79	25	39.02	39.30	37.47	39.22	39.12	40.48
Cockburn Island.....	45	57	83	18	610
Coldwater.....	44	38	79	40	35.94	35.98	29.70	35.84	42.80	40.07	41.22	34.44	34.52
Calvin.....	46	15	78	48	33.24
Durham.....	44	10	80	50	40.86	41.84	34.77	24.82	40.88	36.63	41.64	34.31	46.54	35.15	35.11
Egmondville.....	43	31	81	52
Erasmus.....	43	58	80	22
Egremont.....	44	1	80	50	30.21	31.91	28.53	33.99	37.89	32.51	36.29	33.19	35.20
Enosdale.....	44	30	79	14	22.57	31.70	31.44	27.50	29.06
Georgina.....	44	19	79	18	735	29.75	22.57	31.70	31.44	27.50	29.06

Prov.
Lake 1
Barela
Biscota
Buda
Cartier
Fort F
Finma
Heron
Little
Missar
Nipigo
Port J
Rat P
Savan
Schrei
Sault I
Thom
White
N. an
Ailsa
Alton
Auro
Axe I
Barrie
Beatr
Bogn
Bancr
Bond
Brace
Burk'
Bruce
Carlo
Charl
Cockl
Coldv
Calvi
Durh
Egme
Erasu
Egres
Emsd
Georj

TABLE I.—Annual Precipitation.

TABLE I.—Annual Precipitation.

Station and Province or District.	Lat. N.	Long. W.	Elevation above M.S.L.	1871.	1872.	1873.*	1874.	1875.	Pentad Mean.	—	—	—
ONTARIO.												
<i>N. and N. W. Districts —Con.</i>												
Glencairn.....	44 17	80 4
*Goderich.....	43 45	81 43	27 95	27 38	31 29	26 03	30 86	28 70
Goderich Light House.....	43 45	81 43	37 24
Gravenhurst.....	44 55	79 20	770	36 79	35 22	40 13	34 34	39 89	36 07
*Gwillimbury, N.....	44 18	79 21	25 53	27 01	31 82	25 58	28 57	27 70
Haleybury.....	47 29	79 39	687
Haliburton.....	45 1	78 28
Heron Bay.....	48 40	87 10
Hoodstown.....	45 21	79 18
Huntsville.....	45 19	79 8
Joly.....	45 50	79 12
Kincardine.....	44 19	81 37	684	32 71	46 97	32 67	40 40
Kirkton.....	43 18	81 21
Lion's Head.....	44 57	80 13
Little Current.....	45 56	81 54	32 46	29 70	41 12
Listowel.....	43 44	80 58
Lucan.....	43 11	81 24	30 58
Lucknow.....	43 56	81 30
Moose Factory.....	51 16	80 56	30
Mount Forest.....	43 58	80 44	1,376
Manitowaning.....	45 42	81 50
Meaford.....	44 37	80 37
Midland.....	44 44	79 53
Newmarket.....	44 2	79 29	525
North Bruce.....	44 23	81 25
Orangeville.....	43 55	80 7
Orillia.....	44 34	72 24	28 90	24 22	33 11
Owen Sound.....	44 34	80 55	597
Parry Sound.....	45 19	80 0	635	39 15
Petawaganishene.....	44 45	79 56
Point Clark.....	44 5	81 44	595	50 20	54 56	40 20	36 17
Presquile.....	44 42	80 55
Providence Bay.....	45 40	82 20
Saugeen.....	44 30	81 21	656	27 49	33 33
Seely.....	45 15	79 10	43 30
Sharon.....	44 5	79 27
Spence.....	45 33	79 39
Sprucedale.....	45 30	79 40

* See supplementary table for observations prior to 1871.

TABLE I.—Annual Precipitation

RAIN AND SNOW-FALL OF CANADA.

TABLE I.—Annual Precipitation.

Station and Province or District.	Lat. N.	Long. W.	Elevation above M. S. L.	1886.	1887.	1888.	1889.	1890.	Pentad Mean.	1891.	1892.	1893.
ONTARIO.												
<i>N. and N.-W. Districts—Con.</i>												
Glencoeairn.	44 17	80 4	30 12
*Goderich	43 45	81 43	36 42	36 88
Goderich Lighthouse	43 45	81 43	33 07	27 87	33 38	31 96	32 30	31 50	31 98	26 13	24 37
Gravenhurst	44 55	79 20	770	35 21	31 39	28 22	34 86	32 22	32 38	34 64	38 30	38 66
*Gwillimbury	44 18	79 21
Haileybury.	47 29	79 39	687
Haliburton.	45 1	78 28	29 96	25 11	30 57	31 42	27 25	28 86	27 73	32 64	37 75
Heron Bay.	48 40	87 10
Hoodstown	45 21	79 18	43 77
Huntsville.	45 19	79 8
Joly.	45 50	79 12	39 95	34 00	32 28	35 40	45 63	37 45	31 78
Kincardine	44 10	81 37	684	33 13	29 76	31 35
Kirkton.	43 18	81 21
Lion's Head.	44 57	80 13
Little Current.	45 56	81 54	51 55
Listowel.	43 41	80 58	40 42	35 05	30 11
Lucan.	43 11	81 24
Lucknow.	43 56	81 30	36 92	41 54	36 66	41 25	37 49	38 77	39 13	36 97	47 73
Moose Factory.	51 16	80 56	30
Mount Forest.	43 58	80 44	1,376
Manitowaning.	45 42	81 50
Meaford.	44 37	80 37
Midland.	44 14	79 53	35 20	39 59	39 58	38 76	37 57
Newmarket.	44 2	79 29	525
North Bruce.	44 23	81 25	29 62	31 74	34 41	31 35	31 97
Orangeville.	43 55	80 7	34 87	33 42	29 66	33 10	37 82	33 77	36 40	28 50	40 45
Orillia.	44 34	72 24	36 42	28 07	22 23	33 88	32 72	30 66	33 01	33 25	41 26
Owen Sound.	44 34	80 55	597	37 41	34 12	30 63	35 59	39 25	35 40	41 12	42 42	43 10
Parry Sound.	45 19	80 0	635	39 14	34 05	32 62	33 42	39 44	35 73	38 06	43 89	48 03
Penetanguishene.	44 45	79 56
Point Clark.	44 5	81 44	595	37 09	31 29	29 88	33 37	31 96	32 72	33 94	34 88	34 38
Presqu'Isle.	44 42	80 55	36 81	33 55	32 65	39 56	39 37	36 39	45 71	50 14	49 82
Providence Bay.	45 40	82 20
Saugeen.	44 36	81 21	656	36 47	33 78	31 54	35 11	35 66	34 51	37 90	41 51	34 73
Seely.	45 15	79 19
Sharon.	44 5	79 27	27 49	25 98	34 38	29 48	32 44	31 50
Spence.	45 33	79 39
Sprucedale.	45 30	79 40	35 63	35 13	30 80	32 12	37 02	33 74	44 01	41 78	41 01

* See supplementary table for years prior to 1871.

† See
No.

TABLE I.—Annual Precipitation.

2.	1893.	Station and Province or District.	1894.	1895.	Pentad Mean.	1896.	1897.	1898.	1899.	1900.	Pentad Mean.	1901.	1902.	—
In.		ONTARIO.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.
<i>N. and N. W. Districts—Con.</i>														
13	24 37	Glencairn.												
30	38 66	†Goderich.				17 32			"23 87	30 27				
		Goderich Lighthouse.	14 17	17 67	22 86	17 35	28 13	32 44	23 97	30 37	26 45	26 14	28 81	
		Gravenhurst.	29 29	31 69	34 52	39 18	46 60	35 52	35 90	3 57	38 15	38 06	36 61	
64	37 75	†Gwillimbury, N.												
		Halibutton.	27 14			31 96	34 69	34 40	29 13	37 74	33 58	30 39	32 93	
		Heron Bay.	26 25	30 44	30 90	34 15	43 32	28 67	38 09	37 39	36 32	36 67	38 28	
		Hoodstown.				21 52							30 99	
		Huntsville.	33 20	28 11		32 66	40 50	35 27	41 01	40 25	37 94	38 43	37 19	
		Joly.												
		Kincardine.												
		Kirkton.											35 35	
		Lion's Head.							"25 69					
		Little Current.												
		Listowel.									37 60		30 84	
		Lucan.												
		Lucknow.	35 54	34 96	38 87	32 55	40 90	38 05	39 33	37 25	37 62	36 40	36 54	
		Moose Factory.										16 60	21 21	
		Mount Forest.	33 10	32 04		28 85	38 31	29 27						
		Manitowaning.												
		Meaford.									37 15		36 67	39 29
		Midland.	30 78	32 85	35 91	32 61	43 65	30 59	30 93	29 27	33 41	32 74		
		Newmarket.												
		North Bruce.	27 84	28 48	31 41	31 31	40 03	34 62	33 39	31 53	34 16	31 70	37 73	
		Orangeville.	27 49	37 72	34 15	33 31	48 57	44 54	38 72	46 78	41 18	39 83	36 94	
		Orillia.	33 70	29 83	34 21	34 42	43 76	29 01	38 15	28 74	34 82	34 81	38 11	
		Owen Sound.	33 28	35 81	39 15	31 87	50 10	42 19	47 67	36 55	41 70	40 75	49 44	
		Parry Sound.	39 39	38 14	41 73	33 10	46 28	39 99	43 99	42 28	41 13	50 34	45 23	
		Penetanguishene.												
		Point Clark.	28 03	31 42	32 53	26 97	32 53	26 01	31 05	25 62	28 56	20 06	24 37	
		Presqu'Isle.	36 58	41 48	44 75	35 19	51 39							
		Providence Bay.							38 00	41 03	36 08		37 41	32 92
		Saugeen.	28 16	32 95	35 05	28 88	40 41	30 90	32 05	31 55	32 76	35 96	34 72	
		Seely.												
		Sharon.												
		Spence.						14 90						
		Sprucedale.	35 29	31 63		36 01	43 66	37 31	42 16	36 20				

†See supplementary tables for years prior to 1871.

*No snow measured.

RAIN AND SNOW-FALL OF

TABLE I.—Annual Precipitation.

Station and Province or District.	Lat. N.	Long. W.	Elevation above M. S. L.	1871.	1872.	1873.	1874.	1875.	Pentad Mean.	—	—	—
			Feet.	In.	In.	In.	In.	In.	In.			
ONTARIO.												
<i>N. and N. W. Districts</i>												
—Con.												
Sparrow Lake.....	44 46	79 16
Stayner.....	44 25	80 4	31 98	28 35	33 01
Sunshine.....	43 47	81 20
Teeswater.....	40 0	81 16
Theford.....	43 9	81 50
Uplands.....	45 48	79 25
Wanstead.....	42 56	82 30	699
Whiteside.....	45 0	79 30
Wiarton.....	43 39	79 29
Zurich.....	43 24	81 36
<i>S.-W. District.</i>												
Amherstburg.....	42 5	83 4
Aylmer.....	42 46	81 0
Birnam.....	43 2	81 55
Blenheim.....	42 40	82 1
Cayuga.....	42 57	79 54
Chatham.....	42 23	82 12	595
Coldstream.....	43 05	81 32
Conestogo.....	43 33	80 31
Copetown.....	43 15	80 4
Cottam.....	42 7	82 45
Cowal.....	42 42	80 24
Dealtown.....	42 17	82 7
DeCewsville.....	42 56	79 57
Drayton.....	43 45	80 40
Dunnville.....	42 54	79 39
Elora.....	43 41	80 27
Fergus.....	43 42	80 23
Florence.....	42 39	82 1
Galt.....	43 23	80 22	870
Glencoe.....	42 45	81 43	25 11
Guelph.....	43 33	80 16
Granton.....	43 12	81 29	41 33	27 25	32 53
Ingersoll.....	43 2	80 58	26 11	35 96
Kingsville.....	42 2	82 45
London.....	42 59	81 12	808

Prov
N. anSparro
Stayne
Sunshi
Theodo
Upland
Wanst
Whites
Wiarto
Zurich.Amher
-Aylmer
Birnam
Blenhei
Cayuga
Chatha
Coldstr
Conest
Copetor
Cottam
Cowal.
Dealtov
DeCew
Drayto
Dunavi
Elora ..
Fergun
Floren
Galt...
Guelph
Grantor
Ingerso
Kingsvi
London

* N

TABLE I.—Annual Precipitation.

Station and Province or District.	1876.	1877.	1878.	1879.	1880.	Pentad Mean.	1881.	1882.	1883.	1884.	1885.	Pentad. Mean.
ONTARIO.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.
<i>N. and N. W. Districts</i>												
—Con.												
Sparrow Lake.												
Stayner.	34 58	26 63	42 70									
Sunshine										32 61	40 27	
Thedford										28 86	30 01	
Uplands												
Wanstead										37 98	36 55	
Whiteside.											39 33	
Wiarton.										39 68	38 31	33 29
Zurich.											35 57	
<i>S. W. District.</i>												
Amherstburg										37 65		
Aylmer										38 26	42 28	
Birnam.										38 16	31 27	36 16
Blenheim										36 29	40 47	
Cayuga												
Chatham										23 34	33 88	
Coldstream												
Conestogo.							31 05	29 52	42 83	46 69	36 02	
Copetown.										35 50	32 50	35 81
Cottam										32 41	32 24	37 91
Cowal.											32 56	32 05
Dealtown										29 62	34 89	
DeGrawville.												
Drayton											26 70	
Dunnville.												
Elora									40 87	44 12		
Fergus.										43 17	38 58	40 95
Florence											30 32	
Galt.		41 10	31 13	34 44			30 55	27 42	35 38	25 35		
Guelph									25 11	25 26	21 96	19 19
Granton.	42 54	32 62	44 23	34 53	30 23	36 63	35 75	35 27	44 54	33 89	39 54	37 80
Ingersoll.	37 37										41 86	40 60
Kingville.												
London.												

* No snow measured.

RAIN AND SNOW-FALL OF CANADA.

TABLE I.—Annual Precipitation.

Station and Province or District.	Lat. N.	Long. W.	Elevation above M. S. L.	1886.	1887.	1888.	1889.	1890.	Pentad Mean.	1891.	1892.	1893.	Station and Province or District.
ONTARIO.	*	*	Feet.	In.	In.	In.	In.	In.	In.	In.	In.	In.	ONTARIO.
<i>N. and N. W. Districts—Con.</i>													<i>N. and N. W. Districts—Con.</i>
Sparrow Lake	44 46	79 16											Sparrow Lake
Stayner	44 25	80 4											Stayner
Sunshine	43 47	81 20		40 92	38 54	32 03	38 63	33 41	36 71	37 85	35 50	41 99	Sunshine
Thedford	43 9	81 50		33 49	39 82	31 98	33 31	40 48	34 02	38 02	36 18	38 50	Thedford
Uplands	45 48	79 25			32 69	36 77	44 16	45 93		38 84	41 40	49 03	Uplands
Wanstead	42 56	82 30	699			26 56	25 05						Wanstead
Whiteside	45 0	79 30		43 89	33 34	32 01	34 10	38 15	36 30	35 38	40 56	42 48	Whiteside
Wiarton	43 39	79 29		33 65	34 01	32 23	32 14	35 59	33 52	47 12	43 06	34 21	Wiarton
Zurich	43 24	81 36		35 26	37 51	32 91	38 84	43 88	37 68	41 66	35 34		Zurich
<i>S.-W. District.</i>													<i>S.-W. District.</i>
Amherstburg	42 5	83 4											Amherstburg
Aylmer	42 46	81 0		39 32	32 43								Aylmer
Birnam	43 2	81 55		37 29	33 06	31 82	37 31	39 36	35 77	38 76	46 06		Birnam
Blenheim	42 40	82 1		37 97	34 40	33 22	36 45	41 01	36 61	34 06	36 45		Blenheim
Cayuga	42 57	79 54										35 58	Cayuga
Chatham	42 23	82 12	595	29 89	32 62	29 17	28 81	41 04	32 51			31 31	Chatham
Coldstream	43 56	81 32					34 73	36 03		40 42	42 31	31 73	Coldstream
Conestogo	43 33	80 31		38 87	29 23	25 64	31 64	35 27	32 13			35 55	Conestogo
Copetown	43 15	80 4		34 79	25 98								Copetown
Cottam	42 7	82 45		34 22	37 41	32 79	33 10	38 97	35 40	29 07	37 54	34 87	Cottam
Cowal	42 42	80 24		33 75	30 48	25 69	28 19	34 75	30 57	32 77	31 07	36 14	Cowal
Deatlow	42 17	82 7		37 05	31 56	30 62	32 89	40 62	34 54	30 93	37 06	30 27	Deatlow
De Cewsville	42 56	79 57					31 14					36 95	De Cewsville
Drayton	43 45	80 40		23 84	17 89								Drayton
Dunnville	42 54	79 39											Dunnville
Elora	43 41	80 27		39 02	32 10	25 29	34 06	36 84	33 46	33 83	30 81	29 17	Elora
Fergus	43 42	80 23		43 25	38 87	28 68	34 04	36 97	36 36		33 10	38 33	Fergus
Florence	42 39	82 1											Florence
Galt	43 23	80 22	870	36 42	26 65	28 34	31 38	34 59	31 48	29 50	36 35	35 33	Galt
Glencoe	42 45	81 43											Glencoe
Guelph	43 33	80 16		30 46	21 52	23 06	31 54			31 79	27 64	33 01	Guelph
Granton	43 12	81 20											Granton
Ingersoll	43 2	80 58											Ingersoll
Kingsville	42 2	82 45									26 40		Kingsville
London	42 59	81 12	808	39 89	32 12	31 07	36 73	41 04	36 17	42 22	45 88	40 79	London

* No snow measured.

3

RAIN AND SNOW-FALL OF CANADA.

33

TABLE I.—Annual Precipitation.

Station and Province or District.	1894.	1895.	Pentad Mean.	1896.	1897.	1898.	1899.	1900.	Pentad Mean.	1901.	1902.	—
ONTARIO.												
<i>N. and N.-W. Districts—Con.</i>	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.
Sparrow Lake.....				41.20	51.44							
Stayner.....												
Sunshine.....	32.46	31.74	36.91	33.98	40.90	39.32	34.69	36.98	35.97	29.28	33.26	
Thedford.....	29.22	32.25	34.83	32.97								
Uplands.....	45.94	40.91	43.22	41.69	53.50	30.88	34.40	35.76		37.68	35.39	
Wanstead.....												
Whiteside.....	35.53	31.44	37.06	44.20	47.75	41.64	43.19	37.42		30.12	42.55	
Wiarton.....	32.02	34.94	38.09	31.54	40.00	34.43	34.36	32.57	34.58	39.17	42.27	
Zurich.....												
<i>S.-W. District.</i>												
Amherstburg.....												
Aylmer.....												
Birnam.....	29.90	34.39		33.10	37.77	42.24	30.52	32.88	34.92	33.61		
Blenheim.....	30.35	36.89	35.87	50.15								
Cayuga.....										24.89	27.57	
Chatham.....	25.92	24.74		37.77	33.58	36.67	26.04			25.43		
Coldstream.....					33.44	35.02	38.24					
Conestogo.....	24.17	28.39		25.39	29.42							
Copetown.....												
Cottam.....	26.67	26.57	35.08	37.35	33.74	36.98	32.34	33.70	35.22	25.96	34.85	
Cowal.....	28.38	28.42	31.36	31.80	34.23	33.84	25.09	32.32	31.46	21.47	23.54	
Dealtown.....	26.93	26.58	30.35	36.10	30.20	34.64	27.31	30.65	31.78	24.13	40.42	
De Cewsville.....	20.72	25.44		34.18	35.96							
Drayton.....												
Dunnville.....									32.31			
Elora.....	29.67											
Fergus.....												
Florence.....												
Galt.....	31.03	24.36	32.12		32.50							
Glenrose.....												
Guelph.....								22.79	26.61		28.39	29.63
Granton.....												
Ingersoll.....												
Kingville.....												
London.....	34.48	34.80	39.63	34.36	34.97	44.40	34.03	33.78	36.31	24.64	30.93	

* No snow measured.

RAIN AND SNOW-FALL OF CANADA.

TABLE I.—Annual Precipitation.

Station and Province or District.	Lat. N.	Long W.	Elevation above M.S.L.	1871.	1872.	1873.	1874.	1875.	Pentad Mean.	—	—	—	Station and Province or District.
ONTARIO.													
<i>S.-W. District</i> —Con.	—	—	Feet.	In.	In.	In.	In.	In.	In.	—	—	—	<i>Ontario,</i>
Lucknow	43 56	81 30	Lucknow
Maidstone	42 12	82 56	Maidstone
Oil Springs	42 45	82 50	Oil Springs
Otterville	42 57	80 38	Otterville
Parkhill	43 08	81 42	27 27	Parkhill
Paris	43 12	80 25	840	Paris
Petrolia	42 51	82 9	Petrolia
Port Burwell	42 40	80 50	Port Burwell
Port Dover	42 47	80 13	635	22 56	30 10	Port Dover
Pele Island	41 50	82 38	583	Pele Island
Port Rowan	42 38	80 29	Port Rowan
Port Stanley	42 40	81 13	592	31 83	29 36	Port Stanley
Princeton	43 13	80 38	Princeton
Putnam	43 00	81 00	Putnam
Ranelagh	43 00	80 33	Ranelagh
Ridgetown	42 30	81 55	Ridgetown
St. George	43 14	80 12	722	St. George
St. Ann's	43 6	75 32	St. Ann's
St. Mary's	43 15	81 11	1,040	St. Mary's
St. Thomas	42 46	81 12	St. Thomas
Sarnia	42 59	82 29	586	Sarnia
Stratroy	42 55	81 40	Stratroy
*Stratford	43 23	81 10	1,191	32 40	32 14	39 02	33 33	37 90	34 96	Stratford
*Simcoe	42 51	80 21	34 19	32 32	37 87	22 68	33 90	32 19	Simcoe
Sombra	42 43	82 29	Sombra
Wilton Grove, Westminster	42 56	81 17	Wilton Grove, Westminster
Wheatley	42 6	82 28	Wheatley
*Windsor	42 19	83 2	24 01	28 86	33 75	32 53	30 15	29 86	Windsor
Watford	42 54	81 52	Watford
Woodstock	43 8	80 47	980	26 65	27 87	39 76	29 07	34 08	31 49	Woodstock
Wyoming	42 56	82 7	Wyoming
Wanstead	42 56	82 30	Wanstead
<i>S.-E. District.</i>													
Aigincourt	43 47	79 16	Aigincourt
Arden	44 40	76 57	Arden
* Belleville	44 10	77 24	33 58	31 30	35 42	30 71	* Belleville
Bolcaygeon	44 33	78 37	Bolcaygeon
Brampton	43 41	79 46	22 12	19 69	30 70	21 00	34 87	25 66	Brampton
Bloomfield	43 59	77 21	Bloomfield
Brantford	43 10	80 21	750	Brantford
Burleigh	44 32	78 13	Burleigh

* See supplementary table for observation prior to 1871.

* No snow included.

TABLE I.—Annual Precipitation.

Station and Province or District.	1876.	1877.	1878.	1879.	1880.	Pentad Mean.	1881.	1882.	1883.	1884.	1885.	Pentad Mean.
	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.
ONTARIO.												
S.-W. District—Con.												
Lucknow.....												42.16
Maidstone.....									35.41		39.49	
Oil Springs.....										28.94	33.53	
Otterville.....										25.38	34.89	36.17
Parkhill.....												
Paris.....												36.21
Petrolia.....												24.05
Port Burwell.....												
Port Dover.....	37.96	29.56	41.54	27.36	33.44	34.01	31.15	31.07	38.89	30.12	30.19	32.28
Pele Island.....												
Port Rowan.....												
Port Stanley.....	38.09	34.60	42.16	34.46	38.89	37.62	32.52	32.64	36.27	27.02	35.43	32.78
Princeton.....												
Putman.....												32.73
Ranelagh.....												30.86
Ridgetown.....												31.34
St. George.....												38.42
St. Ann's.....												40.74
St. Mary's.....												
St. Thomas.....												38.01
Sarnia.....												33.03
Strathtroy.....												35.02
Stratford.....	42.15	30.91	46.13		45.57		31.31	36.98	45.50	42.94	41.20	39.59
Simcoe.....	36.88	34.64	41.84	29.87	33.34	35.31	33.27	29.67	34.28	21.53	28.96	29.54
Sombra.....												
WiltonGrove, Westminster.....												
Wheatley.....												41.91
Windsor.....	29.05	26.35	31.69	26.06	30.44	28.72	32.01	25.66	30.13	26.62	30.18	28.92
*Watford.....												22.06
Woodstock.....	39.03	26.69	46.90	36.46	35.22	36.86	36.70	33.80	40.72	38.51	38.05	37.56
Wyoming.....												
Wanstead.....												
S.-E. District.												
Agincourt.....												
Arden.....												
* Belleville.....	34.76	28.78										
Bobcaygeon.....												
Brampton.....	29.45		43.70	26.00	24.60			23.55				32.92
Bloomfield.....												32.42
Brantford.....	31.59	26.40										
Burleigh.....												18.70

* No snow included.

RAIN AND SNOW-FALL OF CANADA

TABLE I.—Annual Precipitation.

Station and Province or District.	Lat. N.	Long. W.	Elevation above M. S. L.	1886.	1887.	1888.	1889.	1890.	Pentad Mean.	1891.	1892.	1893.	Station and Province or District.
ONTARIO.													
<i>S.-W. District</i> —Con.													
Lucknow	43 56	81 30	39 92	41 32	36 61	41 25	37 49	39 37	39 13	36 97	47 73	ONTOARIO.
Maidstone	42 12	82 56	26 69	24 47	35 90	Lucknow
Oil Springs	42 45	82 50	30 61	27 24	28 60	25 47	29 07	28 29	21 59	Maidstone
Otteville	42 57	80 38	37 12	28 74	Oil Spring
Parkhill	43 08	81 42	Otteville
Paris	43 12	80 25	840	34 11	28 43	27 41	32 69	36 01	31 73	34 61	38 57	37 05	Parkhill
Petrolia	42 51	82 9	20 88	27 24	Paris
Port Burwell	42 40	80 50	Petrolia
Port Dover	42 47	80 13	635	38 91	25 62	32 63	26 61	37 78	32 31	28 38	32 70	34 06	Port Burwell
Pelee Island	41 50	82 38	583	30 51	39 97	29 27	44 56	27 35	Port Dover
Port Rowan	42 38	80 29	Pelee Island
Port Stanley	42 40	81 13	592	37 88	29 63	30 80	33 85	40 15	34 86	35 27	38 31	40 94	Port Rowan
Princeton	43 13	80 38	37 52	27 83	26 54	29 43	31 25	30 51	29 09	31 16	33 31	Port Stanley
Putnam	43 00	81 00	Princeton
Ranelagh	43 00	80 33	Putnam
Ridgetown	42 30	81 55	33 89	32 15	29 19	32 46	41 78	33 89	34 22	36 87	32 26	Ranelagh
St. George	43 14	80 12	722	29 48	30 11	23 80	32 19	38 60	30 72	34 21	36 14	33 52	Ridgetown
St. Anne's	43 6	79 32	St. George
St. Mary's	43 15	81 11	1,040	31 85	36 55	40 60	39 57	37 99	43 22	St. Anne's
St. Thomas	42 46	81 12	42 95	St. Mary's
Sarnia	42 59	82 29	586	27 06	22 69	25 54	24 18	32 88	26 47	31 28	33 33	31 32	St. Thomas
Strathtroy	42 55	81 40	Sarnia
Stratford	43 23	81 10	1,191	39 15	42 02	Strathtroy
Simcoe	42 51	80 21	28 82	20 97	Stratford
Sombra	42 43	82 29	28 01	38 61	35 49	Simcoe
Wilton Grove, Westminister	42 56	81 17	33 47	24 74	30 90	30 18	29 31	35 73	26 06	Sombra
Wheatley	42 6	82 28	35 28	33 03	Wilton Grove, Westminster
Windsor	42 19	83 2	29 58	29 80	Wheatley
Watford	42 54	81 52	26 64	23 12	24 23	26 97	29 39	26 07	33 66	36 50	25 88	Windsor
Woodstock	43 8	80 47	980	30 62	29 69	26 47	32 16	40 79	31 95	38 34	36 83	27 11	*Watford
Wyoming	42 56	82 7	25 43	33 07	31 94	36 43	28 39	Woodstock
Wanstead	42 56	82 30	26 07	25 05	Wyoming
<i>S.-E. District</i>													
Aigincourt	43 47	79 16	Aigincourt
Arden	44 40	76 57	Arden
Belleview	44 10	77 24	Belleview
Bobcaygeon	44 33	78 37	32 91	29 55	25 47	29 39	Bobcaygeon
Brampton	43 41	79 46	Brampton
Bloomfield	43 59	77 21	Bloomfield
Brantford	43 10	80 21	750	Brantford
Burleigh	44 32	78 13	23 41	Burleigh

*No snow included.

TABLE I.—Annual Precipitation.

Station and Province or District.	1894.	1895.	Pentad Mean.	1896.	1897.	1898.	1899.	1900.	Pentad Mean.	1901.	1902.	—
ONTARIO.												
<i>S. W. District.—Con.</i>												
Lucknow.....	35.54	34.96	38.87	32.56	40.90	38.06	39.33	37.25	37.62	36.40	36.54	...
Maidstone.....												
Oil Spring.....												
Otterville.....	*											
Parkhill.....												
Paris.....	31.10	27.93	33.85	33.47	33.96	34.94	26.74	33.18	32.46	30.02	29.54	...
Petrolia.....												
Port Burwell.....												
Port Dover.....	32.58	31.36	32.27	33.60	40.81	32.05	27.56	35.56	33.92	28.26	32.79	...
Pele Island.....	27.37	27.54	31.28	28.67	36.96					19.79		
Port Rowan.....	22.33			29.79	31.59							
Port Stanley.....	30.54	30.94	35.29	36.68	34.47	39.51	30.61	36.09	35.47	32.56	42.57	...
Princeton.....	28.27	25.13	29.39	31.18	32.88	33.24	33.26	31.99	32.51	33.97	33.87	...
Putman.....												
Ranelagh.....												
Ridgetown.....				33.48		36.97	26.70	35.45		27.88	39.71	...
St. George.....	29.54	26.83	32.05	29.87	39.90	34.70	21.43	31.53	31.49			
St. Anne's.....					35.64	34.29						
St. Mary's.....	27.25	30.93	35.79	32.09	36.77	37.51	27.52					
St. Thomas.....				23.83								
Sarnia.....	35.37	25.41	29.34	28.72	28.47	22.32	17.35	20.92	23.56	15.28	30.41	...
Strathtroy.....												
Stratford.....	28.20	33.28		33.88	39.33	42.89	30.88	33.24	36.04	28.35		
Simcoe.....												
Sombra.....												
Wilton Grove, Westminster.....	22.56	25.97	27.92	31.33	28.46	33.12	25.43	32.38	30.74	29.66	38.04	...
Wheatley.....												
Windsor.....							35.53	28.36	34.10		33.99	38.40
*Watford.....	24.15	28.45	29.74	25.11	26.12	29.29	23.71	23.50		20.55	29.93	...
Woodstock.....	28.86	29.71	32.18	25.82	30.32	31.33	25.03	26.25	27.75	32.85	34.27	...
Wyoming.....	29.91	26.67	30.67	26.04	30.96	32.87	25.99	27.76	28.72	23.25	38.87	...
Wanstead.....												
<i>S. E. District.</i>												
Agincourt.....						32.03	32.52	27.41	26.26		27.79	32.11
Arden.....					31.45	39.21		34.41	37.98		38.72	35.02
Belleville.....												
Bobcaygeon.....						26.00						
Brampton.....												
Bloomfield.....						39.46	29.85	28.44	28.92			
Branford.....	24.18	25.65		22.46	29.70	35.54	26.13	30.48	28.37	28.18	30.40	...
Burleigh.....												

* No snow included.

TABLE I.—Annual Precipitation.

Station and Province or District.	Lat. N.	Long. W.	Elevation above M. S. L.	1871.	1872.	1873.	1874.	1875.	Pentad Mean.	—	—	—	Station and Province or District.
ONTARIO.													
S.-E. District—Con.				Feet.	In.	In.	In.	In.	In.				
Croydon	44 34	77 0											
Credit	43 30	79 40											
Cherry Valley	44 0	77 23											
Deseronto	44 11	77 4	264										
Dundas	43 39	79 26		29 04									
Ennismore	44 23	78 27											
Elgin	44 52	76 15											
Georgetown	43 39	79 58											
Glastonbury	44 44	77 9											
*Hamilton	43 16	79 54	303	31 54	26 69	42 56	27 37	33 64	32 56				
Harrowsmith	44 24	76 00											
Kingston	44 13	76 29	285					32 17	28 48				
Kinnmount	44 42	78 42											
L'Amable	45 0	77 47											
Lakefield	44 25	78 15											
Lansdowne	44 26	76 1											
Lindsay	44 20	78 45	872										
Millbrook	44 8	78 32											
Minden	44 52	78 41											
Montague	44 55	75 58											
+Markham	43 52	79 16		26 10	26 17								
Nelson	43 23	79 51											
North Glanford	43 00	79 56											
Niagara Falls	43 13	79 6											
Norwood	44 21	77 59											
Oshawa	43 51	78 52											
Port Dalhousie	43 11	79 19							26 97				
Port Hope	43 16	78 20											
Parma													
Peterboro'	44 17	78 19	722	29 49	26 98	27 92	24 61	27 59	27 32				
Port Perry	44 5	78 59											
Roblin's Mills	44 4	77 20											
Scarboro'	43 44	79 13											
St. Catharines	43 10	79 17											
Stony Creek	43 33	79 45	292										
Stouffville	43 56	79 11											
Sturgeon Falls	46 16	79 54											
Shammonville	44 11	77 15											
*Toronto	43 40	79 17		350	32 73	25 34	31 61	24 34	29 73	28 75			
Thorold	43 13	79 11		384									

* For years prior to 1871 see supplementary tables.

RAIN AND SNOW-FALL OF CANADA

- 30 -

TABLE I.—Annual Precipitation.

RAIN AND SNOW-FALL OF CANADA.

TABLE I.—Annual Precipitation.

Station and Province or District.	Lat. N.	Long. W.	Elevation above M. S. L.	1886.	1887.	1888.	1889.	1890.	Pentad Mean.	1891.	1892.	1893.	Station and Province
			Feet.	In.	In.	In.	In.	In.	In.	In.	In.	In.	ONTARIO.
S. E. District—Con.													S. E. District—
Croydon	41 34	77 0											Croydon
Credit	43 30	79 40											Credit
Cherry Valley	44 0	77 23											Cherry Valley
Deseronto	44 11	77 4	264	26 36	29 95	28 78	30 68	26 33	25 62	36 93	32 25	40 91	Deseronto
Dundas	43 16	80 0											Dundas
Deer Park	43 39	79 26											Deer Park
Ennismore	44 23	78 27		35 85	30 67	27 12	34 10	35 99	32 75	25 19	27 54	31 51	Ennismore
Elgin	44 52	76 15											Elgin
Georgetown	43 39	79 58		35 21	29 07	24 25	32 77	34 30	31 12	33 00	30 20	43 38	Georgetown
Glastonbury	44 44	77 9											Glastonbury
Hamilton	43 16	79 54	363	28 00	19 17								Hamilton
Harrowsmith	44 24	76 0		35 69	26 97	26 38							Harrowsmith
Kingston	44 13	76 29	285	41 72	32 66	32 71	36 03	34 20	35 46	30 02	35 00	36 56	Kingston
Kimount	44 42	78 42											Kimount
L'Amable	45 0	77 47		34 57									L'Amable
Lakefield	44 25	78 15				23 38	27 54	27 28		22 96	26 51	33 38	Lakefield
Lansdowne	44 26	76 1											Lansdowne
Lindsay	44 20	78 45	872	33 64	32 77	27 10	37 23	32 56	32 66	34 17	32 60	35 30	Lindsay
Millbrook	44 8	78 32											Millbrook
Minden	44 52	78 41			34 83	34 20	40 07					32 90	Minden
Montague	44 55	75 58											Montague
Markham	43 52	79 16											Markham
Nelson	43 23	79 51						30 06	35 33		42 95		Nelson
North Glanford	43 00	79 56				21 29							North Glanford
Niagara Falls	43 13	79 6			33 83	28 38	30 75	35 83	39 32	33 60	35 20	36 37	Niagara Falls
Norwood	44 21	77 59			41 11	31 27	25 51	28 40	26 74	30 61	28 06	35 02	Norwood
Oshawa	43 51	75 52			33 51	27 05		32 05	32 18				Oshawa
Port Dalhousie	43 11	79 19											Port Dalhousie
Port Hope	43 16	75 20			34 82	29 78	28 85	30 61	34 71		30 04		Port Hope
Parma	44 9	76 56											Parma
Peterboro'	44 17	78 19	722	32 48	22 67							33 01	Peterboro'
Roblin's Mills	44 4	77 20											Port Perry
Scarboro'	43 44	79 13			33 46	27 21	26 36	29 70	34 64	30 27	30 66	29 36	Scarboro'
St. Catharines	43 10	79 17											St. Catharines
Stony Creek	43 33	79 45	292	39 07	33 46	30 18	34 03	39 36	35 34	37 68	34 49	45 62	Stony Creek
Stouffville	43 56	79 11											Stouffville
Sturgeon Falls	46 16	79 54											Sturgeon Falls
Shannonville	44 11	77 15			27 33	25 65	26 87	30 19	27 22	27 45	25 79	26 23	24 89
Toronto	43 40	79 17	350	35 07	25 76	26 28	31 22	37 37	31 14	31 51	29 51	39 71	Toronto
Thorold	43 13	79 11	384										Thorold

TABLE I.—Annual Precipitation.

Station and Province or District.	1894.	1895.	Pentad Mean.	1896.	1897.	1898.	1899.	1900.	Pentad Mean.	1901.	1902.
ONTARIO.											
S.-E. District—Con.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.
Croydon				27.95	33.26	29.27	29.71			30.24	33.57
Credit											
Cherry Valley				22.20		26.60	22.77				
Deseronto	31.09	37.92	35.82	37.08	44.46	38.11	37.38	34.07	38.22	39.46	42.25
Dundas											
Deer Park	24.61	26.80	25.84	24.94	24.73	16.79	27.91	26.88	24.23	29.40	29.46
Ennismore	28.65	25.40	27.66	25.77	33.19	33.10	30.39	24.30	29.35	22.98	21.52
Elgin						28.49	26.58	31.89	36.55		37.97
Georgetown	34.62	34.01	35.01	30.46	35.74	34.41	31.83	30.98	32.68	35.76	33.26
Glastonbury				34.33							
Hamilton						31.31	25.54	33.86			36.86
Harrowsmith											
Kingston	29.53	26.03	31.43	25.78	28.32	31.59	27.51	30.84	28.79	35.35	30.44
Kinnmount						29.14	37.43	33.29		31.83	34.94
L'Amable	34.57										
Lakefield	23.44	30.53	27.36	29.55	38.28	36.37	29.91	30.33	32.89	33.93	34.71
Lansdowne					26.37	25.44	25.41	24.74	21.94	24.75	23.24
Lindsay	31.71	27.50	32.26	32.74	42.33	36.49	37.48	36.92	37.19	35.69	43.01
Millbrook							31.28				
Minden											
Montague				24.75	25.63	26.90	30.88	35.09	28.25	32.21	25.95
Markham											
Nelson											
North Glanford											
Niagara Falls				28.88	30.78	31.92	34.59				
Norwood											
Oshawa											
Port Dalhousie											
Port Hope					43.98	31.34	33.82	29.31		33.23	38.86
Parma							36.49	36.95		39.66	37.98
Peterboro'	32.48	27.30		31.69	35.99	33.32	31.47	35.67	33.61	32.66	37.79
Port Perry											
Roblin's Mills					29.30	41.51	39.99	36.32			
Scarboro'	25.64	28.63	29.87	27.83	32.49	25.96	28.18	27.70	28.41	28.86	32.75
St. Catherines											29.27
Stony Creek	32.74	35.47	34.89	33.54	36.56	34.29	28.87	36.79	33.49	35.26	32.57
Stouffville					34.04	40.10	34.38	36.93	33.48	35.79	
Sturgeon Falls											
Shannonville											
Toronto	29.54	28.01	31.66	29.10	32.48	30.95	28.97	29.60	30.22	32.27	31.03
Thorold		27.63		30.81							

RAIN AND SNOW-FALL OF CANADA.

TABLE I.—Annual Precipitation.

Station and Province or District.	Lat. N.	Long. W.	Elevation above M. S. L.	1871.	1872.	1873.	1874.	1875.	Pentad Mean.		Station and Province or District.
ONTARIO.											
<i>S. E. District</i> —Con.											
Uxbridge.	44 30	79 55	Feet.	In.	In.	In.	In.	In.	In.		ONTARIO.
Virgil.	43 12	79 10		*							<i>S. E. District</i> —Con.
Westport.	44 40	76 25									Uxbridge.
Welland.	42 50	79 17					30 31	25 87			Virgil.
Warkworth.	44 11	77 55									Westport.
Wooler.	44 10	77 43									Welland.
<i>N. E. District.</i>											
Arnprior.	45 26	76 17									Alexandria.
Alexandria.	45 19	74 40									Bancroft.
Bancroft.	45 1	77 50									Bissell.
Bissell.	46 12	77 55	557								Brockville.
Brockville.	44 37	75 43			34 79	37 70	29 39	34 17			Cornwall.
Cornwall.	45 1	74 44			30 22	35 05	32 89	28 74			Clontarf.
Clontarf.	45 23	77 9									Denbigh.
Denbigh.	45 7	77 15									Edwardsburg.
Edwardsburg.	44 56	75 25									Fitzroy Harbour.
Fitzroy Harbour.	45 27	76 10		25 83	27 91	29 44	21 42	24 00	25 72		Jernyn.
Jernyn.	44 13	78 1									Kitley.
Kitley.	44 54	77 3									L'Original.
L'Original.	45 37	74 43									Mattawa.
Mattawa.	46 15	78 41									Northcote.
Northcote.	45 28	76 42									Otonabee.
Otonabee.	44 20	78 18									Oliver's Ferry.
Oliver's Ferry.	44 53	76 10									Ottawa.
Ottawa.	45 26	75 42				32 12	29 57	26 28			Pembroke.
*Pembroke.	45 46	77 7		28 97	30 98			40 11			Renfrew.
Renfrew.	45 26	76 39									Rockliffe.
Rockliffe.	46 12	77 55	472								Smith's Falls.
Smith's Falls.	44 55	76 5									Ursa.
Ursa.	44 54	78 18									

* See supplementary table for years prior to 1871.

TABLE I.—Annual Precipitation.

TABLE I.—Annual Precipitation.

Stations and Province or District.	Lat. N.	Long. W.	Elevation above M. S. L.	1886.	1887.	1888.	1889.	1890.	Pentad Mean.	1891.	1892.	1893.	Stations and Province or District,
			Feet.	In.	In.	In.	In.	In.	In.	In.	In.	In.	
ONTARIO.													
<i>S. E. District</i> —Con.													
Uxbridge	44 30	79 55											
Virgil	43 12	79 10											
Westport	44 40	76 25											
Welland	42 50	79 17		33 63								45 90	
Warkworth	44 11	77 55					23 03						
Wooler (Sunnyside)	44 10	77 43											
<i>N. E. District.</i>													
Alexandria	45 19	74 49						32 94	39 82		31 78	40 89	44 25
Bancroft	45 1	77 50							31 98		32 46	42 28	42 67
Bissett	46 12	77 55	557										
Brockville	44 37	75 43						40 08					
Cornwall	45 1	74 44			31 91	25 47							
Clontarf	45 23	77 9			35 64	27 24	29 87	32 53	33 31	31 72	34 04	32 75	42 17
Denbigh	45 7	77 15			38 39	26 11	33 46	35 76	34 96	33 74	30 06	32 85	39 23
Edwardsburg	44 50	75 25			41 93	28 93							
Fitzroy Harbour	45 27	76 10											
Jernyn	44 13	78 1											
Kitley	44 54	77 3											
L'Original	45 37	74 43											
Mattawa	46 15	78 41								23 36	26 19	31 16	
Northcote	45 28	76 42			22 49								
Otonabee	44 20	78 18											
Oliver's Ferry	44 53	76 10			29 84	22 69	24 30	32 23	30 68	28 15			
Ottawa	45 26	75 42			36 82	37 68	31 67	25 63	32 38	32 84	37 90	34 00	44 44
Pembroke	45 46	77 7			31 13	19 71							
Renfrew	45 26	76 39			26 35	22 67	17 54	31 13	23 85	24 30	25 85		25 47
Rockliffe	46 12	77 55	472	34 64	21 80	24 71	30 21	25 40	27 35	33 06	29 48	34 28	
Smith's Falls	44 55	76 5											
Ursa	44 54	78 18											

* No snow measured

RAIN AND SNOW-FALL OF CANADA.

45

TABLE I.—Annual Precipitation.

Stations and Province or District,	1894.	1895.	Pentad Means.	1896.	1897.	1898.	1899.	1900.	Pentad Means.	1901.	1902.	—
ONTARIO.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	—
<i>S. E. District.</i> —Con.												
Uxbridge.....	25.86	..	31.66	..
Virgil.....	32.96	27.82	..	29.29	33.73	31.92
Westport.....	34.72	..
Welland.....	33.22	34.48	41.75	45.24	36.96	40.88	39.84	34.51	32.96	..
Warkworth.....
Wooler (Sunnyside).	30.26	30.96	28.69	..	31.49	35.64
<i>N. E. District.</i>												
Alexandria.....
Bancroft.....	35.63	38.72	36.22
Bisnett.....	29.95	31.29	26.76	43.12	47.21
Brookville.....
Cornwall.....
Clontarf.....	36.43	30.62	35.20	35.06	36.31	32.94	29.31	33.55	33.45	41.96	40.28	..
Denbigh.....	25.40	29.31	22.57
Edwardsburg.....
Fitzroy Harbour.....
Jermyn.....	24.76	32.32	28.29	..	32.57	..	32.62	31.63	..
Kittley.....	26.49	38.12
L'Original.....
Mattawa.....	29.49	26.21	25.39
Northcote.....
Otonabee.....	26.82	33.30	27.05	30.97	29.19	29.98	33.40	29.66	..
Oliver's Ferry.....	29.24	25.17	30.03	27.53	27.30	27.85	31.95	21.24	..
Ottawa.....	30.74	32.41	35.99	31.32	33.03	36.02	38.05	34.83	34.65	33.31	35.96	..
Pembroke.....
Renfrew.....	14.95	13.60	19.44	26.15
Rockliffe.....	29.82	27.82	30.89	32.27	34.50	32.58
Smith's Falls.....	27.08
Uxua.....	42.65	48.07	35.80	43.98	42.56	42.61	43.12	47.21	..

* No snow measured.

RAIN AND SNOW-FALL OF CANADA.

TABLE I—Mean Annual Precipitation.

Station and Province or District.	Lat. N.	Long. W.	Elevation above M. S. L.	1871.	1872.	1873.	1874.	1875.	Pentad Mean.	1876.	1877.	Station and Province District.	
<i>Quebec.</i>			Feet.	In.	In.	In.	In.	In.	In.	In.	In.	<i>Quebec—Co</i>	
Anticosti (S. W. Point).....	49 24	63 35	30					22 23		30 69	22 40	Anticosti (S. W. Point)	
" (W. Point)	49 52	64 32										" (W. Point)	
Alitibi	48 43	79 22										Alitibi	
Aylwin	45 23	75 49										Aylwin	
Barnston	45 6	71 28										Barnston	
Bird Rocks	47 51	61 8										Bird Rocks	
Brome	45 10	72 36									28 68	Brome	
Cape Magdalen	49 16	65 20										Cape Magdalen	
Chicoutimi	48 25	71 5	150									Chicoutimi	
Cranbourne	46 23	70 42								41 78	41 20	Cranbourne	
Danville	46 48	72 1			41 86	28 62	42 41	63 43		39 44	31 26	Danville	
Father Point	48 31	69 19	20					57 10	32 50		57 50	32 24	
Grindstone Island	45 27	61 55							32 24			Grindstone Island	
+Huntingdon	45 20	74 33		31 18	36 69	33 77	38 31	38 24	34 32	33 30	32 96	Huntingdon	
Lennoxville	46 21	71 53										Lennoxville	
+Montreal	45 30	73 35	187	33 96	41 42		39 12	39 69		42 42	32 89	Montreal	
Percé	46 31	64 12	50									Percé	
Point de Monts	49 17	67 22										Point de Monts	
+Quebec	46 48	71 13	296	32 72	32 34	48 55	39 45	42 82	39 19	39 74	36 30	Quebec	
Richmond	45 40	72 8	435		41 71							Richmond	
Roberval	48 30	72 12										Roberval	
St. Francis	46 13	70 55										St. Francis	
St. Hyacinthe	45 37	72 58										St. Hyacinthe	
St. Agathe des Monts	46 25	74 19										St. Agathe des Monts	
St. Anne de la Pocatiere	47 23	70 2										St. Anne de la Pocatiere	
<i>New Brunswick.</i>												<i>New Brunswick.</i>	
Bass River	46 33	65 7		37 35	36 36	25 33	34 66	40 07	34 75			Bass River	
Bathurst	47 39	65 42	45			29 45	29 67	36 33		37 15	33 54	Bathurst	
Chatham	47 3	65 29	21					41 45	47 51		45 47	46 00	
Dorchester	45 55	64 31					40 96	46 37		44 12	47 09	Dorchester	
Dalhousie	48 4	66 22	39		46 47	47 67		43 42		44 44	40 04	Dalhousie	
Fredericton	45 57	66 36	164					42 85	45 37		47 55	40 21	Fredericton
Grand Manan	44 47	66 46	49		42 48	39 51						Grand Manan	
Moncton	46 9	64 45	73									Moncton	
Point Escuminac	47 4	64 46										Point Escuminac	
Point Le Preaux	45 4	66 28	30									Point Le Preaux	
Parker's Ridge	46 29	66 31										Parker's Ridge	
St. Andrews	45 5	67 4	47					41 68	37 53		40 27	30 99	St. Andrews
St. Stephens	45 11	67 16	35									St. Stephens	
+St John	45 17	66 4	70	47 19	61 67	46 69	48 63	63 69	53 33	48 23	42 99	St. John	
Sussex	45 38	65 58										Sussex	
Woodstock	46 8	67 42										Woodstock	

* Doubtful. + For years prior to 1871. See supplementary tables.

* Doubtful.

TABLE I.—Mean Annual Precipitation.

Station and Province or District.	1878.	1879.	1880.	Pentad Mean.	1881.	1882.	1883.	1884.	1885.	Pentad Mean.	1886.
Quebec—Con.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.
Anticosti (S. W. Point).....	*11 96	*13 44	*15 75	*18 67	*27 25	*24 62	*30 64	*28 78	*28 73	*28 00	*29 79
" (W. Point)	25 72
Abitibi
Aylwin.....	32 23
Barnston.....	38 31	36 45	40 78	41 26	44 44
Bird Rocks	31 50	28 56	29 08	17 67	26 97
Brome.....	40 76	33 16	29 67	27 67	27 73	26 58	29 28	35 67	29 39	35 24
Cape Magdalen.....	26 97	35 02	33 85	34 34
Chicoutimi.....	34 97	33 50	33 30
Cranbourne.....	42 41	47 98	40 45	42 76	36 34	50 29	52 50	54 90	48 58	48 52	43 62
Danville.....	34 20	38 98	35 53	35 88	34 73	46 34	36 02	44 50	35 45	39 41	36 17
Father Point.....	37 83	35 65	29 25	32 35	32 31	19 04	36 80	35 30	31 16	35 36
Grindstone Island.....
Huntingdon.....	44 64	30 81	32 02	34 75	32 29	30 38	35 56	36 01	41 18	35 07	39 36
Lennoxville.....
Montreal.....	43 76	37 98	49 78	39 57	31 78	38 12	39 32	42 71	51 89	40 71	38 48
Percé.....
Point de Mouts.....	48 37
Quebec.....	46 25	52 39	48 61	44 67	36 58	50 41	43 13	45 57	38 69	42 88	38 40
Richmond.....	40 00	42 43	45 52	35 73	37 91
Roserval.....
St. Francis.....	37 76	42 34	38 38	37 13
St. Hyacinthe.....	29 66
St. Agathe des Monts.....
St. Anne de la Pocatiere.....
<i>New Brunswick.</i>											
Bass River.....
Bathurst.....	23 32	38 57	47 65
Chatham.....	46 28	45 85	37 25	44 38	43 85	45 23	36 79	45 91	45 55	43 47	37 96
Dorchester.....	50 57	41 32	40 25	43 22	42 72	47 41	36 20	61 94	47 17	47 15	42 18
Dalhousie.....	46 62	31 86	32 67	41 00	39 99	39 71	41 97
Fredericton.....	40 96	47 37	39 97	43 21	49 60	43 46	36 88	53 74	44 49	45 61	38 43
Grand Manan.....	52 41	43 40	41 51
Moncton.....
Point Escuminac.....
Point Le Preaux.....	42 07	40 50	38 00	52 37	45 41	40 01	44 60	51 55	46 79	43 59
Parker's Ridge.....
St. Andrews.....	35 53	40 08	35 29	50 25	40 48	37 97	46 54	40 81	37 96
St. Stephens.....
St. John.....	47 11	48 51	44 97	46 36	48 53	50 97	53 21	29 28	46 39
Sussex.....
Woodstock.....

* Doubtful.

RAIN AND SNOW-FALL OF CANADA.

TABLE I. Mean Annual Precipitation.

Station and Province or District.	Lat. N.	Long. W.	Elevation above M. S. L.	1887.	1888.	1889.	1890.	Pentad Mean.	1891.	1892.	1893.	Station and Province or District.	
Quebec.	*	*	Feet.	In.	In.	In.	In.	In.	In.	In.	In.	Quebec—Continued.	
Anticosti, S. W. Point.	49 24	63 35	30	*28.20	*33.97	*22.60	*28.30	*28.57	33.19	33.37	25.49	Anticosti, S. W. Point.	
" W. Point.	49 52	64 32				38.46	39.98		29.03	35.34	41.11	" W. Point.	
Abitibi.	48 43	79 22										Abitibi.	
Aylwin.	45 33	75 49										Aylwin.	
Barnston.	45 06	71 28										Barnston.	
Bird Rocks.	47 51	61 08		32.24	29.63	21.98	31.46	28.46	30.66	28.16	33.81	Bird Rocks.	
Brome.	45 10	72 36			39.72	36.29	42.04		35.04	46.90	35.52	Brome.	
Cape Magdalen.	49 16	65 20			27.57	39.34	35.95	37.14	34.87	27.92	34.81	Cape Magdalen.	
Chicoutimi.	48 25	71 05	150	32.06	32.71	28.45	24.42	30.19	26.32	27.09	31.20	Chicoutimi.	
Cranbourne.	46 23	70 42		43.93	59.22	51.79						Cranbourne.	
Danville.	45 48	72 01										Danville.	
Father Point.	48 31	68 19	20	34.73	47.31	32.94	39.30	37.33	30.46	30.45	29.19	Father Point.	
Grindstone Island.	45 27	61 55								48.38	52.96	48.40	
Huntingdon.	45 20	74 33			32.93	44.76	45.41	44.28	41.35			Huntingdon.	
Lennoxville.	46 21	71 53				43.70						Lennoxville.	
Montreal.	45 30	73 35	187	38.27	44.31	47.14	45.42	42.72	36.17	42.30	40.50	Montreal.	
Percé.	48 31	64 12	50									Percé.	
Point de Monts.	49 17	67 22		57.15	66.81	30.92					40.95	Point de Monts.	
Quebec.	46 48	71 13	296	37.59	48.21	48.72	45.69	43.60	37.55	34.54	35.94	Quebec.	
Richmond.	45 40	72 08	435	39.06	49.01	41.91	45.33	42.68	35.11	43.20	37.77	Richmond.	
Roberval.	48 30	72 12				34.08						Roberval.	
St. Francis.	46 13	70 55		36.38								St. Francis.	
St. Hyacinthe.	45 37	72 58								28.76	46.45	42.30	St. Hyacinthe.
St. Agathe des Monts.	46 25	74 19										St. Agathe des Monts.	
Ste. Anne de la Pocatière.	47 23	70 02										Ste. Anne de la Pocatière.	
<i>New Brunswick.</i>													
Bass River.	46 33	65 07										Bass River.	
Bathurst.	47 39	65 42	45	41.04	36.55	29.66	37.92	38.56		36.33	33.80	Bathurst.	
Chatham.	47 03	65 29	21	43.62	45.16	32.53	44.76	40.81	41.87	42.56	39.66	Chatham.	
Dorchester.	45 55	64 31		49.06	48.55	33.16	56.13	45.82	47.21	38.54		Dorchester.	
Dalhousie.	48 04	66 22	39	32.36	43.23	39.67	40.16	41.48	27.15	33.36	29.19	Dalhousie.	
Fredericton.	45 57	66 36	164	45.01	48.56	39.15	48.45	43.86	42.88	45.73	44.12	Fredericton.	
Grand Manan.	44 47	66 46	49	48.54	56.26	45.52	46.58	48.08	48.23	44.15	44.07	Grand Manan.	
Moncton.	46 09	64 45	73									Moncton.	
Point Escuminac.	47 04	64 46										Point Escuminac.	
Point Lepreux.	45 04	66 28	30	58.39	61.26	45.47	52.74	50.47	48.38	46.77	44.40	Point Lepreux.	
Parker's Ridge.	46 29	66 31				39.79	50.19		50.40		44.28	Parker's Ridge.	
St. Andrews.	45 05	67 04	47	48.16	50.87	40.38	40.88	43.67	42.11	38.60	36.51	St. Andrews.	
St. Stephen's.	45 11	67 16	35									St. Stephen's.	
St. John.	45 17	66 04	70	52.93	51.45	37.75	51.88	48.08	46.30	47.72	41.54	St. John.	
Sussex.	45 38	65 38										Sussex.	
Woodstock.	46 08	67 42		28.36	45.90	35.26	43.53					Woodstock.	

*Doubtful.

*Doubtful.

RAIN AND SNOW-FALL OF CANADA.

49

TABLE I.—Mean Annual Precipitation.

Station and Province or District.	1894.	1895.	Pentad Mean.	1896.	1897.	1898.	1899.	1900.	Pentad Mean.	1901.	1902.
Quebec—Continued.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.
Anticosti, S. W. Point	27 27	40 27	31 92	34 94	34 80	29 64	26 90	26 72	30 42	21 75	36 88
" W. Point	33 01	45 32	36 80	34 49	36 88	34 59	27 22	38 80	36 40	37 50	38 34
Abitibi					20 60	32 90	30 93	31 87		32 54	34 27
Aylwin											
Barnston											
Bird Rocks	28 18	32 74	30 71			33 93	32 66	27 80		22 79	31 62
Brome	21 41	30 66	33 91	33 27	33 64	33 52	29 03	48 49	33 64	27 16	45 19
Cape Magdalen	29 87	31 61	30 09	40 37	38 19	26 76	20 37	27 37	30 61	30 33	37 04
Chicoutimi	26 37							35 88		27 89	26 66
Cranbourne											
Danville											
Father Point	28 06	31 49	29 93	36 95	37 75	28 93	31 75	31 80	33 47	32 03	44 23
Grindstone Island	44 48	45 94	48 03	42 82							
Huntingdon											
Lennoxville											
Montreal	31 30	39 95	38 04	40 07	39 43	44 50	43 59	52 22	43 96	45 96	46 76
Percé							35 16	44 22			47 88
Point de Monts	33 13	42 90		44 56	42 81	44 40	58 12				
Quebec	42 17	35 70	37 18	40 90	37 60	41 08	36 88	41 48	39 59	45 96	46 39
Richmond	33 44	35 91	37 09	41 90	34 27			34 70		31 89	
Roberval											
St. Francis											
St. Hyacinthe	26 06										
St. Agathe des Monts								35 12			
St. Anne de la Pocatière								30 52			
New Brunswick—Con.											
Bass River											
Bathurst	30 24										
Chatham	33 03	37 61	38 96	37 87	40 14	38 32	34 73	36 31	37 47	33 98	46 65
Dorchester											
Dalhousie	29 20	33 45	30 47	27 12	33 36	29 94	31 92				37 68
Fredericton						39 16	40 56	46 06	38 83	51 19	43 16
Grand Manan	35 30	46 63	43 68	42 28	47 41	56 00	42 22	62 86	50 15	49 34	53 83
Moncton							38 92	36 60	40 45		34 06
Point Escuminac			*33 48		*31 60	27 43	29 88	*28 07	*25 54	48 52	20 40
Point Lepreux	38 16	51 93	45 93	40 85	46 11	46 08	42 27	51 32	46 53	42 42	37 06
Parker's Ridge	41 58										
St. Andrews	30 79	40 27	37 66	34 75				36 43	43 53		41 12
St. Stephen's											
St. John	40 37	47 06	44 60	39 68	46 11	46 03	44 00	52 93	45 75	39 24	40 84
Sussex								40 63	49 02		38 44
Woodstock											43 55

*Doubtful.

RAIN AND SNOW-FALL OF CANADA.

TABLE I.—Annual Precipitation.

Station and Province or District.	Lat. N.	Long. W.	Elevation above M. S. L.	1871.	1872.	1873.	1874.	1875.	Pentad Mean.	1876.	1877.	Station and Province or District.
<i>Nova Scotia.</i>												
Beaver Bank	44° 39'	63° 36'	46° 86'	41° 58'	40° 38'	Beaver Bank
Baddeck	46° 07'	60° 46'	Baddeck
Digby	44° 38'	65° 46'	Digby
Guy'sborough	45° 27'	61° 30'	64° 51'	63° 94'	59° 75'	Guy'sborough
*Glace Bay	46° 11'	59° 7'	52° 74'	78° 48'	40° 97'	45° 96'	Glace Bay
*Halifax	44° 39'	63° 36'	97	51° 09'	53° 67'	54° 41'	55° 46'	51° 00'	53° 13'	55° 09'	57° 12'	Halifax
New Glasgow	45° 33'	62° 36'	New Glasgow
Parrsboro'	44° 28'	64° 25'	40	Parrsboro'
Port Morien	46° 8'	59° 52'	42° 28'	39° 47'	35° 71'	Port Morien
Port Hastings	45° 39'	61° 22'	45	45° 89'	41° 55'	41° 37'	48° 84'	Port Hastings
Pictou	45° 42'	62° 41'	40° 04'	56° 62'	Pictou
Seaforth	49° 38'	46° 36'	Seaforth
*Sydney	46° 10'	60° 10'	55	54° 14'	61° 39'	58° 86'	51° 29'	43° 44'	54° 82'	54° 02'	50° 91'	Sydney
Sable Island	43° 57'	60° 6'	25	Sable Island
Truro	45° 22'	63° 18'	73	58° 35'	43° 69'	43° 93'	43° 61'	38° 85'	Truro
Wolfville	45° 7'	64° 20'	Wolfville
White Head	45° 15'	61° 8'	20	White Head
Windsor	44° 59'	64° 65'	Windsor
Yarmouth	43° 50'	66° 2'	65	Yarmouth
<i>Prince Edward Island.</i>												
Charlottetown	46° 14'	63° 10'	38	41° 51'	40° 41'	43° 97'	35° 06'	41° 06'	Charlottetown
Georgetown	46° 11'	62° 30'	42° 77'	39° 85'	Georgetown
Hamilton	46° 25'	63° 48'	Hamilton
Kilmahumaig	46° 50'	64° 3'	Kilmahumaig
Souris	46° 23'	63° 13'	Souris
Summerside	46° 18'	63° 51'	Summerside
Murray River	62° 35'	46° 0'	Murray River

* For years prior to 1871 see supplementary tables.

RAIN AND SNOW-FALL OF CANADA.

51

TABLE I.—Mean Annual Precipitation.

RAIN AND SNOW-FALL OF CANADA.

TABLE I.—Annual Precipitation.

Station and Province or District.	Lat. N.	Long. W.	Elevation above M. S. L.	1887.	1888.	1889.	1890.	Pentad Mean.	1891.	1892.	1893.	Station and Province or District.
<i>Nova Scotia.</i>												
Beaver Bank.	44 39	63 26	Beaver Bank
Baddeck.	46 07	60 46	Baddeck
Digby.	44 38	65 46	25 40	29 25	38 27	Digby
Guyborough	45 27	61 30	Guyborough
Glace Bay.	46 11	59 7	Glace Bay
Halifax	44 39	63 36	97	57 11	66 50	48 58	59 40	57 78	58 61	53 48	58 41	Halifax
New Glasgow	45 33	62 36	New Glasgow
Parrsboro	44 28	64 25	40	Parrsboro
Port Morien	46 8	59 52	41 38	41 79	39 45	35 76	36 47	40 51	36 68	31 19	Port Morien
Port Hastings	45 39	61 22	45	37 29	35 47	34 89	66 74	70 88	53 94	73 07	Port Hastings
Pictou	45 42	62 41	44 72	41 92	34 26	44 53	39 74	44 89	45 52	48 12	Pictou
Sydney	46 10	60 10	55	51 73	48 18	40 32	59 10	47 40	55 39	51 73	Sydney
Sable Island	43 58	54 46	25	44 35	48 75	41 06	49 96	41 58	41 69	56 19	42 81	Sable Island
Sable Island M. Station	43 51	60 6	43 70	64 41	53 10	Sable Island, M. Station
Truro	45 22	63 18	73	45 40	41 50	36 92	46 65	43 92	48 32	44 22	41 84	Truro
Wolfville.	45 7	64 20	Wolfville.
White Head.	45 15	61 8	20	27 16	37 46	36 66	47 74	40 34	43 74	55 31	White Head
Windsor	44 59	64 65	Windsor
Yarmouth.	43 50	66 2	65	53 18	70 88	48 21	52 63	54 69	52 53	52 01	54 16	Yarmouth
<i>Prince Edward Island.</i>												
Charlottetown	46 14	63 10	38	32 45	56 43	35 61	39 75	42 39	Charlottetown
Georgetown	46 11	62 30	44 91	38 72	43 42	35 48	Georgetown
Hamilton	46 25	63 48	Hamilton
Kilmahumaig	46 50	64 3	43 34	39 02	30 54	43 38	39 04	34 61	38 40	Kilmahumaig
Souris.	46 23	63 13	Souris
Summerside	46 18	63 51	Summerside
Murray River	62 35	46 0

* Doubtful. † No snc

RAIN AND SNOW-FALL OF CANADA.

53

TABLE I.—Annual Precipitation.

893. In.	Station and Province or District.	1894.	1895.	Pentad Mean.	1896.	1897.	1898.	1899.	1900.	Pentad Mean.	1901.	1902.
					1896.	1897.	1898.	1899.	1900.			
	<i>Nova Scotia</i> —Con.		In.	In.	In.	In.	In.	In.	In.	In.	In.	In.
	Beaver Bank											
	Baddeck											
	Digby	*22.46										
	Guy'sborough											
	Glace Bay											
8 41	Halifax	45.32	62.08	55.58	69.81	51.46	60.96	52.93	59.77	58.59	58.81	52.53
	New Glasgow		43.98									
	Parrsboro							46.05	42.66	48.48		35.99
31.19	Port Morien	25.03	39.12	32.71	36.91	43.21	50.33	46.08	33.89	42.08	40.09	38.03
73.07	Port Hastings	43.72	32.93	54.91		36.67	48.95	46.08	60.80		53.35	42.66
88.12	Pictou	44.72	53.67	47.38	33.36	39.23	46.04	48.24	49.81	43.34		
41.81	Sydney	42.78	46.73		48.15	39.27	48.01	46.98	61.72	48.83	54.67	51.31
55.31	Sable Island	22.76	41.76	41.04	35.26	28.33	28.31	38.84	47.51	35.85	40.37	36.12
33.10	Sable Island, M. Station	43.95	61.18	53.27	53.87	52.97	56.44	49.61	53.08	52.99	46.59	48.97
41.81	Truro	35.58	47.02	43.42	47.63	42.30	49.73	42.47	56.66	47.76	42.56	41.90
	Wolfville								47.38		43.93	37.09
55.31	White Head	40.02	44.92	44.87	44.25	44.47	44.70	38.10	47.87	43.88	42.64	42.57
	Windsor											
54.16	Yarmouth	35.29	48.81	48.54	46.79	50.39	54.81	48.64	60.32	52.19	46.93	52.66
	<i>Prince Edward Island</i> .											
42.20	Charlottetown	34.96	41.64	38.67	38.42	39.27	41.36	40.22	44.72	40.80	39.93	29.81
35.48	Georgetown			43.13		30.39						
	Hamilton								40.21	42.73		34.05
	Kilmahumaig											30.16
	Souris											
	Summerside								137.54	130.74		30.65
												35.22

* Doubtful.

† No snow recorded.

RAIN

RAIN AND SNOW-FALL OF CANADA

AT

SELECTED STATIONS

TABLE II

RAIN

RAIN AND SNOW-

ESQUIMALT

TABLE II.—Depth of Rain in inches and number of

FALL OF CANADA
(VICTORIA), B.C.
days. Latitude, N.

Year.	January.		February.		March.		April.		May.		June.		July.	
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
1881.....	3·84	12	8·84	18	1·59	17	2·70	14	1·48	11	1·56	8	0·90	6
1882.....	2·28	15	3·55	16	4·02	15	1·24	12	0·53	11	0·42	6	1·24	6
1883.....	5·67	18	3·26	9	1·56	7	2·02	15	0·74	7	0·53	4	0·06	2
1884.....	5·25	10	2·11	4	0·38	2	1·02	9	0·73	6	1·59	9	0·48	5
1885.....	9·15	13	3·84	16	0·32	3	0·53	5	1·30	10	0·25	8	0·06	3
1886.....	3·09	8	3·17	13	2·94	11	1·67	10	0·45	6	1·00	6	0·80	5
1887.....	6·58	21	3·60	7	5·36	15	0·76	11	1·32	10	0·48	7	0·27	2
1888.....	2·86	12	1·77	11	3·15	11	2·26	17	0·19	4	2·23	10	0·34	5
1889.....	2·84	14	1·12	7	1·50	14	1·83	8	1·01	7	0·77	5	0·00	0
1890.....	3·54	13	2·33	9	1·50	16	0·86	6	0·98	6	2·10	13	0·64	4
1891.....	5·22	20	1·60	13	3·30	20	2·72	19	0·79	13	1·26	13	0·02	2
1892.....	4·58	17	0·80	19	3·05	19	2·53	21	1·95	16	0·60	11	0·87	9
1893.....	2·93	13	2·87	14	3·36	19	5·40	21	2·40	22	1·73	16	0·95	11
1894.....	6·11	18	3·33	17	4·27	24	4·23	24	2·71	19	2·37	14	0·21	6
1895.....	4·43	19	2·62	16	1·38	19	2·02	16	1·60	17	0·30	11	0·12	6
1896.....	6·54	22	6·20	20	1·68	11	1·08	14	1·62	21	0·69	9	R	2
1897.....	4·58	19	3·98	19	3·65	20	1·04	10	0·62	8	0·86	9	1·00	7
1898.....	2·58	20	5·05	18	1·65	16	0·89	9	0·60	7	1·85	12	0·28	3
1899.....	3·74	15	3·97	17	2·21	14	2·88	17	1·50	17	0·68	7	0·18	3
1900.....	3·60	21	2·40	18	3·63	15	0·87	9	1·04	18	1·61	16	0·40	3
1901.....	3·72	14	3·18	15	0·93	13	3·01	12	0·98	13	1·06	12	0·19	3
1902.....	2·23	11	2·46	18	2·08	19	0·95	13	0·97	10	0·08	3	0·37	5

* Doubtful.

These observations were taken at Victoria until August 1889, after which they were taken at Esquimalt, three miles away.

FALL OF CANADA

57

(VICTORIA), B.C.

days. Latitude, N. 48° 24'; Longitude, W. 123° 19'.

		July.		August.		September.		October.		November.		December.		Year.		
ys.		Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	
8		0.90	6	0.79	5	0.82	6	1.11	11	5.25	16	6.13	23	37.99	147	
6		1.24	6	0.99	9	0.59	8	4.30	20	3.32	15	5.37	19	27.85	152	
4		0.06	2	0.00	0	1.65	9	1.58	9	6.03	14	4.55	12	27.65	106	
9		0.48	5	1.84	8	1.66	14	4.88	14	1.60	11	1.95	6	23.49	98	
8		0.06	3	0.02	1	4.00	*	18	2.73	9	3.47	19	2.47	13	28.14	118
6		0.80	5	0.73	4	1.50	7	2.32	15	1.92	12	7.16	25	26.84	122	
7		0.27	2	0.01	1	1.16	4	2.75	12	5.36	13	9.18	17	36.83	129	
10		0.34	5	0.42	2	1.01	7	3.35	14	3.69	16	1.96	13	23.23	122	
5		0.00	0	1.04	6	2.33	8	2.08	16	1.76	7	2.28	11	18.56	103	
13		0.64	4	0.12	4	0.33	9	5.28	22	1.74	18	8.28	23	27.70	143	
13		0.02	2	1.47	7	4.27	16	2.04	20	7.19	23	12.41	25	42.29	191	
11		0.87	9	0.72	7	4.09	11	1.56	16	10.25	28	4.54	23	35.54	197	
16		0.95	11	0.06	3	1.21	13	4.41	19	9.08	19	9.45	28	43.85	198	
14		0.21	6	0.25	4	3.73	17	4.60	19	6.88	25	1.66	17	40.35	204	
11		0.12	6	0.45	3	1.32	19	0.46	11	3.40	18	11.36	25	29.46	180	
9	R	2	0.57	6	1.52	6	2.87	14	10.42	17	10.41	23	31.60	165		
9		1.00	7	0.28	4	1.81	11	1.26	15	7.21	23	10.85	22	37.14	167	
12		0.28	3	0.27	2	1.79	9	3.14	12	4.44	24	3.61	15	26.15	147	
7		0.18	3	1.28	10	0.72	6	3.38	24	6.43	25	5.03	23	32.00	178	
16		0.40	3	0.61	6	1.15	10	2.68	18	2.23	12	4.07	21	24.29	167	
12		0.19	3	0.00	0	0.90	8	1.65	10	6.44	21	3.46	20	25.52	141	
3		0.37	5	0.43	4	2.31	8	1.09	13	6.12	24	5.75	17	24.84	145	

TABLE II.—Depth of Rain in inches and number of

Year.	January.		February.		March.		April.		May.		June.		July.	
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.		
1878.....	0.22	4	1.17	6	0.68	3	0.30	2	1.86	13	*	*	1.16	8
1879.....	*	*	R	1	0.56	6	0.45	11	1.51	15	3.07	15	3.42	16
1880.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1881.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1882.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1883.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1884.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1885.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1886.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1887.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1888.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1889.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1890.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1891.....	*	*	*	*	0.18	2	0.07	1	*	*	*	*	0.60	2
1892.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1893.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1894.....	*	*	*	*	*	*	*	*	*	*	*	*	*	*
1895.....	*	*	*	*	*	*	*	*	*	*	1.11	7	0.50	7
1896.....	0.00	0	0.70	2	0.34	2	0.92	6	0.97	4	0.51	5	*	*
1897.....	0.10	1	0.00	0	0.16	1	0.65	6	0.39	4	1.76	8	3.18	14
1898.....	0.00	0	R	1	0.83	5	R	2	1.67	13	0.83	11	0.88	5
1899.....	0.48	6	0.10	1	0.01	1	0.06	6	0.49	11	1.16	10	1.37	13
1900.....	0.24	4	0.18	2	0.17	2	0.18	3	1.79	10	1.63	6	1.78	7
1901.....	0.00	0	0.07	4	0.06	1	0.15	3	0.00	0	1.99	14	0.42	7
1902.....	0.14	2	0.64	5	0.36	5	0.46	4	2.51	13	1.10	8	0.83	8

* No records.

FALL OF CANADA.

59

B.C.

days. Latitude N. 50° 41'; Longitude^{W.} 120° 29'.

July.		August.		September.		October.		November.		December.		Year.	
Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
1·16	8	0·12	2	0·63	5	0·16	9	1·09	7	0·00	0
3·42	16	1·52	8	0·19	3	0·25	2	0·08	2	0·00	0
*	*	*	*	*	*	*	*	*	*	*	*
*	*	*	*	*	*	*	*	*	*	*	*
*	*	*	*	*	*	*	*	*	*	*	*
*	*	*	*	*	*	*	*	*	*	*	*
*	*	*	*	*	*	*	*	*	*	*	*
*	*	*	*	*	*	*	*	*	*	*	*
*	*	*	*	*	*	*	*	*	*	*	*
*	*	*	*	*	*	*	*	*	*	*	*
*	*	*	*	*	*	*	*	*	*	*	*
*	*	*	*	*	*	*	*	*	*	*	*
0·60	2	0·36	1	*	*	*	*	*	*	R	*
*	*	*	*	*	*	*	*	*	*	*	*
*	*	*	*	*	*	*	*	*	*	*	*
0·50	7	0·25	3	2·26	13	0·13	2	0·22	3	0·17	3
*	*	0·42	5	0·91	3	0·44	6	0·19	3	0·53	4
3·18	14	0·44	5	0·99	7	0·41	5	0·27	3	0·23	2	8·58	56
0·88	5	0·00	0	0·72	6	1·41	10	0·49	6	0·02	1	6·85	60
1·37	13	3·72	16	0·52	6	0·42	5	0·86	11	0·64	6	9·84	92
1·78	7	2·22	13	0·56	3	0·64	3	0·23	3	0·56	8	10·18	64
0·42	7	0·00	0	1·21	12	0·16	3	1·23	5	0·46	3	5·75	52
0·83	8	0·86	6	1·26	9	R	1	0·02	4	0·10	1	8·28	66

TABLE II.—Depth of Rain in inches and number of

Year.	January.		February.		March.		April.		May.		June.		July.	
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
1888.....			R	2	0.17	2	0.18	7	*	*	*	*		
1889.....			R	1	0.06	3	0.60	4	2.15	13				
1890.....							R	1	2.48	7	2.43	8		
1891.....					R	1	0.98	8	1.24	7	2.60	15		
1892.....					0.76	4	1.01	3	0.84	8	*	*		
1893.....	0.11	1			0.19	1	R	1	0.88	8	0.88	8		
1894.....	0.75	1	R	1			2.35	5	3.10	7	1.74	14		
1895.....					0.24	2	0.26	2	1.60	8	3.43	11		
1896.....	0.30	3	0.17	2	0.38	2	0.02	2	0.80	3	0.80	7		
1897.....	0.08	2			0.02	1	1.01	6	1.36	10	4.88	20		
1898.....							0.23	3	1.13	9	2.15	17		
1899.....			R	2	0.02	1			0.26	1	1.88	12	2.87	11
1900.....			R	3	R	1	0.99	5	0.76	7	0.87	11	4.65	17
1901.....					0.10	1	0.18	1	0.14	3	2.39	17	3.52	23
1902.....					0.01	1			0.19	1	4.93	16	4.46	26
													Depth.	Days.
													*	*
													1.42	7
													1.29	5
													*	*
													0.71	7
													0.68	3
													3.26	12
													1.13	5
													5.34	16
													4.54	14
													2.70	14
													2.51	15
													2.84	13
													3.14	19

CALGARY,

TABLE II.—Depth of Rain in inches and number of

Year.	January.		February.		March.		April.		May.		June.		July.	
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
1885.....	0.00	0	0.25	1	0.11	2	0.05	1	0.38	7	2.15	2		
1886.....	0.00	0	0.02	1	0.38	2	0.26	1	1.72	5	3.30	7		
1887.....	0.00	0	0.00	0	0.00	0	0.00	0	0.69	9	2.15	19		
1888.....	0.00	0	0.10	1	0.00	0	1.27	7	1.67	17	3.70	17		
1889.....	0.00	0	0.00	0	R	2	R	1	1.44	8	0.61	3		
1890.....	0.00	0	0.00	0	0.00	0	0.04	1	2.13	10	2.27	14		
1891.....	0.00	0	0.00	0	R	3	0.07	5	1.38	8	2.29	17		
1892.....	0.00	0	0.00	0	0.00	0	0.40	3	R	5	1.07	14		
1893.....	R	1	0.00	0	0.00	0	R	2	2.47	18	1.11	14		
1894.....	R	1	0.00	0	0.00	0	0.58	3	4.02	9	1.10	15		
1895.....	0.00	0	0.00	0	0.00	0	0.54	4	0.28	7	1.97	15		
1896.....	0.00	0	0.00	0	0.00	0	0.36	3	1.85	10	1.22	6		
1897.....	0.00	0	0.00	0	0.00	0	0.24	3	0.18	2	6.13	14		
1898.....	0.00	0	0.00	0	0.00	0	0.02	1	2.05	7	3.21	7		
1899.....	0.00	0	0.00	0	0.00	0	0.10	1	5.16	10	3.52	12		
1900.....	0.00	0	0.00	0	0.00	0	1.46	8	1.32	7	3.56	8		
1901.....	0.00	0	0.00	0	0.00	0	R	1	1.91	9	6.46	18		
1902.....	0.30	1	0.00	0	0.00	0	R	1	6.14	14	8.82	20		
													Depth.	Days.
													3.70	6
													0.20	3
													3.54	13
													3.23	17
													2.37	11
													2.21	13
													2.81	11
													2.40	12
													1.95	10
													0.10	4
													4.97	15
													1.84	9
													5.54	13
													3.87	11
													2.11	13
													2.02	15
													3.90	11
													5.06	15

*Doubtful.

FALL OF CAN-

ALBERTA.

days. Latitude,

ALBERTA.

days. Latitude, N. $51^{\circ} 10'$; Longitude, W. $115^{\circ} 35'$.

July.		August.		September.		October.		November.		December.		Year.	
Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
*	*	*	*	*	*	*	*	0.20	2	0.12	2
1.42	7	2.39	7	0.70	5	0.49	4	0.00	...	R	1	9.91	40
1.29	5	1.43	11	0.19	6	1.95	8	0.67	4	0.00	0	10.44	65
*	*	*	*	*	*	*	*	R	1	*	*
0.71	7	0.64	5	0.61	5	0.10	1	0.09	1	0.00	0	4.21	38
0.68	3	2.39	4	1.97	8	*	*	*	*	0.00	0
3.26	12	1.29	9	1.57	13	0.14	8	0.12	9	0.37	1	12.28	75
1.13	5	1.33	13	0.47	9	0.24	2	0.02	1	0.45	3	6.11	52
5.34	16	1.34	14	0.59	9	0.61	4	0.93	2	0.36	2	16.52	86
4.54	14	2.37	12	1.65	10	0.67	3	0.00	...	0.00	1	12.74	69
2.70	14	5.47	22	1.89	11	0.23	4	0.60	6	0.36	4	16.28	88
2.51	15	3.17	19	1.95	12	1.14	9	0.00	1	0.01	1	16.05	101
2.84	13	0.82	10	1.97	16	0.11	3	0.02	1	0.00	...	12.09	88
3.14	19	2.91	14	2.61	15	1.09	9	0.03	2	0.12	1	19.49	103

ALBERTA.

days. Latitude, N. $51^{\circ} 2'$; Longitude, W. $114^{\circ} 2'$.

July.		August.		September.		October.		November.		December.		Year.	
Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
3.70	6	3.06	10	R	3	R	1	*0.00	*0	*0.00	0
0.20	3	0.00	0	0.76	10	0.64	2	0.00	0	0.00	0	7.28	31
3.54	13	2.19	13	1.54	10	0.04	2	0.00	0	0.00	0	10.15	66
3.23	17	2.08	18	0.23	9	0.12	9	0.00	0	0.00	0	12.40	94
2.37	11	R	1	1.39	6	0.07	2	0.00	0	R	1	5.88	34
2.21	13	3.47	9	0.51	7	0.07	5	0.00	0	R	1	10.70	59
2.81	11	1.58	8	0.77	3	0.12	3	R	2	0.00	0	8.93	60
2.40	12	1.10	10	0.50	6	R	2	R	1	0.00	0	5.47	52
1.95	10	0.88	5	0.39	7	0.08	3	0.00	0	0.00	0	6.88	60
0.10	4	1.47	6	1.22	4	0.00	0	0.00	0	0.00	0	8.49	42
4.97	15	1.18	10	1.63	10	0.19	3	0.00	0	0.00	0	10.76	64
1.84	9	1.66	10	1.29	10	0.46	2	0.00	0	0.00	0	8.68	50
5.54	13	2.13	8	1.04	4	0.43	2	0.00	0	0.00	0	15.69	46
3.87	11	1.80	6	0.27	1	0.24	2	0.00	0	R	1	11.46	36
2.11	13	9.40	19	0.99	6	0.27	2	0.04	1	0.02	1	21.61	65
2.02	15	0.88	6	3.39	11	6.16	3	0.00	0	0.00	0	12.79	58
3.90	11	0.71	6	2.68	13	0.12	1	0.00	0	0.00	0	15.78	59
5.06	15	6.40	8	1.57	7	0.61	3	0.00	0	0.00	0	28.90	69

RAIN AND SNOW-

EDMONTON.

TABLE II.—Depth of Rain in inches and number of

FALL OF CANA-

ALTA.

Days. Latitude, N

Year.	January.		February.		March.		April.		May.		June.		July.		D
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	
1883.....	0' 00	0	0' 00	0	0' 35	2	0' 11	2	0' 49	4	1' 86	5	2' 13	10	
1884.....	0' 00	0	0' 00	0	0' 00	0	0' 06	1	1' 25	2	4' 63	9	2' 93	10	
1885.....	0' 00	0	0' 00	0	0' 16	0	0' 37	1	4' 04	5	0' 87	3	3' 42	8	
1886.....	0' 00	0	0' 00	0	0' 00	0	0' 60	2	0' 78	2	0' 00	0	0' 15	1	
1887.....	0' 00	0	0' 00	0	0' 00	0	0' 00	0	1' 01	3	2' 45	7	2' 33	6	
1888.....	0' 00	0	0' 00	0	0' 10	1	1' 46	4	0' 62	4	5' 83	13	5' 36	8	
1889.....	0' 00	0	0' 00	0	0' 00	0	0' 57	4	0' 22	5	1' 30	7	1' 85	8	
1890.....	R	1	R	1	0' 00	0	0' 02	3	2' 36	15	3' 54	15	5' 38	18	
1891.....	2' 63	1	0' 00	0	0' 32	4	0' 60	5	0' 90	14	2' 60	14	6' 63	13	
1892.....	0' 00	0	0' 00	0	0' 10	4	0' 68	2	0' 19	8	3' 54	18	2' 38	14	
1893.....	0' 19	3	R	1	R	1	0' 08	2	3' 69	13	3' 22	18	4' 26	18	
1894.....	0' 00	0	0' 00	0	0' 00	0	R	1	2' 92	6	3' 55	18	1' 40	7	
1895.....	0' 00	0	R	1	0' 00	0	1' 42	3	0' 82	7	2' 39	17	1' 87	18	
1896.....	R	1	R	3	0' 16	1	0' 22	4	1' 94	15	2' 62	16	2' 07	7	
1897.....	0' 00	0	0' 00	0	0' 00	0	0' 46	4	0' 33	6	4' 20	10	4' 19	17	
1898.....	0' 00	0	0' 00	0	0' 00	0	0' 04	2	0' 20	2	2' 80	10	2' 00	11	
1899.....	0' 08	2	0' 07	2	0' 00	0	0' 30	2	2' 11	9	2' 93	12	2' 26	12	
1900.....	0' 18	1	0' 00	0	0' 00	0	2' 32	8	2' 71	13	3' 77	16	3' 91	14	
1901.....	0' 00	0	0' 00	0	R	1	0' 05	1	2' 02	9	3' 00	19	11' 13	16	
1902.....	0' 00	0	0' 00	0	0' 00	0	0' 62	4	7' 27	13	1' 95	14	3' 74	13	

ALTA.

Days. Latitude, N. 53° 33'; Longitude, W. 113° 30'.

July.		August.		September.		October.		November.		December.		Year.	
Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
2 13	10	0 17	8	0 00	0	1 16	2	0 00	0	R	1	6 27	34
2 93	10	1 10	6	2 56	2	0 04	1	0 00	0	0 00	0	11 97	31
3 42	8	0 96	3	0 48	3	0 00	0	0 00	0	0 00	0	10 30	25
0 15	1	2 37	4	2 63	6	0 00	0	0 00	0	0 00	0	6 53	15
2 33	6	2 75	10	0 64	3	0 30	2	0 00	0	0 00	0	9 48	31
5 36	8	1 70	8	0 00	0	0 81	4	0 00	0	0 00	0	15 88	42
1 85	8	1 15	6	1 23	9	0 08	1	0 08	2	0 00	0	6 48	42
5 38	18	4 11	14	2 91	16	0 92	5	0 02	3	0 04	1	19 30	92
6 63	13	2 03	16	1 26	11	0 44	5	0 22	4	R	1	15 63	88
2 38	14	2 83	13	0 70	6	0 70	4	0 03	3	0 28	4	11 43	76
4 26	18	0 49	10	1 00	4	0 01	3	R	2	0 00	0	12 34	75
1 40	7	2 03	11	1 82	12	0 54	3	0 01	2	0 00	0	12 27	60
1 87	18	1 97	12	1 76	13	0 06	2	0 48	9	0 00	0	10 77	82
2 07	7	2 04	12	0 22	6	0 17	4	0 00	0	0 06	2	9 50	71
4 19	17	1 23	8	0 98	10	0 17	2	0 10	1	0 50	1	12 16	59
2 00	11	0 85	10	0 82	8	0 26	4	0 09	2	0 18	2	7 24	51
2 36	12	6 43	21	1 40	8	R	1	0 00	0	0 00	0	15 68	49
3 91	14	4 08	15	2 94	8	0 05	2	0 00	0	0 40	2	20 36	79
11 13	16	0 72	4	3 24	13	0 47	2	0 00	0	0 06	1	20 69	66
3 74	13	1 72	12	1 28	14	0 30	4	R	1	0 00	0	16 88	75

RAIN AND SNOW-

MEDICINE HAT,

FALL OF CANADA.

ALTA.

Days. Latitude N. 50° 1'

TABLE II.—Depth of Rain in inches and number of

Year.	January.		February.		March.		April.		May.		June.		July.		August.	
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
1884.....	0.00	0	0.00	0	0.00	0	0.10	3	1.39	6	2.21	11	2.64	12	1.19	
1885.....	R	1	0.00	0	0.06	2	0.08	1	0.13	2	3.50	8	1.60	6	1.49	
1886.....	*0.00	*0	*0.00	*0	0.00	0	0.80	5	1.41	3	1.53	9	0.78	6	0.11	
1887.....	0.00	0	0.00	0	0.00	0	0.42	2	0.12	2	5.75	9	0.29	4	0.98	
1888.....	0.00	0	0.00	0	0.00	0	0.14	1	2.08	7	3.22	9	4.78	7	1.00	
1889.....	0.00	0	0.04	3	0.00	0	1.00	3	2.66	14	0.23	4	1.92	13	0.00	
1890.....	0.00	0	0.00	0	0.05	1	0.00	0	0.33	4	3.30	10	0.50	3	2.10	
1891.....	0.00	0	0.00	0	0.41	5	0.37	6	1.09	9	4.34	11	1.28	10	1.02	
1892.....	R	1	R	2	0.06	3	0.24	10	0.93	15	0.89	16	1.89	14	3.00	
1893.....	0.14	1	0.00	0	R	1	0.07	5	1.09	10	2.25	16	2.53	11	2.17	
1894.....	0.02	1	0.00	0	R	1	0.52	6	1.33	13	3.45	16	0.81	6	0.39	
1895.....	0.00	0	0.03	1	0.98	1	0.24	7	0.50	14	2.31	19	4.86	15	0.24	
1896.....	0.00	0	0.20	1	0.16	1	1.07	6	3.00	19	1.59	7	1.11	5	1.79	
1897.....	0.00	0	0.00	0	0.02	1	0.37	5	0.59	2	5.62	14	1.65	8	0.40	
1898.....	0.00	0	0.00	0	0.00	0	1.21	5	0.48	7	1.51	12	2.45	7	2.22	
1899.....	0.00	0	0.00	0	0.00	0	0.97	2	2.52	13	2.60	8	3.79	8	4.60	
1900.....	R	3	0.02	1	0.25	1	1.25	8	1.62	9	2.26	5	2.67	5	5.65	
1901.....	R	3	0.00	0	R	1	0.05	1	6.29	10	4.01	18	2.82	5	0.26	
1902.....	0.00	0	0.00	0	0.05	1	0.10	1	3.18	10	3.17	12	2.04	8	0.80	

*Doubtful.

5

FALL OF CANADA.

65

ALTA.

Days. Latitude N. 50° 1'; Longitude W. 110° 37'.

July.		August.		September.		October.		November.		December.		Year.	
Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
2.64	12	1.19	4	3.84	9	0.25	3	0.87	1	R	1	12.49	49
1.60	6	1.49	5	0.94	1	0.10	1	0.02	1	*0.00	0*	8.02	27
0.78	6	0.11	1	0.19	3	0.64	3	0.01	1	0.00	0	5.47	31
0.29	4	0.98	4	0.41	1	0.46	3	0.00	0	0.00	0	8.43	25
4.78	7	1.00	6	0.06	1	0.62	6	0.00	0	0.08	2	11.98	29
1.92	13	0.00	0	0.22	6	0.00	0	0.01	1	0.00	0	6.08	44
0.50	3	2.10	7	0.93	8	0.58	8	R	1	0.00	0	7.79	42
1.28	10	1.02	6	1.14	6	0.05	4	R	3	R	1	9.70	61
1.89	14	3.00	10	0.22	5	0.04	4	0.32	4	0.22	3	7.81	84
2.53	11	2.17	12	0.10	7	0.27	5	0.05	2	0.41	2	9.08	71
0.81	6	0.39	4	2.18	8	0.61	6	0.78	4	0.00	0	10.09	64
4.86	15	0.24	9	1.88	15	0.23	5	0.12	2	0.00	0	11.39	88
1.11	5	1.79	10	1.74	10	0.55	4	0.00	0	R	1	11.21	64
1.65	8	0.40	4	2.15	9	0.96	5	0.00	0	0.01	1	11.77	49
2.45	7	2.22	7	1.97	3	1.21	4	0.03	2	0.00	0	10.18	47
3.79	8	4.60	14	1.66	7	0.31	5	0.31	4	0.30	1	16.19	62
2.67	5	5.65	9	1.67	8	0.45	4	R	1	0.44	1	16.28	55
2.82	5	0.26	3	2.01	9	0.45	2	0.25	2	0.10	1	16.24	55
2.04	8	0.80	5	0.22	3	0.39	1	0.00	0	0.00	0	9.95	41

RAIN AND SNOW.

BATTLEFORD

TABLE II.—Depth of Rain in inches and number of

FALL OF CANADA.

SASK.

Days. Latitude N. 52° 4'

Year.	January.		February.		March.		April.		May.		June.		July.		Augu
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.
1891.....	0' 00	0	0' 00	0	0' 03	2	0' 27	5	0' 14	7	2' 88	17	1' 78	12	1' 64
1892.....	0' 00	0	0' 00	0	0' 00	0	0' 17	7	0' 62	12	2' 56	16	2' 26	10	3' 07
1893.....	0' 00	0	0' 00	0	0' 00	0	0' 00	0	0' 26	13	4' 92	17	1' 71	14	1' 86
1894.....	0' 00	0	0' 00	0	0' 00	0	0' 27	6	0' 97	13	3' 59	15	1' 72	11	1' 61
1895.....	0' 00	0	R.	1	0' 02	1	0' 06	5	2' 13	12	2' 29	14	2' 86	10	1' 53
1896.....	0' 00	0	0' 00	0	0' 00	0	0' 28	5	3' 69	21	2' 26	15	0' 94	9	1' 16
1897.....	0' 00	0	0' 00	0	0' 00	0	0' 24	6	0' 24	3	3' 87	10	4' 67	14	1' 57
1898.....	0' 00	0	0' 00	0	0' 00	0	0' 02	2	2' 13	4	4' 24	11	1' 69	11	1' 58
1899.....	0' 02	1	0' 04	1	0' 00	0	0' 30	6	1' 27	11	3' 41	12	2' 21	14	4' 32
1900.....	0' 00	0	0' 00	0	0' 00	0	0' 44	8	2' 80	13	3' 21	16	4' 21	13	5' 24
1901.....	0' 00	0	0' 00	0	0' 00	0	0' 06	1	2' 42	10	4' 45	22	1' 96	14	0' 91
1902.....	0' 00	0	0' 00	0	0' 67	2	0' 09	2	3' 08	18	2' 35	14	2' 30	17	1' 26

SWIFT CURRENT

TABLE II.—Depth of Rain in inches and number of

ASSA.

Days. Latitude, N. 50° 20'

Year.	January.		February.		March.		April.		May.		June.		July.		August
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.
1886.....	1' 90	2	1' 75	4	0' 85	5	1' 35	5	0' 60
1887.....	0' 10	1	1' 10	3	1' 55	9	3' 85	12	3' 70	13	1' 62
1888.....	0' 12	6	0' 63	11	4' 92	17	0' 67	17	2' 34
1889.....	0' 22	2	0' 22	6	1' 62	7	1' 44	7	2' 77	10	R.
1890.....	R.	1	0' 06	3	1' 30	17	0' 88	12	2' 70
1891.....	R.	2	0' 20	1	1' 44	4	0' 66	4	6' 80	14	3' 36
1892.....	R.	1	2' 22	5	2' 48	8	3' 96	11	1' 00
1893.....	R.	2	0' 37	6	1' 04	11	3' 22	11	2' 28
1894.....	0' 64	6	2' 40	7	1' 35	13	0' 62	6	0' 66
1895.....	R.	3	1' 77	15	3' 02	18	3' 32	14	0' 38
1896.....	R.	1	0' 01	1	2' 90	22	1' 40	13	0' 26	12	2' 68
1897.....	0' 08	2	0' 26	6	0' 83	12	6' 27	12	1' 28
1898.....	0' 04	2	1' 31	4	2' 56	13	2' 81	14	1' 79
1899.....	0' 03	1	R.	2	0' 08	2	1' 60	8	3' 17	12	3' 95	9	4' 75
1900.....	0' 02	1	0' 02	1	0' 38	4	2' 49	13	1' 38	11	2' 42	10	2' 75
1901.....	R.	1	R.	2	0' 40	3	1' 99	14	4' 18	17	4' 29
1902.....	0' 04	1	R.	1	0' 16	4	5' 07	17	4' 37	21	2' 28	13	1' 44

FALL OF CANADA.

67

SASK.

Days. Latitude N. 52° 41': Longitude, W. 108° 20'.

	July.		August.		September.		October.		November.		December.		Year.	
Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
17	1.78	12	1.64	11	0.42	10	0.23	7	0.02	3	0.00	0	7.41	74
16	2.26	10	3.07	20	1.47	7	0.13	4	0.27	6	0.08	1	10.63	83
17	1.71	14	1.86	11	0.36	5	0.08	4	0.16	3	0.00	0	9.24	67
15	1.72	11	1.61	8	1.44	10	0.18	8	0.01	7	0.00	0	9.79	78
14	2.86	10	1.53	12	1.36	11	0.24	4	0.05	3	0.02	1	10.56	74
15	0.94	9	1.16	9	0.30	3	R.	1	0.00	0	0.02	1	8.65	64
10	4.67	14	1.57	11	3.27	10	0.13	4	0.00	0	0.10	1	14.09	59
11	1.09	11	1.58	12	0.46	5	0.83	5	0.01	0	0.00	0	10.36	51
12	2.21	14	4.32	20	1.82	9	0.64	3	0.60	1	0.00	0	14.63	78
16	4.21	13	5.24	18	1.21	8	0.77	5	0.04	2	0.00	0	17.92	83
22	1.96	14	0.91	7	1.91	10	0.68	3	0.00	0	R.	1	12.39	68
14	2.30	17	1.26	13	0.41	11	0.14	6	0.00	0	0.00	0	10.30	83

ASSA.

Days. Latitude, N. 50° 20': Longitude, W. 107° 45'.

	July.		August.		September.		October.		November.		December.		Year.	
Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
5	1.35	5	0.60	3	0.50	3	0.20	2	0.30	3	7.45	29
12	3.70	13	1.62	12	1.44	7	0.52	2	R.	2	13.88	61
17	0.67	17	2.34	13	0.38	5	0.90	6	9.96	75
7	2.77	10	R.	3	0.10	5	R.	2	6.37	42
17	0.88	12	2.70	12	1.82	10	2.84	10	13.04	82
14	3.36	19	3.20	10	1.64	12	0.28	3	0.10	1	17.68	70
11	1.00	7	1.76	12	0.54	8	0.12	4	0.10	3	12.18	59
11	3.22	11	2.28	8	0.56	12	1.21	6	8.68	54
13	0.62	6	0.56	6	0.63	9	0.40	6	0.02	3	R.	1	6.62	57
18	3.32	14	0.38	7	0.97	11	0.04	3	R.	4	9.50	75
13	0.26	12	2.68	12	2.08	8	0.02	4	0.26	3	9.62	77
12	6.27	12	1.28	8	2.60	11	0.87	6	0.04	1	R.	2	12.23	60
13	2.81	14	1.79	9	0.90	6	1.24	4	0.01	1	R.	2	10.66	55
12	3.96	9	4.75	14	0.64	8	0.70	5	0.58	4	R.	2	15.50	67
11	2.42	10	2.75	15	2.40	12	0.36	6	0.04	2	12.26	75
7	4.29	12	0.56	6	3.34	13	0.46	4	0.02	1	0.03	2	15.27	75
11	2.28	13	1.44	12	0.73	5	0.06	2	14.15	76

RAIN AND SNOW.

FALL OF CANADA.

QU'APPELLE,

ASSA.

days. Latitude, N. 50° 30'

TABLE II.—Depth of Rain in Inches and number of

Year.	January.		February.		March.		April.		May.		June.		July.		Aug.	
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
1883.....	0·00	0	0·00	0	0·00	0	0·00	0	0·00	0	2·09	14	2·29	11	1·28	
1884.....	R	1	0·00	0	0·00	0	0·71	4	0·30	5	3·18	14	2·41	17	1·46	
1885.....	0·00	0	R	1	0·00	0	0·10	3	1·05	5	2·16	11	1·30	12	1·60	
1886.....	0·00	0	R	1	0·00	0	1·33	5	1·79	11	0·32	9	2·34	10	0·72	
1887.....	0·00	0	0·00	0	0·00	0	0·10	4	2·06	17	4·26	16	1·16	9	2·40	
1888.....	0·00	0	R	1	0·00	0	0·04	5	1·43	10	6·25	14	2·22	12	1·48	
1889.....	0·00	0	0·03	1	R	1	0·22	7	1·43	14	0·40	12	2·15	16	0·54	
1890.....	R	1	0·00	0	0·02	1	0·86	5	2·03	11	4·28	14	4·84	12	1·87	
1891.....	0·00	0	0·00	0	0·00	0	0·30	3	1·24	5	7·19	15	3·38	16	1·88	
1892.....	0·00	0	0·00	0	0·07	1	0·67	5	1·00	9	2·54	8	3·15	9	2·45	
1893.....	0·00	0	0·00	0	0·00	0	0·04	1	1·49	9	3·50	14	4·27	9	0·30	
1894.....	0·00	0	0·00	0	0·00	0	0·84	6	0·95	8	1·46	9	4·24	16	0·58	
1895.....	0·00	0	0·00	0	0·01	1	0·17	5	2·28	13	2·87	15	2·50	10	2·05	
1896.....	0·02	1	2·10	2	0·00	0	0·33	5	4·73	18	4·52	13	1·77	11	1·24	
1897.....	0·00	0	0·00	0	0·02	1	0·12	2	0·25	5	4·81	10	2·25	12	3·57	
1898.....	0·00	0	0·00	0	0·00	0	0·68	3	0·45	3	4·60	14	1·57	10	1·36	
1899.....	0·02	1	0·00	0	0·00	0	0·20	4	1·30	7	4·68	13	2·11	13	3·05	
1900.....	0·01	1	0·00	0	0·00	0	0·29	4	0·70	6	1·19	12	5·47	16	0·77	
1901.....	0·00	0	0·00	0	0·03	1	0·19	5	0·63	5	4·80	13	0·95	11	1·34	
1902.....	0·00	0	0·00	0	0·51	2	0·27	4	6·65	15	4·54	13				

ASSA.

days. Latitude, N. $50^{\circ} 30'$; Longitude, W. $103^{\circ} 47'$.

	July.		August.		September.		October.		November.		December.		Year.	
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
14	2.29	11	1.28	11	0.14	5	1.12	7	0.00	0	0.00	0	6.92	48
14	2.41	17	1.46	6	3.15	10	0.19	3	0.00	0	R.	1	11.40	61
14	1.30	12	1.60	9	0.31	2	0.02	4	0.14	2	0.00	0	6.68	49
11	2.34	10	0.72	8	0.14	5	0.12	4	0.00	0	0.18	1	6.94	54
9	1.16	9	2.46	8	0.86	6	0.32	5	R.	2	0.00	0	11.16	67
16	2.22	12	1.48	12	1.13	5	0.72	9	0.20	1	0.00	0	13.47	69
12	2.15	16	0.54	5	0.84	14	0.28	3	0.04	2	0.00	0	5.93	75
12	4.84	12	1.87	11	2.01	12	2.43	12	0.00	0	0.00	0	18.34	79
14	3.38	16	1.88	9	0.89	9	0.43	7	0.00	0	0.00	0	15.31	64
15	3.15	9	2.45	9	0.72	5	0.69	7	0.13	5	0.00	0	14.42	58
8	4.27	9	0.30	6	0.53	8	1.12	4	0.00	0	R.	1	11.25	52
14	0.58	6	1.31	4	1.25	11	0.24	4	0.00	0	R.	1	6.63	49
9	4.24	16	0.58	7	1.57	12	0.24	2	0.00	0	0.00	0	11.96	71
15	2.50	10	2.05	12	1.21	9	0.00	0	0.00	0	0.00	0	15.46	70
13	1.77	11	1.24	8	0.31	8	0.24	3	0.00	0	0.00	0	8.76	48
10	2.25	12	3.57	7	3.37	8	0.22	3	0.02	2	R.	1	15.16	53
14	1.57	10	1.36	6	0.81	6	0.01	1	0.24	2	R.	1	10.19	51
13	2.11	13	3.05	14	2.13	10	0.75	8	0.03	1	0.00	0	10.26	74
12	5.47	16	0.77	5	3.32	10	0.27	3	0.01	1	0.00	0	15.49	59
13	0.95	11	1.34	10	0.66	8	0.10	5	0.00	0	0.00	0	15.02	68

PRINCE ALBERT.

FALL OF CANADA

SASK.

days. Latitude, N. 53°

TABLE I.—Depth of Rain in inches and number of

Year.	January.		February.		March.		April.		May.		June.		July.		A
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.
1886.....	0' 00	0	0' 00	0	0' 00	0	R	1	1' 21	7	1' 00	6	0' 46	9	1'
1887.....									2' 13	5	3' 57	17	1' 39	11	1'
1888.....			0' 00	0	0' 00	0	0' 17	2	0' 01	1	3' 65	10	2' 82	9	0'
1889.....	0' 00	0	0' 20	1	0' 92	4	1' 01	4	0' 53	10	2' 40	10	0' 37	18	R.
1890.....	0' 00	0	0' 00	0	0' 00	0	R	3	1' 38	19	3' 49	23	2' 40	19	2'
1891.....	0' 00	0	0' 00	0	0' 07	1	0' 25	5	0' 39	7	2' 73	17	0' 90	14	3'
1892.....	0' 00	0	0' 00	0	0' 04	3	0' 19	2	1' 10	8	1' 89	14	2' 66	13	1'
1893.....	R	1	0' 00	0	0' 00	0	0' 00	0	0' 37	6	1' 71	8	2' 69	9	2'
1894.....	0' 00	0	0' 00	0	0' 00	0	0' 26	4	0' 44	7	1' 48	12	1' 42	10	0
1895.....	0' 00	0	0' 02	2	R	1	0' 02	2	2' 19	11	2' 03	15	1' 47	13	1'
1896.....	0' 00	0	0' 20	1	0' 00	0	2' 78	9	2' 40	15	2' 40	15	3' 09	15	1'
1897.....	0' 00	0	0' 00	0	0' 00	0	0' 12	1	0' 98	5	2' 89	7	2' 35	13	1'
1898.....	0' 00	0	0' 00	0	0' 00	0	0' 00	0	0' 51	4	2' 39	9	1' 95	12	1'
1899.....	0' 00	0	0' 00	0	0' 00	0	0' 44	3	1' 02	8	4' 36	15	4' 86	13	8'
1900.....	0' 00	0	0' 00	0	0' 00	0	0' 76	4	1' 94	9	1' 73	10	3' 76	11	6'
1901.....	0' 00	0	0' 00	0	0' 00	0	0' 48	3	1' 49	6	3' 72	19	4' 49	12	1'
1902.....	0' 00	0	0' 00	0	0' 50	1	R	1	4' 87	10	4' 19	14	2' 16	12	1'

FALL OF CANADA.

71

SASK.

days. Latitude, N. 53° 10'; Longitude, W. 106° 0'.

	July.		August.		September.		October.		November.		December.		Year.	
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
ays.														
6	0.46	9	1.21	7	1.37	11	0.19	1	0.00	0	0.00	0	6.44	43
17	1.39	11	1.08	3	0.42	3	0.00	0	0.00	0				
10	2.82	9	0.56	2										
10	0.37	18	R.	2	1.48	13	0.34	4	0.10	1	0.00	0	7.30	67
23	2.40	19	2.18	15	0.78	11	1.89	15	0.11	2	R.	2	12.23	109
17	0.90	14	3.24	14	0.53	15	0.66	6	0.00	0	0.00	0	8.77	79
14	2.66	13	1.51	13	1.06	7	0.31	2	R.	1	0.00	0	8.76	63
8	2.69	9	2.97	9	0.43	8	0.28	4	0.00	0	0.00	0	8.45	44
12	1.42	10	0.72	5	0.69	9	0.04	2	0.12	3	0.00	0	5.17	51
15	1.47	13	1.13	9	1.85	10	0.17	1	0.00	0	0.00	0	8.88	64
15	3.09	15	1.39	8	0.83	11	0.16	5	0.00	0	0.10	1	13.25	79
7	2.35	13	1.30	8	2.94	8	0.46	6	0.00	0	R.	1	11.04	48
9	1.95	12	1.84	8	2.21	6	1.69	3	0.00	0	0.00	0	10.56	42
15	4.86	13	8.01	16	2.31	8	1.33	5	0.86	2	0.00	0	23.19	70
10	3.76	11	6.04	14	1.88	7	1.03	7	0.12	1	0.00	0	17.26	63
19	4.49	12	1.49	7	2.21	3	0.10	1	0.00	0	0.00	0	13.98	51
14	2.16	12	1.98	8	0.63	8	0.07	4	0.00	0	R.	1	14.40	59

RAIN AND SNOW.

MINNEDOSA

TABLE II.—Depth of Rain in inches and number of

FALL OF CANAI

MANITOBA.

days. Latitude, N.

Year.	January.		February.		March.		April.		May.		June.		July.		D
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	
1883.....	0.60	1	0.00	0	0.00	0	0.14	1	0.88	6	2.63	15	1.38	13	
1884.....	0.00	0	0.00	0	0.00	0	0.26	4	0.27	2	3.30	9	3.17	17	
1885.....	0.00	0	R	1	0.00	0	0.05	8	2.44	10	3.01	9	2.26	18	
1886.....	0.00	0	0.00	0	0.00	0	1.16	7	1.63	13	1.25	15	1.88	12	
1887.....	0.00	0	0.00	0	0.00	0	0.10	4	2.24	12	6.95	15	1.89	13	
1888.....	0.00	0	0.00	0	0.00	0	0.01	3	0.64	8	3.68	12	4.59	15	
1889.....	0.00	0	0.00	0	0.14	4	0.52	6	1.74	13	0.94	9	1.50	10	
1890.....	0.00	0	0.00	0	0.00	0	0.47	5	1.56	14	4.72	14	2.72	13	
1891.....	0.00	0	0.00	0	0.00	0	0.89	4	0.37	8	5.43	14	2.23	14	
1892.....	0.00	0	0.01	2	0.11	5	0.33	5	1.15	11	1.69	18	2.79	13	
1893.....	0.00	0	0.00	0	R	1	0.14	4	0.74	8	1.55	17	2.85	14	
1894.....	0.00	0	0.00	0	0.00	0	1.02	10	1.12	7	3.10	16	0.77	5	
1895.....	0.00	0	R	1	0.06	1	0.27	5	2.66	13	2.94	20	3.06	12	
1896.....	0.03	1	R	1	0.00	0	1.75	8	3.07	21	2.93	15	3.56	13	
1897.....	0.16	1	0.00	0	0.81	2	0.83	5	1.01	4	1.88	11	1.77	13	
1898.....	0.00	0	0.00	0	0.00	0	0.18	5	0.38	6	2.96	19	4.78	15	
1899.....	0.00	0	0.00	0	0.00	0	0.22	1	2.49	10	4.50	20	1.14	13	
1900.....	0.00	0	0.00	0	0.00	0	1.96	5	0.16	6	0.70	11	4.21	14	
1901.....	0.00	0	0.00	0	0.01	1	0.22	5	2.28	5	6.40	15	2.25	10	
1902.....	0.00	0	0.00	0	1.71	5	0.66	0	3.21	14	6.30	18	1.35	13	

FALL OF CANADA.

73

MANITOBA.

days. Latitude, N. $50^{\circ} 10'$; Longitude, W. $99^{\circ} 48'$.

July.		August.		September.		October.		November.		December.		Year.	
Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
1.38	13	1.63	7	0.30	3	1.82	10	0.00	0	0.00	0	8.78	56
3.17	17	3.76	12	2.94	17	1.15	4	0.03	1	0.00	0	14.88	66
2.26	18	1.90	15	0.46	5	0.11	3	0.10	1	0.00	0	11.33	70
1.88	12	0.76	11	0.84	9	1.04	6	0.00	0	R	1	8.56	73
1.89	13	1.53	12	1.15	11	0.10	3	0.02	2	0.00	0	13.98	72
4.59	15	1.27	10	0.27	10	0.51	9	0.00	0	0.00	0	10.97	67
1.50	10	1.80	4	1.23	12	0.22	6	0.04	1	0.00	0	8.13	65
2.72	13	3.81	14	1.90	12	1.41	16	0.02	3	R	1	16.61	92
2.23	14	1.36	8	1.09	12	0.86	7	0.00	0	0.00	0	12.23	67
2.79	13	1.33	10	0.62	5	1.82	7	0.14	2	0.00	0	9.99	78
2.85	14	1.89	12	1.03	9	0.44	7	0.88	1	R	1	8.72	74
0.77	5	1.40	7	0.89	11	0.30	6	0.40	2	0.02	8	9.02	67
3.06	12	1.24	10	1.98	16	0.01	2	0.00	6	0.00	0	12.22	80
3.56	13	3.69	12	1.63	12	0.02	2	0.00	0	0.14	1	16.82	86
1.77	13	1.76	13	0.32	5	0.95	6	0.00	0	0.01	1	9.50	61
4.78	15	2.56	11	2.42	10	2.67	6	0.15	2	0.00	0	16.10	74
1.14	13	1.48	11	0.84	5	0.99	8	0.55	5	0.00	0	12.21	73
4.21	14	4.56	15	4.15	14	0.85	9	0.04	1	0.00	0	15.73	76
2.25	10	0.83	8	2.87	14	0.87	7	3.02	1	0.00	0	15.75	66
1.35	13	0.96	8	0.62	5	0.54	6	0.00	0	0.00	0	14.69	69

TABLE II.—Depth of Rain in inches and number of

Year.	January.		February.		March.		April.		May.		June.		July.	
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
1874.....	0' 00	0	0' 00	0	0' 45	2	0' 02	1	2' 01	10	4' 38	10	3' 21	13
1875.....	0' 00	0	0' 00	0	0' 00	0	0' 10	4	3' 34	11	3' 45	12	1' 76	9
1876.....	0' 00	0	0' 00	0	0' 00	0	0' 46	4	2' 63	8	4' 50	13	3' 31	12
1877.....	0' 00	0	R	1	0' 00	0	0' 47	3	5' 39	11	5' 69	10	3' 24	11
1878.....	0' 00	0	0' 87	3	2' 44	6	3' 63	11	2' 58	10	3' 99	9	5' 47	11
1879.....	0' 00	0	0' 00	0	0' 21	2	1' 97	9	2' 78	13	6' 98	14	5' 22	18
1880.....	0' 00	0	0' 00	0	0' 14	3	R	1	5' 88	11	3' 52	10	2' 74	11
1881.....	0' 00	0	0' 00	0	0' 11	2	0' 65	4	2' 07	13	2' 66	15	0' 87	11
1882.....	0' 00	0	0' 00	0	0' 00	0	0' 47	2	0' 98	11	1' 45	8	7' 10	17
1883.....	0' 00	0	0' 00	0	0' 00	0	0' 40	4	1' 34	6	3' 48	12	1' 77	10
1884.....	0' 00	0	0' 00	0	0' 00	0	1' 39	9	0' 87	3	2' 97	10	1' 32	12
1885.....	0' 00	0	0' 02	1	0' 00	0	1' 82	10	1' 70	8	3' 05	12	2' 65	19
1886.....	0' 00	0	0' 00	0	R	1	1' 73	13	1' 19	12	1' 20	8	0' 67	9
1887.....	0' 00	0	0' 00	0	0' 00	0	0' 25	4	3' 01	13	2' 94	12	2' 02	13
1888.....	0' 00	0	0' 00	0	R	1	0' 53	5	0' 17	9	3' 10	16	3' 88	11
1889.....	0' 00	0	0' 00	0	0' 04	1	0' 65	5	1' 79	12	0' 45	8	2' 38	15
1890.....	0' 00	0	0' 00	0	R	1	0' 98	9	1' 14	10	2' 46	10	5' 61	15
1891.....	R	3	0' 00	0	0' 00	0	1' 13	9	0' 82	10	4' 72	16	1' 94	14
1892.....	0' 00	0	0' 00	0	0' 92	3	1' 38	3	1' 85	12	1' 40	17	3' 57	10
1893.....	0' 00	0	0' 00	0	0' 65	2	0' 82	6	2' 23	5	3' 87	18	5' 42	12
1894.....	0' 06	1	0' 00	0	0' 00	0	2' 54	10	0' 58	7	2' 40	11	0' 63	12
1895.....	0' 00	0	0' 06	3	0' 13	2	0' 62	6	3' 68	12	2' 31	18	3' 30	14
1896.....	0' 04	1	0' 00	0	0' 70	3	5' 44	12	5' 32	18	3' 96	17	2' 01	17
1897.....	0' 02	1	0' 00	0	0' 27	3	0' 96	9	1' 55	11	2' 31	13	5' 38	14
1898.....	R	1	0' 00	0	0' 03	1	0' 98	5	0' 89	3	6' 10	15	1' 77	9
1899.....	R	1	R	1	0' 00	0	1' 72	6	2' 20	8	3' 68	15	1' 96	10
1900.....	0' 00	0	0' 00	0	0' 60	0	0' 30	5	0' 11	4	1' 85	10	4' 06	10
1901.....	0' 00	0	0' 00	0	0' 00	0	1' 83	5	0' 31	7	10' 07	16	3' 12	8
1902.....	0' 01	1	0' 00	0	1' 68	6	0' 56	1	3' 87	13	3' 46	14	1' 33	11

FALL OF CANADA.

75

MAN.

days. Latitude, N. $49^{\circ} 53'$; Longitude, W. $97^{\circ} 7'$.

July.		August.		September.		October.		November.		December.		Year.	
Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
3.21	13	3.77	11	2.08	4	0.37	1	0.00	0	0.00	0	16.25	52
1.76	9	4.88	16	0.86	7	0.46	4	0.04	2	0.00	0	14.89	65
3.31	12	9.42	19	1.36	9	0.13	3	0.06	1	0.00	0	21.87	69
3.24	11	0.83	9	3.02	8	0.69	6	0.34	3	2.14	4	21.81	66
5.47	11	1.53	8	1.80	13	2.01	7	0.07	3	0.00	0	24.39	81
5.22	18	1.82	11	0.72	8	1.38	9	0.05	1	0.00	0	21.13	85
2.74	11	4.06	14	4.13	17	1.61	8	0.00	0	0.00	0	22.98	75
0.87	11	1.82	12	2.60	17	0.92	9	0.13	1	0.00	0	11.83	84
7.10	17	1.51	6	1.01	7	3.39	11	0.40	2	0.00	0	16.31	64
1.77	10	2.96	13	1.96	5	3.21	10	0.00	0	0.00	0	15.12	60
1.32	12	6.91	15	3.75	15	0.68	5	0.03	1	0.00	0	17.92	70
2.65	19	1.99	12	0.74	9	0.33	4	0.07	1	R	1	12.37	77
0.67	9	1.17	11	4.72	13	1.29	7	R	1	0.00	0	11.88	75
2.02	13	1.49	14	1.77	12	0.25	3	R	1	R	1	11.73	72
3.88	11	1.13	12	1.49	14	1.68	11	0.12	3	0.00	0	12.10	82
2.38	15	0.95	10	2.67	14	0.84	5	0.00	0	R	1	9.77	71
5.61	15	3.06	17	3.06	15	3.67	18	0.15	4	R	1	20.12	100
1.94	14	3.90	16	2.20	15	0.96	14	R	1	0.08	2	15.75	97
3.57	10	3.73	13	0.86	8	0.84	9	0.23	3	0.05	1	14.83	79
5.42	12	1.52	12	0.65	8	1.35	7	0.07	2	0.00	0	15.98	72
0.63	12	0.77	12	2.18	11	1.79	12	0.12	3	0.06	3	11.15	81
3.30	14	1.01	13	1.14	15	0.18	4	0.48	3	0.05	1	12.96	91
2.01	17	1.51	17	1.96	14	0.96	7	0.00	0	0.08	2	21.98	108
5.38	14	1.60	11	0.34	2	1.31	10	0.00	0	0.01	1	13.15	75
1.77	9	2.15	8	2.50	11	5.59	12	0.10	1	0.00	0	20.11	16
1.96	10	3.42	10	0.91	8	1.85	7	0.30	4	0.00	0	16.04	70
4.06	10	3.66	11	4.22	6	0.94	10	0.08	1	0.00	0	15.22	67
3.12	8	1.70	11	3.80	17	0.46	7	R	1	0.00	0	21.29	72
1.33	11	0.93	7	2.01	9	1.23	7	2.02	2	R	1	15.10	72

RAIN AND SNOW.

PORT ARTHUR,

TABLE II.—Depth of Rain in inches and number of

FALL OF CANADA
ONTARIO.
days. Latitude N.

Year.	January.		February.		March.		April.		May.		June.	
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
1880.....	0 10	1	0 00	0	0 27	1	0 79	3	3 58	11	4 44	13
1881.....	0 00	0	0 00	0	0 00	0	0 76	3	3 26	10	1 74	8
1882.....	0 00	0	0 46	2	0 00	0	1 07	2	1 31	5	2 17	7
1883.....	0 00	0	0 00	0	0 00	0	0 11	1	0 90	4	4 14	9
1884.....	0 00	0	0 00	0	0 00	0	1 42	6	2 47	10	1 07	3
1885.....	0 00	0	0 00	0	0 00	0	1 89	4	1 43	6	3 28	11
1886.....	0 00	0	0 06	1	0 00	0	1 92	7	0 73	11	1 91	11
1887.....	0 00	0	0 00	0	R	1	0 19	4	2 35	7	1 68	5
1888.....	0 00	0	0 00	0	0 00	0	1 96	8	2 39	12	4 94	12
1889.....	0 00	0	0 00	0	0 04	2	2 32	7	2 40	10	0 50	7
1890.....	0 00	0	0 00	0	0 00	0	0 78	6	1 72	10	2 66	11
1891.....	0 00	0	0 10	0	0 00	0	0 65	5	0 62	7	0 93	7
1892.....	0 00	0	0 00	0	0 00	0	2 66	7	1 84	13	1 19	14
1893.....	0 00	0	0 00	0	0 39	2	1 95	6	0 67	8	3 98	12
1894.....	0 00	0	0 00	0	0 48	9	1 55	10	2 67	13	1 16	8
1895.....	0 00	0	R	1	0 02	1	2 50	7	2 58	13	2 89	13
1896.....	0 00	0	0 00	0	0 12	1	2 32	11	4 10	12	2 04	12
1897.....	0 57	1	0 00	0	0 00	0	0 64	6	2 06	10	3 39	13
1898.....	0 00	0	0 00	0	0 33	2	0 07	1	3 06	10	6 94	12
1899.....	0 00	0	0 00	0	0 00	0	2 57	8	3 40	15	3 84	16
1900.....	0 00	0	0 00	0	0 00	0	0 50	3	0 36	3	2 48	12
1901.....	0 00	0	0 00	0	0 00	0	1 57	4	0 95	4	3 76	14
1902.....	0 00	0	0 02	1	0 36	4	0 55	7	1 89	12	5 18	13

July.

Depth.	Days.	D
2 91	14	
2 71	8	
3 06	14	
3 24	6	
1 92	8	
4 25	7	
1 63	15	
9 21	15	
1 64	12	
3 82	19	
5 20	15	
4 16	16	
2 14	9	
1 39	12	
3 24	11	
3 01	13	
1 75	14	
6 53	13	
4 58	16	
3 52	12	
3 33	10	
6 24	12	
3 03	12	

FALL OF CANADA.

77

ONTARIO.

days. Latitude N. $48^{\circ} 27'$; Longitude W. $89^{\circ} 12'$.

July.		August.		September.		October.		November.		December.		Year.	
Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
2.91	14	2.27	11	4.47	10	1.04	4	0.73	2	0.00	0	20.60	70
2.71	8	2.97	6	7.38	15	2.66	2	1.00	2	0.00	0	22.48	57
3.06	14	1.46	9	1.35	4	3.88	10	0.48	3	0.00	0	15.24	56
3.24	6	1.88	7	1.54	8	1.89	10	3.48	6	0.63	2	17.81	53
1.92	8	4.23	11	4.41	16	3.76	4	0.00	0	0.00	0	19.28	58
4.25	7	1.44	9	1.66	5	0.31	2	0.67	3	R	2	14.93	49
1.63	15	1.25	10	7.54	16	3.06	10	0.08	2	0.00	0	18.18	82
9.21	15	1.02	5	2.94	10	2.50	10	0.66	4	0.93	1	20.13	65
1.64	12	3.63	13	2.43	12	2.07	11	1.04	5	0.02	2	20.12	87
3.82	19	3.69	14	3.86	13	1.23	8	0.18	1	0.36	3	18.40	84
5.20	15	2.29	13	2.58	12	1.25	6	0.01	1	0.00	0	16.49	74
4.16	16	3.16	14	3.24	15	2.29	8	0.35	2	2.06	4	17.56	79
2.14	9	4.02	15	3.08	7	1.13	9	R	1	R	1	16.06	76
1.39	12	3.02	16	3.39	12	2.60	9	0.05	3	0.00	0	16.44	81
3.24	11	1.17	9	1.77	12	5.27	15	0.24	3	0.45	3	18.00	93
3.61	13	1.96	17	4.27	14	0.49	5	0.25	4	0.06	1	18.05	88
1.75	14	1.73	12	1.41	10	3.04	8	1.28	2	0.00	0	17.79	82
6.53	13	4.65	10	1.12	5	1.44	12	0.57	3	0.00	0	20.97	73
4.58	16	2.42	7	5.40	16	2.78	10	0.65	3	0.00	0	18.23	77
3.52	12	3.76	12	3.65	9	0.79	6	1.34	9	0.78	3	24.65	90
3.33	10	6.77	13	6.14	18	5.20	12	0.49	2	0.12	2	25.40	75
6.24	12	2.92	11	1.98	7	2.47	10	0.38	4	0.00	0	20.27	66
3.03	12	3.01	10	1.99	12	2.78	15	1.29	3	0.00	0	20.10	89

RAIN AND SNOW-

WHITE RIVER,

TABLE II.—Depth of Rain in inches and number of

FALL OF CANADA
ONTARIO.
days. Latitude N.

Year.	January.		February.		March.		April.		May.		June.		July.	
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
1889.....	0.30	2	R	1	1.70	8	1.87	11	1.63	12	5.50	15
1890.....	0.00	0	0.00	0	0.00	0	0.09	9	0.85	12	1.74	14	3.67	18
1891.....	0.00	0	0.00	0	0.00	0	0.09	8	0.16	5	1.11	4	3.96	16
1892.....	R	1	0.00	0	0.00	0	0.03	6	0.10	6	1.92	11	3.39	10
1893.....	0.00	0	0.00	0	0.05	2	0.05	6	1.95	17	4.35	13	1.32	16
1894.....	0.35	2	0.00	0	0.21	6	0.11	8	1.63	14	1.01	7	2.00	12
1895.....	0.00	0	0.04	1	0.00	0	0.85	5	1.25	13	3.84	16	2.23	13
1896.....	0.02	2	0.00	0	0.02	1	1.49	12	3.21	17	1.53	12	1.21	13
1897.....	0.04	1	0.00	0	0.00	0	0.72	5	1.15	9	0.75	8	1.49	7
1898.....	0.00	0	0.04	1	0.45	3	0.05	2	2.52	11	3.62	14	3.77	15
1899.....	0.00	0	0.00	0	0.00	0	2.14	10	3.34	17	2.68	11	1.35	9
1900.....	0.00	0	0.00	0	0.00	0	1.96	5	1.88	9	1.99	11	3.67	14
1901.....	0.00	0	0.00	0	0.04	1	1.10	4	2.26	8	2.08	12	3.30	12
1902.....	0.00	0	0.01	1	0.69	3	0.98	6	2.33	16	3.44	17	1.78	11

ONTARIO.

days. Latitude N. 48° 35'; Longitude W. 85° 16'.

July.		August.		September.		October.		November.		December.		Year.	
Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
5.96	15	3.18	14	3.35	15	0.93	6	0.26	1	0.05	1	18.77	86
3.67	18	3.16	16	2.88	15	1.12	6	0.06	2	R	1	13.57	84
3.96	16	2.10	13	2.78	13	3.35	10	0.33	6	0.04	5	14.43	80
3.39	10	3.33	9	1.56	17	2.12	10	0.06	8	0.00	0	12.51	78
1.32	16	3.10	15	2.84	14	1.54	12	0.90	2	0.00	0	16.10	97
2.00	12	3.49	14	4.83	14	4.13	16	0.13	2	0.48	2	18.37	97
2.23	13	3.06	17	2.82	15	1.13	4	0.74	3	0.68	5	16.64	92
1.21	13	4.36	17	1.28	13	2.42	7	0.35	4	0.20	3	16.09	102
1.49	7	3.50	11	1.29	9	1.09	9	0.00	0	0.00	0	10.03	59
3.77	15	2.70	14	3.11	20	2.04	13	1.03	5	0.00	0	19.33	98
1.35	9	3.57	12	2.44	14	2.04	8	0.53	5	0.00	0	18.00	86
3.67	14	3.94	11	3.27	17	2.81	14	0.90	5	0.10	1	20.52	87
3.30	12	0.73	11	2.94	13	2.82	12	0.76	4	0.00	0	16.03	77
1.78	11	2.25	10	3.09	10	2.89	11	1.88	5	0.00	0	19.34	96

TABLE II.—Depth of Rain in inches and number of

FALL OF CANADA.

OUND, ONT.
days. Latitude N. 49° 19'

Year.	January.		February.		March.		April.		May.		June.		July.		August		
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	
1874.....																	
1875.....	0 00	0	0 00	0	1 11	2	2 32	6	3 44	9	0 81	6			1 10	9	4 34
1876.....	1 80	8	1 08	4	1 73	5	1 24	8	4 06	15	1 54	14			3 66	10	5 46
1877.....	0 17	2	0 10	2	1 84	4	1 25	6	1 87	8	1 93	13			2 46	7	1 87
1878.....	0 27	4	1 51	3	1 44	10	1 52	10	3 17	12	2 85	15			1 83	6	1 91
1879.....	0 00	0	0 00	0	0 32	3	1 15	7	1 92	8	2 94	13			2 27	9	2 92
1880.....	1 88	11	2 94	6	0 50	3	2 73	12	2 48	14	1 22	9			3 94	12	1 53
1881.....	0 00	0	2 44	8	0 82	2	0 74	3	3 75	16	1 41	10			1 47	9	0 63
1882.....	0 85	3	0 78	4	2 89	7	1 51	7	2 07	11	3 61	14			2 06	7	2 74
1883.....	0 01	1	1 44	3	0 20	2	1 54	8	3 49	13	3 64	13			3 87	12	2 62
1884.....	0 36	1	0 35	4	0 89	5	0 75	6	4 65	15	1 31	3			2 61	12	1 25
1885.....	0 92	2	0 02	1	0 00	0	0 99	5	3 72	11	3 04	9			1 45	13	3 57
1886.....	1 49	3	1 23	3	2 35	6	1 74	6	1 45	7	2 64	10			1 56	13	5 21
1887.....	1 96	6	1 39	4	0 05	2	1 42	8	0 58	10	2 05	11			4 36	10	0 76
1888.....	0 20	2	0 87	5	1 62	5	2 14	5	2 89	13	0 95	7			0 42	6	2 91
1889.....	2 32	4	0 10	2	0 00	0	1 11	7	3 43	12	3 25	15			2 07	12	1 62
1890.....	2 98	10	1 26	8	0 91	5	2 80	12	2 83	15	5 07	12			3 99	17	2 43
1891.....	1 60	6	2 42	6	0 92	4	3 73	12	0 40	5	0 85	8			3 35	16	4 01
1892.....	0 63	2	0 10	2	0 00	0	1 70	8	1 96	15	3 59	17			4 09	11	4 76
1893.....	0 56	1	0 42	3	1 74	4	3 42	13	2 68	14	3 37	16			3 10	14	2 89
1894.....	0 82	5	0 20	3	2 40	11	0 33	8	4 23	17	2 71	13			2 35	9	2 19
1895.....	0 00	0	0 56	2	0 28	3	1 24	10	1 92	10	1 32	7			0 89	10	2 46
1896.....	0 30	4	0 32	2	0 22	1	1 08	11	1 88	12	0 92	7			1 39	11	4 28
1897.....	1 86	6	0 46	2	1 89	7	3 85	13	3 86	18	2 04	15			6 92	12	3 65
1898.....	0 46	2	0 52	4	4 54	11	0 98	4	2 70	14	3 45	12			0 23	5	2 82
1899.....	1 53	6	0 46	3	1 92	4	1 23	8	4 06	13	4 44	14			2 87	13	0 66
1900.....	0 38	3	2 67	4	0 62	2	0 89	9	4 28	13	2 07	11			2 81	11	1 11
1901.....	0 42	5	0 00	0	1 28	7	1 74	9	3 33	14	3 44	12			7 90	14	4 08
1902.....	0 04	2	0 34	1	4 13	10	2 02	9	4 86	17	4 76	20			5 07	13	2 70

FALL OF CANADA.

81

OUND, ONT.

days. Latitude N. $49^{\circ} 19'$; Longitude W. $80^{\circ} 00'$.

July.		August.		September.		October.		November.		December.		Year.	
Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
1 10	9	4 34	12	4 94	15	4 91	14	1 61	8	0 22	3	25 37	88
3 66	10	5 46	10	1 90	15	4 91	18	2 90	13	0 00	0	30 72	120
2 46	7	1 87	12	1 65	14	4 91	21	4 29	14	1 65	15	23 99	125
1 83	6	1 91	11	8 43	17	5 59	25	1 32	8	0 65	1	30 49	122
2 27	9	2 92	10	4 47	16	1 56	10	3 80	10	1 81	4	23 16	90
3 94	12	1 53	6	5 53	18	3 99	18	3 04	9	0 17	1	29 94	119
1 47	9	0 63	5	4 15	19	6 33	17	2 36	11	2 59	10	26 69	110
2 06	7	2 74	11	3 46	12	2 95	12	2 45	7	0 65	4	26 02	99
3 87	12	2 62	11	4 82	13	4 21	12	4 98	13	0 73	4	31 55	105
2 61	12	1 25	10	2 96	13	5 49	17	1 28	6	3 04	7	24 94	99
1 45	13	3 57	10	5 32	12	2 51	11	3 84	13	1 95	9	27 33	96
1 56	13	5 21	9	4 79	16	3 15	14	2 11	7	0 55	3	28 27	97
4 36	10	0 76	7	2 23	9	3 39	21	1 92	8	2 13	4	22 24	100
0 42	6	2 91	10	2 60	13	4 44	18	2 68	14	2 44	10	24 16	108
2 07	12	1 62	8	4 19	12	2 22	11	2 96	13	2 29	12	54 56	108
3 99	17	2 43	13	1 48	10	3 34	13	2 22	11	0 06	1	29 37	127
3 35	16	4 01	13	2 36	9	1 68	12	6 13	18	1 06	7	28 51	116
4 09	11	4 76	16	4 66	13	3 86	16	2 73	15	0 84	4	28 92	119
3 10	14	2 89	10	3 32	13	4 94	12	3 27	9	1 58	6	31 29	115
2 35	9	2 19	10	4 54	14	4 74	13	1 12	7	2 36	12	27 99	122
0 89	10	2 46	14	2 11	9	1 68	11	2 54	11	2 79	9	17 79	96
1 39	11	4 28	15	4 65	17	2 13	9	3 67	15	0 74	6	21 58	110
6 92	12	3 65	13	0 48	8	4 17	12	1 89	12	1 62	4	32 69	122
0 23	5	2 82	9	2 44	13	6 23	14	2 36	9	0 80	5	27 53	102
2 87	13	0 66	6	3 28	12	3 08	12	0 77	8	3 01	8	27 31	107
2 81	11	1 11	8	4 54	12	2 85	7	5 09	13	0 80	8	28 11	100
7 90	14	4 08	11	3 54	13	4 66	15	1 92	9	2 28	7	34 59	116
5 07	13	2 70	8	5 51	16	3 61	15	2 64	15	1 48	2	37 16	128

SAUGEEN,

TABLE II.—Depth of Rain in inches and number of

Year.	January.		February.		March.		April.		May.		June.	
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
1874.	2.22	5	0.44	3	1.49	6	0.84	2	2.06	7	1.97	8
1875.	0.00	0	0.29	2	1.13	3	1.62	6	3.40	12	2.53	8
1876.	2.55	12	1.18	5	1.20	7	0.91	7	2.92	10	1.85	15
1877.	0.03	1	R	1	1.10	3	1.16	9	0.24	6	2.44	13
1878.	0.38	5	1.18	3	2.63	12	1.83	12	2.99	15	2.42	12
1879.	R	1	0.14	1	0.85	7	1.67	8	1.67	8	2.47	15
1880.	1.77	9	1.74	9	0.67	6	2.03	16	4.91	18	2.90	15
1881.	0.00	0	1.56	7	0.97	3	0.73	4	1.47	12	1.60	12
1882.	0.98	5	0.63	8	1.59	6	2.56	6	1.56	10	2.48	13
1883.	0.10	2	1.83	5	0.02	1	0.14	4	3.30	15	4.54	4
1884.	0.12	1	0.70	4	1.18	7	1.30	7	3.14	16	1.25	5
1885.	0.66	2	R	1	0.04	1	1.13	5	2.60	10	1.99	8
1886.	0.96	5	0.75	4	2.38	6	2.24	9	1.37	6	3.86	14
1887.	1.86	3	2.01	2	0.15	1	1.98	10	1.05	9	1.97	12
1888.	0.17	3	0.79	4	1.00	6	1.42	6	2.35	17	0.62	6
1889.	0.99	4	0.20	2	0.00	0	0.56	7	3.98	14	5.07	17
1890.	2.93	10	1.27	8	0.92	9	2.24	11	2.91	20	3.02	13
1891.	1.37	7	1.23	6	0.43	4	2.08	12	0.56	9	1.26	7
1892.	0.80	2	0.79	4	0.72	2	0.63	7	2.37	19	3.76	20
1893.	0.84	2	0.60	4	1.84	9	2.75	14	2.52	14	1.64	14
1894.	0.35	6	0.12	4	1.43	12	1.24	10	3.45	21	1.60	14
1895.	0.48	3	0.02	2	0.32	3	1.35	11	1.16	7	0.88	7
1896.	0.29	3	0.19	4	0.62	4	1.08	14	1.46	11	1.42	9
1897.	1.02	5	0.39	2	2.10	8	2.39	12	3.75	19	2.71	9
1898.	0.64	1	0.30	4	2.63	11	0.67	5	1.86	14	3.86	12
1899.	1.02	5	0.79	7	0.56	4	1.38	4	2.72	11	1.93	11
1900.	0.22	3	1.87	4	0.68	2	1.20	8	3.44	10	1.33	11
1901.	0.06	2	0.00	0	2.60	1	1.37	7	2.57	17	2.90	14
1902.	0.05	2	0.18	1	3.14	10	1.44	2	1.74	14	3.40	17

FALL OF CANADA.

83

ONTARIO.

days. Latitude, N. $44^{\circ} 30'$; Longitude, W. $81^{\circ} 21'$.

	July.		August.		September.		October.		November.		December.		Year.	
Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
8	2.59	10	0.67	7	1.95	13	2.87	15	2.04	8	0.74	5	19.88	89
8	1.05	9	0.92	9	3.17	16	4.66	18	0.94	6	1.25	8	20.96	97
15	2.61	9	1.62	10	3.22	14	3.98	17	2.11	12	0.00	9	24.15	118
13	1.57	10	4.51	11	2.28	13	3.90	20	4.54	13	1.45	10	23.22	110
12	3.39	12	1.27	9	7.19	17	4.12	21	2.13	16	1.92	5	31.45	139
15	1.95	12	2.22	8	3.79	20	2.54	15	2.54	11	0.72	7	20.56	113
15	2.06	19	0.87	12	3.31	20	4.34	19	2.65	10	0.16	4	27.41	157
12	1.36	9	1.15	6	4.18	17	5.16	19	2.57	18	2.29	9	23.04	116
13	0.78	9	1.82	14	2.52	10	2.03	11	1.21	0.31	6	18.47	107	
4	3.38	14	1.66	5	3.96	13	3.02	11	3.44	14	0.64	6	26.03	104
5	1.50	10	1.78	10	2.33	14	4.05	11	1.38	8	2.76	10	21.49	103
8	2.14	9	2.82	12	4.27	11	2.96	15	2.76	13	1.75	8	23.12	95
14	0.92	9	3.99	9	3.14	16	2.48	13	1.84	8	0.28	3	24.12	102
12	1.23	10	0.81	6	1.30	8	3.24	18	1.96	7	1.82	5	19.38	91
6	0.94	6	4.28	10	2.86	11	3.09	22	2.72	16	1.09	6	21.33	113
17	1.30	8	1.80	10	2.37	11	2.12	8	2.12	11	3.48	17	23.99	160
13	2.29	14	1.85	10	1.48	11	3.87	21	2.68	12	0.12	1	25.58	140
7	4.60	14	3.91	16	2.73	11	2.18	14	5.30	18	1.61	8	27.26	126
20	3.56	12	3.76	12	4.89	13	2.45	17	2.60	13	1.43	6	27.76	127
14	1.41	9	0.93	8	1.47	14	2.79	13	0.83	7	1.47	8	19.09	116
14	0.84	9	0.77	9	3.75	15	2.50	19	0.95	9	1.79	12	18.79	140
7	0.90	8	2.73	12	1.88	11	1.13	11	2.45	11	1.54	11	14.84	97
9	1.86	15	3.56	16	3.58	15	1.50	9	2.32	12	0.20	7	18.08	119
9	3.36	12	5.05	10	0.60	7	2.45	9	2.10	14	1.34	5	27.26	112
12	0.16	3	2.64	7	2.62	9	3.51	17	0.72	7	0.42	3	20.03	93
11	3.84	12	0.78	5	2.75	12	3.14	14	0.91	9	1.41	8	21.23	102
11	1.83	8	2.67	7	1.76	12	1.75	8	4.34	13	0.35	4	21.44	90
14	4.30	13	2.04	11	2.69	14	2.18	12	1.01	10	1.51	4	23.23	112
17	6.00	16	3.63	10	2.82	17	3.81	15	1.44	13	0.41	4	28.06	121

TABLE II.—Depth of Rain in inches and number of

Year.	January.		February.		March.		April.		May.		June.	
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
1877.....	R	2	0.00	0	0.80	4	0.92	7	1.27	10	1.52	15
1878.....	0.14	3	0.98	1	0.54	7	0.89	11	2.74	18	2.03	12
1879.....	0.00	0	0.00	0	0.27	4	1.10	6	1.39	8	2.48	11
1880.....	0.77	7	1.78	7	0.11	2	1.66	7	2.42	16	2.75	15
1881.....	0.00	0	1.46	4	0.07	1	1.07	3	4.23	16	1.73	11
1882.....	0.57	3	1.06	4	1.14	8	1.72	11	2.63	8	4.28	11
1883.....	0.02	1	0.72	2	0.00	0	0.72	5	2.96	12	6.07	15
1884.....	R	1	0.82	4	0.75	2	0.87	6	3.04	14	1.75	4
1885.....	0.30	2	0.00	0	R	1	0.97	7	2.38	12	2.11	8
1886.....	2.07	3	1.44	3	0.85	3	1.11	5	0.94	2	4.07	13
1887.....	0.00	0	0.37	1	0.00	0	1.77	5	1.17	6	1.95	6
1888.....	0.00	0	0.05	3	0.95	4	0.56	5	1.89	11	1.35	9
1889.....	0.10	1	0.00	0	0.00	0	1.24	7	2.92	6	4.03	13
1890.....	0.10	1	0.42	3	0.24	3	2.28	6	1.75	7	3.57	11
1891.....	0.00	0	0.22	3	1.57	5	2.83	9	0.36	8	1.06	8
1892.....	0.40	1	0.00	0	0.00	0	1.60	8	0.94	8	5.77	13
1893.....	0.00	0	0.00	0	0.68	4	1.80	9	5.84	16	5.25	12
1894.....	0.08	2	0.00	0	1.02	8	0.68	5	3.21	14	3.92	12
1895.....	0.02	1	0.00	0	0.14	2	1.23	10	3.90	9	2.87	13
1896.....	0.00	0	0.06	2	0.24	2	0.39	6	2.11	15	2.40	8
1897.....	0.96	4	0.00	0	1.50	3	3.68	10	3.49	12	3.98	14
1898.....	0.00	0	0.08	4	2.70	10	0.52	2	2.83	10	4.59	14
1899.....	0.22	1	0.02	1	0.40	2	0.60	8	5.17	13	2.97	15
1900.....	0.38	2	1.47	3	0.18	2	0.79	5	2.17	13	3.33	8
1901.....	0.00	0	0.00	0	0.31	3	1.34	9	3.06	10	2.00	8
1902.....	0.00	0	0.40	1	2.96	6	1.34	8	2.83	16	2.90	15

DW.
FFE,

ONT.

days. Latitude, N. 46° ; Longitude, W. $77^{\circ} 55'$.

July.		August.		September.		October.		November.		December.		Year.	
Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
2 64	18	3 65	20	2 42	12	3 03	20	2 95	13	0 42	9	19 62	130
2 73	8	3 02	16	7 06	14	3 93	14	1 61	12	0 72	2	26 39	118
2 68	12	3 92	10	2 71	15	0 69	8	1 86	7	0 52	2	17 57	83
3 94	15	2 12	10	3 02	18	1 71	15	3 34	9	0 25	3	23 87	124
1 84	11	1 34	4	1 95	12	3 94	15	0 93	9	1 06	6	19 62	92
3 85	20	3 53	15	5 96	11	1 93	13	2 12	4	0 00	0	28 79	108
2 05	12	4 11	11	4 20	12	3 81	11	1 67	10	0 08	5	26 41	96
3 87	16	2 88	9	2 87	22	3 40	17	0 16	5	2 22	6	22 63	106
4 54	13	1 76	7	3 04	13	1 01	9	1 92	12	0 29	4	18 32	88
2 80	9	5 35	12	3 42	9	2 12	10	1 48	4	0 03	1	25 68	74
1 52	8	1 50	5	0 70	6	1 08	13	0 24	3	0 51	3	10 79	56
1 67	8	3 99	12	2 87	8	2 24	10	1 09	6	0 06	1	16 72	77
4 16	9	2 52	6	2 78	10	1 24	3	2 26	5	1 42	4	22 67	64
3 89	14	2 34	10	0 91	9	1 46	8	6 20	2	0 07	1	15 23	75
4 99	16	3 33	14	2 06	11	2 90	9	3 25	11	0 74	5	23 21	99
1 94	6	3 01	12	4 98	12	1 49	9	1 36	7	0 14	1	21 63	77
2 69	13	2 74	10	3 42	13	2 82	11	0 60	3	6 30	2	25 54	93
2 18	9	1 39	10	3 23	13	4 14	15	0 98	3	0 60	3	21 34	94
2 21	12	1 96	13	3 02	9	1 63	11	1 80	6	0 82	5	19 02	91
5 63	15	4 07	13	4 74	11	1 46	8	0 97	5	0 04	2	22 31	87
3 09	14	3 11	16	0 55	7	1 86	9	1 68	8	1 20	3	25 10	100
1 50	7	4 84	14	2 94	16	5 00	11	1 30	6	0 26	1	21 56	95
4 94	13	0 16	2	5 56	18	1 92	11	0 83	7	1 63	6	22 30	98
4 22	11	4 28	9	4 34	11	1 58	6	1 58	5	0 04	2	24 36	77
2 15	11	4 79	13	2 38	8	2 02	10	1 12	5	0 32	2	19 49	79
5 19	17	2 96	10	4 44	11	4 34	12	0 95	7	0 02	1	28 33	104

TABLE II.—Depth of Rain in inches and number of

Years.	January.		February.		March.		April.		May.		June.	
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
1874.....	2.96	12	2.02	8	1.26	8	0.90	7	2.06	8	2.15	10
1875.....	0.24	1	0.91	3	1.11	4	1.23	8	4.03	11	1.57	9
1876.....	2.13	12	3.45	6	2.29	7	2.77	11	2.82	19	1.89	11
1877.....	0.01	2	0.05	2	2.46	7	2.64	7	0.68	11	2.09	18
1878.....	1.19	8	1.40	6	4.37	18	3.60	15	2.76	14	1.52	12
1879.....	0.45	2	0.50	1	1.04	12	1.23	9	1.05	10	2.73	18
1880.....	1.73	15	1.02	8	1.78	9	4.15	14	2.43	11	6.80	16
1881.....	0.24	1	2.73	8	0.66	6	0.50	5	1.57	12	5.52	14
1882.....	1.94	9	1.49	9	2.16	10	1.57	9	5.03	14	4.73	16
1883.....	0.72	3	2.49	8	0.04	2	2.17	10	5.64	15	2.77	13
1884.....	0.30	1	2.34	12	1.95	8	1.12	6	3.50	19	0.95	7
1885.....	1.29	11	0.29	1	0.31	3	1.57	8	2.55	16	3.52	11
1886.....	2.03	5	1.12	6	2.42	8	1.06	9	2.62	11	2.99	14
1887.....	0.87	6	4.66	13	1.41	5	1.28	11	1.52	13	1.13	14
1888.....	1.21	11	1.50	6	1.83	8	1.70	9	1.33	15	3.62	16
1889.....	2.05	8	0.37	2	0.74	3	3.80	14	4.36	17	3.80	17
1890.....	4.52	15	1.86	12	0.94	6	2.83	12	4.88	21	3.83	15
1891.....	2.01	9	3.11	10	1.50	5	1.87	15	1.87	11	1.87	10
1892.....	0.43	3	2.33	11	0.85	6	1.75	12	7.24	23	5.36	22
1893.....	0.44	3	2.38	7	1.46	7	3.69	14	4.02	15	2.27	15
1894.....	1.18	8	1.72	5	1.16	12	1.87	14	6.56	25	6.89	12
1895.....	1.58	6	0.11	2	0.45	4	1.54	14	1.93	12	1.13	8
1896.....	0.43	3	0.38	4	1.25	5	2.41	13	4.50	15	3.49	12
1897.....	0.87	4	1.53	5	2.84	12	2.60	16	2.75	13	1.45	9
1898.....	2.33	7	1.05	7	3.74	13	3.10	8	2.24	11	2.67	16
1899.....	2.14	5	1.28	8	3.15	10	0.45	9	4.47	13	0.71	9
1900.....	0.91	10	2.28	8	0.34	4	1.84	14	1.87	10	2.17	10
1901.....	1.09	6	0.00	0	2.28	10	2.00	12	2.46	19	2.08	6
1902.....	0.11	2	0.52	2	2.66	14	1.31	16	3.47	15	5.95	20

ONTARIO.

days. Latitude, N. $42^{\circ} 40'$; Longitude, W. $81^{\circ} 13'$.

n. Days.	July.		August.		September.		October.		November.		December.		Year.	
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
19	4 04	8	3 46	5	2 09	12	2 36	9	1 92	5	0 49	8	24 75	100
9	3 61	10	2 15	12	1 37	10	2 78	11	1 54	7	2 22	8	22 76	94
14	2 82	15	2 31	9	4 13	20	3 60	13	1 76	14	29 88	140
18	4 72	14	5 96	13	0 58	7	4 27	13	4 79	16	0 95	9	29 17	121
12	5 35	14	0 74	15	6 29	15	3 61	15	2 26	13	2 74	6	36 03	151
18	3 28	12	0 98	9	4 80	18	1 16	10	3 83	11	2 64	10	23 69	122
16	3 89	22	4 37	18	2 42	14	3 13	14	2 24	7	0 41	4	34 37	102
14	1 67	10	0 34	6	1 48	17	5 40	20	3 98	14	3 20	13	26 39	123
16	0 98	11	4 12	21	2 08	11	2 17	10	1 47	9	1 04	7	28 78	136
13	6 10	18	1 20	5	2 68	13	1 65	12	3 47	14	1 64	10	30 57	123
7	3 56	12	1 60	9	1 59	9	2 53	16	1 45	3	1 51	12	22 40	114
14	2 55	9	4 63	16	2 39	9	5 11	16	2 80	12	1 73	6	28 64	121
14	2 38	13	3 45	13	4 25	16	1 78	14	3 19	9	1 19	3	28 48	121
14	1 84	9	2 84	12	2 21	13	2 14	13	2 53	8	1 94	8	24 37	125
16	3 97	12	2 18	13	2 79	11	3 93	23	2 39	17	1 63	9	27 18	150
17	1 42	12	1 84	7	3 30	16	1 04	11	2 90	16	4 76	19	30 38	142
15	0 65	13	2 97	14	3 16	14	4 37	24	3 45	14	0 28	4	33 74	164
10	2 58	14	3 74	16	2 03	10	2 74	14	4 83	19	2 02	11	30 17	144
22	3 61	16	2 05	11	4 22	16	1 16	17	1 87	10	0 39	8	31 86	155
15	2 41	13	1 52	9	1 07	13	3 73	11	3 46	12	2 34	11	28 73	130
12	1 34	10	0 27	7	4 04	14	3 49	19	0 66	7	2 57	14	25 75	147
8	2 23	11	1 83	16	3 37	12	1 28	8	4 54	15	3 51	15	23 60	123
12	4 21	14	4 27	17	3 67	17	1 48	14	3 00	16	0 48	8	29 37	138
9	5 16	13	4 04	14	0 44	5	1 09	9	4 32	15	1 25	9	28 24	124
10	2 41	7	2 26	8	2 79	12	5 42	14	2 53	11	1 19	6	30 73	114
9	1 67	14	0 35	3	2 71	10	5 46	17	2 20	8	2 22	8	26 81	114
10	4 40	16	2 92	12	1 97	9	2 24	6	3 57	13	0 30	5	24 81	117
6	3 69	8	1 54	6	2 57	10	1 03	9	2 20	10	2 06	6	23 00	102
20	8 45	18	2 12	7	5 05	14	2 33	16	1 16	12	2 04	8	35 17	144

TABLE II.—Depth of Rain in inches and number of

Year.	January.		February.		March.		April.		May.		June.	
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
1874.....	2.63	10	1.61	6	0.77	8	0.87	6	2.19	9	0.99	6
1875.....	0.16	4	0.62	4	1.25	5	0.90	6	2.98	12	1.32	10
1876.....	2.64	13	2.27	4	1.92	8	3.72	9	1.87	13	1.28	9
1877.....	0.35	2	0.13	2	2.65	10	1.70	10	0.61	7	2.97	16
1878.....	1.22	8	1.14	4	3.29	18	2.49	10	2.38	16	1.65	10
1879.....	0.51	2	1.00	4	1.02	13	0.97	8	1.53	8	2.94	14
1880.....	1.63	12	1.14	9	1.45	7	3.19	14	2.41	14	2.48	15
1881.....	0.36	2	1.69	6	0.50	4	0.19	5	1.08	11	4.18	12
1882.....	1.80	8	1.96	10	2.26	12	1.34	10	5.33	14	3.60	14
1883.....	0.72	5	2.62	8	0.12	2	1.67	11	5.47	19	4.78	14
1884.....	0.60	1	2.56	15	1.95	9	0.65	6	3.20	18	1.60	8
1885.....	1.36	6	0.33	2	0.74	5	1.91	7	1.56	16	2.45	12
1886.....	2.39	9	1.75	7	1.50	10	1.79	10	2.38	9	3.14	14
1887.....	2.23	5	4.76	14	0.91	6	1.40	8	0.82	7	2.17	10
1888.....	1.14	3	1.82	8	1.70	6	1.81	7	1.11	15	6.39	12
1889.....	1.44	7	0.60	2	0.26	1	2.23	11	2.72	14	3.67	17
1890.....	4.18	14	2.19	16	1.11	11	2.46	12	3.40	20	4.84	11
1891.....	1.61	8	3.11	11	1.73	10	1.65	11	1.17	11	0.57	11
1892.....	0.49	3	1.96	14	0.61	7	1.38	8	4.27	20	6.01	19
1893.....	1.22	3	0.70	6	3.61	13	2.86	16	1.77	12	0.58	10
1894.....	1.78	7	2.18	6	1.67	11	1.54	8	6.18	20	1.17	12
1895.....	1.82	7	0.18	2	0.60	7	1.21	11	1.12	5	0.75	8
1896.....	0.91	2	0.73	5	1.50	4	1.85	14	2.48	17	3.02	14
1897.....	0.93	7	1.85	5	2.40	14	2.10	14	3.08	17	3.34	10
1898.....	2.61	6	0.90	8	3.84	13	1.82	12	1.00	11	1.99	10
1899.....	2.10	5	1.48	8	3.01	12	0.72	7	3.46	11	0.46	8
1900.....	1.60	8	1.95	5	0.81	2	1.65	7	1.21	10	2.42	8
901.....	1.26	4	0.00	0	2.42	5	0.46	7	2.94	12	1.43	5
1902.....	0.35	2	0.66	4	2.02	11	1.87	13	2.38	14	3.42	17

FALL OF CANADA.

89

ONTARIO.

days. Latitude, N. 42° 47'; Longitude, W. 80° 13'.

Days.	July.		August.		September.		October.		November.		December.		Year.	
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
6	2.53	9	2.44	3	0.98	7	1.37	6	1.29	5	0.31	5	18.04	80
10	4.44	9	2.49	11	2.53	8	2.78	12	1.32	5	2.36	10	23.15	96
9	5.14	14	3.43	8	2.29	13	3.32	10	1.96	12	0.09	0	29.75	113
16	2.09	12	4.23	16	0.98	6	3.78	13	4.31	16	0.98	9	24.78	119
10	4.75	12	1.45	13	6.92	15	3.60	17	3.04	15	2.74	6	34.58	144
14	3.32	13	1.31	7	2.46	15	0.62	12	3.82	9	2.25	11	21.75	116
15	1.73	17	5.55	11	2.08	10	2.43	15	1.89	8	0.71	4	26.69	136
12	1.87	14	0.80	5	1.04	13	4.70	14	3.70	13	3.18	13	23.29	112
14	1.00	15	3.31	17	1.37	9	1.35	10	1.96	11	1.31	7	26.59	137
14	4.89	16	1.96	6	2.09	14	1.78	12	3.01	14	1.91	9	31.02	130
8	3.60	12	1.10	11	1.74	11	2.55	16	1.17	5	1.29	12	22.01	124
12	1.94	12	5.84	19	2.61	10	3.13	15	1.79	15	0.73	5	23.52	124
14	1.61	9	3.36	7	6.33	12	1.59	13	3.63	8	0.61	4	30.08	112
10	1.19	7	1.89	10	0.91	11	1.24	14	1.61	10	1.97	8	21.10	110
12	2.21	10	2.64	13	3.41	11	4.53	20	2.85	15	1.42	12	31.03	132
17	1.11	8	1.05	6	1.93	16	1.13	8	1.96	15	4.33	17	22.43	122
11	1.54	8	2.02	12	3.67	12	5.39	24	2.89	12	0.22	8	34.31	160
11	1.80	12	3.17	12	1.39	11	1.90	9	2.91	16	2.76	10	23.77	132
19	3.05	12	1.87	13	3.66	16	0.70	12	1.70	10	1.07	8	26.77	142
10	3.96	11	1.18	14	3.76	12	2.82	13	2.52	9	1.78	7	26.36	126
12	2.34	11	0.22	7	3.32	14	2.97	11	1.09	9	2.49	11	26.35	127
8	3.83	12	2.56	11	1.73	10	0.67	7	3.65	12	2.76	7	26.88	99
14	4.99	12	3.32	11	3.98	11	1.49	8	3.10	7	0.43	5	27.80	110
10	8.58	18	2.15	9	0.38	3	1.23	6	4.50	17	2.91	9	33.45	129
10	0.31	5	1.87	11	2.54	8	4.99	11	1.94	8	1.40	7	25.21	119
8	1.91	8	0.04	1	3.82	12	3.82	11	1.37	6	2.62	7	23.91	97
8	3.84	13	2.50	9	2.59	7	1.42	7	2.93	14	0.42	2	23.34	92
5	2.50	9	1.54	8	2.59	8	0.49	9	1.33	5	2.63	7	19.59	79
17	8.02	14	1.28	7	2.54	12	2.86	10	1.13	11	1.52	7	28.65	122

TABLE II.—Depth of Rain in inches and number of

Year.	January.		February.		March.		April.		May.		June.	
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
1874.....	2.82	13	1.15	6	1.39	10	1.24	4	1.49	8	1.79	13
1875.....	R	1	0.47	5	0.93	3	1.23	10	2.98	14	1.82	7
1876.....	1.96	12	2.30	7	1.25	6	1.80	13	3.23	13	1.59	8
1877.....	0.03	2	0.00	0	2.45	7	2.27	9	1.35	10	0.90	14
1878.....	1.96	7	1.47	5	3.39	17	2.62	10	2.59	13	1.90	10
1879.....	0.05	1	0.28	3	1.09	9	0.69	6	1.27	9	4.48	14
1880.....	1.41	9	0.95	8	0.96	8	3.12	14	4.02	15	3.56	15
1881.....	0.18	1	1.58	7	1.87	5	0.07	3	2.22	16	2.55	15
1882.....	1.22	6	1.18	7	1.55	10	1.00	7	3.58	11	2.63	12
1883.....	0.15	3	1.01	7	0.05	2	2.08	8	4.30	19	4.96	14
1884.....	0.16	2	1.15	10	1.47	8	0.68	8	2.25	16	2.20	8
1885.....	0.91	3	0.28	2	0.21	2	2.25	7	2.21	14	4.21	12
1886.....	2.61	8	2.07	8	2.68	7	2.24	9	2.41	8	1.92	12
1887.....	0.74	4	2.12	9	0.61	3	1.60	11	0.80	9	2.65	11
1888.....	0.69	5	0.91	9	1.91	8	1.36	7	0.84	16	3.99	11
1889.....	1.34	5	0.28	3	0.00	0	1.40	7	3.14	15	3.56	17
1890.....	2.73	14	1.92	11	0.69	6	1.78	13	2.92	23	4.86	13
1891.....	1.91	7	1.65	9	0.98	7	2.39	12	0.51	11	3.04	11
1892.....	0.20	3	0.59	6	0.53	6	1.22	10	3.49	18	5.81	18
1893.....	0.53	3	0.61	6	1.61	10	4.15	14	3.98	13	1.84	14
1894.....	0.96	10	0.63	5	1.27	13	0.62	8	9.07	21	1.38	15
1895.....	1.07	4	R	0	0.38	5	1.38	9	2.37	7	0.75	9
1896.....	1.86	3	0.98	4	1.33	6	0.73	12	2.44	12	1.11	6
1897.....	0.80	5	1.57	4	2.33	11	2.12	13	3.02	12	2.91	10
1898.....	2.38	6	0.61	7	2.40	11	1.65	4	2.30	7	1.95	8
1899.....	2.40	5	1.18	6	2.78	9	1.44	8	3.28	12	0.65	8
1900.....	0.47	8	2.14	7	1.62	3	1.82	11	1.01	6	2.43	9
1901.....	0.78	5	0.00	0	1.38	7	2.98	11	3.54	17	2.67	9
1902.....	0.06	3	0.92	2	2.19	10	2.15	14	1.89	10	3.55	12

See also Supplementary Table for years prior to 1874; pages 114, 115.

ONTARIO.

days. Latitude, N. $43^{\circ} 39'$; Longitude, W. $79^{\circ} 17'$.

July.		August.		September.		October.		November.		December.		Year.	
Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
3.35	11	0.38	4	1.55	11	1.42	11	0.93	7	0.65	5	17.56	103
1.81	6	1.88	14	2.82	13	2.41	15	1.90	6	1.62	9	18.98	103
3.29	15	R	2	2.45	16	1.43	12	1.75	13	0.90	0	21.06	117
2.72	11	3.16	14	0.41	8	2.64	14	5.45	16	0.50	11	21.88	116
5.63	12	7.09	12	7.69	13	3.27	16	3.40	12	2.35	5	43.39	132
2.61	12	2.17	9	2.98	18	1.11	8	3.24	11	2.55	7	22.51	107
3.52	16	4.39	16	3.01	13	3.27	12	2.23	8	0.47	6	30.92	140
1.84	9	1.51	8	0.90	14	3.81	20	2.56	13	2.04	12	21.14	123
1.06	11	2.51	14	2.09	8	1.15	8	1.39	9	1.21	7	59.59	110
5.57	14	1.83	8	2.38	14	0.96	14	2.08	13	0.35	8	25.73	124
2.11	15	2.12	12	3.19	16	1.42	14	1.79	6	1.97	8	20.53	123
2.11	9	3.92	14	3.63	6	3.72	13	1.90	13	1.97	8	26.42	103
2.44	10	2.63	9	3.76	17	2.65	13	2.16	8	0.36	3	27.93	112
0.66	9	1.99	9	1.20	9	1.62	14	2.03	9	1.91	9	17.97	106
0.86	9	2.67	13	3.42	14	2.73	20	2.70	14	0.60	7	22.82	133
3.26	13	0.42	10	2.08	14	1.87	14	2.71	15	4.51	11	24.57	127
4.11	11	3.02	13	1.85	10	4.95	18	3.49	11	0.97	2	32.30	145
2.16	12	4.82	13	1.69	8	1.71	11	3.19	14	2.45	10	26.50	125
2.49	14	3.99	16	3.13	19	1.25	14	1.67	11	0.92	8	25.29	134
2.27	14	5.76	12	1.25	12	3.68	10	2.72	11	2.75	9	31.15	128
1.62	13	0.37	5	5.49	14	2.35	17	0.19	12	1.86	11	25.81	144
2.47	13	3.01	13	2.45	9	0.88	8	4.15	13	3.67	13	22.57	103
2.18	11	1.13	9	5.07	15	1.98	11	2.59	11	0.34	4	21.74	104
5.24	13	2.26	8	0.39	5	1.44	9	3.69	14	2.35	6	28.12	110
0.69	9	1.08	8	2.79	9	5.39	16	1.60	8	0.71	5	23.35	98
1.03	11	0.27	2	5.16	12	4.54	15	0.96	9	2.18	8	25.81	105
2.72	12	2.74	11	1.43	7	2.12	9	3.03	12	0.61	4	22.14	99
3.37	11	3.86	12	3.05	7	0.54	9	1.34	9	2.23	5	25.14	102
4.37	16	2.38	10	3.36	13	2.77	15	1.01	10	1.56	7	26.21	122

KINGSTON,

TABLE II.—Depth of Rain in inches and number of

Year.	January:		February:		March:		April:		May:		June:	
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
1874.....	2.71	11	1.89	7	2.61	10	0.90	6	1.83	10	2.35	13
1875.....	0.91	1	0.56	6	0.52	3	1.37	8	4.24	4	1.12	11
1876.....	2.29	11	0.84	2	1.90	10	1.80	10	0.98	11	2.02	14
1877.....	0.65	3	0.08	2	3.66	9	2.24	10	0.72	8	1.79	12
1878.....	1.96	6	2.51	5	2.47	9	2.09	18	2.01	16	1.94	12
1879.....	R	2	0.45	1	0.39	4	0.20	4	2.21	11	3.36	17
1880.....	2.10	12	0.35	7	0.59	6	1.83	12	2.60	12	2.87	11
1881.....	0.16	2	1.46	8	1.12	4	0.39	4	3.57	18	2.06	17
1882.....	1.23	4	0.79	7	1.40	12	1.10	10	4.10	14	3.67	15
1883.....	0.61	3	0.71	5	0.30	2	1.25	6	4.92	20	3.01	13
1884.....	0.29	1	0.81	6	1.27	5	0.66	7	2.69	18	0.86	9
1885.....	1.22	4	0.45	2	0.69	4	2.73	10	2.38	12	3.98	12
1886.....	2.21	6	1.44	5	3.27	6	1.31	10	2.71	10	2.88	9
1887.....	1.11	5	1.91	10	0.46	7	1.68	10	0.76	6	2.30	7
1888.....	0.99	0	0.29	2	1.17	6	1.34	6	1.24	16	1.03	14
1889.....	2.52	5	0.30	2	0.68	1	1.80	8	1.86	13	6.67	14
1890.....	2.99	8	2.44	9	0.20	7	1.77	11	3.26	18	1.97	9
1891.....	1.67	10	1.76	9	1.86	9	1.23	15	1.18	12	1.43	9
1892.....	0.50	3	0.25	3	0.47	4	0.77	10	3.46	21	5.44	18
1893.....	1.28	3	0.61	6	1.04	6	2.51	13	5.39	17	2.56	15
1894.....	1.21	9	0.11	1	1.77	13	1.51	8	3.44	14	2.11	14
1895.....	0.35	6	0.99	2	0.36	4	1.69	9	1.48	12	1.18	7
1896.....	0.66	1	1.00	3	1.69	4	0.60	5	2.49	12	1.67	10
1897.....	0.73	6	0.93	2	1.75	6	2.14	10	2.83	11	2.31	10
1898.....	2.46	6	0.51	5	2.43	10	1.00	6	3.86	12	1.81	15
1899.....	1.40	7	0.64	5	1.59	9	1.03	5	2.93	16	1.37	10
1900.....	1.37	4	2.19	6	0.26	3	1.01	8	2.35	9	2.06	9
1901.....	0.27	3	0.00	0	2.83	9	3.04	13	3.73	17	4.14	11
1902.....	0.44	1	0.28	2	2.47	10	3.30	15	1.96	16	4.37	14

ONTARIO.

days. Latitude, N. $44^{\circ} 13'$; Longitude, W. $76^{\circ} 29'$.

July.		August.		September.		October.		November.		December.		Year.	
Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
3.07	13	1.13	4	1.93	13	2.99	16	1.65	9	0.28	9	23.34	121
2.56	7	1.59	10	3.44	14	2.55	13	1.61	9	1.36	7	20.93	92
3.12	12	0.36	3	2.40	18	1.61	13	2.05	13	0.0	0	19.46	117
3.87	11	0.47	9	1.14	8	4.14	14	5.68	16	1.34	9	25.18	111
4.56	11	5.26	17	4.97	15	5.51	17	4.61	13	3.85	4	41.74	142
2.30	19	3.22	13	2.98	10	0.88	6	3.48	14	1.77	8	20.99	100
3.63	12	0.32	7	2.16	11	4.93	18	2.25	8	0.35	5	24.96	121
0.54	13	0.34	8	1.15	11	2.77	18	1.18	13	4.71	13	19.45	129
1.99	10	2.51	11	3.86	11	1.12	13	1.71	7	0.51	4	23.99	118
4.70	13	1.97	9	2.70	9	3.64	8	2.86	13	0.94	4	27.61	105
4.24	13	3.81	7	2.74	9	1.49	17	2.95	11	2.87	7	24.59	110
4.56	11	2.97	14	3.77	9	3.99	12	2.74	17	1.42	10	30.80	117
2.25	9	1.66	4	5.49	14	2.01	11	2.66	7	1.83	4	29.92	95
3.17	11	1.28	8	1.90	12	4.51	17	1.95	9	2.07	6	23.00	108
1.35	10	5.56	11	3.20	12	3.92	15	4.94	13	1.86	9	25.90	114
4.56	15	2.08	11	1.36	11	1.67	13	1.50	12	2.84	16	27.19	121
2.11	11	2.51	14	3.62	15	2.24	14	2.22	14	0.26	1	26.29	131
5.21	18	3.37	13	1.12	14	1.61	10	2.41	12	2.64	11	24.89	142
2.62	10	7.77	13	1.49	10	1.20	14	2.10	11	0.71	8	26.78	125
2.15	11	5.25	12	1.56	15	2.32	10	2.60	12	2.23	7	29.44	127
3.09	13	0.35	10	3.10	13	4.01	15	2.36	11	0.72	9	23.78	130
2.50	15	2.25	17	1.62	9	1.11	9	3.61	11	3.86	12	20.30	113
1.67	9	2.13	16	3.85	14	1.63	13	2.73	17	0.68	9	20.20	113
4.53	14	1.19	6	0.81	7	1.09	7	2.48	12	2.07	7	22.86	98
0.16	6	3.47	12	4.75	11	5.05	11	0.85	7	0.73	6	27.08	107
1.42	7	0.38	6	3.95	12	2.30	13	1.24	8	3.46	7	21.91	105
2.21	12	1.22	8	4.13	12	2.87	9	2.62	13	0.58	8	23.09	101
3.56	12	3.21	7	3.11	7	1.80	11	1.62	7	2.92	7	30.23	104
4.52	13	2.04	12	1.34	8	3.46	12	1.34	10	1.22	4	26.54	117

MONTREAL.

TABLE II.—Depth of Rain in inches and number of

Year.	January.		February.		March.		April.		May.		June.	
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
1874.	2.94	7	1.01	2	1.13	6	1.44	5	3.53	12	3.82	14
1875.	0.00	0	0.42	3	0.80	2	1.18	6	5.13	16	3.26	12
1876.	1.87	7	1.12	4	0.74	5	1.03	10	3.45	21	3.21	15
1877.	0.12	2	0.34	7	2.73	8	1.98	12	0.62	18	2.35	16
1878.	0.40	5	0.28	3	0.58	8	3.55	19	4.11	18	1.18	14
1879.	0.00	0	0.03	1	1.23	9	0.27	5	0.76	11	4.82	21
1880.	1.27	12	1.14	6	0.04	2	3.17	18	2.97	19	3.27	16
1881.	R	1	2.04	5	0.24	8	0.44	7	3.25	21	1.39	12
1882.	1.18	4	0.58	4	2.46	8	1.58	11	1.50	15	4.74	20
1883.	0.34	3	0.51	4	0.04	2	0.84	10	6.94	20	3.45	19
1884.	0.22	2	2.18	9	1.32	7	2.09	10	3.51	19	3.38	9
1885.	1.11	5	0.50	1	0.36	3	1.16	10	1.66	9	3.61	15
1886.	1.95	4	0.70	6	0.80	5	0.47	9	2.72	18	2.92	15
1887.	1.41	7	0.79	2	0.11	4	3.02	11	1.26	6	2.44	12
1888.	0.08	2	0.55	2	1.17	6	0.80	11	1.97	16	3.12	19
1889.	1.88	7	0.30	2	0.62	9	2.14	11	2.97	16	4.73	20
1890.	1.64	7	2.85	10	0.48	5	1.80	12	4.85	18	2.72	14
1891.	1.29	6	1.62	8	2.65	9	2.38	12	1.71	12	1.75	8
1892.	0.73	5	0.00	0	0.29	5	1.01	9	2.20	15	8.00	22
1893.	0.10	1	0.42	4	1.28	5	1.32	12	3.36	19	4.99	14
1894.	0.90	7	0.12	1	1.45	11	0.59	8	3.73	17	4.02	17
1895.	1.36	1	R	2	0.45	4	3.76	12	3.31	17	3.74	12
1896.	0.00	0	0.35	1	2.13	7	0.85	12	2.74	16	4.06	11
1897.	0.41	4	0.48	4	1.80	12	3.02	18	3.74	22	3.76	20
1898.	0.57	4	0.55	3	2.55	10	1.00	6	2.62	16	5.57	19
1899.	2.03	5	0.54	5	2.23	8	1.37	13	1.59	14	2.46	16
1900.	1.93	5	2.98	5	0.13	3	1.39	15	3.11	11	4.33	14
1901.	0.27	4	0.00	0	2.90	6	4.01	14	2.50	17	1.97	10
1902.	0.81	2	0.05	1	5.50	11	2.55	13	3.80	15	5.71	17

* Days not given. See also supplementary table for years prior to 1874, pages 116, 117.

QUE.

days. Latitude, N. $45^{\circ} 30'$; Longitude, W. $73^{\circ} 35'$.

July.		August.		September.		October.		November.		December.		Year.	
Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
5 99	14	1 55	9	3 07	8	1 56	13	1 03	6	0 06	1	27 13	97
3 64	14	2 59	14	5 18	15	4 74	20	0 50	2	0 68	8	28 12	112
4 33	17	1 98	9	5 51	16	2 61	17	1 76	12	0 00	0	27 61	133
3 65	17	3 56	20	1 50	12	3 19	18	4 31	16	1 17	8	25 46	154
5 47	14	3 95	22	1 59	11	5 39	19	3 47	16	2 70	4	32 67	153
4 88	20	1 40	13	3 18	15	1 70	10	2 81	13	1 59	7	22 67	125
5 35	17	1 44	13	2 83	17	4 41	17	3 63	8	0 29	2	29 84	147
3 31	18	2 08	10	1 93	11	3 80	19	1 09	14	3 25	12	22 82	138
6 04	17	2 52	11	3 63	12	1 34	14	1 39	14	0 04	3	27 00	133
4 72	18	1 60	13	3 57	15	2 49	14	2 05	14	1 03	6	27 58	138
4 73	19	1 75	7	3 37	11	2 62	17	2 13	12	1 53	8	28 83	130
2 85	10	2 46	14	4 16	12	7 49	15	3 70	12	5 07	8	34 13	114
3 71	13	4 79	16	3 85	14	1 79	10	2 22	9	0 96	3	26 88	122
2 66	16	1 72	9	1 32	12	2 93	15	1 76	9	1 93	6	21 35	109
1 32	13	7 89	19	3 69	16	3 82	22	5 10	16	1 57	8	31 08	150
7 16	20	2 73	13	4 63	14	3 34	12	1 68	14	3 19	11	35 37	149
2 78	17	8 08	20	3 57	11	2 69	15	2 46	13	0 05	1	33 97	143
4 80	20	3 70	14	1 03	14	2 38	13	2 71	11	2 14	11	28 16	138
2 95	18	5 24	13	2 92	10	1 57	18	1 36	9	0 80	2	27 07	126
4 59	16	7 37	15	2 40	12	2 18	13	1 31	11	0 76	5	30 08	127
2 82	19	1 80	16	2 73	14	4 03	22	1 47	5	0 55	5	24 21	142
2 38	12	6 92	23	3 40	10	0 64	14	3 80	11	2 12	10	31 88	131
4 84	21	5 35	14	3 11	17	2 48	17	3 48	18	0 08	1	29 47	135
4 42	19	1 95	21	1 15	18	0 65	9	2 66	11	2 76	6	26 80	164
2 11	13	2 56	22	6 08	22	4 57	16	0 51	8	0 99	5	29 68	144
7 72	21	2 52	11	5 08	17	3 39	12	1 60	12	2 35	9	32 88	143
7 41	19	3 14	13	3 62	11	2 25	10	4 17	14	0 24	6	34 70	126
5 27	10	5 44	11	5 95	12	3 50	11	1 05	5	2 89	6	33 75	106
3 14	18	4 41	8	2 91	14	2 67	19	2 56	12	1 43	4	35 54	134

TABLE II.—Depth of Rain in inches and number of

Year.	January.		February.		March.		April.		May.		June.	
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
1874.....	2.55	4	0.55	2	0.84	4	0.10	1	6.53	12	4.09	15
1875.....	0.00	0	0.06	1	0.12	3	0.76	5	3.63	12	2.18	11
1876.....	0.79	4	0.30	1	1.47	7	0.32	5	2.64	12	4.89	13
1877.....	0.20	1	0.00	0	1.00	4	1.61	7	0.67	5	3.93	16
1878.....	0.11	2	0.00	0	0.74	3	2.22	16	3.34	18	2.02	9
1879.....	0.00	0	R	1	2.59	6	1.03	3	2.35	16	5.90	18
1880.....	0.51	4	0.60	5	0.02	1	4.26	11	4.41	16	1.91	14
1881.....	0.00	0	1.76	4	2.62	8	0.31	5	2.03	15	1.32	9
1882.....	0.45	2	0.86	2	1.64	4	0.08	2	2.05	14	4.99	19
1883.....	0.00	0	0.71	2	0.18	2	0.33	5	4.01	19	3.48	19
1884.....	R	1	R	3	0.49	4	1.54	1	2.48	15	2.35	9
1885.....	1.32	4	0.00	0	0.30	3	0.38	6	2.00	9	3.37	16
1886.....	1.22	5	0.78	3	0.14	2	0.41	6	4.20	21	2.27	15
1887.....	1.39	3	0.47	2	0.04	2	1.93	9	0.27	8	2.59	13
1888.....	0.04	3	0.03	1	0.87	4	0.09	4	3.55	15	5.32	17
1889.....	1.84	6	0.25	1	0.99	7	1.22	12	2.21	11	3.68	18
1890.....	1.32	4	2.62	8	0.37	5	1.42	10	4.39	21	4.03	20
1891.....	0.31	4	1.38	5	2.36	8	2.37	11	2.60	14	1.39	11
1892.....	1.81	8	0.00	0	0.20	1	1.33	8	3.22	14	5.92	20
1893.....	0.18	1	0.41	3	0.61	5	1.36	9	3.26	21	4.31	15
1894.....	0.26	3	0.06	1	1.68	6	0.74	9	3.54	20	5.54	19
1895.....	0.11	3	0.00	0	0.78	5	3.38	12	2.68	16	5.20	11
1896.....	0.00	0	0.57	2	1.37	8	1.10	7	2.15	14	1.52	13
1897.....	1.53	5	0.25	2	0.30	4	3.61	12	5.14	17	2.56	15
1898.....	0.00	0	0.70	3	2.42	7	1.10	6	3.55	15	6.14	16
1899.....	0.59	2	0.86	4	0.32	2	0.34	5	2.41	11	3.81	15
1900.....	0.85	3	3.33	4	0.10	1	0.78	5	1.42	13	3.97	15
1901.....	0.00	0	0.00	0	2.69	5	2.26	16	3.73	14	9.23	16
1902.....	0.59	3	0.02	1	4.92	14	2.03	7	5.18	12	6.16	20

See also supplementary table for years prior to 1874, pages 116, 117.

QUE.

days. Latitude N. 46° 48'; Longitude W. 71° 13'.

July.		August.		September.		October.		November.		December.		Year.	
Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
5.83	12	1.78	9	1.98	7	2.96	14	0.44	3	0.36	2	27.11	85
3.11	13	5.52	14	6.63	11	2.86	10	0.00	0	0.68	4	25.55	84
3.59	13	1.76	8	2.91	15	2.33	16	0.83	11	0.00	0	21.83	105
0.53	10	2.91	12	2.41	10	3.34	12	3.28	14	1.10	3	20.98	94
4.96	13	3.77	17	2.19	14	4.43	16	5.86	8	1.86	3	31.50	119
5.51	16	4.26	16	4.43	13	2.95	10	4.24	7	2.17	4	35.43	110
3.26	16	3.48	16	4.72	19	6.35	19	1.49	6	0.00	0	31.01	127
3.19	15	4.82	15	2.23	14	3.93	17	2.35	11	2.16	8	26.72	121
4.43	19	6.01	17	5.88	12	1.84	12	1.86	5	0.03	2	30.12	110
3.45	13	2.76	15	2.94	12	2.73	15	2.29	14	1.37	2	24.25	118
6.70	22	1.73	9	4.41	15	2.78	14	1.24	7	1.90	6	25.62	117
2.92	17	2.29	12	4.24	16	4.49	15	0.58	9	0.41	5	22.21	112
4.01	17	5.31	14	4.89	18	1.33	9	1.77	11	0.38	2	26.91	123
3.72	16	3.87	12	1.54	10	3.19	7	0.78	5	0.17	2	19.96	89
3.68	14	6.17	25	4.63	17	2.46	18	2.68	14	2.38	5	31.90	137
3.93	19	3.87	24	8.75	11	3.61	16	1.88	14	1.80	7	34.03	146
5.05	19	7.60	21	2.24	11	1.35	16	1.35	10	0.00	0	31.74	145
5.56	22	3.55	17	2.52	13	1.63	10	3.87	11	1.33	9	28.87	135
4.13	18	3.18	15	3.53	13	1.63	15	1.41	5	0.04	2	26.40	119
3.82	17	3.61	18	2.95	16	2.90	11	0.98	9	0.05	2	23.53	125
6.67	20	2.75	17	2.80	18	4.50	24	1.27	9	0.43	3	30.24	149
2.33	14	6.26	22	2.22	13	0.75	12	1.96	14	2.39	10	28.06	132
5.19	19	4.72	12	4.72	15	6.84	15	5.25	15	0.19	3	33.22	123
3.85	12	4.36	18	2.09	11	1.25	6	2.07	9	1.15	5	28.16	116
3.43	16	2.78	14	4.77	14	4.03	15	0.45	5	0.77	5	30.14	116
5.16	16	2.52	7	3.06	16	2.04	7	2.34	12	2.83	6	26.28	103
7.12	20	2.32	13	4.30	15	2.75	13	3.48	13	0.18	1	30.60	116
3.45	11	5.83	12	2.90	11	3.11	12	0.13	3	0.81	5	34.14	105
3.79	15	3.88	12	4.26	13	4.42	21	1.71	9	0.86	3	37.82	130

TABLE II.—Depth of Rain in inches and number of

Year.	January.		February.		March.		April.		May.		June.	
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
1874.....	R	4	0.65	2	0.61	4	0.50	4	0.90	13	1.70	14
1875.....									0.43	11	0.52	6
1876.....	0.02	1										
1877.....	0.14	2			1.86	7	1.18	8	2.10	14	2.87	14
1878.....	0.01	2			0.22	5	2.41	14	3.06	18	3.90	17
1879.....	R	1	0.96	5	1.44	5	3.37	13	4.20	19		
1880.....	R		0.26	3			2.42	9	2.64	16	1.21	7
1881.....			0.57	2	0.72	3	0.32	3	2.70	7	1.86	12
1882.....			0.44	2	0.74	5	0.48	3	1.67	9	3.66	22
1883.....			0.15	2	0.48	2	0.53	6	0.92	12	0.75	9
1884.....	R	1			0.80	5	2.46	14	3.36	16	1.92	11
1885.....			0.68	4			0.10	1	0.21	6	1.00	7
1886.....	1.57	4	0.39	2	0.35	1	0.11	4	2.71	19	3.04	17
1887.....					0.33	3	0.88	6	0.60	6	3.73	16
1888.....					1.58	6	0.97	4	3.80	16	3.28	16
1889.....	0.18	3	0.07	1	0.65	4	2.38	10	2.40	14	5.21	14
1890.....	0.71	2	0.31	4	0.20	2	0.44	6	3.35	17	3.66	16
1891.....			1.06	1	1.32	6	0.98	9	2.39	9	5.64	6
1892.....	0.60	4	R	2	0.30	2	0.59	5	2.35	12	2.82	14
1893.....	0.20	1			1.35	5	0.64	8	2.53	16	0.85	6
1894.....					0.75	3	1.01	5	1.99	15	2.22	12
1895.....					0.04	1	1.75	11	3.79	20	3.86	15
1896.....			0.21	1	1.61	6	0.48	6	3.37	12	3.37	11
1897.....	1.68	5					3.23	12	3.14	16	1.84	13
1898.....			0.56	2	1.15	8	1.24	3	2.99	15	2.60	19
1899.....	0.19	3			0.14	1	0.66	4	1.39	8	4.59	17
1900.....					1.49	4	0.35	3	0.98	5	2.45	10
1901.....			0.00	0	0.00	0	2.06	7	1.86	12	2.39	13
1902.....	0.52	2	0.02	1	3.16	15	1.46	12	3.35	15	8.15	20

* Doubtful.

† Years not completed.

FALL OF CANADA.

QUEBEC.

days. Latitude, N. 48° 31'; Longitude, W. 68° 19'.

	July.		August.		September.		October.		November.		December.		Year.		
Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	
14	0.92	13	0.79	8	1.12	19	0.52	9	0.16	3	0.00	0	7.27	.84	
6					2.30	10	0.48	8	R	1	0.41	3		†	
	4.88	16	1.82	11	2.99	11	1.66	12	1.61	9				†	
14	1.48	12	4.19	17	2.56	9	2.43	11	1.85	10	0.85	2	21.51	106	
17	4.82	14	4.34	17	0.74	13	4.60	20	0.91	9	1.99	2	27.00	131	
19	4.34	14	3.34	13	2.48	18	3.12	11	1.22	10	1.00	4	25.47	113	
7	2.20	12	1.15	8	4.32	20	4.77	16	0.07	2			19.04	94	
12	5.04	16	4.10	20	2.28	13	1.56	13	1.76	5	0.53	4	21.44	98	
22	3.05	16	2.93	9	4.64	12	1.97	12	1.26	4			20.84	94	
9	0.84	9	1.20	10	3.12	10	2.21	7	1.96	9	0.53	2	12.69	78	
11	5.43	21	1.59	14	2.34	16	1.21	10	0.73	3	0.76	4	20.60	114	
18	2.35	12	2.66	12	4.76	17	1.85	11	2.25	8	0.01	2	22.90	98	
17	1.31	16	2.99	12	5.61	15	1.07	6	0.89	9	0.20	2	20.24	107	
16	3.54	19	2.91	14	3.20	16	3.93	13	0.83	5	0.12	3	20.07	95	
16	3.69	14	6.17	20	1.87	9	8.09	16	2.07	11	0.65	3	31.18	115	
14	2.03	8	4.11	16	3.89	11	2.40	11	2.01	6	0.24	1	25.57	99	
16	1.27	13	3.27	17	2.46	12	2.95	10	0.92	5			19.54	104	
4	6	3.10	15	1.60	14	3.78	11	2.25	12	1.34	8	0.32	7	17.78	98
2	14	2.38	11	4.19	16	2.59	13	1.40	16	2.03	10	0.37	2	19.62	107
5	6	3.00	19	3.96	18	3.06	16	1.91	13	0.54	8			18.04	109
2	12	3.67	18	2.38	17	3.28	12	4.42	16	0.53	4	0.63	3	20.88	105
6	15	1.37	12	3.47	21	1.66	14	1.34	11	2.25	8	1.97	7	21.50	120
7	11	3.46	15	3.17	12	3.15	15	4.20	16	3.52	12			26.54	106
4	13	3.14	12	3.97	18	3.00	11	1.76	9	2.32	6	1.21	4	25.29	101
10	19	2.35	13	3.11	17	2.23	17	2.49	13	1.25	10	0.36	2	20.33	119
9	17	4.61	18	1.52	12	2.99	17	1.45	12	0.98	7	1.17	5	19.69	101
32	12	4.57	17	0.96	10	5.08	17	2.41	11	1.90	8			22.51	97
37	17	1.08	8	2.94	11	1.44	6	4.78	17	0.04	2	0.19	1	19.25	94
15	20	2.36	9	5.80	15	3.21	13	3.57	14	0.99	10	0.10	2	32.69	128

TABLE II.—Depth of Rain in inches and number of

Year.	January.			February.			March.			April.			May.			June.		
	Days.	Depth.	Days.	Days.	Depth.	Days.	Days.	Depth.	Days.	Days.	Depth.	Days.	Days.	Depth.	Days.	Days.	Depth.	Days.
1874.....	2.38	14	1.10	4	1.71	6	0.25	3	2.84	11	3.38	21						
1875.....	0.01	1	1.61	9	0.50	3	1.75	8	2.93	13	2.78	11						
1876.....	1.24	7	0.82	4	1.01	7	0.58	7	2.28	19	2.37	15						
1877.....	0.14	4	0.18	4	3.78	13	2.25	12	3.10	11	0.98	10						
1878.....	1.78	10	0.55	3	3.30	9	2.16	17	2.85	11	3.41	8						
1879.....	0.00	0	0.41	2	1.62	11	0.32	5	2.10	14	2.62	18						
1880.....	1.49	11	1.17	3	0.18	1	0.90	7	3.22	21	2.98	13						
1881.....	1.21	4	1.14	5	1.76	6	1.54	12	2.56	17	4.87	16						
1882.....	0.42	3	0.99	3	1.38	4	1.30	5	3.07	14	3.28	18						
1883.....	0.43	2	1.36	5	1.17	5	1.18	8	4.17	19	2.21	15						
1884.....	0.24	2	2.33	10	1.66	7	3.86	18	4.33	13	3.18	15						
1885.....	1.37	8	0.36	3	0.72	3	3.08	13	2.51	15	2.38	11						
1886.....	5.31	12	0.57	6	0.47	4	0.48	5	4.40	17	1.40	10						
1887.....						
1888.....						
1889.....	0.70	6	1.87	3	1.14	10	2.63	15	2.10	19	5.02	19						
1890.....	0.90	4	2.25	6	1.37	13	2.77	8	2.94	15	3.86	18						
1891.....	1.96	6	1.73	10	0.62	5	1.04	8	2.45	13	2.57	12						
1892.....	3.85	12	R	2	2.10	8	1.42	9	4.16	16	2.28	10						
1893.....	0.95	5	0.57	2	1.69	6	0.79	10	1.29	13	0.47	6						
1894.....	0.80	5	0.25	4	0.30	3	1.11	10	2.65	17	2.69	13						
1895.....	0.91	5	0.60	0	0.68	4	1.08	6	3.26	17	0.59	10						
1896.....	0.12	2	0.28	1	2.73	8	0.66	6	1.25	11	3.78	13						
1897.....	1.26	4	R	1	2.64	6	2.78	8	3.25	12	3.73	13						
1898.....	1.48	4	0.22	2	1.02	5	4.73	13	2.36	7	2.76	16						
1899.....	1.32	4	1.63	2	1.54	7	2.66	5	1.73	6	2.78	14						
1900.....	2.37	10	1.94	7	2.34	7	2.60	10	2.61	13	2.25	11						
1901.....	1.68	4	0.28	3	1.25	8	0.90	7	3.43	12	1.29	9						
1902.....	0.86	6	0.34	2	2.08	12	2.25	11	1.67	14	3.78	16						

*No record.

NOW
TOWN,
ber of

P.E.I.

days. Latitude N. $46^{\circ} 14'$; Longitude W. $63^{\circ} 10'$.

	July.		August.		September.		October.		November.		December.		Year.	
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
Days.	2 79	12	2 53	14	4 47	13	2 50	16	1 88	12	2 04	8	27 87	134
21	3 38	13	5 65	12	3 20	14	6 07	18	2 33	11	0 61	5	30 82	118
11	4 18	18	3 42	10	1 33	8	3 89	12	3 73	13	0 78	6	25 63	126
15	2 92	16	2 16	14	4 67	10	5 76	14	4 26	16	0 99	6	31 17	130
10	3 82	12	4 13	14	1 18	8	4 59	20	3 62	14	1 08	9	32 45	135
8	3 45	16	5 36	19	3 24	16	4 43	15	0 73	13	1 44	6	25 72	135
18	3 29	14	3 58	14	2 88	15	2 87	15	1 54	9	0 94	8	24 24	131
13	3 36	18	3 54	21	1 42	13	4 12	17	1 08	12	2 51	12	29 11	153
16	3 68	15	2 35	14	4 12	16	4 15	11	1 14	8	0 84	4	26 72	115
18	4 22	11	3 03	13	3 50	10	4 94	17	1 97	13	2 56	11	30 74	129
15	8 97	20	2 55	12	2 56	15	2 35	15	4 35	15	2 48	7	39 06	149
15	3 48	11	2 46	14	1 74	13	5 10	15	3 55	12	3 66	12	30 61	130
11	*	*
19	*	*
.....	2 95	18	4 69	21	5 15	16	4 65	28	3 78	17	2 92	12	*	*
.....	2 28	19	1 70	15	1 79	11	3 10	15	2 70	12	1 68	5	36 71	151
19	1 09	12	5 30	21	8 75	16	8 10	18	3 25	14	2 22	7	45 80	152
18	3 01	17	1 68	13	5 09	16	6 20	17	0 46	11	2 46	10	29 27	138
12	2 23	12	8 44	16	0 60	9	4 45	23	4 51	17	1 07	4	35 11	138
16	3 79	19	7 35	14	4 92	16	6 00	15	2 72	14	2 26	8	32 79	127
6	2 20	15	2 75	10	2 79	7	3 78	13	3 57	13	3 37	7	26 26	117
13	3 46	10	6 54	18	3 61	11	2 74	15	5 92	14	2 06	8	30 94	118
10	4 70	11	1 80	11	3 20	15	10 38	22	2 13	15	1 64	4	32 67	119
13	4 52	8	3 10	10	3 29	16	1 84	5	5 40	12	1 82	5	33 63	102
15	3 35	10	4 54	13	2 50	8	5 25	15	5 21	17	1 40	6	34 82	116
16	5 05	18	1 48	11	4 06	11	4 76	11	2 74	8	1 61	9	30 16	106
14	1 04	9	3 48	13	5 04	12	7 06	14	5 39	14	0 24	1	35 75	121
11	1 25	7	3 31	9	3 45	8	3 14	10	1 25	6	3 34	8	24 57	91
9	0 81	7	3 12	16	2 63	11	2 91	10	1 69	8	1 41	6	23 63	119

CHATHAM,

TABLE II.—Depth of Rain in inches and number of

Year.	January.		February.		March.		April.		May.		June.	
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
1874	1.28	5	0.30	2	2.54	3	0.56	5	4.91	13	6.92	20
1875	0.00	0	1.90	6	0.12	2	1.55	9	2.24	10	4.46	11
1876	1.88	6	0.69	2	3.60	9	1.25	11	3.47	14	3.20	14
1877	0.24	2	0.01	1	1.73	7	3.35	13	4.31	15	1.62	13
1878	1.07	6	0.20	2	1.07	7	2.85	18	3.14	23	3.50	13
1879	0.00	0	1.35	4	1.67	5	1.21	4	2.46	16	5.60	20
1880	0.57	3	1.11	4	0.00	0	2.28	9	3.87	18	3.09	14
1881	0.30	2	0.61	7	5.38	8	0.74	6	4.97	19	3.51	16
1882	0.17	1	0.64	2	3.64	4	0.39	3	3.94	15	6.77	17
1883	0.20	1	0.60	5	2.00	8	0.91	7	4.26	17	6.00	18
1884	0.31	3	1.61	3	1.84	6	4.66	18	4.39	20	2.43	13
1885	0.63	4	0.53	2	1.36	3	0.82	8	2.32	10	4.42	23
1886	1.86	4	1.09	4	0.28	3	0.16	4	4.58	14	2.92	11
1887	1.13	4	0.00	0	2.08	8	1.00	8	1.50	9	2.52	14
1888	0.34	2	1.14	5	1.17	6	0.13	4	1.45	11	1.87	15
1889	0.84	5	0.41	2	1.56	8	1.69	7	1.68	17	2.91	18
1890	0.54	5	0.63	5	1.00	4	0.26	6	5.36	24	4.01	20
1891	1.59	4	0.29	4	1.48	6	0.43	9	2.20	14	2.04	13
1892	3.75	5	0.07	3	0.99	4	1.14	9	2.92	17	2.57	12
1893	0.20	2	0.61	3	1.49	6	1.14	11	3.85	16	0.75	1
1894	0.36	2	0.18	1	0.66	4	1.30	8	0.78	12	3.57	13
1895	0.43	4	0.00	0	R.	1	1.77	8	2.56	15	2.57	13
1896	0.00	0	0.31	3	1.84	8	0.47	5	1.17	10	3.33	16
1897	1.54	3	0.00	0	0.62	2	2.64	15	4.75	20	2.39	13
1898	0.20	1	0.10	2	0.61	6	3.27	10	1.91	9	4.62	18
1899	0.43	4	0.18	1	0.96	6	0.59	4	1.07	8	3.31	17
1900	2.04	7	0.71	4	0.91	6	1.72	9	2.95	13	3.35	13
1901	2.35	4	0.12	2	1.88	7	5.55	13	1.53	10	1.30	13
1902	1.78	4	0.56	4	6.11	15	0.90	8	4.96	13	6.44	17

FALL OF CANADA

THAM,
umber of

NEW BRUNSWICK.

days. Latitude, N. $47^{\circ} 3'$; Longitude, W. $65^{\circ} 29'$.

no.	July.		August.		September.		October.		November.		December.		Year.	
	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.
29	4.18	13	3.44	8	1.99	12	2.52	8	2.51	9	0.01	1	31.11	.99
11	4.09	17	2.54	13	6.73	17	7.25	14	0.26	2	0.98	2	31.22	103
14	3.97	15	2.60	11	0.92	10	5.15	13	5.77	12	0.00	0	32.56	117
13	1.88	15	7.48	21	4.06	12	5.58	12	3.52	12	1.19	2	34.97	125
13	6.70	15	5.56	20	1.57	11	3.45	19	2.65	11	2.43	7	34.19	152
29	6.82	14	5.60	14	2.73	18	3.77	12	1.54	12	0.43	3	33.18	122
14	4.17	15	4.10	15	1.99	18	3.04	16	1.90	7	0.39	3	26.42	122
16	5.37	20	7.10	19	1.96	7	2.09	15	1.12	7	1.94	8	35.09	134
17	4.40	17	2.93	14	4.12	16	2.93	13	0.76	6	0.73	3	31.42	111
18	3.36	16	1.69	15	1.77	6	2.20	9	1.61	12	0.84	3	25.44	117
15	6.63	21	2.50	14	2.65	13	2.35	12	2.29	-8	2.78	8	34.44	141
23	4.86	17	4.15	12	2.97	10	4.39	11	3.23	9	0.74	8	29.52	117
11	2.50	16	1.96	15	2.98	15	1.21	7	3.45	12	1.35	3	23.43	108
14	3.92	19	3.40	11	1.37	11	3.02	12	3.68	6	1.47	4	25.09	106
15	2.12	15	4.79	17	3.50	13	8.84	17	5.14	15	1.01	7	31.56	127
18	1.91	13	2.27	13	1.49	10	3.60	19	2.77	9	0.81	5	21.94	126
29	3.56	14	5.84	16	4.52	13	2.95	12	0.77	7	0.53	4	29.97	130
17	5.70	17	5.76	20	4.19	16	3.88	10	2.04	8	1.27	7	30.87	128
12	5.90	15	7.24	17	1.58	12	1.83	15	2.93	9	2.28	4	33.20	122
9	4.84	17	7.22	15	2.98	17	3.19	13	1.12	11	0.19	2	27.58	122
13	3.39	16	3.82	16	2.64	7	5.16	14	1.47	9	1.30	7	24.63	109
13	3.17	13	4.90	16	1.34	11	2.44	13	4.21	15	2.91	6	26.30	115
18	3.89	16	2.09	11	4.12	18	5.83	17	2.43	11	0.21	2	25.69	117
13	3.32	11	3.14	17	3.91	12	0.96	6	6.32	13	1.43	4	31.02	116
16	3.96	11	3.73	14	1.40	9	4.67	14	2.58	12	0.64	5	27.69	109
13	6.15	18	1.02	7	2.01	10	2.80	7	2.64	7	1.77	8	22.93	.93
13	2.42	15	2.11	11	2.62	8	5.91	14	2.08	10	0.00	0	26.87	110
15	1.51	12	1.76	8	1.76	6	2.07	8	1.08	8	1.72	6	22.63	.97
17	1.65	10	4.47	17	4.14	15	3.14	12	1.28	6	1.72	4	37.15	125

TABLE II.—Depth of Rain in inches and number of

Year.	January.		February.		March.		April.		May.		June.	
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
1874.....	2.46	12	1.73	5	3.08	8	1.24	3	6.07	14	5.98	18
1875.....	0.05	2	2.82	8	0.59	2*	2.00	5	1.85	13	1.48	8
1876.....	1.78	7	1.62	5	2.18	8	1.28	8	2.82	16	5.50	15
1877.....	4.89	3	0.97	5	5.03	16	3.34	13	4.86	14	1.80	13
1878.....	4.37	10	1.46	2	7.87	13	5.73	15	2.92	16	3.01	11
1879.....	0.00	0	0.68	5	2.77	11	1.29	5	3.92	18	2.65	17
1880.....	4.64	12	2.26	5	1.13	2	2.20	10	2.21	15	2.54	16
1881.....	1.38	5	1.41	5	1.79	5	2.76	10	3.01	14	3.89	12
1882.....	1.61	4	0.93	3	3.77	9	1.85	8	5.52	17	6.17	19
1883.....	0.62	3	1.82	3	5.25	9	1.96	10	9.43	18	3.05	13
1884.....	3.06	8	3.37	10	2.48	6	3.96	14	4.47	15	4.57	10
1885.....	4.00	11	1.01	2	2.39	7	3.86	9	2.42	11	3.64	16
1886.....	6.87	14	0.93	5	1.33	4	0.80	6	6.75	14	3.17	14
1887.....	4.06	14	2.14	4	3.44	9	5.40	13	1.76	11	1.25	9
1888.....	1.99	5	3.63	9	1.47	7	2.25	6	1.92	12	3.28	11
1889.....	2.90	9	2.18	8	1.81	12	4.13	14	2.83	15	3.61	19
1890.....	0.43	7	1.56	7	4.15	15	1.93	9	2.17	19	5.45	18
1891.....	4.15	8	4.11	10	1.53	10	3.34	8	4.06	13	5.65	11
1892.....	6.06	14	1.61	7	5.88	8	1.91	7	5.21	15	0.92	16
1893.....	*	*	*	*	*	*	*	*	*	*	0.78	2
1894.....	1.29	3	1.75	7	2.52	5	3.85	9	1.08	7	3.36	11
1895.....	4.13	12	6.39	3	2.66	8	1.75	9	4.88	15	0.24	6
1896.....	0.42	2	0.94	2	5.84	10	0.78	5	3.06	11	3.47	11
1897.....	2.23	4	0.28	2	2.04	8	2.68	13	4.56	15	1.50	12
1898.....	1.80	4	1.50	5	1.79	8	4.76	11	1.46	7	2.04	11
1899.....	1.92	5	1.22	3	3.58	9	2.70	7	2.13	9	3.44	11
1900.....	7.72	14	5.60	9	7.12	12	6.66	10	3.28	9	2.44	9
1901.....	6.08	8	2.48	5	6.23	11	3.42	11	4.79	13	1.67	11
1902.....	2.54	9	2.18	9	4.48	14	2.85	12	2.67	15	3.20	16

*No records.

See also supplementary table for years prior to 1874, pages 116, 117.

FALL OF CANADA.

105

BRETON, NOVA SCOTIA.

days. Latitude, N. 46° 10'; Longitude, W. 60° 10'.

	July.		August.		September.		October.		November.		December.		Year.	
Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
18	1 74	8	1 95	10	4 36	12	3 40	12	2 98	12	3 77	12	38 75	126
8	4 51	14	5 04	11	1 92	13	4 22	20	4 47	9	0 62	4	29 57	48
15	7 24	20	4 95	15	2 67	12	4 10	15	5 48	18	2 16	6	41 78	145
13	3 93	18	1 71	18	3 37	13	5 21	17	7 89	14	1 57	5	40 57	149
11	1 44	14	6 11	15	0 98	9	3 54	18	6 65	19	4 10	9	48 18	151
17	4 29	15	2 43	14	3 75	13	2 82	15	2 61	10	2 11	7	29 32	130
16	4 33	16	3 00	11	4 13	14	4 32	12	2 99	11	3 04	12	36 82	136
12	3 93	15	4 08	16	2 26	10	2 83	15	1 84	10	3 32	10	32 50	127
19	3 68	13	5 48	15	7 87	12	5 38	15	4 45	13	0 75	5	47 46	133
13	6 66	14	6 10	12	3 63	12	6 02	15	4 19	11	3 21	8	51 94	128
16	9 17	20	1 87	12	1 77	13	2 04	15	7 60	15	5 40	9	49 76	147
16	3 04	14	4 14	11	2 22	14	6 19	14	5 91	10	4 95	13	43 77	132
14	2 48	11	3 51	11	3 58	10	3 03	10	4 26	14	3 20	11	39 91	127
9	0 65	10	6 41	13	6 20	16	4 42	19	4 87	14	3 16	12	43 76	144
11	4 10	14	4 14	20	2 09	14	5 11	24	4 19	13	5 56	9	39 64	147
19	3 17	16	1 15	13	1 65	8	4 49	16	5 08	17	1 52	6	34 52	133
18	1 81	18	3 84	20	3 31	15	7 16	21	3 72	13	7 39	10	43 32	172
11	6 52	14	1 28	14	3 72	13	10 25	17	1 54	10	2 80	13	48 95	141
10	1 58	12	6 72	15	2 56	11	4 73	19	5 19	16	1 69	8	44 06	142
2	4 45	11	6 85	12	3 94	13	4 68	10	4 99	10	5 65	7	*	*
11	2 10	12	4 15	9	1 12	8	5 47	13	5 05	15	3 97	11	35 71	116
6	2 43	13	2 87	14	2 86	11	5 04	14	6 95	13	5 22	9	39 42	127
11	5 70	13	1 60	13	4 52	11	7 83	19	2 87	12	1 57	4	38 60	113
12	1 45	6	3 86	11	3 66	11	2 21	6	3 66	16	1 54	8	29 67	112
11	2 51	14	3 23	13	2 76	10	3 74	13	9 37	19	3 20	7	78 16	122
11	4 26	13	1 94	12	4 19	12	4 48	11	4 72	15	6 40	15	39 98	122
9	2 14	11	2 54	10	4 08	11	2 36	12	7 40	18	1 44	5	52 78	130
11	1 40	8	1 92	12	3 60	9	4 77	15	3 63	10	4 78	9	44 77	122
10	1 58	10	7 86	15	3 92	10	4 18	20	2 90	9	7 00	10	45 36	143

TABLE II.—Depth of Rain in inches and number of

Year.	January.		February.		March.		April.		May.		June.	
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
1874.....	3.75	14	2.30	5	3.63	8	2.16	11	5.77	14	7.68	21
1875.....	0.61	4	2.91	8	0.72	6	2.95	8	3.98	15	4.07	15
1876.....	1.37	7	3.68	7	5.77	10	2.13	16	5.58	20	3.39	23
1877.....	0.84	4	1.02	4	7.43	18	3.59	17	4.02	17	3.92	14
1878.....	6.99	11	1.98	3	9.49	15	3.43	21	5.76	20	4.48	12
1879.....	0.06	4	0.63	3	5.08	15	2.29	9	4.69	13	1.19	16
1880.....	5.39	16	3.24	10	1.01	3	4.10	13	2.10	16	1.34	11
1881.....	2.74	8	2.94	9	5.83	7	3.24	11	2.46	17	5.30	16
1882.....	3.16	9	1.67	5	5.46	9	3.68	8	4.68	14	5.51	18
1883.....	2.40	4	2.43	6	3.65	12	2.93	10	8.61	17	3.32	13
1884.....	3.61	9	4.71	16	3.81	9	6.90	20	3.63	15	3.82	10
1885.....	3.93	12	1.82	2	1.65	4	3.46	10	3.28	11	2.75	17
1886.....	7.87	17	2.16	8	1.84	7	0.44	7	8.82	16	2.71	13
1887.....	5.33	14	4.90	9	2.54	12	5.76	11	2.13	13	2.12	13
1888.....	2.86	4	4.80	8	3.70	8	2.46	10	2.86	13	4.94	13
1889.....	4.04	10	4.93	7	1.58	8	6.55	16	3.90	13	3.76	18
1890.....	1.53	10	2.95	10	8.54	16	2.59	14	3.96	18	3.43	16
1891.....	6.19	12	6.94	14	1.56	8	3.53	11	4.18	14	4.11	16
1892.....	5.29	17	0.85	8	4.43	8	2.48	12	5.46	21	3.63	20
1893.....	3.10	9	2.30	6	1.73	9	3.63	16	5.06	17	1.76	10
1894.....	1.73	9	2.85	8	1.72	11	3.41	14	1.78	15	3.78	9
1895.....	7.33	16	1.20	5	3.58	9	3.89	10	4.09	14	1.82	11
1896.....	0.27	4	1.85	4	7.23	12	1.10	10	2.53	14	4.66	16
1897.....	3.43	5	0.74	3	3.85	10	5.44	14	4.61	23	6.05	17
1898.....	3.02	11	2.44	8	2.69	9	6.74	15	2.35	10	5.59	14
1899.....	3.95	10	1.33	6	5.44	10	2.92	7	3.66	8	3.89	13
1900.....	7.57	15	4.68	8	5.33	9	3.30	16	4.23	14	2.65	12
1901.....	3.50	9	0.06	2	3.05	11	6.25	15	5.57	16	6.97	12
1902.....	2.96	7	1.29	3	7.76	17	2.49	13	3.73	15	4.91	18

See also supplementary table for years prior to 1874—pages 118, 119.

NOVA SCOTIA.

days. Latitude, N. $44^{\circ} 39'$; Longitude W. $63^{\circ} 36'$.

July.		August.		September.		October.		November.		December.		Year.	
Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
2.30	12	3.38	12	5.02	12	2.47	13	3.37	10	4.82	14	47.65	146
5.61	17	3.56	16	2.06	16	9.98	19	5.15	12	9.59	9	42.19	145
3.92	19	1.92	10	6.10	14	4.08	17	7.40	15	9.61	5	45.35	163
4.71	17	3.54	17	3.16	10	6.62	17	8.69	16	3.03	12	50.56	163
1.48	11	3.13	17	0.80	12	5.06	17	6.85	15	4.29	11	53.74	165
3.84	13	4.83	19	2.60	15	4.75	8	3.02	12	2.18	12	35.16	139
3.09	20	3.92	13	5.71	15	4.59	11	4.47	10	3.19	9	44.15	147
3.18	17	3.06	13	3.10	12	4.21	18	3.12	13	6.57	15	45.80	156
5.18	15	3.92	11	5.91	17	7.52	14	0.81	8	1.31	7	48.81	135
3.54	16	5.34	15	3.86	7	5.84	15	3.04	13	3.66	15	48.56	137
8.29	20	3.06	14	1.79	16	3.09	19	5.65	14	7.39	10	55.75	172
5.82	17	3.00	18	2.50	11	6.28	15	5.38	11	7.37	15	47.24	143
6.52	15	4.53	15	4.56	15	2.11	10	5.22	16	3.84	13	50.62	152
2.05	11	8.35	11	3.31	10	3.06	16	6.72	16	3.62	12	49.89	148
5.00	13	7.00	17	5.33	16	6.86	19	6.77	17	7.76	11	65.34	149
2.69	14	2.63	16	1.40	7	4.16	19	6.99	16	2.71	15	45.34	159
2.13	14	7.04	18	4.53	13	6.60	15	3.07	15	6.08	8	52.45	167
3.99	12	3.37	16	3.05	10	9.61	17	2.36	14	3.98	11	52.87	155
2.69	14	6.80	17	1.74	11	3.47	18	9.18	17	2.41	4	48.43	167
4.77	18	5.96	18	4.40	20	5.62	18	3.57	16	8.15	17	50.05	172
1.05	16	4.00	13	1.01	11	3.88	13	5.40	16	3.89	12	34.50	148
3.94	12	5.59	15	2.49	13	5.45	11	8.21	16	5.56	10	53.15	142
8.73	13	3.02	16	2.10	15	15.02	20	3.43	15	2.62	6	62.56	145
3.65	12	5.18	15	1.17	15	0.75	8	5.95	14	3.34	10	44.16	146
3.65	15	5.66	15	4.16	10	4.83	15	9.88	20	2.33	10	53.34	152
5.75	13	1.59	11	3.20	12	6.17	9	4.45	13	3.16	13	45.51	125
1.89	9	3.99	15	5.04	10	7.37	16	6.38	18	1.27	8	53.70	150
1.58	10	3.66	12	6.86	11	4.88	13	2.56	8	5.47	12	50.41	131
1.65	13	4.76	12	4.64	12	4.25	13	3.81	13	5.46	13	46.81	149

TABLE II.—Depth of Rain in inches and number of

Year.	January.		February.		March.		April.		May.		June.	
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
1874.....	2.47	8	2.27	3	3.27	4	1.34	2	2.77	14	6.17	17
1875.....	4.30	2	6.22	6	3.55	2	2.16	5	3.72	10	4.85	10
1876.....	2.02	6	3.65	7	5.38	11	0.93	11	3.42	17	4.04	18
1877.....	0.45	3	0.12	9	6.97	11	3.04	12	2.73	11	0.68	11
1878.....	2.17	9	1.18	3	3.55	13	2.70	15	2.53	17	2.61	13
1879.....	0.00	0	2.78	5	2.01	9	1.39	6	2.33	11	3.85	15
1880.....	2.44	15	1.93	7	0.44	2	2.78	10	3.52	16	1.73	6
1881.....	1.72	3	1.78	5	4.83	7	1.57	8	6.86	15	3.67	9
1882.....	1.02	5	2.47	3	3.83	6	1.53	6	3.14	11	6.65	13
1883.....	1.94	4	0.93	4	3.34	4	1.67	6	5.51	16	4.70	12
1884.....	1.96	6	4.95	10	1.59	4	4.98	14	4.87	18	1.87	13
1885.....	2.03	6	0.78	1	2.71	4	3.12	12	5.00	14	3.62	19
1886.....	3.81	15	2.37	6	1.14	6	0.23	11	4.68	15	1.29	19
1887.....	6.96	12	1.35	8	4.09	10	1.21	7	1.56	10	5.38	11
1888.....	3.55	6	2.36	5	2.25	6	0.47	5	3.50	10	1.72	6
1889.....	3.34	8	3.05	5	1.42	9	1.94	9	1.82	12	2.58	12
1890.....	2.02	8	2.44	6	4.31	10	2.01	9	8.06	15	3.32	17
1891.....	3.83	6	2.93	10	1.39	6	1.66	11	2.40	14	2.33	13
1892.....	7.66	9	0.23	3	2.93	6	1.51	11	3.46	16	5.31	19
1893.....	1.49	5	1.47	4	1.28	6	1.05	10	2.83	11	0.83	8
1894.....	1.07	6	0.48	3	1.26	5	1.86	10	2.05	10	3.60	13
1895.....	2.50	8	0.00	0	1.68	6	2.01	8	3.69	13	0.75	7
1896.....	0.15	1	1.04	3	2.32	11	1.07	9	0.92	8	3.12	14
1897.....	1.87	4	0.05	2	3.75	10	2.67	12	9.93	20	3.33	14
1898.....	2.46	5	1.76	8	1.95	9	5.23	12	1.27	13	2.38	14
1899.....	2.52	11	1.56	3	3.03	7	0.90	4	3.57	10	2.65	15
1900.....	3.72	8	3.49	5	2.96	5	3.10	12	6.14	15	4.98	9
1901.....	1.69	3	0.02	1	2.93	12	3.41	8	4.06	14	6.89	13
1902.....	1.68	7	0.59	3	8.19	16	2.41	12	4.68	15	3.35	14

* See also supplementary table for years prior to 1874, pages 118, 119.

FALL OF CANADA.

109

NEW BRUNSWICK.

days. Latitude, N. $45^{\circ} 17'$; Longitude, W. $66^{\circ} 4'$.

July.		August.		September.		October.		November.		December.		Year.	
Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
2.82	12	4.06	12	2.25	9	0.86	8	3.79	6	4.01	6	36.08	101
4.48	12	3.32	7	3.43	9	8.26	13	5.84	11	1.90	6	51.97	93
2.71	12	1.33	6	3.30	9	4.56	12	7.07	12	1.04	4	39.45	125
3.78	14	3.52	11	1.65	12	2.64	12	6.36	11	1.92	4	33.86	121
4.98	9	5.04	14	4.11	9	2.55	16	4.36	13	3.14	11	38.92	142
4.30	12	5.22	9	3.48	11	3.84	8	3.05	10	1.75	7	34.00	103
5.73	15	2.33	11	3.02	13	5.10	10	5.71	11	1.04	5	35.77	120
4.53	15	3.16	14	3.48	10	3.93	11	2.51	10	4.69	12	42.73	119
4.64	14	1.89	4	4.58	14	3.34	12	1.19	5	1.39	3	35.67	96
3.60	10	3.18	7	2.72	11	5.46	17	4.13	13	2.06	12	39.24	116
7.83	20	4.48	18	2.22	14	1.82	14	4.31	13	4.46	8	45.34	152
2.17	13	1.92	12	2.84	10	5.00	12	5.10	12	4.03	13	38.32	128
2.69	14	3.33	13	3.03	15	4.72	10	5.32	15	5.04	11	37.65	146
5.26	12	4.66	12	1.57	11	2.73	11	2.53	9	5.49	10	42.79	123
2.75	11	3.57	14	4.66	7	6.72	15	7.30	14	5.51	9	44.39	108
2.88	10	1.53	13	3.35	12	4.69	12	2.58	8	2.57	9	31.75	119
1.98	13	5.81	11	5.49	11	2.67	15	3.47	15	2.92	9	44.50	139
2.85	9	4.82	16	3.89	8	5.85	11	3.15	9	3.41	9	38.51	122
2.33	13	8.97	15	1.81	7	1.88	12	5.17	8	1.19	6	42.45	125
3.26	12	7.24	16	2.80	15	3.65	9	1.57	8	3.91	11	31.38	115
1.71	14	1.49	8	4.63	8	4.85	17	3.08	11	3.48	11	29.56	116
3.39	10	9.29	16	1.95	8	3.04	11	8.89	10	3.28	3	40.47	106
5.43	12	1.69	7	6.06	12	6.59	16	4.50	14	1.39	2	34.28	109
2.72	15	3.86	13	1.39	9	0.51	5	6.40	14	2.75	7	39.23	125
1.25	14	3.26	17	4.04	12	7.50	13	5.11	16	2.14	4	38.35	137
7.47	15	2.27	11	3.05	11	2.48	7	2.26	12	3.87	11	35.63	117
1.34	12	2.20	12	2.34	10	10.17	14	4.75	17	0.58	5	45.77	124
1.16	12	1.47	11	3.35	12	1.69	11	3.14	7	3.89	12	33.70	116
1.83	12	3.26	15	2.88	7	3.62	10	1.10	7	2.49	7	36.08	125

GRAND MANAN,

TABLE II.—Depth of Rain in inches and number of

Year.	January.		February.		March.		April.		May.		June.	
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
1884.....	2.95	6	5.47	12	2.13	6	4.61	17	1.51	16	2.09	8
1885.....	2.29	8	1.11	1	2.88	4	4.32	10	4.30	11	3.76	8
1886.....	7.02	14	2.03	7	0.98	5	0.65	4	6.77	12	1.04	9
1887.....	5.26	12	1.33	6	3.83	9	1.96	7	3.13	12	2.45	12
1888.....	2.62	7	3.31	6	2.49	6	0.42	6	3.13	16	2.75	14
1889.....	1.72	8	1.94	5	2.05	10	3.19	12	1.62	19	2.64	18
1890.....	2.64	13	3.66	12	6.14	15	1.10	6	5.32	20	2.81	18
1891.....	6.21	8	5.08	11	1.75	7	1.90	15	1.91	11	3.84	10
1892.....	6.47	11	0.02	1	3.39	5	2.24	11	4.21	19	3.98	19
1893.....	1.76	6	2.02	4	1.03	8	1.85	16	3.80	16	2.13	14
1894.....	1.14	7	0.51	4	0.57	10	2.67	14	2.31	17	3.95	21
1895.....	2.99	8	0.04		2.84	7	2.78	11	2.32	14	1.36	13
1896.....	0.26	2	2.89	6	2.80	11	1.16	10	1.54	11	3.57	14
1897.....	2.60	5	0.83		3.62	12	3.77	13	7.76	17	5.21	15
1898.....	3.39	8	1.93	8	2.81	10	4.80	11	2.47	10	2.96	10
1899.....	2.69	7	1.50	3	3.81	9	1.23	4	4.38	9	1.88	12
1900.....	6.14	13	3.79	6	4.47	6	3.05	9	6.87	12	3.57	9
1901.....	4.10	6	0.00	0	4.59	12	5.00	12	4.39	12	5.03	10
1902.....	3.15	6	0.42	3	10.10	16	3.42	15	4.35	15	3.27	15

NEW BRUNSWICK.

days. Latitude, N. $44^{\circ} 47'$; Longitude, W. $66^{\circ} 46'$.

July.		August.		September.		October.		November.		December.		Year.	
Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
8.04	20	5.28	13	1.24	14	1.52	15	5.98	12	5.29	7	45.21	146
1.51	12	3.44	12	3.00	8	5.15	11	3.68	10	3.60	9	38.95	104
1.98	10	2.97	11	3.36	16	2.49	11	5.77	17	4.34	11	39.40	127
3.41	14	5.57	13	3.10	12	1.62	9	2.97	15	5.41	11	40.04	132
3.48	14	5.81	20	6.67	17	8.22	20	7.68	19	2.90	12	49.48	157
4.01	15	2.70	17	1.98	11	6.23	17	5.66	16	5.00	11	38.74	157
0.69	11	5.04	13	3.61	12	4.09	15	2.40	13	2.56	6	40.06	154
3.36	8	2.65	11	2.15	8	8.70	15	2.78	9	3.34	9	43.07	122
1.06	9	3.87	14	2.48	6	1.49	15	6.26	17	2.89	7	38.36	134
2.55	16	6.21	14	3.16	17	3.52	13	2.29	13	5.31	13	35.63	150
1.21	15	1.92	13	2.85	11	2.88	15	3.45	12	2.65	9	26.11	158
3.60	10	5.39	15	2.22	6	1.81	13	12.13	16	2.61	7	40.09	123
5.29	17	1.87	12	5.59	20	7.06	19	3.39	17	2.09	5	37.51	144
3.29	14	2.78	9	1.52	7	0.40	3	8.01	15	2.70	9	42.49	124
1.04	8	3.61	15	3.88	8	9.09	13	8.66	17	1.96	6	46.60	124
5.76	16	1.04	7	4.14	10	2.51	9	2.78	8	2.88	11	34.60	105
0.73	10	2.74	10	2.96	16	12.64	11	6.20	14	1.14	6	54.60	121
1.12	6	3.75	8	3.58	12	1.06	5	3.40	9	4.82	11	49.84	103
1.73	11	3.63	13	3.57	8	3.63	13	2.03	12	3.93	9	43.23	136

YARMOUTH,

TABLE II.—Depth of Rain in inches and number of

Year.	January.		February.		March.		April.		May.		June.	
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
1880	4.37	12	2.49	10	0.46	5	3.23	10	4.56	10	0.69	4
1881	0.39	2	4.24	8	4.37	8	2.22	10	7.66	16	4.96	13
1882	3.05	13	1.98	4	3.12	11	2.77	12	1.37	12	3.31	11
1883	1.95	5	1.99	7	2.34	7	1.74	12	5.05	13	1.32	12
1884	3.05	9	5.93	13	2.27	8	2.89	15	2.54	16	1.52	7
1885	3.55	12	1.20	3	1.43	5	2.42	10	2.98	11	1.94	8
1886	5.20	16	2.13	7	1.78	6	0.82	7	4.99	15	1.59	9
1887	3.02	18	2.65	12	2.04	13	4.85	10	2.43	10	2.29	11
1888	3.40	8	3.37	8	4.23	8	2.65	12	3.17	18	2.89	21
1889	3.02	15	3.41	8	2.57	12	5.29	18	2.61	14	4.34	22
1890	1.94	14	2.41	12	6.34	18	2.03	12	3.23	21	4.27	16
1891	3.91	13	5.73	16	2.65	7	3.59	15	2.31	13	2.55	15
1892	6.66	16	0.44	5	3.67	9	2.43	11	5.48	20	1.55	22
1893	1.77	6	3.31	9	1.24	11	2.35	15	4.24	16	3.65	14
1894	1.67	8	0.94	9	1.25	12	1.67	16	2.64	16	3.97	18
1895	3.75	12	0.72	3	3.32	11	3.00	15	5.28	17	2.33	15
1896	0.19	3	2.41	8	5.43	13	1.01	9	3.72	17	3.51	17
1897	0.64	7	0.51	6	4.11	13	6.46	24	6.50	21	5.24	14
1898	2.02	9	1.58	8	1.93	10	3.23	14	2.09	13	2.03	17
1899	4.89	11	0.82	6	5.07	10	2.11	5	1.96	9	2.91	11
1900	5.38	11	3.24	8	4.35	9	3.61	10	4.73	14	3.01	10
1901	3.03	12	0.30	2	4.17	15	4.47	14	5.13	16	2.56	12
1902	1.88	7	1.99	6	10.62	18	3.73	10	3.21	12	5.38	18

NOVA SCOTIA.

days. Latitude, N. $43^{\circ} 30'$; Longitude, W. $66^{\circ} 2'$.

July.		August.		September.		October.		November.		December.		Year.	
Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
3.83	17	1.84	10	3.67	8	4.13	11	2.57	12	0.90	7	32.64	116
2.69	14	2.88	7	1.85	10	3.40	16	3.17	16	4.74	15	41.67	135
0.66	10	0.63	7	4.83	11	7.24	13	1.00	9	1.46	8	31.42	121
3.05	9	3.44	13	2.66	10	5.06	15	1.97	11	3.22	14	33.79	128
5.90	20	4.26	13	0.88	9	2.36	14	3.14	12	3.55	10	38.29	146
2.28	9	6.84	14	1.31	8	3.20	13	3.27	14	6.83	14	37.25	121
2.81	14	4.40	13	5.70	19	3.47	10	4.92	17	2.68	14	40.49	147
0.52	13	9.59	20	2.55	13	1.30	10	4.88	16	6.66	15	42.78	161
8.42	11	4.94	14	5.48	16	9.97	18	8.40	20	5.48	15	61.80	169
5.49	17	3.03	14	1.50	10	4.69	19	5.44	19	1.97	15	43.36	183
2.59	18	3.52	16	4.68	15	4.37	15	3.31	21	3.71	9	42.40	187
4.24	16	3.56	17	5.55	14	7.49	16	1.64	15	4.28	13	47.44	170
2.54	12	4.44	21	2.89	12	1.99	19	6.85	17	2.66	10	41.60	174
2.41	15	5.52	17	5.26	23	4.44	17	1.98	13	6.06	19	42.23	175
0.81	18	1.24	12	4.65	13	3.43	15	3.33	16	2.80	10	28.00	163
1.50	15	4.81	16	2.63	13	2.99	9	7.38	18	3.57	10	41.28	154
5.78	18	4.31	18	3.10	19	4.48	18	3.44	17	2.46	4	40.84	161
3.93	10	3.48	12	1.26	12	0.78	5	6.89	16	1.51	12	41.33	142
6.63	16	6.33	17	4.60	14	5.55	16	7.74	18	2.12	14	45.83	166
7.08	12	1.49	14	2.33	13	6.32	15	3.14	13	2.57	13	40.59	132
2.65	8	3.28	11	5.16	11	11.31	16	4.63	19	2.45	11	53.80	138
2.75	16	2.88	11	4.24	14	1.38	12	2.27	10	5.04	12	39.22	146
3.65	15	2.42	10	4.42	14	3.49	12	3.01	12	3.48	11	47.28	145

TORONTO.

TABLE II.—(Supplementary)—Depth of Rain in inches and number

Years.	January.		February.		March.		April.		May.		June.	
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
1840.....	1.395	4	1.475	8	1.640	8	3.420	14	4.150	9	4.860	11
1841.....	2.150	2	0.000	1	1.170	5	1.370	3	2.350	11	1.560	9
1842.....	2.170	5	3.625	8	3.150	4	3.740	8	1.275	7	5.755	15
1843.....	4.295	6	0.475	1	0.625	2	3.185	7	1.570	5	4.595	12
1844.....	3.065	7	0.430	4	2.470	8	1.515	10	5.670	14	3.535	9
1845.....	*	5	*	5	*	5	3.290	11	2.300	8	3.715	11
1846.....	2.335	5	0.000	0	1.965	9	1.300	10	4.375	9	1.920	10
1847.....	2.135	7	0.350	2	0.850	5	2.870	8	2.040	12	2.625	14
1848.....	2.245	7	0.775	4	1.220	5	1.455	5	2.520	13	1.810	8
1849.....	1.175	4	0.240	2	1.525	7	2.655	10	5.115	16	2.020	7
1850.....	1.250	5	1.235	7	0.745	2	4.720	7	0.545	7	3.345	10
1851.....	1.275	4	2.600	7	0.770	3	2.295	11	2.950	12	2.695	11
1852.....	0.000	0	0.650	3	3.080	8	1.990	6	1.125	7	3.160	10
1853.....	0.290	1	1.036	4	1.080	6	2.625	10	4.420	17	1.550	9
1854.....	1.270	7	1.460	5	2.425	9	2.685	12	4.630	11	1.460	9
1855.....	0.525	5	1.770	2	1.485	5	2.030	8	2.565	6	4.070	17
1856.....	0.000	0	0.600	0	0.000	0	2.780	13	4.580	14	3.200	13
1857.....	R.	3	3.050	11	0.335	4	1.755	10	4.145	15	5.060	21
1858.....	1.152	6	R.	1	0.917	10	1.642	13	6.367	17	2.943	12
1859.....	1.449	6	0.455	6	4.054	15	2.527	9	3.410	11	4.085	16
1860.....	0.740	6	1.330	7	0.882	5	1.282	11	1.815	16	2.136	14
1861.....	0.685	4	0.815	4	2.125	8	1.619	12	3.380	12	2.329	13
1862.....	0.115	5	0.180	3	2.560	8	2.235	10	1.427	8	1.007	10
1863.....	1.122	10	1.450	7	0.687	4	2.210	8	3.363	14	1.662	13
1864.....	1.165	5	0.397	2	1.620	9	3.633	16	4.070	18	0.570	5
1865.....	0.440	1	0.810	5	3.050	10	3.972	17	4.005	11	2.005	7
1866.....	0.522	4	0.830	3	1.915	8	1.675	7	2.820	13	2.720	15
1867.....	R.	1	1.328	8	0.617	6	2.147	12	3.220	18	0.885	8
1868.....	R.	2	0.040	1	2.660	7	0.990	7	7.670	16	2.217	11
1869.....	0.887	4	0.165	2	0.985	3	2.965	9	2.805	16	4.373	22
1870.....	3.412	8	0.520	2	0.755	2	2.145	9	1.150	10	8.090	16
1871.....	0.864	8	0.040	3	2.782	8	3.318	17	2.302	7	3.340	13
1872.....	0.220	5	0.350	5	0.700	2	0.910	9	1.934	14	3.148	8
1873.....	1.110	4	0.000	0	1.756	5	3.975	13	2.205	13	0.680	10

* No record of amount.

FALL OF CANADA.

ONTARIO.

of days. Latitude, N. $43^{\circ} 40'$; Longitude, W. $79^{\circ} 17'$.

	July.		August.		September.		October.		November.		December.		Year.	
Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
11	5 270	6	2 905	12	1 380	4	1 860	13	1 220	5	*	3	29 375	97
9	8 150	10	6 170	9	3 340	9	1 360	6	2 450	8	6 600	7	36 670	80
15	3 090	4	2 500	6	6 160	12	5 175	8	5 310	9	9 880	3	42 790	89
12	4 665	8	4 850	4	9 760	10	3 790	12	4 765	10	1 040	6	43 555	83
9	2 815	12	*	17	*	4	*	7	*	8	*	6	*	106
11	2 195	7	1 725	9	6 245	16	1 760	11	1 105	7	*	2	30 275	97
10	2 895	9	1 770	9	4 595	11	4 180	14	5 805	12	1 215	5	32 355	103
14	3 355	8	2 140	10	6 665	15	4 390	13	3 155	14	1 185	7	31 960	115
8	1 890	10	0 855	8	3 115	11	1 556	11	2 020	9	2 750	7	22 205	98
7	3 415	4	4 970	10	1 480	9	5 965	13	2 815	10	0 840	5	32 215	97
10	5 270	12	4 355	13	1 735	11	2 085	10	2 955	7	0 190	2	28 430	93
11	3 625	12	1 360	10	2 665	9	1 680	10	3 885	5	1 075	6	26 875	100
10	4 025	8	2 695	9	3 630	19	5 280	12	1 775	7	3 995	7	31 405	87
9	0 915	10	2 675	11	5 140	12	0 875	10	2 425	15	0 625	4	23 550	109
9	4 805	9	0 455	5	5 375	14	1 495	15	1 115	13	0 590	5	27 765	114
17	3 245	13	1 455	7	5 585	12	2 485	14	4 590	8	1 845	6	31 650	103
13	1 120	8	1 680	12	4 105	13	0 875	10	1 375	10	1 790	6	21 505	99
21	3 475	15	5 265	13	2 640	11	1 040	10	3 235	14	3 205	7	33 205	134
12	3 072	13	3 890	11	0 735	8	1 797	17	3 879	12	1 657	11	28 051	131
16	2 611	12	3 990	11	3 525	15	0 940	11	5 193	12	1 035	3	33 274	127
14	4 336	13	3 465	14	1 959	14	1 618	15	2 569	12	1 362	3	23 434	130
13	2 635	16	2 953	15	3 607	17	1 993	15	4 294	14	0 560	6	26 995	136
10	5 344	15	3 483	15	2 344	9	2 684	19	2 205	11	1 945	5	25 529	118
13	3 408	15	2 298	12	1 235	8	2 522	16	3 656	13	2 960	10	26 483	130
5	1 332	8	5 060	16	2 508	11	3 321	22	3 765	11	2 045	9	29 486	132
7	2 470	11	1 990	8	2 450	12	2 705	17	0 975	5	1 727	7	26 595	111
15	5 390	16	4 457	14	5 657	15	2 470	11	2 963	13	2 790	7	34 269	126
8	1 965	12	2 440	10	1 226	9	1 970	11	1 835	8	1 408	7	19 041	110
11	0 516	5	1 562	13	4 239	16	1 365	10	5 150	14	0 005	1	26 408	103
22	4 610	13	4 273	11	4 027	8	0 962	8	2 540	9	2 590	10	31 182	115
16	1 896	16	3 422	14	6 794	11	2 690	16	0 594	6	2 430	6	33 898	116
13	1 255	11	2 800	8	1 290	8	1 185	13	2 655	10	0 940	4	22 771	110
8	2 297	13	2 405	19	2 526	16	3 288	14	0 420	7	0 390	3	18 588	115
10	1 913	11	1 913	12	3 020	14	2 155	13	0 510	5	0 995	10	20 232	110

MONTREAL.

TABLE II.—(Supplementary) Depth of Rain in inches and number

Year.	January.		February.		March.		April.		May.		June.	
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
1862.....	R	4	R	1	0.621	4	0.395	6	2.725	10	1.132	8
1863.....	1.947		0.314		0.912		1.542		3.719		4.290	
1864.....	2.076		0.490		1.019		1.950		4.030		0.520	
1865.....	R		0.110		1.580		2.377		2.034		2.121	
1866.....	0.174		1.719		4.769		1.607		2.680		4.450	
1867.....	0.000		0.487		0.834		1.135		6.074		1.683	
1868.....	R		0.000		1.429		0.241		3.462		0.496	8
1869.....	0.223	2	0.000	0	1.118	5	1.107	6	2.855	13	4.000	12
1870.....	1.586	6	0.922	1	0.674	1	0.313	6	2.141	7	2.730	15
1871.....	0.427	5	0.569	5	3.059	8	3.085	13	1.570	10	1.298	13
1872.....	0.576	3	0.094	2	0.100	3	0.590	6	1.868	16	2.250	12
1873.....	1.068	5	0.092	2	1.786	5	3.017	13	1.421	17	3.012	11

* Number of days not recorded.

† Year not completed.

QUEBEC.

TABLE II.—(Supplementary) Depth of Rain in inches and number

Year.	January.		February.		March.		April.		May.		June.	
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
1870.....	*	2	*	1	R	1	0.39	5	0.62	9	1.15	12
1871.....	R	4	R	3	0.78	4	0.88	11	0.16	11	1.99	17
1872.....	0.00	0	R	1	0.00	0	0.87	7	1.76	14	1.75	12
1873.....	R	2	0.00	0	R	1	1.94	13	5.07	13	3.04	10

* Year not complete.

SYDNEY.

TABLE II.—(Supplementary) Depth of Rain in inches and number

Year.	January.		February.		March.		April.		May.		June.	
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
1870.....	4.76	13	5.01	11	0.24	2	4.76	17	1.48	9	4.00	13
1871.....	2.25	8	1.73	4	5.19	10	4.69	13	2.76	14	2.56	13
1872.....	3.45	11	2.74	5	1.16	2	2.63	9	5.24	21	3.81	14
1873.....	4.69	11	1.35	3	2.21	9	3.62	7	1.78	8	2.80	12

FALL OF CANADA.

117

QUE.

of Days. Lat. N. $45^{\circ} 30'$; Long. W. $73^{\circ} 35'$.

	July.		August.		September.		October.		November.		December.		Year.	
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
Days. 8	3 767	42	1 425	9	3 523	9	5 370	2 623	1 866	23 387	*
	3 009	3 217	4 811	2 799	4 011	9 974	31 455	*
	1 907	2 935	3 543	2 596	4 364	1 090	26 520	*
	3 419	2 108	1 646	3 178	2 236	1 416	21 225	*
	2 466	5 619	8 436	2 400	3 816	0 776	38 912	*
	4 255	2 091	3 662	3 311	1 107	1 703	26 342	*
	2 124	6	2 362	11	3 494	15	0 794	8	4 473	8	R	1	18 865	*
	4 995	13	8 675	12	4 096	10	6 827	10	0 655	3	1 004	5	35 555	91
12	3 332	14	2 771	8	2 263	12	5 833	13	1 335	5	0 203	3	23 543	91
	7 144	18	3 066	11	1 253	7	3 014	10	1 669	6	0 413	3	25 507	109
	3 430	13	3 320	16	6 450	17	6 184	17	2 912	7	R	2	27 724	114
	2 546	14	1 750	11	3 370	†

QUE.

of Days. Lat. N. $40^{\circ} 48'$; Long. W. $71^{\circ} 13'$.

	July.		August.		September.		October.		November.		December.		Year.	
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
Days. 12	6 42	14	2 15	14	-150	9	2 39	12	1 86	7	R	2	*	88
	5 05	21	4 10	14	0 59	6	6 01	16	0 68	3	R	2	20 24	112
	3 64	16	1 73	12	4 27	15	2 60	1	0 80	2	0 00	0	17 42	90
	4 11	13	3 45	11	3 42	12	6 35	13	0 79	3	R	3	28 17	94

C.B., N.S.

of Days. Lat. N. $46^{\circ} 10'$; Long. W. $60^{\circ} 10'$.

	July.		August.		September.		October.		November.		December.		Year.	
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
Days. 13	2 50	11	4 36	16	6 67	15	5 40	17	9 90	22	8 36	14	57 45	159
	4 97	11	4 47	18	4 40	14	4 11	19	4 75	12	1 72	8	43 60	144
	2 77	19	6 37	16	5 37	10	5 61	13	5 98	15	2 02	7	47 16	142
	7 69	10	4 34	12	4 62	12	5 94	13	6 67	13	0 93	7	46 64	117

HALIFAX.

TABLE II. (Supplementary).—Depth of Rain in inches and number

Year.	January.		February.		March.		April.		May.		June.	
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
1868.....	1.28	†	2.11	†	1.36	†	2.25	†	6.38	†	5.18	†
1869.....	3.94	5	3.20	6	4.11	6	2.21	9	5.51	15	3.92	11
1870.....	5.18	14	6.32	7	1.64	8	3.78	13	3.19	10	1.69	9
1871.....	2.33	8	4.11	6	4.39	8	3.42	11	2.59	10	2.96	12
1872.....	2.58	7	2.40	4	0.76	1	2.77	7	4.44	17	4.23	19
1873.....	4.78	11	0.49	3	2.46	9	1.93	19	1.58	16	2.96	21

* Days on which snow fell included.

† Number of days of fall not recorded.

ST. JOHN.

TABLE II. (Supplementary).—Depth of Rain in inches and number

Year.	January.		February.		March.		April.		May.		June.	
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
1861.....	0.32	*	1.61	*	2.80	*	4.55	*	3.07	*	1.85	*
1862.....	1.51	*	1.34	*	0.70	*	2.10	*	3.78	*	3.03	*
1863.....	5.72	*	2.86	*	1.45	*	2.31	*	3.24	*	1.86	*
1864.....	2.40	*	1.89	*	1.20	*	2.15	*	1.96	*	0.92	*
1865.....	2.33	*	2.19	*	5.72	*	5.03	*	10.03	*	1.61	*
1866.....	0.22	*	6.99	*	1.95	*	2.58	*	4.74	*	2.89	*
1867.....	0.10	*	4.50	*	1.35	*	2.55	*	5.76	*	3.44	*
1868.....	1.12	*	0.85	*	2.03	*	1.04	*	6.50	*	3.80	*
1869.....	0.81	*	2.09	*	3.55	*	3.86	*	4.74	*	6.44	*
1870.....	6.71	8	5.19	5	1.28	5	5.32	10	2.36	11	3.13	9
1871.....	2.15	9	1.80	7	2.45	8	3.85	17	3.34	12	4.06	12
1872.....	3.16	5	0.59	2	1.40	3	2.51	13	8.20	22	2.93	12
1873.....	5.01	15	0.61	1	1.34	5	2.03	13	1.83	14	4.65	17

* Number of days not given.

FALL OF CANADA.

119

NOVA SCOTIA.


of days. Latitude, N. $44^{\circ} 39'$; Longitude, W. $63^{\circ} 36'$.

July.		August.		September.		October.		November.		December.		Year.	
Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
1.02	†	3.69	†	5.55	†	5.63	†	6.06	†	1.39	†	41.80	†
2.92	8	2.58	8	1.57	8	7.03	*14	5.19	*10	5.14	11	46.42	111
3.21	8	2.29	8	3.33	7	6.75	13	5.67	11	4.81	12	47.77	120
3.38	12	3.69	14	4.81	8	4.49	8	3.21	9	1.88	8	41.26	114
2.88	15	6.82	15	1.41	11	4.88	15	5.71	16	2.87	4	41.75	131
3.90	17	5.45	16	4.48	15	8.63	16	7.40	11	2.21	8	45.27	162

NEW BRUNSWICK.

of days. Latitude, N. $45^{\circ} 17'$; Longitude, W. $66^{\circ} 4'$.

July.		August.		September.		October.		November.		December.		Year.	
Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
4.91	*	1.13	*	2.57	*	4.60	*	5.37	*	2.97	*	35.75	*
6.58	*	2.89	*	5.65	*	5.16	*	9.93	*	0.66	*	43.33	*
3.83	*	5.64	*	7.44	*	2.39	*	3.20	*	3.63	*	43.57	*
1.69	*	7.23	*	4.98	*	5.89	*	5.23	*	4.33	*	39.87	*
4.28	*	2.44	*	1.19	*	3.21	*	3.49	*	2.14	*	43.66	*
2.40	*	4.10	*	7.83	*	2.42	*	6.57	*	2.59	*	45.28	*
3.10	*	6.84	*	1.50	*	6.70	*	4.14	*	2.80	*	42.87	*
1.06	*	3.88	*	7.48	*	2.14	*	6.24	*	1.49	*	37.63	*
2.02	*	1.51	*	2.18	*	4.56	*	5.88	*	4.75	*	42.39	*
4.22	13	2.48	10	4.03	9	8.29	10	5.76	16	1.46	6	50.23	112
3.81	12	4.73	12	3.24	10	6.05	13	2.80	6	2.50	6	40.77	124
4.48	15	6.75	13	4.87	13	6.71	13	6.66	11	0.80	6	49.06	128
4.18	18	2.78	8	4.48	9	6.45	12	2.38	6	1.34	4	37.08	122



RAIN AND SNOW-FALL OF CANADA

AT

SELECTED STATIONS

TABLE III

SNOW

ESQUIMAULT (VICTORIA).

TABLE III.—Depth of Snow in inches and number of

Year.	January.		February.		March.		April.		May.	
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
1881.....	8	3
1882.....	8	4
1883.....	1·5	1
1884.....	8	1
1885.....	8·0	1	8	1
1886.....	14·5	5
1887.....	1·0	2	24·0	6
1888.....	2·7	7	4·0	1
1889.....	8	1
1890.....	4·2	7	8	2	8	2
1891.....	10·2	11	12·5	5
1892.....	8	3
1893.....	16·3	5	37·0	8	8	2
1894.....	11·3	9	9·4	10	3·7	6
1895.....	24·2	5	8	1
1896.....	16·9	6	6·0	1	0·3	2
1897.....	14·0	3	8	1	11·5	6
1898.....	1·0	1	1·5	3	0·2	1
1899.....	12·6	5	13·9	4	2·4	3
1900.....	3·5	2
1901.....	4·3	7	1·8	3
1902.....	9·0	4	0·1	1	1·9	2

NOTE.—These observations were taken at Victoria until August, 1889, after which they were taken at Esquimalt, about three miles away.

KAMLOOPS,

TABLE III.—Depth of Snow in inches and number of

Year.	January.		February.		March.		April.		May.	
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
1878.....	1·3	1	1·6	3
1879.....	8·4	13	15·0	10	4·4	8	*	*
Broken records.
1896.....	19·3	7	1·0	2	1·3	2	0·7	1
1897.....	5·4	5	0·7	5	3·9	4
1898.....	10·0	12	9·6	9	S	2
1899.....	8·0	9	9·5	6
1900.....	2·0	1	0·8	2	1·0	1
1901.....	9·0	5	4·0	4	0·2	1
1902.....	9·0	2	6·0	4

*Doubtful.

FALL OF CANADA.

123

BRITISH COLUMBIA.

days. Latitude, N. $45^{\circ} 24'$; Longitude, W. $114^{\circ} 2'$.

June.		August.		September.		October.		November.		December.		Year.	
Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
													*
													*
								4 5	3	8	1	7 0	*
										8 0	5	8 0	*
										8	1	8 0	3
								8	2			14 5	7
								2 1	1			27 1	9
												6 7	8
										8	3	8	4
												4 2	11
								8	1	1 0	4	23 7	21
								0 9	2	3 4	4	4 3	9
						2 0	1	13 5	3	3 0	4	71 8	23
								8	1	8	1	24 4	27
										8 5	3	32 7	9
								5 5	4			28 7	13
								0 8	1			26 3	11
										5 0	3	7 7	8
										2 5	1	31 4	13
								0 9	2			4 4	4
												6 1	10
								0 3	1	4 8	1	16 1	9

BRITISH COLUMBIA.

days. Latitude, N. $50^{\circ} 41'$; Longitude, W. $120^{\circ} 29'$.

June.		August.		September.		October.		November.		December.		Year.	
Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
						1 0	1	5 3	2	9 2	6	18 4	13
						3 0	3	3 0	3			33 8	37
								23 3	7	3 8	5	49 4	26
								21 5	8	10 0	8	41 5	30
								9 5	8	1 0	5	29 5	36
										0 2	2	17 7	17
								2 8	4			6 6	8
								8	1	8	1	13 2	12
								7 0	4	15 2	7	37 2	18

BANFF.

TABLE III.—Depth of Snow in inches and number of

Year.	January.		February.		March.		April.		May.	
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
1888.....	7.5	5	10.2	9	8.3	5	3.1	6
1889.....	11.5	6	4.0	6	2.0	7	3.0	4	5.5	5
1890.....	15.0	17	17.5	9	9.9	8	29.8	6	3.0	2
1891.....	3.5	3	7.0	6	2.3	6	1.0	2	1.8	3
1892.....	8.0	8	5.3	7	1.3	2	14.0	11	2.6	3
1893.....	8.0	5	10.0	13	4.0	8	10.7	9
1894.....	5.3	11	6.5	4	13.0	9	9.5	6	5.6	5
1895.....	10.7	16	11.8	10	7.4	8	8.3	5
1896.....	11.0	10	4.8	5	5.6	8	7.7	7	2.4	4
1897.....	13.6	6	2.7	5	10.3	10	0.6	1	0.1	1
1898.....	2.2	2	24.7	15	9.9	10	5.8	8	19.5	4
1899.....	18.8	11	2.8	8	18.3	10	9.6	11	21.4	10
1900.....	11.2	9	6.5	7	16.9	7	7.3	3
1901.....	8.8	14	7.0	7	11.7	9	14.3	12
1902.....	17.5	10	5.4	1	13.7	14	3.5	9	27.0	4

CALGARY,

TABLE III.—Depth of Snow in inches and number of

Year.	January.		February.		March.		April.		May.	
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
1885.....	6.5	6	7.1	8	7.3	5	4.4	3	0.3	2
1886.....	1.8	6	2.6	5	6.5	2	9.0	4
1887.....	9.2	5	1.9	6	3.5	4	2.2	6	0.1	1
1888.....	6.8	13	16.6	17	9.0	14	4.0	7	3.8	2
1889.....	9.2	6	7.5	5	15.0	5	8	1	6.0	2
1890.....	8.8	6	8.5	6	8.2	6	6.7	4	8	1
1891.....	2.0	3	5.0	7	8	5	8	4	8	3
1892.....	6.3	5	0.3	5	0.7	11	2.0	10	0.6	7
1893.....	5.5	4	2.0	7	1.5	6	4.7	11
1894.....	4.1	8	0.3	5	6.7	8	3.8	5	0.3	3
1895.....	6.6	8	5.7	7	7.0	5	0.8	3	0.6	2
1896.....	9.0	4	13.4	5	11.3	7	2.8	8	0.9	2
1897.....	5.3	3	4.6	5	2.6	6	0.7	3
1898.....	8	5	9.0	5	15.7	10	2.7	3
1899.....	8.5	3	3.0	1	11.3	8	3.0	2	2.8	3
1900.....	2.5	2	4.0	2	4.0	4	5.8	4
1901.....	4.0	4	10.2	6	11.5	6	9.0	4	8	1
1902.....	1.0	1	6.0	2	6.2	4	6.0	3	27.6	3

* Doubtful.

FALL OF CANADA.

125

ALBERTA.

days. Latitude, N. $51^{\circ} 10'$; Longitude, W. $115^{\circ} 35'$.

June.		August.		September.		October.		November.		December.		Year.	
Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
								9·0	1	15·2	5	53·3	31
				*	*	*	*	*	*	*	*		
		8·3	2	12·4	5	8	2	9·0	6	95·9	57		
		S	3	1·0	1	8·0	5	35·8	10	60·4	39		
						31·5	15	4·5	3	67·2	49		
8				2·5	2	12·5	10	13·5	11	5·5	7	66·7	65
				6·5	5	*	*	*	*	3·6	5		
7·0	3			9·2	8	0·3	2	16·1	15	21·7	11	92·5	78
8	1			8·8	7	1·7	3	48·6	14	6·9	7	97·5	66
1·8	1			S	1	7·0	5	26·5	16	6·2	8	68·8	54
				0·7	2	4·2	5	9·4	12	1·1	6	77·5	64
0·9	2					0·1	6	6·6	9	16·1	12	94·6	79
		1·6	2	0·5	2	11·6	8	12·4	9	4·4	7	72·4	54
4·8	2			0·8	2	2·2	3	13·0	14	9·2	10	71·8	73
6·6	2			1·0	3	6·3	4	16·5	13	13·5	17	111·0	77

* Records not complete.

ALBERTA.

days. Latitude, N. $51^{\circ} 2'$; Longitude, W. $115^{\circ} 35'$.

June.		August.		September.		October.		November.		December.		Year.	
Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
								3·0		1·0		*	*
		8	2	1·5	2	3·5	2	15·5	8	49·4	31		
				0·9	3	9·9	5	7·7	9	35·4	39		
				8·9	3	4·1	3	2·3	3	49·5	62		
		4·5	3	0·0	0	1·2	5	13·7	5	57·1	32		
		6·2	2	1·7	6	0·6	5	7·0	6	47·7	42		
		S	1	1·5	4	2·0	3	4·6	4	15·1	34		
				8·6	4	13·0	5	0·9	8	24·4	55		
		3·7	5	6·6	5	12·0	6	5·7	4	41·7	48		
		0·8	1	1·1	3	11·0	8	4·0	3	32·1	44		
		9·0	2	0·2	1	4·9	6	6·2	4	44·0	38		
		1·7	3	2·4	2	22·6	10	3·6	6	73·7	47		
				3·3	3	25·4	11	7·0	2	48·9	33		
		10·0	2	2·7	2	0·4	1	3·0	1	4·0	2	47·5	31
				10·4	4	2·2	1	4·2	4	45·4	26		
8	1	4·1	2	6·0	2	2·4	4	18·0	5	1·0	1	47·8	27
5·4	3			2·7	2	0·0	0	4·0	2	18·5	5	65·3	30
		S	1			S	1	3·9	5	6·0	1	56·7	21

* Records not complete.

EDMONTON,

TABLE III.—Depth of Snow in inches and number

Years.	January.			February.			March.			April.			May.		
	Days.	Depth.	Days.	Days.	Depth.	Days.	Days.	Depth.	Days.	Days.	Depth.	Days.	Days.	Depth.	Days.
1883.....	12.1	8	4.0	5	9.5	3	6.0	0	0.5	0	0.5	1	1	1	1
1884.....	4.8	3	4.5	2	4.5	3	2.8	1	2.0	1	2.0	1	1	1	1
1885.....	13.5	5	9.5	2	8.	1	0.0	0	0	0	0	0	0	0	0
1886.....	3.8	2	0.3	1	3.0	3	3.6	3	15.0	2	15.0	2	2	2	2
1887.....	3.3	3	7.3	3	3.3	4	7.0	2	2	2	2	2	2	2	2
1888.....	7.5	6	23.3	12	6.5	5	8.	1	1	1	1	1	1	1	1
1889.....	0.5	1	8.	1	0.7	3	6.0	3	3	3	3	3	3	3	3
1890.....	7.5	3	3.3	3	9.0	5	1.9	2	8.	1	8.	1	1	1	1
1891.....	6.3	7	1.5	3	14.0	7	7	7	7	7	7	7	7	7	7
1892.....	1.5	3	13.0	8	10.8	6	3.0	2	2	2	2	2	2	2	2
1893.....	12.4	7	2.6	8	8.	1	5.3	4	4	4	4	4	4	4	4
1894.....	6.0	4	8.	3	7.0	6	1.0	6	6	6	6	6	6	6	6
1895.....	8.3	13	9.0	5	3.0	4	1.1	3	3	3	3	3	3	3	3
1896.....	4.0	3	6.3	5	10.4	7	9.4	5	5	5	5	5	5	5	5
1897.....	1.0	1	3.2	6	3.3	5	5	5	5	5	5	5	5	5	5
1898.....	2.4	3	12.2	6	3.6	6	8.	2	2	2	2	2	2	2	2
1899.....	10.1	7	1.4	2	3.3	4	14.0	6	1.7	2	1.7	2	2	2	2
1900.....	6.0	3	21.8	10	19.3	12	2.8	2	2	2	2	2	2	2	2
1901.....	4.6	7	15.0	12	6.6	3	10.6	4	0.0	0	0	0	0	0	0
1902.....	4.2	5	8.0	7	2.2	6	0.7	2	4.0	2	4.0	2	2	2	2

ALTA.

of days. Latitude, N. $53^{\circ} 33'$; Longitude, W. $113^{\circ} 30'$.

June.		August.		September.		October.		November.		December.		Year.		
Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	
								1.9	5	1.9	5	29.9	27	
				8	1	5.0	2	7.0	2	30.6	15			
				16.0	2	0.0	0	11.6	4	50.6	14			
		8	2	0.0	0	8	5	1.2	5	26.9	23			
						2.4	3	6.9	7	30.2	22			
1.2	1			1.0	1	1.0	2	8	1	40.5	29			
		2.2	2			4.3	7	3.1	6	16.8	23			
						1.1	3	4.3	6	27.1	23			
		8	1	8	2	0.9	6	8	1	22.7	28			
S.	1			4.0	2	16.5	8	5.4	7	54.2	37			
		8	3	0.3	8	3.2	7	32.1	10	55.3	48			
				13.2	7	10.2	10	1.2	4	38.6	42			
		1.8	2			4.4	8	11.5	6	39.1	42			
						25.9	14	1.4	3	57.4	38			
				1.0	2	10.0	5	5.4	4	23.9	23			
				8.0	1	4.4	3	1.0	1	36.6	22			
				13.4	11	0.4	1	7.8	5	52.1	39			
		1.0	1	2.2	2	11.1	5	1.8	5	74.5	44			
S.	1			10.8	3	0.0	0	11.0	8	9.8	8	68.4	46	
S.	1					8.2	10	10.5	8	37.8	41			

TABLE III.—Depth of Snow in inches and number

Years.	January.		February.		March.		April.		May.	
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
1884.....	1·0	5	5·0	8	8·6	7	0·9	3
1885.....	6·8	9	3·9	7	5·0	2	0·5	2
1886.....	3·2	1
1887.....	3·0	1	8.	1	2·1	2
1888.....	4·5	4	6·2	6	9·0	9	0·6	1
1889.....	1·0	2	1·6	1	4·3	3	8.	1
1890.....	4·2	5	3·1	4	4·5	5	0·3	1
1891.....	1·9	5	15·1	8	9·0	5	0·4	1
1892.....	1·6	8	4·0	11	2·5	6	12·4	9	1·0	6
1893.....	15·8	13	7·0	8	2·3	3	7·0	8
1894.....	5·6	9	9·2	7	9·9	9	0·2	6
1895.....	8·8	16	8·8	12	2·1	4	0·2	1	0·5	1
1896.....	13·8	10	10·4	9	5·5	8	11·9	9	1·0	1
1897.....	7·4	5	4·1	8	5·0	6	0·2	1
1898.....	4·5	4	10·7	5	16·2	10	2·1	2
1899.....	11·2	8	11·3	10	11·7	9	8·0	4	8·0	3
1900.....	4·7	4	10·2	6	8·0	6
1901.....	16·8	8	14·0	10	5·2	4	0·6	2
1902.....	9·8	4	6·5	3	1·5	2	8.	1

ALTA.

of days. Latitude, N. 50° 2'; Longitude, W. 110° 37'.

June.		August.		September.		October.		November.		December.		Year.	
Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
.....	9.9	1	6.8	9	23.2	33
.....	*16.2	20
.....	8	1	1.5	2	5.0	2	2.8	2	14.6	14	8
.....	8	1	2.5	3	7.0	6	26.9	28
1.2	2	0.4	1	1.8	2	3.2	3	18.8	17
.....	4.2	5	7.7	5	13.4	20
.....	8	1	1.5	2	3.0	5	3.6	4	34.5	33
.....	10.8	13	12.0	19	44.3	72
.....	2.4	6	1.4	4	11.8	12	7.5	10	55.2	64
.....	2.0	2	3.0	6	0.6	6	30.5	45
.....	0.6	1	4.0	10	2.4	4	27.4	49
.....	21.2	19	2.9	8	66.7	64
.....	3.0	1	31.1	14	4.2	4	55.0	39
.....	5.0	5	12.0	5	6.7	7	57.2	38
.....	4.6	4	6.1	9	60.9	47
.....	2.5	2	5.7	3	19.5	5	7.1	3	57.7	29
.....	4.0	10	0.0	0	3.0	4	2.0	2	45.6	40
.....	8.0	4	11.5	7	37.3	21

*Doubtful.

9

BATTLEFORD,

TABLE III.—Depth of Snow in inches and number of

Years.	January.		February.		March.		April.		May.	
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
1891.....			2·9	8	6·2	8	0·4	1	4·0	2
1892.....	0·3	6	0·4	9	0·5	5	0·3	6	0·9	5
1893.....	0·3	13	S.	9	0·2	4	1·3	12		
1894.....	13·7	10	1·4	5	7·0	9	6·0	3		
1895.....	2·3	6	2·9	7	0·6	1	0·1	1		
1896.....	3·7	8	0·1	1	8·6	16	11·6	10		
1897.....	0·6	4	6·0	8	1·6	4	0·6	1		
1898.....	5·3	8	15·8	9	9·1	13	S.	1		
1899.....	3·5	9	0·2	2	8·3	13	4·0	6	13·1	4
1900.....	6·3	6	6·6	6	3·6	6	2·4	2		
1901.....	8·5	8	2·6	7	11·5	7	3·0	2		
1902.....	1·0	6	6·6	6	4·8	13	2·3	3	S.	1

SWIFT CURRENT,

TABLE III.—Depth of Snow in inches and number of

Year.	January.		February.		March.		April.		May.	
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
1886.....	4·3	2	7·0	3	5·0	4	1·3	2	1·1	2
1887.....	8·7	11	14·8	9	4·1	10	5·0	5	0·1	1
1888.....	5·1	7	8·4	11	11·4	14	5·6	5	S.	1
1889.....	6·5	5	1·6	3	6·8	7	3·0	1	8·0	2
1890.....	8·4	14	7·4	7	6·8	10	6·8	4		
1891.....	3·6	10	4·4	8	12·4	15	0·8	1	5·0	3
1892.....	3·4	4	9·4	14	4·0	7	11·6	8	6·8	11
1893.....	13·4	10	12·6	9	9·8	8	2·4	9		
1894.....	4·0	7	5·0	5	10·2	13	3·1	5	2·4	2
1895.....	12·9	11	5·0	19	2·0	7	0·4	3	S.	2
1896.....	7·2	7	10·4	6	4·1	5	9·2	10		
1897.....	5·7	7	8·4	10	2·4	5	S.	2		
1898.....	5·7	4	8·2	5	20·2	11	5·6	2		
1899.....	5·9	12	3·0	6	13·1	11	1·7	4	8·0	4
1900.....	1·2	3	3·4	9	5·7	7	0·4	1		
1901.....	13·2	10	5·0	7	3·0	8	0·2	1		
1902.....	1·7	4	8·4	9	13·8	8	0·2	1	S.	1

* Doubtful.

FALL OF CANADA.

131

ALBERTA.

days. Latitude, N. 52° 41'; Longitude, W. 108° 20'.

June.		August.		September.		October.		November.		December.		Year.	
Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
2				0 1	0	0 6	3	0 9	4	0 1	4		
5						8.	1	1 8	14	0 1	10	4 3	56
				3 4	5	7 1	7	1 2	10	3 4	15	16 9	75
						2 3	3	2 2	10	4 2	3	36 8	43
				8.	1	8.	2	5 8	10	2 8	4	14 5	32
								13 7	14	5 1	7	42 8	56
						0 6	1	11 0	9	4 0	8	24 4	35
						8.	2	6 7	3	2 0	7	38 9	43
4						2 1	3	1 0	1	5 7	10	37 9	48
						1 0	1	1 9	4	2 7	6	24 5	31
				8 2	4	8.	1	2 3	5	5 7	9	41 8	43
1		S.	1					12 6	16	4 6	5	31 9	51

ALBERTA.

days. Latitude, N. 50° 20'; Longitude, W. 107° 45'.

June.		August.		September.		October.		November.		December.		Year.	
Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
2				0 5	1	0 7	3	5 0	6	6 8	7	31 7	30
1						1 2	4	1 1	5	6 2	11	41 2	56
1						4 2	3	2 8	4	3 8	5	41 3	50
2								3 1	8	11 9	12	40 9	38
				9 2	4	2 0	1	2 4	4	1 6	7	44 6	51
3						17 9	6	12 2	10	12 4	8	68 7	61
11						8.	1	16 0	5	30 0	20	81 2	70
						8.	1	3 2	5	7 0	11	10 2	13
2								8.	1	2 0	8	3 7	7
2		S.	1					8.	1	2 4	11	5 6	6
										11 2	18	2 8	9
								0 1	1	14 6	12	8 9	8
								0 9	3	4 0	8	1 3	4
4								3 7	3	0 1	1	3 3	11
								0 8	1	4 6	6	6 2	6
								5 0	2	2 0	11	4 7	11
1		1 0	1			0 2	1	6 0	12	3 6	7	31 9	44

RAIN AND SNOW.

YOU'VE BEEN APPLED

TABLE III.—Depth of Snow and number of

ASINIBOIA.

days. Latitude, N. $50^{\circ} 30'$; Longitude W. $103^{\circ} 47'$.

		June.		August.		September.		October.		November.		December.		Year.		
Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
					2.6	4	8.0	6	11.0	6						
					3.0	2	3.2	6	9.0	5	25.7	21				
					7.0	7	4.5	7	7.2	7	52.4	48				
2					8	2	6.5	7	4.0	5	32.0	39				
3					4.0	7	5.5	6	5.5	10	33.1	49				
1					7.4	4	1.4	7	0.5	6	35.3	47				
2					2.7	1	9.2	3	11.2	8	12.0	12	46.1	49		
2					5.4	2	9.2	5	1.2	4	0.3	2	56.3	54		
2					2.0	3	9.0	12	5.0	6	37.1	42				
1					0.7	1	12.8	7	3.3	10	50.3	52				
6					0.1	1	2.3	3	8.7	10	6.2	10	51.0	60		
2					15.0	4	8.2	8	3.3	6	58.9	46				
2					8	1	0.1	5	8.2	12	6.5	6	33.3	46		
					8	1	8	1	17.7	13	4.5	9	61.7	59		
					4.5	2	11.4	7	4.3	10	38.9	50				
					21.8	6	14.2	8	2.3	6	64.9	46				
					28.2	5	0.6	2	8.2	7	90.8	42				
11					5.0	2	1.1	2	19.4	10	3.4	13	62.6	55		
1	0.3	1			8.5	5	1.0	1	1.6	2	15.1	11	109.8	47		
1					8	1			10.5	12	8.4	8	93.5	55		

PRINCE ALBERT

TABLE III.—Depth of Snow in inches and number of

Year.	January.		February.		March.		April.		May.	
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
1886.....	9·1	9	5·5	6	8·8	6	2·0	2		
1887.....	9·5	5							5·5	4
1888.....			2·0	5	5·0	6	13·8	4		
1889.....	7·4	9	14·7	10	3·8	3	2·0	1	2·5	3
1890.....	13·8	16	12·6	9	19·6	14	5·7	8	2·1	5
1891.....	5·3	13	5·0	16	2·0	7	0·2	1	0·6	5
1892.....	3·8	7	5·9	14	2·3	8	8·4	11	3·9	7
1893.....	2·4	7	3·2	12	2·2	5	0·3	4		
1894.....	8·1	11	4·7	8	8·9	8	6·8	7		
1895.....	17·2	11	3·5	5	2·6	5	3·3	2		
1896.....	15·6	9	4·9	4	14·9	11	5·9	7		
1897.....	15·6	15	6·4	8	1·6	4	5·8	4		
1898.....	7·4	8	18·6	9	11·0	10	0·6	3		
1899.....	19·6	10	0·4	2	18·4	10	5·9	6	9·5	3
1900.....	9·5	6	7·9	8	4·7	5	4·0	2		
1901.....	3·3	4	10·3	7	24·0	6	8	2		
1902.....	2·6	3	9·7	8	5·5	6	6·0	2	8	2

FALL OF CANADA.

SASKATCHEWAN.

days. Latitude, N. 53° 10'; Longitude, W. 106° 0'.

Days.	June.		August.		September.		October.		November.		December.		Year.	
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
4			6.6	5	0.1	5	10.5	7	3.0	3	45.6	43		
					1.7	2	5.5	4						
3			8	1	8	1	5.9	12	4.4	12	40.7	52		
5			8	1	0.8	2	1.8	8	12.0	15	68.4	78		
5			0.3	1	4.0	8	5.5	18	1.9	8	24.8	77		
7					8	1	4.8	13	3.9	9	33.0	70		
					7.4	3	0.7	6	4.6	11	20.8	48		
			8	1	7.6	3	2.6	5	2.1	7	40.8	50		
					2.0	4	16.4	11	7.6	10	52.6	48		
							14.4	13	7.2	5	62.9	49		
					1.2	1	18.3	13	21.0	8	69.9	53		
					2.5	2	9.0	2	2.9	4	52.0	38		
3					2.0	1	3.0	2	8.1	5	66.9	39		
			0.6	1	3.0	1	4.7	4	17.0	7	51.4	34		
			6.0	2	0.0	0	7.8	6	3.4	7	54.8	34		
2					0.6	2	30.6	13	1.1	4	50.1	40		

WINNIPEG,

TABLE III.—Depth of Snow in inches and number of

Year.	January.		February.		March.		April.		May.	
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
1874.....	5.3	4	4.8	5	3.7	5	5.4	3
1875.....	7.0	9	6.6	7	2.4	6	5.7	7
1876.....	10.2	9	14.1	6	12.4	4	8	1	4.2	2
1877.....	4.2	3	1.1	3	10.8	9	8.1	6
1878.....	3.0	3	3.3	5	0.5	1	3.5	1	11.8	2
1879.....	16.7	10	6.5	6	4.3	3	2.7	1
1880.....	10.4	6	18.6	9	3.4	4	4.5	3
1881.....	1.5	1	39.3	12	5.2	4	1.1	1
1882.....	12.6	12	17.7	10	25.8	11	6.0	1
1883.....	6.5	11	6.8	5	2.9	4	6.2	7	0.1	3
1884.....	6.1	8	13.7	9	12.0	4	13.0	4
1885.....	2.3	3	4.2	7	11.2	9	2.4	3
1886.....	6.1	10	5.0	8	3.8	6
1887.....	7.1	12	10.7	9	9.3*	9	8.9	7	8	1
1888.....	7.9	8	3.1	8	10.9	11	7.6	6	0.1	2
1889.....	15.7	14	10.3	8	2.5	6	2.0	2
1890.....	5.1	7	8.2	10	15.4	14	2.2	4	9.6	9
1891.....	7.8	12	8.8	12	3.8	7	8	3	1.0	2
1892.....	5.3	7	6.0	9	6.8	6	11.7	8	8	1
1893.....	18.8	16	15.2	9	1.7	4	14.8	11
1894.....	11.0	12	10.0	6	16.3	10	10.2	5
1895.....	15.4	14	11.2	9	4.2	8	8	2	0.6	1
1896.....	9.9	13	4.2	5	11.5	9	2.0	7
1897.....	8.7	9	8.9	6	13.1	7	0.5	1	0.4	1
1898.....	8.9	12	10.7	7	25.3	13	8	1
1899.....	17.7	6	8.4	7	3.6	4	4.5	2
1900.....	10.5	6	2.0	3	6.8	8
1901.....	8.1	9	9.0	9	2.6	3	1.0	2	0.5	1
1902.....	1.1	3	5.4	6	12.0	3	7.7	3

FALL OF CANADA.

137

MANITOBA.

days. Latitude, N. $49^{\circ} 53'$; Longitude, W. $97^{\circ} 7'$.

Days.	June.		August.		September.		October.		November.		December.		Years.		
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	
2					2.6	2	10.9	12	3.3	7	36.0	38			
					9.2	8	9.7	13	9.8	9	50.4	59			
2					5.3	4	24.9	11	7.2	10	78.3	47			
					0.9	2	3.6	5	0.9	2	29.6	30			
2				8	11.7	6	1.5	4	14.0	12	49.3	35			
							3.7	7	24.2	12	58.1	39			
					1.1	3	2.4	6	12.3	10	52.7	41			
					5.8	11	26.6	19	3.5	5	83.0	63			
1					4.0	3	6.6	7	20.0	11	92.7	55			
3					4.7	3	12.5	12	9.2	6	48.9	51			
					8.4	6	8.0	7	11.1	8	72.3	46			
3					2.6	5	7.7	4	12.2	13	42.6	44			
		0.3	1	0.2	1	5.7	8	3.9	5	25.0	39				
1					2.0	4	10.3	8	13.7	15	62.0	65			
2					10.2	3	3.8	7	4.8	12	48.4	57			
					0.2	6	7.3	10	13.8	12	51.8	57			
9					8	1	2.8	7	4.6	9	47.9	61			
2					0.9	4	11.8	12	9.3	10	43.4	62			
1					8	1	20.3	8	0.5	10	50.6	50			
		0.1	2	8	1	22.7	12	6.2	12	79.5	67				
					8	2	17.5	14	5.1	8	70.1	57			
1					1.5	1	4.7	9	1.7	13	39.3	60			
					0.5	5	13.1	21	1.9	6	43.1	66			
1					0.2	1	7.2	6	5.4	8	44.4	39			
					0.8	2	19.0	5	6.1	6	70.8	46			
					8	3	2.5	1	1.1	1	37.8	24			
1				8	1	0.0	0	0.6	2	4.3	6	26.1	33		
					8	1	0.0	0	15.0	9	51.2	27			

MINNEDOSA,

TABLE III.—Depth of Snow in inches and number of

Year.	January.		February.		March.		April.		May.	
	Depth.	Days.	Depth.	Days.	DeptL.	Days.	Depth.	Days.	Depth.	Days.
1883.....	4·0	3	5·7	3	8·5	3	11·5	3	8	1
1884.....	6·8	10	5·6	9	10·0	7	9·9	9
1885.....	3·6	8	5·4	7	9·5	13	8·8	8	1·5	4
1886.....	5·1	13	5·0	12	4·0	14	9·4	2	8	2
1887.....	4·9	10	5·0	12	2·1	9	8·3	5	1·0	3
1888.....	4·8	10	2·5	9	10·0	12	10·1	7	0·7	2
1889.....	10·4	13	5·1	7	0·9	5	1·7	2	8	1
1890.....	3·3	8	23·0	12	2·3	12	1·4	3	3·3	5
1891.....	6·9	13	15·0	7	4·2	6	8	1	1·5	2
1892.....	2·7	5	2·8	9	2·5	6	3·8	8	2·3	6
1893.....	10·1	16	9·5	11	1·5	10	3·4	14
1894.....	18·3	12	7·7	6	8·8	10	1·9	5	4·6	1
1895.....	7·7	16	1·9	9	0·4	4	1·7	2	0·4	2
1896.....	13·4	12	1·4	9	12·8	15	10·2	13
1897.....	15·4	7	4·3	10	8·6	6	0·4	3	0·1	1
1898.....	3·9	7	2·5	8	7·4	12
1899.....	5·7	10	3·5	6	4·7	8	3·5	5	0·8	4
1900.....	10·0	11	3·7	11	6·7	8
1901.....	9·0	7	3·8	5	5·0	5	10·3	4	0·1	1
1902.....	0·6	4	11·6	9	8·7	9	7·1	5	1·2	1

MAN.

days. Latitude, N. 50° 10'; Longitude, W. 99° 48'.

June.		August.		September.		October.		November.		December.		Years.	
Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
.....	4·5	5	18·5	12	12·4	7	65·1	38
.....	6·2	7	7·6	7	6·1	10	52·2	59
.....	5·0	6	1·3	10·8	13	45·9	64
.....	0·5	1	1·1	1	4·1	8	1·4	4	30·6	57
0·5	1	1·3	7	8·5	9	8·2	12	39·8	68
.....	8·4	6	4·0	4·5	6	45·0	61
.....	8	1	0·6	4	4·0	8	10·6	11	33·3	52
.....	8	1	2·2	6	3·7	6	6·0	9	45·2	62
.....	0·4	4	5·3	13	5·6	6	38·9	52
.....	3·8	3	22·8	9	1·5	8	42·2	54
.....	2·7	7	10·9	11	8·1	13	46·3	82
.....	8·1	2	10·4	17	2·0	5	61·8	58
.....	1·4	6	10·1	14	7·6	9	31·2	62
.....	0·2	1	4·2	3	18·8	16	8·0	12	69·0	81
.....	0·6	3	6·2	10	9·3	12	44·9	52
.....	1·9	10	9·0	7	1·4	8	26·1	52
.....	0·1	1	10·4	7	5·6	4	1·8	8	36·1	53
.....	0·1	1	S	1	12·7	6	6·5	7	39·7	45
2·4	1	1·5	14	0·0	0	5·1	7	4·8	13	42·0	57
.....	1·6	2	8·1	10	7·2	12	46·1	52

TABLE III.—Depth of Snow in inches and number of

FORT ARTHUR.

Year.	January.	February.	March.	April.			May.		
				Days.	Depth.	Days.	Days.	Depth.	Days.
1880.....	10·6	6	27·7	11	7·7	3	12·8	8
1881.....	2·4	5	8·4	7	2·0	2	2·5	2
1882.....	14·4	10	18·7	7	15·4	10	1·0	1
1883.....	10·8	9	6·0	3	14·1	6	8	2
1884.....	8·9	7	10·8	8	19·0	5	8	2
1885.....	2·3	6	5·4	4	11·2	7	6·6	3
1886.....	10·9	12	17·9	16	6·2	3
1887.....	9·4	5	8·9	9	5·2	4	6·2	8
1888.....	14·6	14	5·8	8	27·6	9	9·4	4	2·7
1889.....	13·4	9	3·2	8	10·0	5	7·2	5	1
1890.....	8·5	13	10·5	11	5·4	9	1·1	1	3·7
1891.....	3·9	7	2·6	8	10·1	10	1·8	4
1892.....	2·3	6	3·2	8	4·9	5	2·4	1	3·8
1893.....	13·6	16	20·2	15	5·3	6	11·4	11	1·2
1894.....	9·3	12	9·4	4	10·5	7	7·1	2	0·6
1895.....	7·1	11	7·5	8	9·4	8	1·0	1
1896.....	5·5	10	2·1	5	6·4	6	6·8	2
1897.....	8·6	7	9·2	7	8·1	10	8	1
1898.....	5·1	9	4·6	4	5·4	8
1899.....	3·0	9	5·7	6	3·4	5	8	1
1900.....	8·5	7	2·0	2	2·9	4
1901.....	8·4	7	0·6	1	6·6	4
1902.....	5·0	6	2·4	1	0·4	1	8	1

FALL OF CANADA.

141

ONTARIO.

days. Latitude, N. $48^{\circ} 27'$; Longitude, W. $89^{\circ} 12'$.

June.		August.		September.		October.		November.		December.		Year.	
Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
				18.5	4	9.3	7	3.2	4	89.8	43		
				1.0	1	20.1	8	5.4	6	41.8	31		
						4.4	3	7.2	6	61.1	37		
						6.7	5	11.8	4	49.4	29		
				5.9	6	7.3	4	12.9	8	64.8	40		
				0.6	1	8.8	4	4.2	4	39.1	27		
						11.5	5	5.4	7	51.0	44		
		8	1			0.1	3	10.0	11	14.1	13	53.9	53
						1.5	2	0.8	1	8	1	62.4	42
						4.1	2	7.6	4	15.5	11	61.0	45
						0.1	1	4.9	5	2.6	6	36.8	49
						1.0	1	4.0	6	6.2	8	29.6	44
								11.0	8	3.0	6	30.6	36
								4.6	7	10.8	10	67.1	68
								10.2	12	7.1	9	45.2	47
						7.1	3	3.3	6	9.0	7	44.4	44
						1.1	1	13.4	16	1.6	5	36.9	45
								4.9	4	4.6	4	35.4	33
								1.2	4	2.8	5	19.1	30
										4.7	5	18.8	25
								1.8	7	1.8	3	17.0	23
						8	1	3.3	7	3.5	8	22.4	28
								4.8	8	4.6	7	17.2	24

TABLE III.—Depth of Snow in inches and number of

Year.	January.		February.		March.		April.		May.	
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
1889.....	14·5	10	18·7	11	39·9	12	14·0	6	1·1	4
1890.....	28·5	22	46·3	20	12·5	16	4·1	6	11·5	9
1891.....	1·3	16	5·8	13	8·1	12	0·1	4	1·3	8
1892.....	2·7	18	3·0	12	4·3	12	0·3	10	0·6	4
1893.....	14·0	19	22·0	19	16·0	13	11·0	15	3·4	5
1894.....	10·7	17	1·4	14	3·8	17	6·3	6	7·3	5
1895.....	30·0	20	10·8	14	8·3	14	1·4	8	4·8	5
1896.....	31·7	15	13·8	16	14·3	12	9·6	7	1·9	2
1897.....	17·2	13	9·2	9	9·3	14	2·5	5	1·2	1
1898.....	15·8	21	19·8	17	14·8	14	S	3	0·8	1
1899.....	14·9	19	17·2	8	15·8	13	2·6	4	0·4	1
1900.....	14·4	18	13·8	13	11·8	12	0·8	2
1901.....	17·3	13	8·7	13	32·6	12	0·6	1	S	1
1902.....	24·2	21	13·4	19	4·8	4	7·9	7	0·4	1

FALL OF CANADA.

143

ONTARIO.

days. Latitude, N. 48° 35'; Longitude, W. 85° 16'.

June.		August.		September.		October.		November.		December.		Year.	
Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
		0·8	4	7·8	11	9·2	11	38·1	20	144·1	89		
		8	2	0·2	4	7·8	12	5·8	16	116·7	107		
				0·9	6	6·4	14	2·9	9	26·8	82		
				0·9	9	25·0	18	20·0	19	56·8	102		
		1·3	1	5·3	9	24·9	19	22·3	16	120·2	116		
0·7	2	0·2	1	8	3	12·7	18	12·0	16	55·1	99		
		1·0	3	11·9	10	10·0	17	16·2	14	94·4	111		
		1·2	1	0·8	6	27·1	22	2·9	15	103·3	96		
1·2	1			3·4	5	22·2	20	9·2	14	75·4	82		
				3·2	5	9·9	14	20·9	22	85·2	97		
		3·4	2	0·2	1	1·7	6	20·8	17	77·0	71		
						12·4	15	19·4	16	72·6	76		
		2·0	3	9·1	6	24·4	18	17·8	21	112·5	88		
				2·2	5	15·0	11	23·6	13	91·5	81		

TABLE III.—Depth of Snow in inches and number of

Year.	January.		February.		March.		April.		May.	
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
1874.....										
1875.....	55.9	20	19.2	16	16.5	11	1.2	6	9.7	3
1876.....	13.2	15	16.6	15	31.7	13	3.9	5		
1877.....	22.7	18	3.6	12	35.8	17				
1878.....	14.8	14	5.9	7	0.8	3				
1879.....	21.2	15	25.6	19	14.3	14	1.0	3		
1880.....	6.3	8	13.8	16	15.3	14	5.9	3		
1881.....	27.0	19	3.0	11	12.2	7	0.6	3		
1882.....	1.9	16	13.5	11	13.9	10	1.5	3	0.2	1
1883.....	34.3	21	23.6	21	5.5	13	2.5	3		
1884.....	36.3	23	17.1	17	7.1	9	8	3	2.0	1
1885.....	33.1	25	15.9	13	16.7	13	15.1	6	2.3	5
1886.....	23.2	17	17.8	15	13.3	3				
1887.....	30.0	15	19.2	16	11.5	12	3.3	5		
1888.....	29.9	18	22.3	16	11.9	15	4.4	7	0.8	2
1889.....	20.3	17	24.3	17	9.2	8	1.6	4	1.2	1
1890.....	24.7	18	22.6	10	13.8	15	0.6	1	0.2	1
1891.....	19.9	15	20.2	13	27.3	13	0.8	2	1.0	2
1892.....	65.8	27	24.6	15	6.0	10	1.4	2		
1893.....	35.9	24	23.2	14	13.2	11	5.8	4		
1894.....	34.2	19	27.2	19	7.8	13	2.0	1		
1895.....	77.5	27	30.5	19	21.0	16	4.0	3	2.2	2
1896.....	30.0	17	23.0	15	10.7	11	4.0	4		
1897.....	29.1	18	22.8	16	23.2	9	0.3	1		
1898.....	29.2	22	26.8	16	0.2	1	2.2	4		
1899.....	57.5	18	23.0	12	26.2	18	0.2	1		
1900.....	46.2	18	36.5	16	13.4	15	1.2	1		
1901.....	35.0	18	42.4	15	22.3	19	1.0	9		
1902.....	20.5	21	18.9	13	6.6	6	0.7	3		

ONTARIO.

days. Latitude N. $45^{\circ} 15'$; Longitude W. $89^{\circ} 0'$.

June.		August.		September.		October.		November.		December.		Year.	
Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
						8.2	9	29.7	19				
				3.0	4	16.6	13	15.2	10	137.3	83		
				2.1	6	6.7	7	24.3	17	98.5	78		
						7.6	5	5.2	4	74.9	56		
				0.5	2	7.7	10	41.2	20	70.9	56		
						14.5	11	47.3	23	123.9	85		
				4.8	2	42.9	17	40.0	22	129.0	82		
						16.1	12	6.8	10	65.7	62		
						8.6	7	31.5	21	71.1	69		
						13.2	8	31.2	16	110.3	82		
				0.2	1	16.6	8	15.7	14	95.9	76		
				0.7	2	14.8	10	32.1	22	130.7	96		
						20.1	11	34.3	16	108.7	69		
				6.7	6	21.6	17	25.8	19	118.1	90		
						4.0	6	10.8	13	84.1	77		
				0.8	2	10.4	6	20.9	13	88.7	68		
				0.4	1	10.3	7	28.1	20	100.7	73		
						17.5	10	8.8	9	95.5	64		
				0.2	3	12.5	9	39.2	22	149.7	88		
				0.6	2	22.9	13	65.8	20	167.4	88		
				1.6	1	25.2	15	16.0	11	114.0	79		
				2.2	5	21.6	9	* 44.5	16	203.5	97		
				3.4	3	21.2	10	22.9	14	115.2	74		
						13.7	11	46.8	20	135.9	75		
				0.6	1	12.7	11	52.9	22	124.6	77		
				0.6	1	6.3	2	53.0	17	166.8	69		
						19.8	12	24.7	17	141.8	79		
						19.4	14	37.0	16	157.1	91		
						2.8	3	31.2	16	80.7	62		

TABLE III.—Depth of Snow in inches and number of

Year.	January.		February.		March.		April.		May.	
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
1874.....	20·0	11	7·9	12	13·6	18	11·5	5
1875.....	45·1	27	13·7	13	14·0	15	4·7	6	5·2	4
1876.....	26·5	17	16·9	10	30·1	15	3·2	4
1877.....	18·1	15	6·1	11	24·0	15	0·1	1	0·2	1
1878.....	14·7	17	3·3	11	2·9	5
1879.....	28·6	21	35·1	23	14·1	15	9·4	7	8	1
1880.....	9·6	10	20·6	15	15·1	17	4·9	5
1881.....	34·9	24	7·4	8	18·6	12	3·6	4
1882.....	16·4	15	9·5	9	15·7	15	1·4	4	0·3	1
1883.....	26·5	17	34·5	16	7·8	9	6·1	5
1884.....	35·9	25	22·5	17	4·6	6	6·0	3
1885.....	53·0	27	17·9	17	22·0	14	9·3	6	0·3	3
1886.....	39·3	19	16·5	12	11·2	9	4·6	5
1887.....	44·8	21	36·3	19	12·8	11	3·5	4
1888.....	37·2	44	17·7	13	27·2	16	0·7	4	0·3	3
1889.....	27·2	17	46·3	22	9·4	8	8·7	5	0·2	1
1890.....	30·4	18	16·0	15	25·1	15	1·4	4	0·5	1
1891.....	23·7	14	23·6	19	28·9	15	1·1	2	0·7	1
1892.....	36·1	27	21·4	18	23·6	13	1·7	3
1893.....	52·7	27	28·5	17	7·9	8	4·1	6
1894.....	24·4	16	26·1	19	10·9	10	0·2	4	0·2	1
1895.....	68·1	26	36·9	20	17·8	14	1·5	1	S	3
1896.....	30·3	20	22·2	18	16·9	15	1·9	5
1897.....	47·2	20	19·0	14	19·2	12	1·7	3
1898.....	21·3	19	27·8	17	0·4	3	1·0	3
1899.....	29·4	20	18·6	15	29·6	23	2·1	4
1900.....	27·2	17	25·5	21	10·5	12	0·5	2	S	1
1901.....	29·4	23	39·1	24	20·8	18	3·6	3
1902.....	16·4	21	19·5	18	5·0	6	7·6	5

FALL OF CANADA.

147

ONTARIO.

days. Latitude, N $44^{\circ} 30'$; Longitude, W. $81^{\circ} 21'$

June.		August.		September.		October.		November.		December.		Year.					
Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.				
				8	2	12.2	15	11.9	18	77.1	81						
				4.3	7	15.1	11	21.6	17	123.7	160						
				3.0		10.5	11	29.5	21	119.7	86						
						8.8	6	6.5	6	63.8	55						
				2.0	4	8.8	10	69.4	27	101.1	74						
				2.6	3	28.0	17	36.0	27	153.8	114						
				1.3	3	20.8	17	32.3	21	104.6	88						
						23.7	12	16.1	16	99.3	70						
						13.9	15	39.7	22	96.9	81						
						15.2	10	29.3	20	119.4	77						
				7.5	2	15.2	10	34.7	15	126.4	7						
						13.2	11	28.1	17	143.8	95						
						1.2	2	16.0	12	34.7	17	123.5	76				
						2.6	5	6.4	13	37.6	18	144.0	91				
						12.0	11	7.1	13	102.2	84						
						0.5	3	15.4	8	3.5	7	111.2	71				
						0.8	4	3.0	8	23.6	19	100.8	84				
						0.1	1	17.9	12	10.4	13	106.4	77				
								15.0	14	39.7	18	137.5	93				
								1.4	3	15.5	12	46.3	25	156.4	98		
								8	20.7	17	11.2	12	93.7	80			
								8.6	8	14.7	12	33.5	15	181.1	99		
								2.9	4	10.2	15	23.6	16	108.0	93		
								0.7	1	9.4	13	34.3	19	131.5	82		
								0.2	2	14.0	12	44.0	25	108.7	81		
									1.6	4	26.8	16	108.2	83			
									18.5	9	18.9	16	101.1	78			
									4.6	2	4.7	12	25.1	12	127.3	94	
									0.1	1	2.6	2	15.4	14	66.6	67	

TABLE III.—Depth of Snow in inches and number of

Year.	January.		February.		March.		April.		May.	
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
1877.....	8·1	12	0·9	4	26·8	12	8	1
1878.....	18·0	14	8·0	8	3·1	6	0·5	1
1879.....	14·7	18	21·3	13	19·6	10	1·0	2
1880.....	9·1	6	16·1	13	21·0	9	3·5	3
1881.....	18·2	12	9·2	9	14·6	10	8	3
1882.....	23·8	13	25·5	10	16·2	9	3·3	5	6·5	2
1883.....	20·2	13	9·7	8	8·5	7	0·5	5	8	1
1884.....	31·5	14	27·8	13	11·9	7	0·4	5	1·0	1
1885.....	18·5	15	21·0	10	25·2	16	4·1	4	1·8	2
1886.....	36·2	17	6·5	13	23·0	13	2·0	2
1887.....	29·5	15	28·2	15	13·5	4	0·2	3
1888.....	26·5	12	8·6	13	16·5	11	10·0	6
1889.....	17·5	9	24·4	8	9·3	4	0·4	1
1890.....	11·6	9	29·2	10	4·8	4	1·4	2
1891.....	31·1	15	15·6	10	34·4	12	2·5	4	0·4	2
1892.....	21·9	17	15·4	8	7·5	8
1893.....	21·0	15	12·4	8	7·8	9	7·1	4
1894.....	33·2	13	7·0	5	8·8	7	1·0	1
1895.....	31·8	16	8·2	12	5·2	9	8	1
1896.....	15·0	15	18·8	11	8·7	7	16·6	6
1897.....	12·4	13	17·0	14	22·0	9	4·1	2
1898.....	18·1	15	15·8	12	2·1	3	0·1	1
1899.....	17·7	13	7·2	10	28·0	13	1·0	2
1900.....	12·7	14	15·2	10	12·0	10	5·4	3
1901.....	18·3	17	2·1	9	16·7	15	2·0	2
1902.....	9·6	11	4·9	10	2·2	2	0·1	1

These observations were taken at Rockliffe until the 1st March 1899, after which they were taken at Bissett, 10 miles west of Rockliffe.

FALL OF CANADA.

149

BISSETT, ONTARIO.

days. Latitude, N. 46° 12'; Longitude, W. 77° 55'.

June.		August.		September.		October.		November.		December.		Year.	
Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.
					1·5	2	6·7	9	5·4	12	49·4	52	
							7·6	10	16·1	17	53·3	56	
					8	3	8·3	9	31·0	17	95·9	72	
					5·1	3	3·2	13	35·1	16	93·1	63	
					8	1	16·1	11	6·6	7	64·7	53	
2							5·5	6	27·4	16	102·7	61	
1							18·3	7	20·4	10	77·6	51	
1					0·5	2	20·5	15	20·1	12	113·7	69	
2					2·3	1	3·9	12	29·9	23	106·7	83	
					0·5	3	8·5	8	12·9	15	89·6	71	
					9·4	6	16·3	14	16·0	15	113·1	72	
					8	3	8·1	4	11·2	5	79·9	54	
1					0·3	1	10·0	2	13·5	8	75·4	34	
					S	1	11·9	11	22·8	17	81·7	58	
2					S	1	7·0	5	7·5	4	98·5	53	
							11·9	9	21·8	17	78·5	59	
							12·0	9	27·1	20	87·4	65	
					3·0	1	8·4	10	23·4	10	84·8	47	
1					1·0	4	18·0	9	23·8	11	88·0	62	
					4·6	3	28·8	11	7·1	7	99·6	60	
							6·2	10	32·3	16	94·0	64	
					4·0	1	1·2	4	22·4	16	60·2	52	
					0·2	1	8·2	2	14·2	13	76·5	54	
							7·3	10	15·8	14	68·4	61	
							15·6	13	17·4	10	72·7	66	
							2·0	1	7·3	6	20·0	11	46·1
													42

TABLE III.—Depth of Snow in inches and number of

Year.	January.		February.		March.		April.		May.	
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
1874.....	24.4	12	15.4	11	2.4	8	1.5	3
1875.....	15.5	11	15.1	8	23.1	9	1.7	4	0.3
1876.....	3.7	4	21.5	13	24.8	14	8	1
1877.....	25.0	17	0.8	6	28.0	21	8	1
1878.....	21.2	16	21.1	10	2.1	4
1879.....	12.9	14	19.8	22	7.2	12	1.8	7
1880.....	1.5	4	18.7	16	2.8	11	0.6	4
1881.....	17.6	21	13.2	12	22.9	14	2.8	4
1882.....	4.0	13	4.0	6	13.4	15	8	2	8	1
1883.....	12.1	15	13.4	15	18.7	16	1.3	4
1884.....	13.7	15	8.1	15	5.4	7	1.8	5
1885.....	17.8	18	12.8	16	7.6	15	9.4	7	8	1
1886.....	25.7	19	16.9	14	8.1	11	5.7	5
1887.....	16.2	21	9.4	13	3.5	14	0.2	3
1888.....	14.5	19	1.1	8	9.1	13	3.6	5
1889.....	20.0	19	13.9	20	6.0	12	13.4	5
1890.....	4.8	11	8.6	12	16.3	17	8	2
1891.....	8.7	4	12.9	14	19.6	16	0.4	1	0.4	4
1892.....	32.9	21	7.9	13	3.8	15	3.0	4
1893.....	42.6	27	41.4	20	7.3	16	6.3	4
1894.....	4.2	13	15.1	13	4.6	9	5.8	4
1895.....	30.9	21	8.5	17	16.4	16	0.3	2	8	1
1896.....	9.5	13	34.3	15	16.9	12	5.2	3
1897.....	19.6	16	12.4	13	10.4	7	4.2	3
1898.....	20.3	12	33.0	14	0.2	1	2.4	3
1899.....	8.3	13	5.4	9	18.4	17	0.8	2
1900.....	16.5	14	37.5	13	44.3	13	1.5	2	8	1
1901.....	18.7	16	26.6	18	7.8	10	7.3	3
1902.....	30.4	15	13.6	12	1.6	4	5.2	3

ONTARIO.

days. Latitude, N. $42^{\circ} 40'$; Longitude, W. $81^{\circ} 13'$.

June.		August.		September.		October.		November.		December.		Year.	
Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
				0' 3	1	14' 0	6	2' 0	2	60' 0	43		
				0' 5	2	4' 6	5	5' 2	7	66' 0	47		
				0' 8	6	3' 8	9	27' 5	22	82' 1	69		
						0' 1	6	0' 4	2	54' 3	53		
						0' 1	2	16' 8	19	61' 3	51		
				13' 5	2	36' 0	11	16' 5	10	107' 7	78		
				0' 4	2	9' 8	14	10' 5	23	44' 3	74		
						3' 7	6	1' 1	6	61' 3	63		
						6' 7	9	10' 5	19	38' 6	65		
						3' 0	4	8' 5	14	57' 0	68		
				8	1	6' 1	7	11' 1	11	46' 2	61		
				8	1	2' 7	7	17' 6	16	67' 9	81		
				8	1	5' 5	10	22' 1	17	94' 0	77		
				8	1	9' 6	7	13' 7	16	52' 6	75		
				0' 2	2	1' 4	6	6' 3	15	36' 2	68		
						1' 2	5	0' 2	4	54' 7	65		
				0' 4	1	3' 2	6	30' 8	18	64' 1	67		
						5' 3	7	3' 7	7	51' 0	63		
				8	1	10' 6	18	6' 3	21	64' 5	93		
				8	2	1' 9	8	22' 6	18	122' 1	95		
				8	1	16' 8	17	1' 4	10	47' 9	67		
				0' 2	4	2' 8	8	15' 3	11	74' 4	80		
				8	1	S	6	7' 2	14	73' 1	64		
						2' 7	4	12' 0	9	61' 3	52		
						9' 0	7	22' 8	11	87' 7	48		
						S	1	5' 1	10	38' 0	52		
						8' 8	8	4' 2	9	112' 8	60		
				0' 2	1	10' 4	8	24' 0	14	95' 0	70		
				1' 3	1	5' 0	2	17' 1	13	74' 2	50		

TABLE III.—Depth of Snow in inches and number of

Year.	January.		February.		March.		April.		May.	
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
1874.....	13.0	11	9.7	8	2.3	4	8.7	7
1875.....	19.4	9	5.1	3	26.6	9	1.9	3	0.2	1
1876.....	1.0	4	16.9	7	29.7	11
1877.....	19.1	13	4.6	5	20.0	18
1878.....	17.9	11	25.3	10	3.3	5
1879.....	10.4	14	18.1	21	6.7	13	2.0	7
1880.....	3.3	5	28.3	13	5.7	11	1.6	5
1881.....	23.7	19	15.9	10	30.7	20	3.8	5
1882.....	7.0	14	1.6	5	9.3	15	0.5	2
1883.....	16.7	18	21.2	16	23.6	17	1.8	4
1884.....	45.6	18	8.4	17	3.9	7	0.6	2
1885.....	10.2	17	8.8	16	12.1	14	8.2	6
1886.....	14.7	20	15.1	14	5.6	10	14.2	3
1887.....	25.5	20	4.1	9	3.4	8	0.5	3
1888.....	7.9	14	0.6	8	1.0	1
1889.....	17.3	12	15.8	16	2.3	9	3.9	3
1890.....	6.2	10	5.2	10	8.2	14	S	1
1891.....	6.8	18	19.7	10	12.7	14	0.5	2	S	1
1892.....	31.2	16	7.5	8	9.2	9	0.4	3
1893.....	25.3	19	33.5	16	5.5	3
1894.....	4.7	7	19.0	6	4.8	5	9.8	4
1895.....	37.6	20	16.6	13	11.2	13	0.3	2	1.4	1
1896.....	12.9	11	32.9	14	12.8	10	0.9
1897.....	19.1	13	15.2	12	10.5	7	5.0	1
1898.....	14.9	12	23.3	14
1899.....	6.9	8	3.5	7	13.0	12	1.2	3
1900.....	19.7	15	38.9	10	39.6	13	2.6	2
01.....	14.0	5	28.0	8	9.5	8	12.3	3
1902.....	14.2	10	10.8	13	0.7	2	2.6	3

FALL OF CANADA.

153

ONTARIO.

days. Latitude, N. $42^{\circ} 47'$; Longitude, W. $80^{\circ} 13'$.

June.		August.		September.		October.		November.		December.		Year.	
Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
						8 0	3	3 5	3	45 2	36		
				1 0	1	6 0	6	9 3	9	69 5	41		
				1 0	1	6 0	6	9 3	9	82 0	45		
				1 1	1	3 8	3	29 5	20	57 8	43		
						8	1	23 1	17	59 6	44		
				S	1	10 8	8	10 1	10	58 1	74		
						19 0	10	9 6	19	67 5	63		
						4 5	7	8	5	78 6	66		
						10 2	8	16 2	18	44 8	62		
						5 1	5	10 3	12	78 7	72		
				0 5	1	5 4	6	16 1	9	80 5	60		
						S	1	2 8	6	24 6	17	66 7	77
								13 1	11	25 6	16	88 3	74
								4 2	10	7 5	10	45 2	60
						S	2	1 0	4	5 5	16	16 0	45
								2 2	2	0 3	4	41 8	46
						S	2	2 1	3	13 0	8	34 7	48
								5 6	9	0 8	9	46 1	63
						S	1	6 7	18	4 3	10	59 3	57
				2 8	3	26 0	17	4 7	7	97 8	65		
								16 6	11	7 4	12	62 3	45
						2 6	2	4 6	4	9 5	9	83 8	64
								2 6	4	5 9	6	68 0	45
								0 7	2	13 8	12	64 3	47
								12 3	5	17 9	9	68 4	40
										11 9	7	36 5	37
								16 3	7	7 1	9	124 2	56
								4 8	6	18 1	9	86 7	39
								6 2	3	12 9	13	47 4	44

TABLE III.—Depth of Snow in inches and number of

Year.	January:		February:		March:		April:		May.	
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
1874.....	12.2	15	19.1	15	2.6	10	11.0	7
1875.....	32.3	17	9.1	9	30.0	11	2.7	8	3.1	2
1876.....	3.2	9	20.1	16	44.1	14	0.3	3
1877.....	13.4	15	2.9	6	19.1	21
1878.....	11.9	15	15.4	11	1.0	7
1879.....	11.5	15	17.1	15	7.8	14	1.9	5
1880.....	4.0	6	10.9	15	12.8	15	3.5	4	8	1
1881.....	19.5	18	8.6	10	18.0	12	0.2	3
1882.....	7.8	13	5.4	8	5.7	11	0.2	2
1883.....	23.0	16	18.4	13	23.1	13	4.6	6
1884.....	31.4	18	16.5	14	10.6	11	2.8	4
1885.....	18.6	17	15.4	11	10.1	15	7.9	7	0.5	1
1886.....	29.1	15	10.0	12	5.9	8	7.6	4
1887.....	24.5	16	20.5	20	10.1	14	0.1	3
1888.....	12.7	16	7.7	14	8.5	13	0.1	6	0.1	2
1889.....	21.2	14	19.9	19	7.8	7	3.0	4
1890.....	6.3	13	15.5	17	9.6	15	0.1	1
1891.....	12.3	16	8.8	14	18.7	16	0.1	2	0.3	1
1892.....	13.8	20	16.6	14	2.1	12	0.3	2
1893.....	22.7	25	20.8	22	4.1	11	6.3	6
1894.....	7.1	10	16.1	13	1.0	7	7.1	3
1895.....	35.8	21	4.0	15	5.1	16	1.0	2
1896.....	20.7	11	29.6	11	11.4	7	0.3	2
1897.....	11.2	10	7.7	10	6.4	8	4.1	1
1898.....	12.5	13	24.5	13	0.5	3
1899.....	4.7	8	5.5	7	14.8	11	1.8	3
1900.....	14.7	13	28.7	9	20.3	11	8	3
1901.....	16.9	13	14.4	12	13.6	10	8.8	2
1902.....	25.4	9	5.8	7	3.5	4	0.2	1

See also supplementary table, pages 106, 107.

ONTARIO.

days. Latitude, N. $43^{\circ} 39'$; Longitude, W. $79^{\circ} 17'$.

June.		August.		September.		October.		November.		December.		Year.	
Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
				8	2	11.7	11	11.1	15	67.7	75		
				3.8	2	7.8	8	18.7	13	107.5	70		
				0.1	5	9.1	7	36.5	23	113.4	76		
						1.6	5	0.3	7	37.3	54		
				8	1	5.3	5	17.4	17	51.0	56		
				0.1	2	11.6	11	19.0	17	68.5	79		
				2.7	3	4.2	13	6.5	18	44.1	75		
				8	1	7.6	11	4.3	7	57.6	62		
						7.6	8	15.8	18	42.5	60		
				8	1	3.8	6	11.1	17	84.0	72		
				0.8	1	5.2	7	12.9	12	80.2	67		
				0.8	2	2.3	5	9.1	14	64.7	72		
				8	1	4.9	9	15.9	12	73.4	61		
				0.1	3	7.8	8	15.9	14	79.0	78		
				0.1	3	3.9	7	2.3	18	35.4	79		
				0.2	2	8.5	7	3.9	9	64.5	62		
						1.8	9	18.3	21	51.6	76		
						3.7	7	4.2	8	48.1	64		
						6.3	15	3.2	18	42.3	81		
				8	1	2.7	12	18.8	20	85.4	97		
				8	1	4.2	13	2.8	7	38.3	54		
				1.6	3	2.1	5	5.2	4	54.8	66		
				1.9	3	3.5	4	6.0	13	73.4	53		
				8	1	1.7	2	13.3	11	44.4	43		
				8	1	14.1	5	18.4	11	70.0	46		
						0.7	1	3.2	3	30.7	33		
						8.7	5	2.2	10	74.6	51		
						3.2	7	13.8	10	70.7	54		
						8	1	7.1	9	49.2	33		

KINGSTON,

TABLE III.—Depth of Snow in inches and number of

Year.	January.		February.		March.		April.		May.	
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
1874.....	35.1	15	5.6	14	5.7	14	18.3	13	4.0	1
1875.....	26.1	19	15.5	11	14.8	12	3.6	4	0.4	1
1876.....	9.9	11	47.9	15	34.1	12	3.0	3	0.2	1
1877.....	24.9	22	8	6	27.6	18	1.3	2
1878.....	21.6	17	5.8	9	3.6	4
1879.....	33.8	19	17.1	19	22.7	17	4.0	5	1.1	1
1880.....	5.8	5	18.8	14	7.9	14	2.5	3
1881.....	24.5	13	7.3	8	21.3	15	0.3	3
1882.....	15.1	17	17.1	11	14.4	11
1883.....	22.7	17	18.3	18	29.8	13	5.8	4
1884.....	52.7	18	19.0	18	16.3	11	3.1	5
1885.....	18.9	21	24.3	13	16.2	18	26.2	7	1.7	2
1886.....	36.1	21	19.7	12	10.6	13	11.7	4
1887.....	38.1	22	29.7	16	8.2	12	0.2	1
1888.....	29.4	15	10.2	10	14.6	9	3.3	6	8	1
1889.....	34.3	14	28.3	19	4.8	8	42.2	2
1890.....	17.3	18	22.7	10	12.8	11	0.1	4
1891.....	15.9	17	9.3	12	18.5	13	8	3	0.4	2
1892.....	27.2	21	20.4	15	10.4	11	0.4	4
1893.....	16.4	18	20.5	20	2.7	9	5.4	4
1894.....	27.0	14	13.0	14	2.3	7	8	2
1895.....	24.9	23	12.7	16	8.8	19	2.0	2
1896.....	15.3	16	18.6	15	13.3	9	0.9	2
1897.....	17.6	11	12.3	16	8.1	7	0.8	1
1898.....	18.0	14	9.8	13	2.8	4
1899.....	7.5	10	5.8	12	18.4	11	0.4	1
1900.....	19.5	17	16.5	12	21.1	11	1.5	2	8	3
1901.....	10.6	12	10.9	14	8.4	15	5.5	4
1902.....	11.6	13	8.7	10	1.2	2	0.1	1

*

FALL OF CANADA.

157

ONT.

days. Latitude, N. $44^{\circ} 13'$; Longitude, W. $76^{\circ} 29'$.

June.		August.		September.		October.		November.		December.		Year.	
Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
.....	S	1	11·8	7	11·6	12	92·1	77
.....	S	2	4·8	5	26·7	14	91·9	68
.....	S	2	1·2	5	34·3	19	130·6	68
.....	S	1	3·1	7	5·2	5	62·1	61
.....	0·2	2	5·5	9	31·0	18	77·7	59
.....	S	1	21·9	10	40·2	17	140·8	89
.....	5·5	2	17·1	14	18·3	13	75·9	65
.....	3·9	8	8·3	5	65·6	52
.....	4·8	6	24·9	22	78·5	73
.....	S	1	7·1	5	24·3	15	108·0	73
.....	0·1	1	4·8	6	25·4	11	121·4	70
.....	S	1	5·6	7	20·1	14	113·0	83
.....	23·5	10	16·5	14	118·0	74
.....	0·1	2	11·4	6	8·9	14	96·6	73
.....	S	2	2·3	12	8·3	10	68·1	65
.....	S	2	12·5	4	4·3	6	88·4	55
.....	1·9	9	24·3	19	79·1	71
.....	S	1	2·9	6	4·3	6	51·3	60
.....	13·8	11	10·0	11	82·2	73
.....	S	1	3·1	6	23·1	19	71·2	77
.....	5·4	12	9·8	10	57·5	59
.....	0·7	5	2·2	6	6·0	6	57·3	77
.....	0·7	4	3·1	8	3·9	13	55·8	67
.....	3·3	4	12·5	14	54·6	53
.....	S	1	4·1	4	9·5	10	44·2	46
.....	0·8	1	23·1	11	51·0	46
.....	10·8	9	8·1	14	77·5	68
.....	S	2	7·4	6	8·4	9	51·2	62
.....	S	1	1·9	3	15·5	15	39·0	45

TABLE III.—Depth of Snow in inches and number of

Year.	January.		February.		March.		April.		May.	
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
1874.....	29.8	10	12.7	7	28.7	16	14.4	11	9.9	2
1875.....	35.0	19	12.9	12	14.6	18	7.3	3
1876.....	27.4	16	27.5	15	45.6	17	12.0	7	0.3	1
1877.....	23.3	21	3.6	11	22.4	16	10.2	4
1878.....	30.5	18	10.2	12	19.4	14	2.3	2	1.0	2
1879.....	39.6	23	26.6	15	31.1	16	6.9	5
1880.....	16.3	11	26.0	16	25.1	16	8.6	10
1881.....	26.5	18	7.3	11	39.1	21	0.4	8
1882.....	28.2	20	23.2	13	15.3	15	3.2	5	0.5	1
1883.....	20.2	16	17.4	16	35.5	15	6.7	7	8	2
1884.....	44.2	21	29.3	20	20.9	14	3.9	6
1885.....	21.5	18	43.5	13	29.1	15	29.8	9
1886.....	17.4	19	10.3	17	26.5	13	2.8	4
1887.....	50.1	21	34.1	16	31.1	15	S	1
1888.....	33.6	17	30.0	16	25.2	14	7.1	12	8	1
1889.....	40.5	19	32.2	16	15.3	12	0.1	2
1890.....	31.3	21	27.4	12	11.7	12	3.0	5
1891.....	21.0	23	18.7	15	16.3	8	7.1	6	8	1
1892.....	39.7	22	36.4	16	34.6	10	7.2	5
1893.....	22.4	16	21.1	12	6.1	9	8.4	4
1894.....	19.2	15	9.1	11	7.4	9	1.2	1
1895.....	24.9	18	24.7	15	5.6	15	8	1
1896.....	20.7	17	25.9	17	39.5	18	3.2	6
1897.....	26.1	15	16.5	16	23.7	14	1.9	2
1898.....	62.7	21	46.3	21	0.9	2	1.7	4
1899.....	25.1	19	9.1	16	43.7	20	1.9	3
1900.....	36.6	17	31.5	15	46.4	20	0.7	5	8	3
1901.....	27.1	13	22.4	11	26.0	18	1.3	1
1902.....	26.6	14	34.5	14	9.4	6	3.4	2

See also Supplementary table, pages 108, 109.

FALL OF CANADA.

159

QUEBEC.

days. Latitude, 45° 30'; Longitude, W. 73° 35'.

June.		August.		September.		October.		November.		December.		Year.	
Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
.....	12.0	7	21.4	14	119.9
.....	8	2	21.7	16	21.2	18	115.7	83
.....	1.0	2	0.7	4	23.6	19	148.1	82
.....	5.4	2	5.1	8	4.3	12	74.3	74
.....	0.1	2	14.6	12	32.8	24	110.9	86
.....	8	1	14.6	8	34.3	22	153.1	90
.....	3.1	5	12.7	15	17.6	18	109.4	91
.....	0.1	5	11.8	13	4.4	12	89.6	88
.....	1.0	5	39.8	24	111.3	83
.....	12.1	8	25.5	17	117.4	81
.....	0.5	5	5.9	10	35.0	14	138.8	90
.....	2.8	1	14.4	9	36.5	18	177.6	83
.....	0.5	2	36.1	18	22.4	17	116.0	90
.....	3.1	5	25.9	14	24.9	13	169.2	85
.....	7.8	5	11.0	10	17.6	17	132.3	92
.....	0.8	1	15.6	6	13.2	14	117.7	70
.....	8.8	10	32.3	19	114.5	79
.....	1.5	3	3.5	7	12.0	11	80.1	74
.....	8	1	22.1	11	12.3	16	152.3	81
.....	8	1	5.8	12	40.4	23	104.2	77
.....	8	2	11.0	12	25.0	16	79.9	66
.....	0.8	2	12.7	8	12.0	11	80.7	70
.....	8	3	5.9	12	10.8	14	106.0	87
.....	18.9	11	39.2	19	126.3	77
.....	8	2	15.7	8	20.0	22	148.2	80
.....	8	2	2.4	6	21.9	15	107.1	81
.....	8	1	34.8	13	25.2	24	175.2	98
.....	1.0	1	29.2	14	15.1	11	122.1	69
.....	5.9	3	32.4	16	112.2	55

TABLE III.—Depth of Snow in inches and number of

Year.	January.		February.		March.		April.		May.	
	Depth.	Days.	Depth.	1 ays.	Depth.	Days.	Depth.	Days.	Depth.	Days.
1874	31.8	10	31.2	9	42.3	15	33.6	10	4.0	3
1875	4.6	12	32.2	12	12.8	13	5.5	7	4.0	2
1876	27.5	11	46.1	9	41.2	13	10.2	7	3.0	1
1877	43.5	12	14.5	10	51.7	16	9.0	3	1.0	1
1878	43.4	10	9.8	6	16.0	8	11.3	6
1879	47.5	17	20.6	13	25.8	17	9.9	7
1880	30.6	20	34.4	17	29.8	13	23.1	9	1.5	2
1881	19.9	12	9.6	10	23.4	13	5.3	6
1882	61.3	16	38.6	15	20.5	13	17.5	10	...	4
1883	49.6	11	40.9	17	35.5	14	3.7	7
1884	56.5	15	51.5	18	12.8	7	6.8	7
1885	23.5	16	33.0	10	37.5	14	21.0	7
1886	25.0	14	21.0	8	18.0	5	3.0	2
1887	47.8	23	32.1	16	17.2	14	8.1	4
1888	37.7	15	25.7	18	15.7	15	23.4	14	2.0	1
1889	43.1	23	38.3	16	11.4	10	0.2	2
1890	27.2	18	32.4	14	17.3	12	2.1	4
1891	37.3	24	19.4	18	4.1	6	5.9	6	0.5	1
1892	28.0	24	15.3	16	19.1	13	8.	5	2.4	5
1893	17.1	17	14.7	12	14.4	11	5.2	9	6.0	1
1894	36.6	14	19.6	12	23.6	13	0.9	2
1895	23.6	19	20.0	17	2.7	10	1.1	1
1896	11.0	14	12.5	12	20.6	16	9.6	5
1897	15.2	14	17.7	10	35.9	16	0.7	3
1898	31.5	20	44.2	17	3.0	2	2.0	3
1899	18.3	19	24.9	16	44.6	17	4.8	4
1900	27.6	19	18.5	11	36.3	13	1.3	6	0.2	1
1901	27.8	17	11.6	9	27.3	18	2.7	2
1902	22.6	18	22.2	9	7.6	6	3.1	1

See also supplementary table for years prior to 1874—pages 108, 109.

QUE.

days. Latitude, N. $46^{\circ} 48'$; Longitude, W. $71^{\circ} 13'$.

June.		August.		September.		October.		November.		December.		Year.			
Dept.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.		
						22	2	10	18·8	12	183·9	69			
				8·1	2	40·0		13	24·0	12	131·2	73			
				0·2	2	0·7		3	52·4	15	181·3	61			
				2·0	3	11·7		4	9·8	10	143·2	59			
				5·5	1	12·3		12	49·2	18	147·5	61			
				0·5	3	21·2		15	44·1	20	169·6	92			
				1·2	4	28·1		15	27·3	16	176·0	96			
				8·0	4	16·3		10	16·4	19	98·6	74			
				8	1	3·3		5	61·7	20	202·9	80			
				0·6	1	24·0		8	34·5	7	188·8	65			
				1·0	3	39·5		18	31·5	9	199·6	77			
				1·8	2	19·0		6	29·0	10	164·8	65			
				1·1	4	23·8		20	25·0	17	116·9	70			
				5·2	5	31·9		15	34·0	17	176·3	94			
		8	1	6·0	5	17·1		16	35·5	22	163·1	106			
				8	2	16·6		8	37·3	22	146·9	83			
				0·8	2	15·9		18	37·8	17	133·5	85			
				3·5	4	4·3		9	11·8	12	86·8	80			
						5·7		16	10·9	17	81·4	94			
						16·0		9	50·4	21	123·8	80			
						17·7		10	20·9	13	119·3	64			
						1·8	6	19·0	10	8·2	8	76·4	71		
						1·5	2	11·2	9	10·4	12	76·8	70		
								12·7	11	12·2	18	94·4	72		
								8	11·6	7	17·1	18	109·4	68	
								8	2	0·8	5	12·6	17	106·0	80
								13·2	13	11·7	16	108·8	79		
								6·7	3	18·2	12	23·9	14	118·2	75
								0·2	4	6·8	5	23·2	19	85·7	62

TABLE III.—Depth of Snow in inches and number of

Year.	January.		February.		March.		April.		May.	
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
1874.....	19.3	14	2.7	5	15.9	10	7.7	6
1875.....	12.4	10	6.5	13	2.7	11	*	*	0.6	2
1876.....	4.2	9	6.0	9	*	*	*	*
1877.....	37.4	14	29.6	16	19.8	13	5.8	4
1878.....	31.9	13	5.0	8	14.0	16	12.3	6
1879.....	12.8	17	15.4	15	21.2	18	5.4	11	8	1
1880.....	25.5	17	17.1	12	6.0	11	15.5	6	2.2	3
1881.....	25.0	12	10.8	7	23.3	14	16.1	8	2.0	1
1882.....	36.2	18	5.8	11	33.1	12	9.6	10	0.6	1
1883.....	10.5	12	7.5	17	23.0	19	1.1	5
1884.....	32.6	15	35.8	19	27.0	11	0.5	1	1.0	1
1885.....	13.6	11	26.9	17	20.2	13	7.6	6	5.0	1
1886.....	29.3	17	47.6	19	27.4	13	0.6	2	8	1
1887.....	45.1	21	24.4	18	24.6	16	3.3	3
1888.....	30.9	13	31.0	13	17.6	15	19.8	14
1889.....	37.2	15	31.2	11	14.1	5
1890.....	18.1	10	16.4	10	13.1	10	2.0	2	0.4	2
1891.....	40.4	12	20.7	9	11.9	7	6.5	6	7.1	2
1892.....	22.8	13	16.2	9	30.9	11	0.4	1
1893.....	14.4	18	7.2	10	15.9	15	23.2	10
1894.....	27.3	12	6.7	10	4.0	11	1.1	4
1895.....	25.5	14	36.9	14	3.2	6	0.4	2
1896.....	18.1	16	25.9	13	35.1	18	7.7	4
1897.....	27.1	14	9.7	10	32.4	18	0.5	3
1898.....	19.8	14	27.0	17	0.5	2	8.8	5
1899.....	7.3	15	17.1	12	49.5	15	3.6	3
1900.....	25.1	13	12.1	9	27.7	13	4.7	6
1901.....	16.4	20	31.7	19	22.1	13	0.3	1
1902.....	19.3	19	19.3	12	10.9	9	10.0	7	7.1	2

* No records.

† Number of days not given.

QUEBEC.

days. Latitude, N. 48° 31'; Longitude, W. 68° 19'.

June.		August.		September.		October.		November.		December.		Year.	
Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
				8	1	10·3	9	1·2	7	57·1	52		
		S	1	0·5	4	5·5	10	4·3	14	32·5	75		
				18·3	†	1·0	2	28·0	11	57·5	31		
				S	1	7·0	6	7·7	11	107·3	65		
				S	1	17·3	14	27·8	18	108·3	76		
				1·7	2	20·5	16	24·8	21	101·8	101		
				1·8	3	20·1	8	13·9	14	102·1	74		
S	1			13·6	6	5·7	11	12·6	8	109·1	68		
						18·4	12	11·0	15	114·7	79		
				0·5	4	5·8	10	15·1	16	63·5	83		
				6·9	7	25·7	13	32·5	14	162·0	81		
				6·5	4	7·7	7	36·5	15	124·0	74		
				0·2	2	27·1	9	19·0	16	151·2	70		
				2·7	4	29·0	16	17·5	14	146·6	92		
				S	2	26·8	11	35·2	16	161·3	84		
				0·1	1	10·8	7	40·3	13	133·7	52		
						13·6	13	44·0	13	107·6	60		
				0·9	2	5·5	7	33·8	10	126·8	55		
				S	1	21·0	12	17·0	18	108·3	65		
				1·0	2	4·4	6	45·4	21	111·5	82		
						13·2	13	19·5	14	71·8	64		
				1·0	2	20·3	10	12·6	8	99·9	56		
				S	2	7·2	9	10·1	10	104·1	72		
				S	1	36·5	11	18·4	11	124·6	67		
				1·4	1	15·1	8	13·4	14	86·0	61		
						10·3	9	32·8	11	120·6	65		
						10·7	10	12·6	13	92·9	64		
				0·4	2	13·8	10	43·1	19	127·8	84		
				1·9	2	19·1	7	27·8	12	115·4	70		

TABLE III.—Depth of Snow in inches, and number of

Year.	January.		February.		March.		April.		May.	
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
1874	11.6	11	23.7	15	15.8	14	25.4	12	0.9	3
1875	50.8	16	23.2	11	13.0	15	9.5	8	0.5	1
1876	23.8	15	23.3	13	6.6	9	14.2	12	0.8	1
1877	23.7	10	13.2	11	9.2	8	1.9	5
1878	24.2	13	24.0	8	23.0	12	3.5	2
1879	50.8	18	32.2	12	22.2	10	16.4	9
1880	38.1	15	30.9	16	31.4	16	8.4	7	8	3
1881	59.0	18	34.5	14	1.4	10	12.3	11
1882	52.2	21	53.8	17	29.9	13	23.3	14	5.8	5
1883	24.8	17	15.4	10	23.6	17	20.2	8	2.7	3
1884	18.8	13	27.7	16	28.1	18	11.8	5	5.8	4
1885	26.4	18	20.0	16	22.5	13	14.7	5
1886	23.1	10	18.0	13	14.9	17	7.3	6
1887	*	*	*	*	*	*	*	*	*	*
1888	*	*	*	*	*	*	*	*	*	*
1889	4.0	9	18.9	14	3.4	8	3.7	6	8	1
1890	23.9	12	9.4	7	18.7	14	7.8	8
1891	23.8	16	14.6	11	9.8	11	7.4	8
1892	17.6	13	12.8	13	9.4	9
1893	20.6	17	12.6	16	6.7	12	10.8	7
1894	30.6	14	20.9	12	18.4	10	10.9	8	8	1
1895	29.5	12	44.2	13	14.1	11	10.5	6
1896	16.9	12	12.0	9	17.3	5	1.6	6
1897	13.0	7	16.2	6	13.1	10	5.4	4
1898	27.4	13	6.6	6	10.7	7	2.5	4
1899	28.1	14	22.6	8	25.0	9	1.6	1	5.2	2
1900	4.9	4	6.6	6	15.6	9	27.0	9
1901	11.4	9	18.0	15	3.5	4	2.5	2
1902	12.1	6	10.6	10	11.0	4	0.3	1	8	2

* No observations.

PRINCE EDWARD ISLAND.

days. Latitude, N. 46° 14'; Longitude, W. 63° 10'.

June.		August.		September.		October.		November.		December.		Year.	
Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
						12 0	5	36 0	14	125 4	74		
				0 2	1	25 4	12	9 9	16	132 5	80		
				0 8	1	0 4	2	24 4	11	94 3	64		
				5 5	4	10 2	4	35 2	15	98 9	57		
						3 2	2	15 7	8	53 6	45		
						8	2	26 0	14	32 5	16	170 1	81
								8 2	8	29 0	20	145 1	85
						13 7	6	16 2	10	16 5	10	147 6	79
								25 6	13	22 7	14	213 3	97
						0 7	3	5 8	5	29 2	18	122 4	81
						8 0	6	9 2	7	27 0	14	136 4	83
						3 2	1	4 3	6	23 6	17	114 7	76
				*	*	*	*	*	*	*	*		
				*	*	*	*	*	*	*	*		
						8	2	8 8	7	10 6	9		
						8	2	1 6	3	25 8	12	57 4	55
								9 8	7	36 7	18	106 3	66
				0 6	4	0 4	2	6 8	7	63 4	59		
				8	1	1 9	9	4 7		46 4	56		
						2 8	2	42 5	20	96 0	74		
						2 5	6	3 7	13	87 0	64		
						8	1	3 9	10	4 8	5	107 0	68
								4 2	7	5 5	12	57 5	51
						8	1	2 2	2	6 5	5	56 4	35
								4 5	3	13 7	10	65 4	43
								11 3	8	6 8	6	100 6	48
				0 4	1	14 1	6	21 1	11	89 7	46		
				8	2	9 1	7	19 1	9	63 6	48		
				8	2	8 9	5	24 9	8	67 8	38		

CHATHAM,

TABLE III.—Depth of Snow in inches and number of

Year.	January.		February.		March.		April.		May.	
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
1874.....	22.4	13	18.6	12	9.0	11	25.5	12	6.9	2
1875.....	61.8	15	21.5	12	27.2	10	8.9	6	1.0	3
1876.....	22.4	14	19.4	19	20.5	12	12.6	7	19.0	2
1877.....	22.1	13	36.1	15	33.4	13	3.7	4	3.0	1
1878.....	32.0	14	8.6	6	24.6	19	24.0	9
1879.....	30.0	14	40.3	13	15.2	11	9.2	5
1880.....	18.7	13	25.9	14	16.2	13	6.2	3	0.3	2
1881.....	19.6	13	21.1	12	11.8	9	13.0	7	0.6	1
1882.....	37.7	20	21.4	12	35.0	14	15.8	9	1.2	3
1883.....	19.0	11	17.6	10	30.3	19	12.9	15
1884.....	17.3	11	31.1	12	13.3	10	2.7	1	6.6	3
1885.....	24.4	12	39.9	13	23.0	15	31.4	8	5.6	1
1886.....	49.4	14	31.4	10	17.0	11	4.5	2
1887.....	50.6	15	43.6	13	27.9	16	17.9	7
1888.....	16.0	15	22.6	12	5.6	11	16.1	14	7.3	2
1889.....	17.3	12	28.5	13	7.0	8	2.8	3
1890.....	33.5	18	39.0	13	27.4	5	13.1	7
1891.....	35.7	18	25.6	11	18.4	12	8.7	6
1892.....	19.0	17	20.1	11	22.4	13	5.7	4	1.8	1
1893.....	30.9	13	19.3	12	1.7	6	20.6	8	0.8	1
1894.....	20.2	11	11.8	8	18.2	12	7.3	6
1895.....	26.4	15	26.9	10	11.6	12	16.6	6
1896.....	21.9	13	32.2	11	28.2	11	12.8	5
1897.....	21.1	12	16.3	7	25.9	16	3.4	3	0.3	1
1898.....	27.7	15	23.9	13	5.6	5	19.8	4
1899.....	24.8	8	27.1	10	36.9	15	2.7	4	1.5	2
1900.....	28.4	15	19.9	12	18.0	14	9.1	8	0.6	1
1901.....	22.3	13	30.4	15	8.2	7	8.6	13
1902.....	15.0	8	21.8	10	19.8	7	7.8	2	8	2

NEW BRUNSWICK.

days. Latitude, N. $47^{\circ} 3'$; Longitude, W. $65^{\circ} 29'$.

June.		August.		September.		October.		November.		December.		Year.	
Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
						7.0	7	27.2	17	116.6	74		
				8	1	26.1	12	16.4	12	162.9	72		
				3.9	4	4.9	4	37.7	11	140.4	63		
						6.1	5	5.9	9	110.3	60		
						17.4	7	14.3	9	120.9	64		
						0.2	1	16.0	10	15.8	16	126.7	70
						1.0	2	9.7	5	30.3	18	108.3	70
0.2	1					5.9	4	7.9	6	7.5	6	87.6	59
						14.2	11	12.8	12	138.1	81		
				1.0	1	5.0	1	7.6	6	20.1	17	113.5	70
						1.9	5	15.8	14	26.0	16	114.7	75
						1.9	3	6.4	1	27.7	13	160.3	66
						11.2	7	31.8	14	145.3	58		
						1.8	2	14.3	7	29.2	10	185.3	70
						9.2	5	59.8	10	136.6	69		
						1.1	3	4.5	4	44.7	13	105.9	56
						2.2	1	8.0	10	24.7	13	147.9	77
						7.8	4	4.1	6	9.7	8	110.0	65
								18.3	12	6.3	10	93.6	68
								6.9	7	41.4	20	121.6	67
								14.0	12	12.5	8	84.0	57
								16.5	8	15.1	8	113.1	59
								14.6	10	12.1	8	121.8	58
								4.6	5	19.6	11	91.2	55
								17.6	8	11.8	10	106.4	55
						8	1	9.1	5	15.9	9	118.0	54
						1.0	1	11.5	7	5.9	7	94.4	65
						4.8	3	15.1	6	24.1	10	113.5	67
						8	1	9.6	5	21.0	13	75.0	48

SYDNEY, CAPE BRETON,

TABLE III.—Depth of Snow in inches and number of

Year.	January.	February.	March.	April.	May.
	Days.	Days.	Days.	Days.	Days.
1874	18.5	13	31.0	11	12.8
1875	42.2	17	34.9	8	16.7
1876	35.2	12	36.2	6	12.7
1877	21.7	14	16.4	9	24.8
1878	7.2	15	9.5	8	17.6
1879	33.4	22	12.8	13	19.3
1880	21.0	12	26.4	13	30.2
1881	34.4	13	40.2	10	11.8
1882	31.0	12	63.3	10	22.4
1883	29.9	13	11.3	7	23.2
1884	15.6	9	21.5	10	23.6
1885	24.7	10	15.7	9	22.6
1886	18.4	7	16.9	9	16.3
1887	28.7	18	29.6	14	12.8
1888	27.7	14	11.5	8	6.2
1889	4.4	10	24.1	14	5.0
1890	20.8	14	13.8	14	8.4
1891	21.0	12	9.9	15	12.3
1892	11.5	10	31.5	11	14.2
1893	*	*	*	*	*
1894	10.3	3	8.4	5	33.0
1895	17.2	10	37.5	15	12.2
1896	34.5	9	22.5	8	10.5
1897	14.0	7	29.5	8	21.5
1898	41.5	10	13.9	4	12.5
1899	28.0	8	16.0	5	11.5
1900	11.5	9	16.7	7	27.5
1901	9.0	5	36.5	9	4.5
1902	8.0	5	22.5	9	6.5

* No records.

See also supplementary table for years prior to 1876, pages 108, 109.

NOVA SCOTIA.

days. Latitude, N. $46^{\circ} 10'$; Longitude, W. $60^{\circ} 10'$.

June.		August.		September.		October.		November.		December.		Year.	
Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
						5·0	4	19·9	12	125·4	67		
						24·7	11	12·4	8	138·7	59		
				0·3	1	0·7	7	17·7	14	122·4	66		
				2·5	3	0·2	5	29·2	16	103·4	64		
						0·6	2	6·8	12	41·7	48		
						8	3	16·1	14	21·2	18	116·3	96
								5·8	9	18·4	14	117·9	72
								4·8	4	8·6	7	112·5	58
										8·2	7	16·4	11
												135·0	59
										4·1	5	16·8	9
												96·2	51
						0·8	3	13·5	6	15·9	9	95·1	53
								0·5	3	18·8	11	95·8	53
						0·1	2	2·0	5	11·4	7	67·8	45
										4·6	6	1·4	6
												79·7	65
										4·3	6	5·6	13
												85·4	69
										0·8	6	19·2	11
												58·0	56
										1·3	4	19·1	15
												67·8	61
						8	1	0·1	3	4·5	7	64·4	61
										5·7	6	12·3	13
												76·7	58
								*	*	16·4	7		
										6·0	3	1·0	1
												79·7	21
						8	1	2·0	2	0·2	2	73·1	39
										5·5	3	11·0	4
												95·5	33
										10·0	6	10·0	9
												96·0	45
												25·0	10
												98·5	32
								1·0	2	12·0	5	70·0	28
										8·7	6	16·5	5
												89·4	39
										0·5	1	36·5	7
												99·0	28
								3·0	8	16·5	6	59·5	32

HALIFAX.

TABLE III.—Depth of Snow in inches and number

Year.	January.	February.	March.	April.		May.	
				Days.	Depth.	Days.	Depth.
1874.....	15.7	11	30.0	11	3.7	7	25.3
1875.....	28.9	15	29.6	17	13.9	13	4.0
1876.....	21.1	14	33.4	17	5.5	12	10.8
1877.....	27.0	15	8.0	13	12.3	13	1.7
1878.....	5.2	11	7.2	11	8.0	11	0.1
1879.....	43.3	17	23.7	13	11.2	11	11.9
1880.....	25.5	10	19.7	15	25.5	17	7.0
1881.....	8.7	10	23.0	10	6.2	4	2.6
1882.....	36.8	15	43.9	15	16.0	14	11.2
1883.....	25.3	16	14.2	14	13.0	13	7.7
1884.....	8.1	13	14.6	16	32.3	14	5.0
1885.....	25.5	15	32.8	13	22.4	15	0.5
1886.....	6.4	10	16.8	14	21.6	7	3.6
1887.....	23.8	15	16.0	14	19.1	17	6.3
1888.....	27.8	10	14.8	9	6.2	9	12.2
1889.....	3.5	7	12.5	11	4.7	5	8.9
1890.....	23.8	11	16.3	10	13.4	11	3.4
1891.....	22.4	15	18.9	17	11.6	10	4.6
1892.....	9.8	11	17.4	13	15.1	13	1.6
1893.....	16.8	22	33.7	17	5.7	9	5.8
1894.....	65.9	13	6.1	10	18.0	12	18.2
1895.....	27.9	19	33.7	14	23.4	12	0.6
1896.....	14.6	10	23.4	11	15.5	9	3.1
1897.....	24.6	6	21.5	8	16.2	13	7.7
1898.....	17.6	12	20.3	5	13.6	6	3.6
1899.....	11.4	10	22.8	7	17.3	8	3.7
1900.....	9.5	7	6.0	8	12.3	12	7.4
1901.....	32.4	15	9.1	11	10.6	10	0.8
1902.....	12.3	4	14.4	11	8	1	5.8

See also supplementary table for years prior to 1874, pages 110, 111.

NOVA SCOTIA.

of days. Latitude, N. 44° 39'; Longitude, W. 63° 36'.

June.		August.		September.		October.		November.		December.		Year.	
Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
.....	2 1	4	11 3	12	88 1	59
.....	4 4	6	7 3	12	88 1	66
.....	8	3	8	2	25 7	16	97 4	78
.....	2 2	2	8	7	14 4	14	65 6	70
.....	8	6	8 3	13	28 8	59
.....	8	2	18 0	9	18 5	15	126 6	75
.....	3 6	7	12 0	14	89 3	68
.....	13 0	8	4 6	2	59 0	42
.....	5 6	8	20 9	15	133 5	79
.....	8 5	6	26 7	15	95 4	70
.....	8	1	3 4	4	17 1	11	80 5	62
.....	8	1	0 4	1	16 2	9	95 8	57
.....	0 3	2	0 6	8	17 4	13	66 7	59
.....	8	1	5 0	5	72 2	57
.....	0 3	4	0 1	8	61 6	53
.....	8	1	8	1	2 8	6	32 4	36
.....	1 2	5	11 4	13	69 5	54
.....	8	2	8	1	0 8	7	57 4	58
.....	0 5	8	6 1	15	56 5	67
.....	8	5	21 0	17	83 6	80
.....	3 2	7	6 8	8	108 2	60
.....	0 7	1	8	2	3 0	4	89 3	56
.....	9 6	7	6 3	5	72 5	46
.....	0 9	2	1 9	5	73 0	40
.....	3 7	2	17 4	10	76 2	40
.....	18 8	6	74 2	34
.....	0 1	1	4 9	4	20 3	6	60 7	46
.....	0 2	1	8	6	30 9	7	84 0
.....	8	2	24 7	12	57 2	32

ST. JOHN,

TABLE III.—Depth of Snow in inches and number

Year.	January.		February.		March.		April.		May.	
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
1874.	17.5	9	43.5	7	5.0	5	36.0	13
1875.	4.7	12	15.1	8	23.8	10	8.3	13
1876.	18.9	13	23.7	10	4.6	8	5.1	8
1877.	28.1	14	17.6	12	35.0	11	0.2	2	S	1
1878.	15.6	11	11.8	10	25.0	10	5.2	6
1879.	36.7	15	29.1	11	20.8	11	12.8	7
1880.	14.7	10	25.4	12	24.8	6	4.3	2	0.8	2
1881.	19.6	10	16.1	9	7.2	3	3.2	3
1882.	35.0	16	50.0	10	23.2	10	24.6	10	2.5	1
1883.	20.3	14	16.9	8	26.3	14	4.6	5	3.0	*
1884.	6.3	14	14.2	15	25.1	14	3.3	4
1885.	24.2	14	31.9	14	32.9	14	2.3	3	*
1886.	22.1	15	27.0	12	22.6	17	0.6	4
1887.	37.9	19	34.8	15	11.1	12	15.0	6
1888.	23.8	8	20.6	9	6.3	11	7.5	9	S	1
1889.	11.4	7	15.9	11	9.7	7	2.5	1
1890.	19.9	10	11.6	8	17.0	9	2.8	2
1891.	24.7	14	13.2	16	31.3	8	1.0	3
1892.	17.4	16	11.0	12	17.1	12	0.3	2
1893.	28.1	14	28.0	10	2.3	3	14.0	5
1894.	29.8	8	11.1	4	17.1	7	26.0	5
1895.	18.9	10	27.9	11	2.8	6	4.0	4
1896.	9.6	7	19.6	10	13.7	10	1.6	6
1897.	20.7	8	10.3	4	13.3	6	11.5	3	0.2	1
1898.	26.5	9	18.3	7	4.3	3	2.4	3
1899.	18.6	11	15.8	8	23.8	13	0.4	1	S	1
1900.	12.2	5	20.7	7	13.8	7	9.0	7
1901.	30.4	16	9.7	12	3.1	7
1902.	4.9	7	12.4	2	6.9	3

† No observations taken.

See also supplementary table for years prior to 1874, pages 110, 111.

* Doubtful.

NEW BRUNSWICK.

of days. Latitude, N. $45^{\circ} 17'$; Longitude, W. $66^{\circ} 4'$.

June.		August.		September.		October.		November.		December.		Year.	
Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
						13.9	2	16.5	8	132.4	44		
						13.1	11	10.8	6	112.8	60		
						8	1	35.5	15	87.8	55		
				1.3	2	3.0	4	6.1	6	91.5	32		
				8	1	15.4	9	8.9	10	81.9	57		
						17.6	7	27.8	11	144.7	62		
						5.9	4	16.1	11	92.0	47		
				0.1	2	5.5	4	6.3	5	58.0	36		
				†	†	†	†	†	†				
				8	2	3.4	4	28.0	15	102.5			
						5.0	4	24.8	14	78.7	65		
				1.7	1	0.8	7	15.8	15	109.6	68		
						1.0	6	14.1	14	87.4	68		
						S	1	2.6	4	101.4	57		
						10.9	5	1.5	10	70.6	53		
				0.3	2	7.1	2	13.1	6	60.0	36		
						1.2	3	21.3	9	73.8	41		
				1.3	2	1.2	1	5.2	6	77.9	50		
				—		4.1	2	2.9	7	52.8	51		
								29.2	17	101.6	49		
						16.0	5	8.1	7	108.1	34		
				1.4	2	2.1	2	8.8	7	65.9	42		
						6.7	4	2.8	2	54.9	39		
						4.7	4	8.1	5	68.8	31		
						5.8	2	20.5	13	76.8	37		
						S	1	12.1	5	13.0	4	83.7	44
								5.1	6	10.8	8	71.6	40
						1.0	4	11.2	3	55.4	42		
				1.4	1	3.8	3	18.2	9	47.6	25		

GRAND MANAN,
TABLE III.—Depth of Snow in inches and number of

Year.	January.	February.	March.	April.	May.
	Depth. Days.	Depth. Days.	Depth. Days.	Depth. Days.	Depth. Days.
1884.....	12.4	11	12.6	13	27.9
1885.....	6	4.7	9	20.4	4.1
1886.....	13.8	10	3.4	12	21
1887.....	13.2	7	16.2	9	2
1888.....	18.4	12	28.3	11	8.6
1889.....	6.4	12	12.7	16	13.5
1890.....	10.0	6	37.1	14	13.3
1891.....	20.4	9	12.8	5	8.2
1892.....	21.0	11	5.2	9	13.6
1893.....	13.9	13	18.2	10	20.5
1894.....	14.3	16	32.3	11	4.6
1895.....	18.7	11	13.6	10	21.1
1896.....	21.1	17	19.3	13	13.4
1897.....	11.9	6	11.7	12	13.9
1898.....	11.6	8	4.7	7	25.7
1899.....	15.3	10	31.8	5	3.6
1900.....	17.4	9	19.5	6	13.3
1901.....	15.1	5	31.7	12	10.1
1902.....	35	13	29.7	7	6.5
	6.3	4	35.8	10	18.7
				4	5.0
				5	3

FALL OF CANADA.

175

NEW BRUNSWICK.

days. Latitude, N. 44° 47'; Longitude, W. 66° 46'.

June.		August.		September.		October.		November.		December.		Year.	
Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
				1·1	1	1·2	2	15·7	6	75·0	45		
				1·9	1			1·6	6	44·5	35		
						0·8	1	7·5	9	41·1	36		
						8	1	17·2	3	85·0	45		
						3·2	3	10·1	7	67·8	51		
						0·3	1	1·6	7	67·8	40		
						5·0	4	17·0	12	65·2	44		
				2·0	1	0·2	2	2·1	3	56·6	37		
						2·6	4	2·7	9	57·9	44		
								25·0	15	84·4	54		
						16·8	7	7·5	7	91·9	49		
				1·3	1	1·6	5	7·6	3	65·4	49		
						4·5	6	4·5	5	47·7	44		
						1·4	1	5·1	5	49·2	34		
						13·9	3	19·7	10	94·0	37		
				0·1	1	5·6	4	20·3	7	76·2	37		
						8	1	6·0	3	19·2	5	82·6	34
								2·6	6	19·8	7	85·0	41
								1·6	2	38·6	10	106·0	33

RAIN AND SNOW-

YARMOUTH,

TABLE III.—Depth of Snow in inches and number of

Year.	January.		February.		March.		April.		May.		Depth.
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	
1880.....	90.3	5	39.2	14	32.4	17	2.5	3
1881.....	29.5	13	11.6	12	3.6	6	1.7	4
1882.....	31.6	18	57.8	12	36.1	13	8.2	9
1883.....	22.2	17	18.6	16	22.3	11	10.5	8
1884.....	8.9	17	17.7	13	16.8	13	1.6	2
1885.....	24.1	17	25.7	21	46.4	12	0.4	2
1886.....	11.8	9	22.6	14	19.8	9	8	1
1887.....	33.1	22	15.9	17	33.6	14	8.5	7
1888.....	41.7	21	13.8	19	12.3	13	15.0	10	0.2	2
1889.....	5.0	7	26.7	16	4.5	8	6.5	4
1890.....	29.8	17	25.7	12	11.6	13	4.0	6
1891.....	16.8	17	12.4	4	7.6	8
1892.....	23.6	18	21.3	16	32.4	17	1.4	2
1893.....	32.2	26	40.6	19	7.2	5	11.5	6
1894.....	21.7	18	13.4	14	10.0	11	14.6	7
1895.....	21.8	18	26.4	12	19.2	11
1896.....	17.8	17	18.5	15	15.6	10	4.0	5
1897.....	44.3	17	17.7	9	11.2	8	6.6	3	8	1
1898.....	27.3	15	13.3	7	9.2	3	10.9	7
1899.....	13.3	12	25.8	13	21.3	12	1.2	1
1900.....	16.5	9	15.6	11	13.4	12	5.7	5	0.1	1
1901.....	20.3	16	27.5	16	6.9	8	0.6	1
1902.....	13.7	7	11.3	11	1.3	3	2.0	2

FALL OF CANADA.

177

NOVA SCOTIA.

days. Latitude, N. 43° 50'; Longitude, W. 66° 2'.

June.		August.		September.		October.		November.		December.		Year.	
Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
						7·6	8	27·3	14	118·3	61		
		0·3	1	2·6	4	7·1	4	56·4	44				
				5·1	6	18·2	16	151·0	74				
				5·2	3	25·3	13	154·1	68				
		3·5	3	2·4	3	19·3	11	70·2	62				
				0·5	2	24·3	15	121·4	69				
				8	7	26·2	14	80·4	54				
				0·6	4	12·3	8	104·0	72				
		1·0	2	1·6	4	5·4	10	90·8	81				
		0·3	1	0·8	4	4·7	14	48·5	53				
				3·4	6	27·8	21	102·3	75				
		0·4	3	0·2	2	13·5	7	50·9	41				
		S	2	6·5	7	18·9	19	104·1	81				
				2·3	5	25·5	16	119·3	77				
				6·2	13	6·1	7	72·0	70				
		0·4	2	0·9	4	6·6	6	75·3	53				
		S	1	3·3	4	10·3	10	69·5	62				
				5·1	5	5·7	8	90·6	51				
				7·0	3	22·1	16	89·8	51				
		*	1·2	1	2·6	2	15·1	7	80·5	48			
			0·7	2	2·6	5	10·6	9	65·2	54			
		0·3	1	7·6	9	13·9	10	77·1	61				
		S	1	0·7	3	24·8	13	53·8	42				

TORONTO,

TABLE III. (Supplementary).—Depth of Snow in inches and number

Year.	January.		February.		March.		April.		May.	
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
1843.....	14.2	12	14.4	21	25.7	18	0.1	3
1844.....	24.9	11	10.0	7	14.0	8	8	1
1845.....	22.7	9	19.0	9	2.8	8	1.5	4
1846.....	6.0	10	46.1	13	2.3	5	1.3	2
1847.....	7.5	5	27.3	13	4.2	6	4.0	2
1848.....	7.1	8	10.8	8	9.7	6	0.5	1
1849.....	9.2	10	19.2	13	2.3	2	1.7	2
1850.....	5.2	8	23.1	9	11.2	7	1.1	2	8	1
1851.....	7.8	10	2.4	4	8.8	9	1.2	3	0.5	1
1852.....	30.9	19	13.0	11	19.5	12	9.4	4	8	1
1853.....	7.5	6	12.6	15	7.1	8	1.0	1	8	1
1854.....	7.5	11	18.0	15	2.8	3	2.7	4
1855.....	23.3	13	21.8	14	18.1	11	1.6	3	0.9	2
1856.....	13.6	14	9.7	8	16.2	12	0.1	3	8	1
1857.....	21.8	16	11.7	11	11.3	15	12.9	11	8	1
1858.....	4.0	11	26.7	16	0.2	6	0.1	2
1859.....	16.4	19	8.3	14	1.0	8	1.2	8
1860.....	8.7	16	18.8	13	2.4	11	0.3	5
1861.....	20.6	23	29.7	17	7.1	14	6.9	4	6.5	1
1862.....	27.4	19	23.1	17	18.5	11	0.2	4
1863.....	20.6	17	22.0	12	11.4	17	1.6	4	0.1	1
1864.....	26.3	14	9.5	14	3.7	12	3.5	3
1865.....	14.8	18	16.8	11	18.9	12	2.0	6
1866.....	10.3	19	16.9	12	7.2	18	8	2
1867.....	42.0	21	13.4	13	33.4	14	7.2	5	8	1
1868.....	14.6	21	32.8	16	4.2	5	5.3	10
1869.....	9.8	12	39.7	19	15.0	9	0.5	6	8	1
1870.....	21.3	18	20.1	18	62.4	18	0.1	2
1871.....	43.6	23	23.0	15	13.0	12	1.3	2
1872.....	3.9	15	7.3	9	16.3	14	0.7	5
1873.....	39.2	17	10.4	11	25.2	15	8	3

FALL
ONTAR
of daysJULY
Depth.

FALL OF CANADA.

179

ONTARIO.

of days. Latitude, N. 43° 40'; Longitude, W. 79° 17'.

June.		August.		September.		October.		November.		December.		Year.	
Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
		2 5	4	1 2	7	8 1	8	6 2	73				
		12 0	4	8 0	4	4 2	6	7 1	41				
		8	1	5 0	4	4 7	12	5 7	47				
		8	2	0 4	2	6 0	9	6 1	43				
		8	2	8	3	6 8	8	4 8	39				
				1 4	3	16 5	7	4 0	33				
		S	1	1 0	2	9 6	12	43 0	42				
				S	1	29 5	18	70 1	46				
1		0 3	2	6 7	6	10 7	15	38 4	50				
1				2 0	3	20 1	10	94 9	60				
1		S	2	2 7	6	22 3	13	53 2	52				
2.		S	3	1 3	4	17 2	12	49 5	52				
1		0 8	5	3 0	6	29 5	10	99 0	64				
1		0 1	2	9 5	9	16 3	20	65 5	69				
1		0 2	2	6 9	9	9 9	14	73 8	79				
		S	1	4 0	13	10 4	18	45 4	67				
	S 1			S	4	0 6	9	37 4	23	64 9	86		
				S	1	1 9	8	13 5	21	45 6	75		
1				S	1	3 2	8	6 8	8	74 8	76		
				0 5	2	5 3	11	10 4	8	85 4	72		
1						0 1	6	7 1	7	62 9	74		
						S	1	4 5	8	27 1	18	74 6	70
						4 5	3	1 1	7	5 2	11	63 3	68
						S	1	2 2	4	15 5	13	52 1	60
1								0 9	9	13 6	21	110 5	84
1								2 0	2	4 3	10	15 5	82
								2 3	7	10 2	18	7 0	81
										3 1	5	15 9	16
										4 5	12	14 2	20
										S	1	1 3	9
												38 0	24
												6 2	3
												19 6	18
												19 2	12
												113 8	79

TABLE III. (Supplementary).—Depth of Snow in inches and number

Year.	January.		February.		March.		April.		May.		June. Depth.
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	
1862.....
1863.....	13.28	*	11.55	*	16.29	*	8.78	*
1864.....	37.85	*	23.25	*	6.10	*	0.20	*
1865.....	24.00	*	12.40	*	9.79	*	1.49	*
1866.....	45.74	*	9.75	*	13.54	*
1867.....	31.64	*	13.55	*	14.16	*	7.90	*
1868.....	12.64	*	22.20	*	5.34	*	14.93	*
1869.....	28.07	7	73.76	17	14.07	11	1.93	5	3.14	2
1870.....	31.89	16	28.98	13	9.16	8	0.45	2
1871.....	16.53	12	8.36	10	13.49	4
1872.....	13.60	13	31.85	8	29.23	15	8.34	4
1873.....	41.30	20	16.61	10	33.49	15	8	1	8	3

* Number of days not recorded. + No record.

ST. MARTIN'S (9 miles west of Montreal).

1853.....	1.5	1
1854.....	18.0	12	24.0	13	28.6	12	4.0	3
1855.....	20.1	8	15.0	8	15.6	7	4.3	10
1856.....	28.1	12	11.7	9	11.5	10	8	1
1857.....	19.1	11	15.1	9	17.0	9	6.9	5
1858.....	11.7	7	17.6	8	4.2	8	2.8	1
1859.....	14.7	11	23.6	10	8.4	4	4.0	4
1860.....	11.9	14	15.6	8	4.1	10	2.4	4	8	1
1861.....	31.9	11	27.8	9	8.3	6	11.7	3
1862.....	36.8	13	27.8	13	17.8	12	3.7	1	2.0	1

QUEBEC

TABLE III. (Supplementary).—Depth of Snow in inches and number

Year.	January.		February.		March.		April.		May.		June. Depth.
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	
1870.....	35.5	18	19.5	13	5.0	6	3.0	3
1871.....	47.0	14	13.0	5	16.0	7	5.8	8	8	1
1872.....	17.0	9	20.0	10	14.0	9	11.7	8
1873.....	71.0	16	27.5	12	47.5	15	5.0	9	8	1

* Included in rain.

FALL OF CANADA.

181 *

QUEBEC.

of days. Latitude, N. $45^{\circ} 30'$; Longitude, W. $73^{\circ} 35'$.

June.		August.		September.		October.		November.		December.		Year.	
Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
				S	*	1 34	*	10 42	*				
						4 61	*	19 36	*	73 8	*		
						6 90	*	27 02	*	101 3	*		
				0 96	*	14 41	*	7 11	*	70 2	*		
						8	*	30 81	*	99 8	*		
						10 45	*	25 26	*	103 0	*		
						4 92	3	17 28	6	27 96	14	105 3	*
2				S	1	6 49	5	13 96	9	25 95	9	167 4	76
						1 32	2	2 10	6	21 95	11	95 8	58
						0 16	1	9 20	8	26 79	21	74 5	56
3						8	2	10 65	10	43 33	19	137 0	71
						†	†	†	†	†	†	†	†

ST. MARTIN'S (9 miles west of Montreal).

				2 0	1	7 9	4	13 1	7				
				3 1	1	1 1	3	18 7	10	97 5	54		
1				2 1	7	8 3	4	20 4	12	85 8	56		
						5 0	7	18 6	9	74 9	49		
				S	1	2 0	4	26 8	10	86 9	49		
						6 4	10	16 2	12	58 9	46		
1				2 3	3	17 8	12	23 9	14	94 7	58		
1				1 3	2	3 7	4	21 6	12	60 6	55		
1						8	1	11 5	8	8 3	7	99 5	45

QUEBEC.

of days. Latitude, N. $46^{\circ} 48'$; Longitude, W. $71^{\circ} 13'$.

June.		August.		September.		October.		November.		December.		Year.	
Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
				5 0	3	4 9	5	30 5	16	103 4	64		
1						9 5	6	29 5	15	124 8	59		
1				4 0	2	26 0	7	60 5	13	149 2	56		
				*	5	36 5	12	16 3	12	203 8	82		

RAIN AND SNOW-

SYDNEY,

TABLE III. (Supplementary).—Depth of Snow in inches and number

Year.	January.		February.		March.		April.		May.	
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
1870.....	26.8	15	37.4	13	43.4	17	1.5	1	1.6	4
1871.....	21.6	17	5.8	6	14.0	9	20.5	12	0.5	1
1872.....	19.2	15	23.0	8	42.8	16	5.0	6
1873.....	27.0	12	19.0	9	26.3	11	17.5	8	0.5	1

FALL

C.B., N.
of days.

Ju

Depth.

NOVA SC
of days.

HALIFAX

TABLE III. (Supplementary).—Depth of Snow in inches and number

Year.	January.		February.		March.		April.		May.		Jun
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	
1868.....	20.2	*	12.8	*	4.1	*	16.1	*	8	*
1869.....	14.9	7	11.8	4	38.4	4	3.6	3	0.6	1
1870.....	19.3	9	35.2	11	13.8	11	1.3	2	8	1
1871.....	15.5	10	17.7	7	17.7	7	14.6	3	8	1
1872.....	13.0	6	20.5	8	46.6	11	8.0	1
1873.....	26.6	12	10.7	14	15.5	19	6.5	5	7.4	3

* Number of days not given.

FALL OF CANADA.

183

C.B., N.S.

of days. Latitude, N. $46^{\circ} 10'$; Longitude, W. $60^{\circ} 10'$

June.		August.		September.		October.		November.		December.		Year.	
Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
						0 5	1	5 0	4	10 7	17	126 9	72
						8	1	7 8	9	35 2	20	105 4	75
						8	1	6 3	6	46 0	19	142 3	71
						...		8 5	6	23 4	18	122 2	65

NOVA SCOTIA.

of days. Latitude, N. $44^{\circ} 39'$; Longitude, W. $63^{\circ} 36'$.

June.		August.		September.		October.		November.		December.		Year.	
Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
						2 6	*	4 1	*	21 9	*	81 7	*
						2 7	1	2 8	2	6 3	5	81 1	27
						1 0	1	6 1	2	12 5	7	89 2	41
						...		9 7	13	25 1	13	98 3	54
						8	1	2 8	9	32 9	21	119 2	60
						...		5 8	13	18 9	17	91 4	83

TABLE III. (Supplementary).—Depth of Snow in inches and number

Year.	January.		February.		March.		April.		May.	
	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
1861.....	36' 00	*	13' 75	*	51' 50	*	8	*
1862.....	24' 22	*	24' 74	*	15' 17	*	4' 00	*
1863.....	13' 00	*	8' 25	*	27' 50	*	10' 00	*
1864.....	18' 40	*	20' 50	*	5' 95	*	15' 50	*
1865.....	25' 80	*	3' 30	*	2' 15	*	1' 75	*	1' 50	*
1866.....	25' 55	*	8' 00	*	19' 05		1' 50	*
1867.....	42' 00	*	7' 65	*	17' 75		18' 00	*
1868.....	21' 80	*	18' 50	*	13' 00	*	15' 50	*
1869.....	10' 65	*	27' 01	*	11' 76		2' 20	*	3' 00	*
1870.....	38' 90	9	32' 30	13	22' 85	6	4' 00	1	S	1
1871.....	17' 75	14	7' 45	8	13' 20	10	0' 15	4
1872.....	23' 30	12	13' 90	10	34' 50	10	1' 40	3
1873.....	13' 60	12	14' 20	11	23' 60	17	4' 90	4

* Number of days not given

FALL OF CANADA.

185

NEW BRUNSWICK.

of days. Latitude, N. 45° 17'; Longitude, W. 66° 4'.

June.		August.		September.		October.		November.		December.		Year.	
Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.	Depth.	Days.
						10' 00	*	11' 75	*	123' 0	*		
						1' 80	*	13' 90	*	83' 8	*		
						4' 00	*	7' 10	*	69' 8	*		
						2' 00	*	24' 25	*	86' 6	*		
						5' 00	*	17' 00	*	56' 5	*		
						4' 75	*	12' 05	*	70' 9	*		
						8' 50	*	24' 55	*	118' 4	*		
						6' 98	*	11' 20	*	9' 91	*	96' 8	*
						1' 30	*	4' 67	*	10' 95	*	71' 5	*
						4' 00	4	6' 65	6	30' 30	13	139' 0	53
						0' 20	2	5' 70	5	19' 77	17	64' 2	60
								9' 60	11	37' 40	18	120' 1	64
								15' 00	7	24' 80	12	96' 1	63

OBS

RAIN AND SNOW-FALL OF CANADA

TABLE IV

OBSERVATIONS AT A FEW ISOLATED STATIONS
PRIOR TO 1871

ANNUAL PRECIPITATION

TABLE IV.—Annual Precipitation prior to 1871

70.

—

179

147

189

177

197

177

151

149

123

139

139

142

136

154

8'67

8'56

—



... que se ha de tener en cuenta
que el sujeto es un adulto
que ha vivido en la
sociedad y que ha
adquirido ciertas
experiencias y sentimientos
que no se corresponden
con las de los demás.
Por lo tanto, el adulto
no puede ser tratado
como un niño.


50
UP
L

ca

ha


55
50
45
40


M
UP
ca
ha



СОВЕТСКО-ЛАОССКОЕ
ДРУЖБЫ ПО ИНИЦИАТИВЕ
БИБЛЮСКОГО ЮРОВА
ПРИДАНО МАСТЕРСКАМ 1976
ГИДРОСИГНАЛИЗАЦИИ

СОВЕТСКО-ЛАОССКОЕ СОЮЗНОЕ
ПРЕДСТАВЛЕНИЕ ВЪ ЛАОС






METEOROLOGICAL SERVICE
DOMINION OF CANADA


Mean Annual Precipitation

- Over 30 inches
- 25 to 30 inches
- 20 to 25 inches
- 12 to 20 inches


Print in blocks at isolated stations.

RECORDED IN THE OFFICE OF THE
REGISTRAR OF THE UNIVERSITY
OF TORONTO
ON APRIL 20, 1955
FOR THE USE OF THE
UNIVERSITY LIBRARIES
RECORDED ON APRIL 20, 1955
FOR THE USE OF THE
UNIVERSITY LIBRARIES









H.V.PAYNE.DEL