








IMAGE EVALUATION TEST TARGET (MT-3)



Photographic
Sciences
Corporation

23 WEST MAIN STREET
WEBSTER, N.Y. 14580
(716) 872-4503

**CIHM
Microfiche
Series
(Monographs)**

**ICMH
Collection de
microfiches
(monographies)**



Canadian Institute for Historical Microreproductions / Institut canadien de microreproductions historiques

© 1991

Technical and Bibliographic Notes / Notes techniques et bibliographiques

The Institute has attempted to obtain the best original copy available for filming. Features of this copy which may be bibliographically unique, which may alter any of the images in the reproduction, or which may significantly change the usual method of filming, are checked below.

L'Institut a microfilmé le meilleur exemplaire qu'il lui a été possible de se procurer. Les détails de cet exemplaire qui sont peut-être uniques du point de vue bibliographique, qui peuvent modifier une image reproduite, ou qui peuvent exiger une modification dans la méthode normale de filmage sont indiqués ci-dessous.

- ☐ Coloured covers/
Couverture de couleur
- ☐ Covers damaged/
Couverture endommagée
- ☐ Covers restored and/or laminated/
Couverture restaurée et/ou pelliculée
- ☐ Cover title missing/
Le titre de couverture manque
- ☐ Coloured maps/
Cartes géographiques en couleur
- ☐ Coloured ink (i.e. other than blue or black)/
Encre de couleur (i.e. autre que bleue ou noire)
- ☐ Coloured plates and/or illustrations/
Planches et/ou illustrations en couleur
- ☐ Bound with other material/
Relié avec d'autres documents
- ☐ Tight binding may cause shadows or distortion
along interior margin/
La reliure serrée peut causer de l'ombre ou de la
distorsion le long de la marge intérieure
- ☐ Blank leaves added during restoration may appear
within the text. Whenever possible, these have
been omitted from filming/
Il se peut que certaines pages blanches ajoutées
lors d'une restauration apparaissent dans le texte,
mais, lorsque cela était possible, ces pages n'ont
pas été filmées.

- ☐ Coloured pages/
Pages de couleur
- ☒ Pages damaged/
Pages endommagées
- ☐ Pages restored and/or laminated/
Pages restaurées et/ou pelliculées
- ☒ Pages discoloured, stained or foxed/
Pages décolorées, tachetées ou piquées
- ☐ Pages detached/
Pages détachées
- ☒ Showthrough/
Transparence
- ☒ Quality of print varies/
Qualité inégale de l'impression
- ☐ Continuous pagination/
Pagination continue
- ☐ Includes index(es)/
Comprend un (des) index

Title on header taken from:/
Le titre de l'en-tête provient:

- ☐ Title page of issue/
Page de titre de la livraison
- ☐ Caption of issue/
Titre de départ de la livraison
- ☐ Masthead/
Générique (périodiques) de la livraison

- ☐ Additional comments:/
Commentaires supplémentaires:

This item is filmed at the reduction ratio checked below/
Ce document est filmé au taux de réduction indiqué ci-dessous.

10X	14X	18X	22X	26X	30X
☐	☐	☒	☐	☐	☐
12X	16X	20X	24X	28X	32X

The copy filmed here has been reproduced thanks to the generosity of:




Société du Musée
du Séminaire de Québec

The images appearing here are the best quality possible considering the condition and legibility of the original copy and in keeping with the filming contract specifications:

Original copies in printed paper covers are filmed beginning with the front cover and ending on the last page with a printed or illustrated impression, or the back cover when appropriate. All other original copies are filmed beginning on the first page with a printed or illustrated impression, and ending on the last page with a printed or illustrated impression.

The last recorded frame on each microfiche shall contain the symbol ➡ (meaning "CONTINUED"), or the symbol ▼ (meaning "END"), whichever applies.

Maps, plates, charts, etc., may be filmed at different reduction ratios. Those too large to be entirely included in one exposure are filmed beginning in the upper left hand corner, left to right and top to bottom, as many frames as required. The following diagrams illustrate the method:



L'exemplaire filmé fut reproduit grâce à la générosité de:

Société du Musée
du Séminaire de Québec

Les images suivantes ont été reproduites avec le plus grand soin, compte tenu de la condition et de la netteté de l'exemplaire filmé, et en conformité avec les conditions du contrat de filmage.

Les exemplaires originaux dont la couverture en papier est imprimée sont filmés en commençant par le premier plat et en terminant soit par la dernière page qui comporte une empreinte d'impression ou d'illustration, soit par le second plat, selon le cas. Tous les autres exemplaires originaux sont filmés en commençant par la première page qui comporte une empreinte d'impression ou d'illustration et en terminant par la dernière page qui comporte une telle empreinte.

Un des symboles suivants apparaîtra sur la dernière image de chaque microfiche, selon le cas: le symbole ➡ signifie "A SUIVRE", le symbole ▼ signifie "FIN".

Les cartes, planches, tableaux, etc., peuvent être filmés à des taux de réduction différents. Lorsque le document est trop grand pour être reproduit en un seul cliché, il est filmé à partir de l'angle supérieur gauche, de gauche à droite, et de haut en bas, en prenant le nombre d'images nécessaire. Les diagrammes suivants illustrent la méthode.

Eugenie Bouchar

Eugenie Bouchar

Die Himmelstheist sind
vertheilt und von Gott dem
Herrn schenkt er Dir
einen Ad. L. v. m. m.

ARITHMETIC,

FOR THE USE OF SCHOOLS.

Authorized by the Council of Public Instruction
for Upper Canada.

APPROVED BY THE BOARD OF THE
OF PUBLIC INSTRUCTION,

AND REPRINTED BY SPECIAL PERMISSION.

MONTREAL

H. & A. MILLER

ST. FRANCIS AVENUE

1881

In
the T
of, bu
be sep
by me
make
rules
planar
progr
For
teache
F I
ann

copy

PREFACE.

In this First Book, the Practical, and in the Theoretical part of Arithmetic is treated of, but it is not intended that Theory should be separated from Practice. The teacher may, by means of a blackboard and a piece of chalk, make the pupils more readily understand the rules than could be done by any written explanation, especially at this stage of their progress.

For the Theoretical part of Arithmetic, teachers and monitors are referred to the Second Book of Arithmetic, published by the Commissioners.

CONTENTS.

ARITHMETICAL TABLES.

	PAGE.		PAGE.
Addition Table.....	1	Numeration Table	8
Multiplication Table.....	2	Roman Notation.....	8
Pence Table	3	Table of Aliquot parts of	
Signs used in Arithmetic	4	Money	60
Money Table	4	Table of Aliquot Parts of	
Tables of Weights and		Weights.....	60
Measures	4		

ARITHMETIC.

Numeration.....	8	Barter	7
Notation.....	9	Profit and Loss	8
Simple Addition.....	10	Partnership	8
Subtraction	14	Vulgar Fractions	8
Mixed Questions in Addition and Subtraction...	18	Reduction.....	8
Simple Multiplication....	19	Addition	8
Division.....	23	Subtraction	8
Compound Addition.....	27	Multiplication ...	8
Subtraction	30	Division	11
Multiplication ...	32	Reduction, contin.	12
Division.....	36	Promiscuous Exercises	and 1
Reduction	40	Decimal Fractions.....	3
Weights and Measures ..	42	Addition	4
Reduction of.....	50	Subtraction	5
Simple Proportion	52	Multiplication	6
Compound Proportion ...	56	Division.....	7
Bills of Parcels	58	Reduction.....	8
Bills of Book Debts	59	Involution	9
Practice	60	Evolution.....	10
Tare and Tret.....	67	Extraction of the Cube	11
Simple Interest.....	70	Root	12
Discount.....	73	Duodecimal Multiplication.....	1
Commission, Brokerage,		Mental Arithmetic	2
Insurance, buying and		Answers to all the Questions	3
selling stocks.....	74		
Compound Interest	77		

1

ARITHMETICAL TABLES.

ADDITION TABLE.

	2 and 1 are 3	5 and 5 are 10	8 and 9 are 17
	2 — 2 — 4	5 — 6 — 11	8 — 10 — 18
	3 — 3 — 6	5 — 7 — 12	8 — 11 — 19
Page.	3 — 4 — 7	5 — 8 — 13	8 — 12 — 20
le	3 — 5 — 8	5 — 9 — 14	9 and 1 are 10
a	3 — 6 — 9	5 — 10 — 15	9 — 2 — 11
t parts of	3 — 7 — 10	5 — 11 — 16	9 — 3 — 12
..... 60	3 — 8 — 11	5 — 12 — 17	9 — 4 — 13
t Parts of	3 — 9 — 12	6 and 1 are 7	9 — 5 — 14
..... 60	3 — 10 — 13	6 — 2 — 8	9 — 6 — 15
	3 — 11 — 14	6 — 3 — 9	9 — 7 — 16
	3 — 12 — 15	6 — 4 — 10	9 — 8 — 17
	3 and 1 are 4	6 — 5 — 11	9 — 9 — 18
	3 — 2 — 5	6 — 6 — 12	9 — 10 — 19
..... 7	3 — 3 — 6	6 — 7 — 13	9 — 11 — 20
	3 — 4 — 7	6 — 8 — 14	9 — 12 — 21
	3 — 5 — 8	6 — 9 — 15	11 and 1 are 12
	3 — 6 — 9	6 — 10 — 16	11 — 2 — 13
ns	3 — 7 — 10	6 — 11 — 17	11 — 3 — 14
ion	3 — 8 — 11	6 — 12 — 18	11 — 4 — 15
on	3 — 9 — 12	7 and 1 are 8	11 — 5 — 16
ction	3 — 10 — 13	7 — 2 — 9	11 — 6 — 17
lication ...	3 — 11 — 14	7 — 3 — 10	11 — 7 — 18
n	3 — 12 — 15	7 — 4 — 11	11 — 8 — 19
tion, contin.	3 and 1 are 5	7 — 5 — 12	11 — 9 — 20
enous Ex-	3 — 2 — 6	7 — 6 — 13	11 — 10 — 21
.....	3 — 3 — 7	7 — 7 — 14	11 — 11 — 22
ions:	3 — 4 — 8	7 — 8 — 15	11 — 12 — 23
on	3 — 5 — 9	7 — 9 — 16	12 and 1 are 13
cti	3 — 6 — 10	7 — 10 — 17	12 — 2 — 14
is and	3 — 7 — 11	7 — 11 — 18	12 — 3 — 15
n	3 — 8 — 12	7 — 12 — 19	12 — 4 — 16
tion	3 — 9 — 13	8 and 1 are 9	12 — 5 — 17
.....	3 — 10 — 14	8 — 2 — 10	12 — 6 — 18
the Cube	3 — 11 — 15	8 — 3 — 11	12 — 7 — 19
.....	3 — 12 — 16	8 — 4 — 12	12 — 8 — 20
Multiplic-	3 and 1 are 6	8 — 5 — 13	12 — 9 — 21
.....	3 — 2 — 7	8 — 6 — 14	12 — 10 — 22
netic	3 — 3 — 8	8 — 7 — 15	12 — 11 — 23
l the Cube	3 — 4 — 9	8 — 8 — 16	12 — 12 — 24





ARITHMETICAL TABLES.

SIGNS USED IN ARITHMETIC.

- $+$ named plus, signifies Addition, as $4+2$ equal 6.
 $-$ named minus, signifies Subtraction, as $5-2$ equal 3.
 $\times$ multiplied by, signifies Multiplication, as 4×2 equal 8.
 $\div$ divided by, signifies Division, as $10\div 2$ equal 5.
 $=$ equal to, signifies Equality, as $2+4=6$.
 $:$ is to } signifies Proportion, as $1:2::3:6$.
 $:$ so is } These figures are thus read, as 1 is to 2 so is 3 to 6.
 $:$ to }
 $\sqrt{\quad}$ marks the Square root, as $\sqrt{4}=2$.
 $\sqrt[3]{\quad}$ marks the Cube root, as $\sqrt[3]{8}=2$.

MONEY.

- 4 farthings = 1 penny
 12 pence = 1 shilling.
 20 shillings = 1 pound.
 21 shillings = 1 guinea.

- $\pounds$ denotes pounds, s. shillings, and d. pence.
 $\frac{1}{4}$ " one farthing, or one-quarter of any thing.
 $\frac{1}{2}$ " a halfpenny, or a half of any thing.
 $\frac{3}{4}$ " three farthings, or three-quarters of any thing.

AVOIRDUPOIS WEIGHT.

- | | | |
|----------------------|---------------------|--------|
| 16 drams (dr) | = 1 ounce, | marked |
| 16 ounces | = 1 pound, | oz. |
| 28 pounds | = 1 quarter, | lb. |
| 4 quarters or 112lb. | = 1 hundred weight, | qr. |
| 20 hundred weight | = 1 ton, | cwt. |
| | | T. |

14 pounds make one stone, and 8 stone 1 hundred weight.

This weight is used for bread, meat, grocery, for goods in general, and for all the metals except gold and silver.

ARITHMETICAL TABLES.

5

C.

equal 6.
equal 8.
equal 8.
equal 5.

8 : 6.
so is 3 to 6

TROY WEIGHT.

24 grains (<i>gr.</i>)	= 1 pennyweight,	marked <i>dot.</i>
20 pennyweights	= 1 ounce,	<i>oz.</i>
12 ounces	= 1 pound,	<i>lb.</i>

This weight is used for gold, silver, jewels, and liquors.

APOTHECARIES' WEIGHT.

20 grains	= 1 scruple,	marked <i>scr.</i>
3 scruples	= 1 dram,	<i>dr.</i>
8 drams	= 1 ounce,	<i>oz.</i>
12 ounces	= 1 pound,	<i>lb.</i>

Apothecaries use this weight in mixing their medicines; but they buy and sell by avoirdupois weight.

LONG MEASURE.

12 lines	= 1 inch,	marked <i>in.</i>
12 inches	= 1 foot,	<i>ft.</i>
3 feet	= 1 yard,	<i>yd.</i>
5½ yards	= 1 perch,	<i>per.</i>
40 perches	= 1 furlong,	<i>fur.</i>
8 furlongs	= 1 mile,	<i>mi.</i>
3 miles	= 1 league,	<i>lg.</i>
60 Geographical miles, or 69½ British miles,	} = 1 degree, <i>deg.</i>	
360 degrees	= the earth's circumference.	

An inch is supposed to be equal to three barley-corns in length. Seven yards Irish equal one perch. Eleven miles Irish are equal to fourteen miles English. Four inches make one hand, used in measuring horses.

CLOTH MEASURE.

2½ inches	= 1 nail,	marked <i>nl.</i>
4 nails	= 1 quarter,	<i>qr.</i>
4 quarters	= 1 yard,	<i>yd.</i>

The Flemish ell is 3 quarters of a yard; the English ell is 4 quarters of a yard; and the French ell 5 quarters of a yard.

ARITHMETICAL TABLES.

SQUARE OR LAND MEASURE.

144 square inches	= 1 square foot,	marked
9 square feet	= 1 square yard,	<i>sq. ft.</i>
30 $\frac{1}{2}$ square yards	= 1 square perch,	<i>sq. yd.</i>
40 square perches	= 1 rood,	<i>sq. per.</i>
4 roods	= 1 acre,	<i>rd.</i>
640 acres	= 1 square mile,	<i>ac.</i>
		<i>sq. mile.</i>

In Ireland 49 square yards make 1 square pole or perch. The square of any number is obtained by multiplying it by itself; 12 multiplied by 12=144, the square of 12.

CUBIC OR SOLID MEASURE.

1728 cubic inches	= 1 cubic foot.
27 cubic feet	= 1 cubic yard.
40 cubic feet of rough timber, or	} = 1 ton or load.
50 cubic feet of hewn timber,	
42 cubic feet.	= 1 ton of shipping.

A cube is a solid figure, similar to dice, and has six equal sides. The cube of any number is obtained by multiplying it twice by itself, thus, $12 \times 12 \times 12 = 1728$, the cube of 12.

MEASURE OF CAPACITY.

4 gills	= 1 pint,	marked
2 pints	= 1 quart,	<i>pt.</i>
4 quarts	= 1 gallon,	<i>qt.</i>
2 gallons	= 1 peck,	<i>gal.</i>
4 pecks	= 1 bushel,	<i>pk.</i>
8 bushels	= 1 quarter,	<i>bush.</i>
5 quarters	= 1 load,	<i>qr.</i>
		<i>ld.</i>

By this measure both liquids and dry goods are measured. The gill, pint, quart, gallon, are used for liquids. The peck, bushel, quarter, load, are used for dry goods. The gallon contains 277.274 cubic inches. The measure formerly called heaped measure is now, by Act of Parliament, declared illegal.

Ale, wine, and beer were formerly measured by different measures. In some places a barrel of beer contains 32, in some 34, and in others 36 gallons. A hogshead of ale was computed to contain 54 gallons, a hogshead of wine 63 gallons.

2 hogsheads make 1 pipe, or butt.
2 pipes or butts, make 1 tun.

ARITHMETICAL TABLES.

WOOL WEIGHT.

7 pounds	= 1 clove,	marked
2 cloves	= 1 stone,	cl.
2 stones	= 1 tod,	st.
6½ tods	= 1 wey,	td.
2 weys	= 1 sack,	wy.
12 sacks	= 1 last,	sk.
		la.

TIME.

60 seconds (sec.)	= 1 minute,	marked
60 minutes	= 1 hour,	min.
24 hours	= 1 day,	hr.
7 days	= 1 week,	da.
12 months, or		wk.
52 weeks and 1 day, or	= 1 year,	yr.
365 days,		

Every fourth year contains 366 days, and is called leap year.

DAYS IN EACH MONTH.

Thirty days hath September,
April, June, and November;
All the rest have thirty-one,
February twenty-eight alone,
But in leap year twenty-nine.

DIVISIONS OF THE CIRCLE.

60 seconds (")	= 1 minute,	marked
60 minutes	= 1 degree,	min. or °
30 degrees	= 1 sign,	deg. or °
12 signs	= 1 circle of the Zodiac,	S.

QUANTITIES.

12 articles	= 1 dozen,	marked
20 articles	= 1 score,	doz.
144 articles	= 1 gross,	sc.
24 sheets paper	= 1 quire,	gr.
20 quires	= 1 ream,	qr.

ARITHMETICAL TABLES, ETC.

NUMERATION TABLE.

	1	Units.
	21	Tens.
	, 321	Hundreds.
	4, 321	Thousands
	54, 321	X. of Thousands
	654, 321	C. of Thousands.
	7. 654, 321	Millions.
	87. 654, 321	X. of Millions.
	987. 654, 321	C. of Millions.
	1, 987. 654, 321	M. of Millions.
	21, 987. 654, 321	X. M. of Millions.
	321, 987. 654, 321	C. M. of Millions.
	4. 321, 987. 654, 321	Billions.

ROMAN NOTATION.

M.	D.	C.	L.	X.	V.	I.
1000	500	100	50	10	5	1

EXERCISES IN NUMERATION.

Read, or write down in words, the numbers signified by the following figures:

1. 1, 2, 3, 4, 5, 6, 7, 8, 9, 0.
2. 10, 11, 14, 16, 19, 20, 42, 18, 17.
3. 200, 420, 607, 986, 473, 247, 864.
4. 912, 874, 783, 650, 202, 804, 510.
5. 4000, 3700, 8601, 7036, 2101, 1060.
6. 1010, 7080, 4600, 9111, 4078, 5870.
7. 26012, 70101, 42100, 36100, 90201.
8. 700000, 701020, 926427, 104206.
9. 9009000, 9764268, 8262100, 5028067.
10. 2600060, 4161010, 2004000, 1407149.
11. 40000030, 39602687, 50026017, 1870020.
12. 94124797, 267602607, 401437680.
13. 99999978, 710020010, 270808050.
14. 140230743, 3438760010, 4023601497.
15. 7043602714, 5038807906, 7104070600.
16. 3143230612, 46007667661, 94036421360.
17. 12023647801, 35600002001, 40002000202.
18. 90000000001, 240026100201, 560000150000.

EXERCISES IN NOTATION.

Express in Figures the following Numbers.

1. Six,—seven,—nine,—eight,—five,—ten,—twelve,—fourteen,—sixteen,—eighteen,—twenty,—nineteen.

2. Seventy-four,—twenty-six,—thirty-one,—forty-nine,—fifty-eight,—sixty-two,—seventy-six,—seventy-seven,—ninety-seven,—eighty-four,—fifty-five,—ninety-nine.

3. One hundred,—one hundred and four,—two hundred and forty-four,—six hundred and ninety-one,—seven hundred and fifty,—nine hundred and nine,—nine hundred and ninety-nine,—eight hundred and two.

4. Four thousand,—four thousand two hundred,—five thousand three hundred and fifty-two,—six thousand seven hundred and five,—seven thousand and fifty,—nine thousand and two,—eight thousand and eighty,—six thousand seven hundred and seven.

5. Ten thousand,—fifteen thousand five hundred and sixty,—nineteen thousand and nineteen,—twenty-six thousand five hundred and ninety-five,—thirty-eight thousand and thirty-eight,—forty thousand and forty,—fifty-six thousand five hundred and two,—seventy thousand seven hundred and seventy-seven.

6. Four hundred thousand,—four hundred thousand and forty,—six hundred thousand seven hundred and seven,—nine hundred and eighty thousand,—two hundred and fifty-six thousand nine hundred and seventy-five,—seven hundred thousand seven hundred and seven,—nine hundred and sixty-four thousand two hundred and fifty-nine.

7. Six millions,—five millions four hundred and ninety-three thousand,—eight millions forty thousand four hundred and two,—seven millions four hundred and ninety-three thousand seven hundred and sixty-five,—ten millions ten thousand and ten,—twenty millions two hundred and forty thousand six hundred and six,—fifty-three millions fifty-three thousand and fifty-three,—eight hundred and fifty-three millions nine hundred and forty thousand and fifty-three,—two hundred and three million four hundred and six thousand five hundred and eight,—one hundred and ninety-three millions.

SIMPLE ADDITION.

Addition is the method of finding one number equal to two or more numbers.

Add together 423, 134, 267.

RULE WITH EXAMPLE.—Write the numbers under each other, so that units may stand under units, tens under tens, hundreds under hundreds, &c. Draw a line under them. Add the figures in the right-hand column together; thus 7 and 4 make 11, 11 and 3 make 14. Put down the figure 4 of the number 14. Take the one of the 14, and add it to the next column; thus, 1 and 6 make 7, 7 and 3 make 10, 10 and 2 make 12. Put down the figure 2 of the 12. Add the figure 1 of the 12 to the next column; thus, 1 and 2 make 3, 3 and 1 make 4, 4 and 4 make 8. Put down the 8. The number 824 is called the *Sum*.

423
134
267
—
824

EXERCISES.

1	2	2	3	1	4	3	3
2	3	0	1	5	1	2	4
3	4	6	4	2	4	6	5
6	9	8	8	8	8	11	12

2	4	6	2	4	5	3	4
1	2	4	4	3	4	7	6
3	3	2	5	6	7	8	9
—	—	—	—	—	—	—	—

13	21	23	14	21	43
11	12	24	35	34	23
23	24	35	43	75	97
45	37	82	92	130	133

21	34	26	27	42	33
44	34	42	25	56	39
23	53	59	74	85	32
—	—	—	—	—	—

SIMPLE ADDITION.

11

the number

(1)	(2)	(3)	(4)
412	243	628	354
346	225	146	236
427	678	579	876

(5)	(6)	(7)	(8)
264	450	547	856
368	407	653	479
752	670	865	627
865	538	376	694

(9)	(10)	(11)	(12)
246	457	47	8
78	608	602	70
604	92	68	326
40	400	720	47
7	78	79	5

(13)	(14)	(15)	(16)
5129	4268	3687	2407
7142	2426	4215	798
9897	4276	708	46
4212	8507	9862	7088
9487	2890	26	579

(17)	(18)	(19)	(20)
5126	2427	5086	730
1472	768	784	5708
9826	9412	6070	1070
9487	892	85	657
5784	4026	7507	1068
6278	476	687	

423
134
267
824

the 14, and
7, 7, and 3
are 2 of the
sum; thus
ke 8. Put

3
4
5
12

4
6
9

43
23
97
163

(21)	(22)	(23)	(24)
42874	24785	48768	46587
34128	65843	86270	54263
68768	26879	4687	48986
28642	43653	578	5079
65768	68754	49060	81
74337	56287	18709	641
96728	65423	70471	98076

25. How many do 7 and 4 and 8 and 24 and 62 make ?

26. How many are 42 and 64 and 40 and 68 and 79 ?

27. How many do 67 and 79 and 93 and 104 and 65 make ?

28. How many do 426 and 67 and 240 and 742 make ?

29. Add together 6479 and 846 and 70 and 567 and 7426.

30. Add 742+64+8+341+804+60+642+790+806.

31. Add 7260+1404+8496+2413+46+4786+3326.

32. Add 4126+27304+2687+426+876846+746897.

33. Add 76876+2046+896874+6876874+4268+4276.

34. Add 367068+64768+94687+6870+2489+264.

35. What is the amount of four hundred and sixty-three, —five thousand and sixty-four,—seventy thousand and ninety-eight,—and fifty ?

36. Add together seven hundred and ninety-six,—five thousand four hundred and forty,—nine hundred and eight,—five thousand four hundred and nine,—two hundred and two thousand and fifty,—ninety-six thousand and nine,—four hundred and one.

37. How much do the following sums of money amount to, when added together : £7966,—£864,—£46,—£2048,—£46897 ?

38. I saw four large baskets full of apples : in one of the baskets there were four hundred and ninety-four apples, in another three hundred and sixty-eight, in another nine hundred and eighty, and in another four hundred and four ; how many apples were there in the four baskets ?

39. I gave John 12 apples, James 15, Patrick 20, and I had 25 remaining ; how many apples had I at first ?

(24)

46587

54263

48986

5079

81

641

98076

62 make!

and 79!

nd 65 make!

42 make!

67 and 7426.

790+806.

86+3326.

+746897.

4268+4276.

9+264.

l sixty-three,

ousand and

ty-six,—five

ed and eight,

undred and

and nine,—

oney amount

3,—£2048,—

in one of the

ur apples, in

er nine hun-

d and four;

ti!

ck 20, and I

t at first!

40. In a school which I visited lately, there were six classes: in the first there were 23 boys, in the second 18, in the third 32, in the fourth 27, in the fifth 56, and in the sixth 48; can you tell me how many boys there were in the school?

41. A man walked 26 miles on Monday, 34 on Tuesday, 46 on Wednesday, 37 on Thursday: on Friday, being unable to walk, he procured a horse and rode 41 miles, and completed his journey on Saturday, having travelled that day 67 miles; how many miles did he travel during the week?

42. A gentleman planted on his property 478 oaks, 748 beeches, 64027 firs, 409 apple-trees, 1764 pear-trees, 878 cherry-trees, and 87 peach-trees; how many trees did he plant in all?

43. If James has 74 marbles, John 213, Tom 185, Henry 609, William 834, and Patrick 648, how many have they in all?

44. A farmer laid out on oxen £348, on horses £487, on sheep £964, on cows £189, on laboring utensils £209; how much did he lay out altogether?

45. In a house there were nine windows in front, and each window had twelve panes of glass. In the rear there were six windows, and each of these windows had nine panes of glass; how many panes of glass were there in all the windows?

46. A fruiterer bought six chests of oranges. In the first chest there were 468 oranges; in the second 679; in the third 804; in the fourth 979; in the fifth 1042; in the sixth 1709: how many oranges were there in all the chests?

47. A linen-draper sold 46 yards of cloth on Monday; 78 on Tuesday; 65 on Wednesday; the same quantity on Thursday; 64 on Friday; and 97 on Saturday: how many yards of cloth did he sell during the week?

48. A grocer received for goods sold on Monday £4; on Tuesday £6; on Wednesday £10; on Thursday £9; on Friday £13; and on Saturday as much as he had received all the former days of the week: how much did he receive during the week for goods?

SIMPLE SUBTRACTION.

Subtraction is the method of finding the difference between two numbers.

From 6237 take 4895.

RULE WITH EXAMPLE.—Place the less number under the greater, so that units may stand under units, tens under tens, &c. Draw a line under them. Begin at the units' place; that is, at the 5. Take 5 from 7 and 2 remain. Put down the 2 under the 5. Go on to the next figure, which is 9. Take 9 from 3; this cannot be done: when this is the case, add 10 to the upper figure, which will make it 13. Take 9 from 13 and 4 remain. Put down the 4. Whenever 10 has been added, as it was to the 3, one is to be added to the next figure. Thus, add 1 to 8, which makes 9. Take 9 from 2; it cannot be done: then as before, add 10 to the 2. Now take 9 from 12 and 3 remain. Put down the 3. Add 1 to 4; it will make 5. Take 5 from 6 and 1 remains. Put down the 1. The sum 1342 is called the *Remainder*, the *Difference*, or the *Excess*. The number from which the subtraction is made, viz. 6237, is called the *Minuend*. The number which is subtracted, viz. 4895, is called the *Subtrahend*.

6237
4895
1342

EXERCISES.

426	647	754	827	968
<u>214</u>	<u>423</u>	<u>621</u>	<u>403</u>	<u>412</u>
212	224	133	424	556

613	498	783	869	548
<u>411</u>	<u>132</u>	<u>172</u>	<u>217</u>	<u>213</u>

428	743	884	546	643
<u>279</u>	<u>489</u>	<u>478</u>	<u>298</u>	<u>160</u>
144	253	356	248	474

SIMPLE SUBTRACTION.

15

582	715	934	604	540
496	268	748	257	76
<u>86</u>	<u>447</u>	<u>186</u>	<u>347</u>	<u>464</u>

(1)	(2)	(3)	(4)	(5)
482	623	821	602	714
<u>278</u>	<u>147</u>	<u>479</u>	<u>146</u>	<u>178</u>

(6)	(7)	(8)	(9)	(10)
643	741	610	100	101
<u>268</u>	<u>278</u>	<u>79</u>	<u>4</u>	<u>11</u>

(11)	(12)	(13)	(14)
42654	38871	73268	98648
<u>26479</u>	<u>17928</u>	<u>47296</u>	<u>27896</u>

(15)	(16)	(17)	(18)
74603	91020	41021	40000
<u>37684</u>	<u>12647</u>	<u>768</u>	<u>1001</u>

(19)	(20)	(21)	(22)
42681	42890	81000	45301
<u>19697</u>	<u>27601</u>	<u>2641</u>	<u>20909</u>

(23)	(24)	(25)
741026831	614102013	148120718
<u>278904896</u>	<u>178906844</u>	<u>74198648</u>

(26)	(27)	(28)
861364981	931002461	181200041
<u>248600989</u>	<u>198007049</u>	<u>808000000</u>

the differ-

6237.
4895
1842

Take 9
use, add 10
ake 9 from
er 10 has
ded to the
Take 9
to the 2.
e 3. Add
l remains.
Remainder,
om which
Minuend
called the

668
412
556

548
213

448
60
74

29. 741826421741 — 427984642814
 30. 841298471812 — 71489641264
 31. 812014001013 — 107987862141
 32. 431701468642 — 7126142687
 33. 614214687648 — 196412741689
 34. 419000100014 — 2120101706

35. From seven hundred and nine thousand four hundred and twenty-seven, take two hundred and fifty-one thousand eight hundred and seventy-two.

36. From two millions two hundred and two thousand and two, take nine hundred and ninety-six thousand and seven.

37. What is the difference between sixty-five hundred thousand and four, and twenty-nine hundred thousand seven hundred and sixty?

38. How much does sixty-four thousand two hundred and four exceed six thousand two hundred and forty-nine?

39. John lent James £9071, of this sum he has received back £999; how much has James yet to pay?

40. On a cherry-tree there were 2046 cherries, of these 1875 were gathered; how many remained?

41. Columbus discovered America in the year 1492; how many years is it from that time to 1886?

42. In a certain school there are 436 boys, of these only 264 can write; how many are unable to write?

43. In one of the National Schools there are 427 boys; in another there are 249; how many more are there in the one than in the other?

44. John had 202 nuts in his pocket, but there being a hole in it, he lost 96 nuts; how many had he remaining?

45. On an apple-tree there were 154 apples, the wind blew off two dozen and a half; how many were left?

46. A draper bought 4786 yards of cloth, and sold 3987 yards; how many yards has he unsold?

47. What sum added to sixty-five thousand seven hundred and ninety-six, will make one million four hundred and fifty-two thousand three hundred and thirteen?

48. I was born in the year 1828; how old shall I be in the year 1891?

49
in br
bread

50.
British
swinn
land,
these

51.
has a
Amer
differ

52.
of the
amete

53.
suar
how r
in the

54.
The p
people

55.
in Eu
Chim
21,00
tween

56.
how l

57.
now,
first

58.
1727

59.
1763

60.
1449

49. Ireland is about 300 miles in length, and 170 miles in breadth; how much greater is the length than the breadth?

50. Ben Nevis in Scotland, the highest mountain in the British Islands, is 4350 feet above the level of the sea; the summit of Magillicuddy's Reeks, the highest point in Ireland, is 3610; what is the difference in height between these two mountains?

51. The Shannon, the largest river in the British Isles, has a course of about 170 miles. The Amazon, in South America, has a course of about 3000 miles. What is the difference in length of their course?

52. The diameter of the Sun is about 883246 miles; that of the Earth about 7912; what is the difference in the diameter of the Sun and Earth?

53. The surface of the earth is nearly 200 millions of square miles: of this it is probable that 60 millions are land; how many more square miles of water than of land are there in the earth's surface?

54. The population of London in 1831, was 1,776,566. The population of Dublin is about 203,652; how many more people are there in London than in Dublin?

55. Mont Blanc, in Switzerland, is the highest mountain in Europe, being 15,680 feet above the level of the sea; Chimborazo, the highest mountain in America, is about 21,000 feet in height. What is the difference in height between these two mountains?

56. Coals were discovered at Newcastle A. D. 1284; how long is it from that time till the year 1836?

57. Since convicts were first sent to Botany Bay, it is now, viz. 1836, about 42 years; in what year were convicts first sent?

58. Sir Isaac Newton was born A. D. 1642, and died 1727; how old was he when he died?

59. Petersburg was founded by Peter the Great, A. D. 1703; how long is it from that time till the year 1836?

60. The art of printing was discovered about the year 1449; how long is it from that time to the year 1836?

MIXED QUESTIONS.

1. Tom had 264 marbles: he gave 64 to James, 75 to William, and 42 to John; how many had he left?
2. A merchant had 4268 yards of cloth: on Monday he sold 146 yards, on Tuesday 97, on Wednesday 246, on Thursday 198, on Friday 864, on Saturday 497; how much cloth had he remaining?
3. Three regiments went to battle: in the first there were 968 soldiers, in the second 769, and in the third 847. There were 248 men killed in the first regiment, 368 in the second, and when the regiments returned there were only 486 men in the third; how many returned from the battle?
4. A man had a journey of 298 miles to make: the first day he walked 42 miles, the second 36 miles, the third 31 miles, the fourth 27 miles; how much farther had he to go?
5. Three vessels sailed to America with emigrants: in the first vessel there were 126 men, 96 women, and 42 children; in the second vessel there were 98 men, 37 women, and 26 children; in the third vessel there were 43 men, 24 women, and 8 children. In the first vessel three persons died; in the second two were washed overboard; the third vessel was wrecked, and all on board perished: how many got safe to America?
6. A little boy went to the Zoological Gardens to see the animals: he laid his hat on the ground, which contained 264 nuts. While his attention was engaged, the monkey stole 27 of his nuts; while he was pursuing the monkey, a squirrel made off with 16 more: how many had he remaining?
7. The population of Cork is about 108,000; of Belfast 55,000; of Liverpool 166,000; of Glasgow 203,000; by how much does the population of London exceed all these cities the population of London being 1,776,556 in the year 1851?
8. Received on Monday £247; paid away on Tuesday £196; received on Wednesday £349; paid away on Thursday £102; received on Friday £687; paid away on Saturday £308; what money had I still remaining?

Mul
will am

RULE
you are
plied; t
1 under
of the 2
called th
and the
the mul
53. and

659
2
1818

480
3
506
5
4480

742
10

(1)
4976
4

SIMPLE MULTIPLICATION.

Multiplication teaches us to find what a number will amount to, when it is repeated a number of times.

Case I.—When the Multiplier does not exceed 12.

Multiply 53 by 7.

RULE WITH EXAMPLE.—Place the number by which you are to multiply under the number to be multiplied; then say, 7 times 3 make 21. Put down the 1 under the 7. Then 7 times 5 make 35, and the 2 of the 21 make 37. Put down the 37. The 53 is called the *Multiplicand*; the 7 is called the *Multiplier*; and the 371 is called the *Product*. The multiplicand and the multiplier taken together are called the *Factors*; thus 53 and 7 are factors.

$$\begin{array}{r} 53 \\ 7 \\ \hline 371 \end{array}$$

EXERCISES.

$\begin{array}{r} 659 \\ 2 \\ \hline 1318 \end{array}$	$\begin{array}{r} 427 \\ 2 \\ \hline 854 \end{array}$	$\begin{array}{r} 642 \\ 2 \\ \hline 1284 \end{array}$	$\begin{array}{r} 748 \\ 2 \\ \hline 1496 \end{array}$	$\begin{array}{r} 396 \\ 2 \\ \hline 792 \end{array}$
--	---	--	--	---

$\begin{array}{r} 486 \\ 3 \\ \hline 1458 \end{array}$	$\begin{array}{r} 968 \\ 3 \\ \hline 2904 \end{array}$	$\begin{array}{r} 687 \\ 4 \\ \hline 2748 \end{array}$	$\begin{array}{r} 988 \\ 4 \\ \hline 3952 \end{array}$	$\begin{array}{r} 758 \\ 5 \\ \hline 3790 \end{array}$
--	--	--	--	--

$\begin{array}{r} 806 \\ 5 \\ \hline 4030 \end{array}$	$\begin{array}{r} 798 \\ 6 \\ \hline 4788 \end{array}$	$\begin{array}{r} 378 \\ 7 \\ \hline 2646 \end{array}$	$\begin{array}{r} 596 \\ 8 \\ \hline 4768 \end{array}$	$\begin{array}{r} 974 \\ 9 \\ \hline 8766 \end{array}$
--	--	--	--	--

$\begin{array}{r} 742 \\ 10 \\ \hline 7420 \end{array}$	$\begin{array}{r} 856 \\ 11 \\ \hline 9416 \end{array}$	$\begin{array}{r} 597 \\ 12 \\ \hline 7164 \end{array}$	$\begin{array}{r} 908 \\ 6 \\ \hline 5448 \end{array}$	$\begin{array}{r} 609 \\ 8 \\ \hline 4872 \end{array}$
---	---	---	--	--

(1) $\begin{array}{r} 4576 \\ 4 \\ \hline 18304 \end{array}$	(2) $\begin{array}{r} 67287 \\ 9 \\ \hline 605583 \end{array}$	(3) $\begin{array}{r} 84453 \\ 5 \\ \hline 422265 \end{array}$	(4) $\begin{array}{r} 75268 \\ 8 \\ \hline 602144 \end{array}$
---	---	---	---

$$\begin{array}{r} (5) \\ 9468 \\ \underline{7} \end{array}$$

$$\begin{array}{r} (6) \\ 84076 \\ \underline{8} \end{array}$$

$$\begin{array}{r} (7) \\ 43256 \\ \underline{9} \end{array}$$

$$\begin{array}{r} (8) \\ 74879 \\ \underline{10} \end{array}$$

$$\begin{array}{r} (9) \\ 45687 \\ \underline{11} \end{array}$$

$$\begin{array}{r} (10) \\ 96854 \\ \underline{12} \end{array}$$

$$\begin{array}{r} (11) \\ 63875 \\ \underline{9} \end{array}$$

$$\begin{array}{r} (12) \\ 47389 \\ \underline{12} \end{array}$$

13. Multiply 87546 by 4	22. Multiply 98327 by 2
14. — 7	23. — 7
15. — 9	24. — 4
16. — 6	25. — 8
17. — 3	26. — 6
18. — 5	27. — 5
19. — 10	28. — 9
20. — 11	29. — 12
21. — 12	30. — 11

CASE II.—When the Multiplier is a Composite Number *

Multiply 436 by 32.

RULE WITH EXAMPLE.—The multiplier, viz. 32, is formed by the two factors 4 and 8; therefore instead of multiplying by 32, you may multiply by 4, and obtain the product 1744. Multiply this product by the other factor, 8, and you obtain 13952 the product of the 436 multiplied by 32.

31. 426478 × 16	37. 368745 × 54
32. 743687 × 18	38. 246876 × 56
33. 968748 × 24	39. 784978 × 72
34. 874867 × 27	40. 204074 × 108
35. 643067 × 36	41. 436876 × 132
36. 426456 × 49	42. 496876 × 144

* A composite number is the product of two factors; thus, 16 is a composite number, because formed of the factors 2 and 8, or 4 and 4; 21 is formed of 3 and 7; 27 of 3 and 9; 36 of 4 and 9, or 6 and 6, or 3 and 12.

SIMPLE MULTIPLICATION.

2

CASE II.—When the Multiplier contains several figures.

Multiply 3426 by 342.

RULE WITH EXAMPLE.—Place the multiplier under the multiplicand, units under units, &c. Multiply by the unit figure of the multiplier, viz. 2. Then multiply by the next figure of the multiplier, viz. 4; thus, 4 times 6 make 24; but take notice that you are to place the 4 of the 24 directly under that figure of the multiplier by which you are multiplying. Proceed in the same manner with the figure 3 of the multiplier. Then add together the products obtained.

3426
342
6852
13704
1171692

Multiply 6487 by 230.

230
194610
12974
1492010

Multiply 6487 by 208

208
19461
129740
1316864

Number

2, is 130
in 4
y 4, 1744
rod- 8
the 13952

43. Mult. 98476 by 642
44. — 758
45. — 295
46. — 496
47. — 857
48. — 4368
49. — 7896
50. — 8654

51. Mult. 65839 by 958
52. — 627
53. — 369
54. — 426
55. — 704
56. — 8743
57. — 6007
58. — 9864

59. Multiply sixty-four thousand eight hundred and fifty two, by nine hundred and eighty-seven.

60. Multiply four hundred and fifty-eight thousand six hundred and ninety-four, by eight thousand and seventy-six.

61. Multiply nine hundred and eighty-six thousand seven hundred and forty, by four hundred and nine.

62. There are 8766 hours in the year; how many hours are there in 20 years?

63. A grocer sells goods to the amount of £56 per week. how much does he sell during the year?

64. In a flock of 648 sheep, how many feet were there

× 54
× 56
× 72
× 108
× 132
× 144

thus, 16 is a
8, or 4 and 4;
8 and 8, or 8

65. Suppose the page of a book to contain 40 lines, and each line 47 letters, how many letters does the whole page contain?

66. In 264 dozen of wine, how many bottles are there?

67. A gentleman dying gave orders in his will, that his fortune should be equally divided among his five children: each received £648: how much money did he leave?

68. Suppose that there were in the parish 598 houses, and that each house in the parish contained five persons, what would be the population of that parish?

69. A father has five children: their food and clothing cost him two pence each day; how many pence each does the support of the children come to in the year?

70. There were in a garden eight trees, and upon each tree there were 268 apples; how many apples were there upon all the trees?

71. There were 4768 geese plucked, and 17 quills got from each goose; how many quills were got from all?

72. There were 27 desks to be made for the school, and each desk required 29 nails; how many nails were required for all the desks?

73. In a school there were six windows in the boys' room, and six in the girls' room: in each window there were eight panes of glass; how many panes of glass were there in all?

74. Two boys: one of them was lazy, and lay in bed all day; the other was an active little fellow, who went out at six: how many hours did the active boy have in a year that the other lost?

75. How often does a clock strike in a year of the rate of 365 days?

76. How many pins may a boy point in a year of 365 days, if he points 15,000 pins in a day?

77. A man bought an estate for £10,000, and sold it for £12,000: how much did he gain?

Div
numb

Ruta
account
the fig
trained
6 in 3.
25 and
1 place
12. T
win her
the Qu

2)

2)

2)

SIMPLE DIVISION.

Division is the method of finding how often one number is contained in another.

CASE I.—When the Divisor does not exceed 12.

Divide 252 by 6.

RULE WITH EXAMPLE.—Put the numbers down according to the annexed example. Find how often the figure by which you are to divide, viz. 6, is contained in the first, or first and second figures; thus, 6 in 2, there are none; then 6 in 25; there are 4 sixes in 24 and 1 over. Put down the 4 under the 5. Suppose the 1 placed before the 2, which would make it 12. Say 6 in 12. There are 2 sixes in 12. Put the 2 under the 2. The number 6 is called the *Divisor*; 252 the *Dividend*; and 42 the *Quotient*.

EXERCISES.

$$\begin{array}{r} 2)4628 \\ 2314 \end{array}$$

$$\begin{array}{r} 2)6684 \\ 3412 \end{array}$$

$$\begin{array}{r} 3)8839 \\ 9013 \end{array}$$

$$\begin{array}{r} 4)8408 \\ 2102 \end{array}$$

$$\begin{array}{r} 3)9768 \\ 3256 \end{array}$$

$$\begin{array}{r} 3)76389 \\ 25463 \end{array}$$

$$\begin{array}{r} 4)5736 \\ 2434 \end{array}$$

$$\begin{array}{r} 5)4500 \\ 25760 \end{array}$$

$$\begin{array}{r} 2)9768 \\ 4884 \end{array}$$

$$\begin{array}{r} 3)8839 \\ 2946 \end{array}$$

$$\begin{array}{r} 4)8408 \\ 2102 \end{array}$$

$$\begin{array}{r} 5)4500 \\ 900 \end{array}$$

(6)

$$\begin{array}{r} 6)8839 \\ 1473 \end{array}$$

(7)

$$\begin{array}{r} 7)5736 \\ 820 \end{array}$$

$$\begin{array}{r} (12) \\ 9)64268762 \end{array}$$

$$\begin{array}{r} (13) \\ 12)46876876 \end{array}$$

$$\begin{array}{r} (14) \\ 8)46876400 \end{array}$$

$$\begin{array}{r} (15) \\ 6)76002041 \end{array}$$

$$\begin{array}{r} (16) \\ 9)4802601 \end{array}$$

$$\begin{array}{r} (17) \\ 7)41260602 \end{array}$$

18. Divide 56472689 by 2	29. Divide 74968023 by 2
19. ———— 3	30. ———— 2
20. ———— 4	31. ———— 4
21. ———— 5	32. ———— 5
22. ———— 6	33. ———— 6
23. ———— 7	34. ———— 7
24. ———— 8	35. ———— 8
25. ———— 9	36. ———— 9
26. ———— 10	37. ———— 10
27. ———— 11	38. ———— 11
28. ———— 12	39. ———— 12

CASE II.—When the Divisor is a Composite Number.

Divide 6789 by 28.

RULE WITH EXAMPLE.—The two factors that produce 28 are 4 and 7; divide then by 4 and by 7, as in the example. The quotient found is 242, but with two remainders, viz 3 and 1. To obtain the complete remainder, multiply the first divisor, viz 4, by the last remainder, viz 3, and to the product add the first remainder, viz 1; thus, $4 \times 3 + 1 = 13$, the true remainder.

$$28 \left\{ \begin{array}{l} 4)6789 \\ 7)1697 \text{ remains } 1 \\ 242 \text{ remains } 3 \end{array} \right.$$

40. 426478 ÷ 16	46. 368745 ÷ 54
41. 743687 ÷ 18	47. 246876 ÷ 56
42. 968748 ÷ 24	48. 784978 ÷ 72
43. 674867 ÷ 27	49. 204076 ÷ 108
44. 645067 ÷ 36	50. 456876 ÷ 182
45. 426456 ÷ 49	51. 496876 ÷ 144

CASE

RULE

down th

vider w

28, is

three fi

viz 431

is not;

area, viz

to find

ained

pose, fin

containe

it is com

the divi

the pro

28; brin

You are

in your

often th

figure o

beside

under th

the nex

often 52

times in

will find

greater

when th

case tak

52. I

53.

54.

55.

• This

number of

times in

tion; viz

case tak

CASE III.—When the Divisor contains several figures.

Divide 431769 by 528.

RULE WITH EXAMPLE.*—Put down the sum in this form. Consider whether the divisor, viz. 528, is contained in the first three figures of the dividend, viz. 431: you see at once that it is not; mark off then four figures, viz. 4317. You are now to find how often 528 is contained in 4317: for this purpose, find how often the first figure of the divisor, viz. 5, is contained in the first two figures of the dividend, viz. 43. It is contained 8 times; put the 8 on the opposite side of the dividend from the divisor. Multiply 528 by 8, and put the product under the 4317; subtract, and there remains 98; bring to this the next figure of the dividend, viz. 6. You are now to find how often the divisor, 528, is contained in your new dividend, 986; find, as you did before, how often the first figure of the divisor, 5, is contained in the first figure of the dividend, 9. It is contained once; put the 1 beside the 8: multiply 528 by 1, and place the product under the 986; subtract, and you obtain 408; bring to this the next figure of the dividend, 9. Find, as before, how often 528 is contained in 4089. Because 5 is contained 8 times in 40, you will be inclined to try 8. Do it, and you will find that you obtain the product 4224; but this is greater than the 4089, from which you have to subtract it: when this is the case, you must try a smaller figure; in this case take 7.

528)4317,69(817 quotient

4224

986

528

4089

3696

393 remainder.

(14)
46876400(17)
1260602

68023 by 2
— 2
— 4
— 6
— 8
— 10
— 11
— 12

e Number.

39
97 remains 1
42 remains 3
der, multiply
viz. 3, and to
thus, $4 \times 3 +$

÷ 54
÷ 56
÷ 72
÷ 106
÷ 182
÷ 144

52. Divide 74236 by 42	56. Divide 74236 by 46
53. ——— 43	57. ——— 689
54. ——— 44	58. ——— 799
55. ——— 45	59. ——— 410

* This is rather a difficult rule to understand, and I think your teacher could explain it to you, by means of a blackboard and a bit of chalk, much better than I can hope to do by any written explanation; yet, if you pay attention, I shall do my best to make you understand it.

60. Divide 87408 by 611	76.	842786 ÷	78
61. _____ 812	77.	976842 ÷	946
62. _____ 584	78.	4201076 ÷	438
63. _____ 708	79.	6416879 ÷	648
64. _____ 246	80.	2864976 ÷	896
65. _____ 857	81.	2876407 ÷	4107
66. _____ 428	82.	6412930 ÷	7481
67. _____ 502	83.	9800147 ÷	8076
68. _____ 618	84.	4078948 ÷	4278
69. _____ 736	85.	7198841 ÷	2384
70. _____ 418	86.	3641201 ÷	1407
71. _____ 164	87.	2480708 ÷	2600
72. _____ 857	88.	7864126 ÷	7410
73. _____ 521	89.	8002602 ÷	8000
74. _____ 408	90.	4020264 ÷	9600
75. _____ 684	91.	9687600 ÷	4300

92. Divide six millions seven hundred and ninety-four thousand, by four hundred and eighty thousand six hundred and nine.

93. Divide £79648 among 274 persons.

94. What is the ninth of £6087?

95. A ship sailed in four weeks 1262 miles; how much is that per day?

96. If a vessel contains 648 gallons of water, how long will it take to discharge it all, at the rate of 18 gallons an hour?

97. The population of Ireland is about eight millions, and there are about 30,000 square miles of surface; how many persons to each mile?

98. The earth is about 95 millions of miles distant from the sun; how many days would a horse take in reaching the sun, supposing he went at the rate of 45 miles per day?

99. The rays of light come from the sun to the earth in 81 minutes, or 495 seconds; at what rate does light move per second, the distance from the sun to the earth being 95179000 miles?

100. The circumference of the earth is about 25000 miles; how long would a man take to walk round it at the rate of 25 miles per day?

Add to

Rozz
pounds,
a line m
farthing
things m
makes 9
the farth
column.
and 5 m
are equ
the pen
ump; th
and 5 m
adding t
the 15)
lings are
under t
pound c
ciples o
Simple
from ea

£

42

26

34

28

199

42

34

28

42

COMPOUND ADDITION.

Add together the following sums of money: £64 12s. 4½d.,
£86 15s. 6½d., £14 16s. 5½d., £34 17s. 9½d.

RULE WITH EXAMPLE.—Place pounds under pounds, shillings under shillings, &c., and draw a line under the row of figures: first add the farthings together; thus, 3 farthings and 3 farthings make 6 farthings, 6 and 2 make 8, and 1 makes 9; but are equal to 2½. Put the ½ under the farthings, and add the 2 pence to the pence column. Then 2 pence and 9 pence make 11, and 5 make 16, and 6 make 22, and 4 make 26; but 26 pence are equal to 2 shillings and 2 pence. Put the 2 pence under the pence column, and add the 2 shillings to the shilling column; then 2 shillings and 7 shillings make 9, and 6 make 15, and 5 make 20, and 2 make 22; now come down the column adding the tens, 22 and 10 (of the 12) make 32, and 10 (of the 15) make 42, and 10 make 52, and 10 make 62. 62 shillings are equal to 3 pounds 2 shillings; set the 2 shillings under the shilling column, and carry the 3 pounds to the pound column. Proceed as in Simple Addition. The principles on which the operation depend are the same as for Simple Addition, only that the columns here do not differ from each other in a tenfold degree.

£	s.	d.
64	12	4½
86	15	6½
14	16	5½
34	17	9½
201	2	2½

EXERCISES.

£	s.	d.
42	14	6½
26	12	4½
34	16	7
25	18	8½
190	17	2½

£	s.	d.
64	12	7
36	18	4½
27	14	2½
42	11	10½
171	17	0½

£	s.	d.
12	16	4½
16	4	6½
64	17	2½
48	12	7½
187	10	9½

(1)

£	s.	d.
12	16	7½
26	18	4
34	12	2½
25	11	8
41	14	6½

(2)

£	s.	d.
65	12	4
72	17	6½
73	8	7½
16	14	8½
72	12	4½

(3)

£	s.	d.
36	18	4½
12	8	6½
11	19	10½
17	14	8½
28	13	6½

COMPOUND ADDITION.

(4)

462	16	2
785	17	6½
696	18	8½
846	14	7½
765	12	4
346	7	9½

(5)

684	14	0½
278	0	4
856	12	6½
376	13	7½
842	15	4½
687	17	7½

(6)

732	12	7½
416	17	2
178	0	4½
423	4	0½
146	16	10½
876	19	6½

(7)

623	16	4½
846	14	6
764	12	7½
276	11	4
876	10	5½
798	4	10
473	16	11½

(8)

264	16	6
146	17	8½
869	19	7½
796	18	0
210	6	4
407	2	2½
864	17	6½

(9)

560	16	9½
906	14	4
378	12	8½
924	17	1
623	9	4
146	16	7½
876	11	10½

(10)

568	17	6½
786	14	4
249	16	1
304	13	6½
160	14	2½
746	0	8½
876	7	1
416	19	10½

(11)

726	16	4½
894	17	6½
107	14	5½
645	12	10½
346	16	7
568	7	1½
725	16	0½
268	10	6½

(12)

143	14	4
402	16	7½
156	17	6½
876	18	6½
130	14	1
679	11	4½
846	10	3½
765	16	5½

(13)

A pair of gloves.....	2	6
of stockings.....	3	4
of shoes.....	9	6

(14)

A coat.....	14	0
Waistcoat.....	5	4
Hat.....	10	0

For
—
1000
For
—

17
good
6782
year,
was

18
16s
16s
11s
much

19
16s
7½d
how

20
archi
carp
16s
18s

21
642
19s
8d
what

22
of
on
the
the

(6)
782 12 7½
416 17 2
178 0 4½
423 4 0½
146 16 10½
876 19 6½

(9)
560 16 9½
906 14 4
378 12 8½
924 17 1
623 9 4
146 16 7½
876 11 10½

(12)
443 14 4
402 16 7½
156 17 6½
878 18 6½
130 14 1
279 11 4½
846 10 8½
765 16 5½

s. d.
..... 14 0
..... 5 4½
..... 10 0

(15)	£	s.	d.
For paving yard	4	7	0
— new-laying floor .	2	5	6
1000 bricks	1	16	0
For mortar	0	14	6
— hair	0	2	6

(16)	£	s.	d.
40 copy-books	1	4	0
100 slates	0	10	6
100 slate pencils	0	0	8
8 qrs. of paper ...	0	9	4
500 quills	0	7	7

17. A merchant, the first year he was in business, sold goods to the amount of 476*l.* 18*s.* 7*d.*; the second year, 678*l.* 14*s.* 6½*d.*; the third year, 878*l.* 7*s.* 0½*d.*; the fourth year, 917*l.* 18*s.* 7*d.*; the fifth year, 1312*l.* 19*s.* 8½*d.*: what was the amount of goods sold during the five years?

18. Bought a quantity of goods, for which I paid 496*l.* 16*s.* 6*d.*; besides this, I paid for packing 6*s.* 8*d.*; for case 16*s.* 6*d.*; for cord 1*s.* 6*d.*; for portorage 4*s.*; for freight 4*l.* 11*s.* 6*d.*; carriage by wagon 13*s.*; for booking 9*d.*: how much did I pay for the goods altogether?

19. A merchant purchased goods to the amount of 1468*l.* 18*s.* 7*d.*; he paid freight 27*l.* 7*s.* 6*d.*; other charges 23*l.* 14*s.* 7½*d.*; and he gained by the sale of the goods 348*l.* 19*s.* 6½*d.*: how much did he sell the goods for?

20. The expenses of building a house were as follows: architect 198*l.*; bricklayer 4762*l.*; mason 2141*l.* 16*s.* 6*d.*; carpenter 2768*l.* 17*s.* 9*d.*; plumber 896*l.* 14*s.*; glazier 478*l.* 16*s.* 6*d.*; painter 421*l.* 18*s.* 11½*d.*; and paper-hanger 243*l.* 18*s.* 7*d.*: what was the amount?

21. A merchant owes the following sums: at Liverpool 642*l.* 16*s.*; at Amsterdam 1426*l.* 18*s.* 6*d.*; at Madrid 2406*l.* 19*s.*; at Constantinople 897*l.*; at Copenhagen 786*l.* 16*s.* 8*d.*; at Lisbon, 2704*l.* 17*s.* 8½*d.*; at Dresden 786*l.* 14*s.*: what was the gross amount of his debts?

22. A person went to market, and laid out on the purchase of beef 2*l.* 16*s.* 7*d.*; on coffee 2*l.* 7*s.* 8½*d.*; on sugar 3*l.* 14*s.*; on salt 2*l.* 16*s.* 6*d.*; on mutton 87*s.*; on veal 9*s.* 7½*d.*; on various other articles 3*l.* 15*s.* 7½*d.*: how much was laid out in all?

COMPOUND SUBTRACTION.

From £64 12s. 6½d., take £27 18s. 8½d.

RULE WITH EXAMPLE.—Place the smaller number under the greater, as in Simple Subtraction. Then, 8 farthings from 2 farthings, cannot; add 4 farthings (=1 penny) to the 2, and 8 farthings from 6, there remain 3; place the 3 under the farthings. Add 1 to the 8; then 9 pence from 6 pence, cannot; add 12 pence (=1 shilling) to the 6; then 9 from 18, there remain 9; put the 9 pence under the pence. Add 1 to the 18; then 19 shillings from 12, cannot; add 20 shillings (=1 pound) to the 12; then 19 from 32, there remain 13; place the 13 under the shillings. Carry 1 to the 7, and proceed as in Simple Subtraction.

£	s.	d.
64	12	6½
27	18	8½
36	13	9½

EXERCISES.

£	s.	d.
49	17	4½
17	14	2½
32	3	2½

(1)

78	14	6½
29	17	8½

(4)

68	13	7
28	16	0½

(7)

88	18	8½
7	19	8½

(10)

56	12	0½
17	12	0½

£	s.	d.
64	8	8½
27	16	7½
36	11	7½

(2)

47	16	8½
28	17	6½

(5)

94	0	0
24	17	9½

(8)

17	6	7
0	19	11½

(11)

24	19	6½
7	12	9

£	s.	d.
73	10	5½
48	18	9½
24	11	7½

(3)

86	17	4
27	19	0½

(6)

83	17	9½
47	0	0½

(9)

20	11	11½
1	17	11½

(12)

48	12	6
17	12	6

ON.

a. 8½d.

£	s.	d.
64	13	6½
27	18	8½
36	13	9½

add 12 pence
remain 9; put
the 18; then 19
(=1 pound) to
3; place the 13
1 proceed as in

£	s.	d.
13	10	5½
18	18	9½
14	11	7½

(3)
6 17 4
7 19 0½

(6)
3 17 9½
7 0 0½

(9)
0 11 11½
1 17 11½

(12)
2 13 8
7 15 1½

13. From 4298*l.* 16*s.* 6½*d.*, take 1490*l.* 19*s.* 8½*d.*

14. Take 2704*l.* 19*s.* 8½*d.*, from 17024*l.* 18*s.* 0*d.*

15. How much will remain of 4968*l.* if you take away 1467*l.* 9*s.* 16½*d.*!

16. I lent John 2046*l.* 15*s.* 0*d.*; he has paid me 1276*l.* 14*s.* 9*d.*; how much does he still owe me?

17. A person was sent to the bank to receive 467*l.*; in returning he lost two fifty-pound notes, and three ten-pound notes; how much had he remaining?

18. There were two houses worth 246*l.* 18*s.* 0*d.*: one of them was sold for 121*l.* 16*s.* 6*d.*; what was the value of the other house?

19. A cow and calf were worth 16*l.* 7*s.* 10½*d.*; but the calf alone was worth 2*l.* 6*s.* 7½*d.*: can you tell me the value of the cow?

20. A farmer owed 164*l.* 10*s.* 0*d.*: he gave to his creditors a horse worth 24*l.*, a cow worth 16*l.* 14*s.* 6*d.*, and a plough worth 18*l.* 16*s.*; how much was still due?

21. Bought a quantity of goods for 1426*l.* 16*s.*: sold them for 1537*l.* 18*s.* 6½*d.*; what was the profit?

22. A vessel, with its cargo, was worth fifty-six thousand four hundred and thirty-nine pounds; the cargo was worth thirty-four thousand nine hundred and nine pounds, eight shillings and six pence: what was the value of the ship?

23. A tradesman borrowed 1243*l.*: in January he paid 236*l.* 15*s.*, in April 197*l.* 12*s.* 6*d.*, in August 349*l.* 18*s.* 8*d.*, and in December 283*l.*; how much does he yet owe?

24. A young man had in the Savings Bank 124*l.* 10*s.* 6*d.* Being sick and unable to work he drew out 8*l.* 4*s.* 8*d.* After this he went into business, and laid out in the purchase of stock 42*l.* 16*s.* 6*d.*; and for fixtures 14*l.* 18*s.*; what sum had he still in the bank?

25. A merchant has in cash 568*l.* 17*s.* 6*d.*; goods valued at 4794*l.* 18*s.*; a house worth 809*l.*; a ship worth 964*l.*; and due to him 749*l.* 16*s.* 9½*d.* He owes for goods 2475*l.* 18*s.*; an architect 274*l.* 15*s.*; and various other debts that come to 793*l.* 17*s.* 9½*d.*; what is his net stock?

COMPOUND MULTIPLICATION.

CASE I.—When the Multiplier does not exceed 12.

Multiply £6 12s 4½d by 7.

RULE WITH EXAMPLE.—Begin multiplying the farthings by 7. Thus, 7 times ½ are 3½; set down ½ and carry 3 to the pence; 7 times 4d are 2s. 4d, and 3 carried are 2s. 7d; set down 7 under the pence and carry 2; 7 times 12 are 8s, and 2 carried are 8s, which is equal to 4l. 6s.; set down the 6 under the shillings, and carry 4; 7 times 6 are 42, and 4 carried make 46l. Place 4 under the pounds.

£	s.	d.
6	12	4½
46	5	7

EXERCISES.

£	s.	d.
64	7	4½
128	14	8½

(1)

79	18	4½
		5

(4)

67	17	11½
		8

(7)

78	16	7½
		11

(10)

68	10	11½
		8

£	s.	d.
48	12	6½
180	17	7½

(2)

68	14	9½
		6

(5)

14	0	6½
		9

(8)

59	19	7½
		12

(11)

49	18	0½
		7

£	s.	d.
57	16	8½
231	6	11

(3)

43	14	7½
		7

(6)

87	12	4½
		10

(9)

67	16	10½
		9

(12)

59	18	2½
		8

RULE
polici, v
the mu
the pro
tens, 2
s. 3d.,
to the
the mu
quired

Multi
multip
multip
by 10,
ber of
act of
ber of
act of
now th
of unit
under
produc
units t
sands
per.

Multipl

CASE II.—When the Multiplier exceeds 12.

Multiply £4 6s. 3d. by 23.

RULE WITH EXAMPLE.—When the multiplier, viz. 23, is under a hundred, multiply the multiplicand, 4l. 6s. 3d., by *one* ten, and the product, 43l. 2s. 6d., by the number of tens, 2; then multiply the top line, viz. 4l. 6s. 3d., by the number of units, 3; add this to the amount obtained by multiplying by the number of tens, 2; and the sum required is obtained, viz. 94l. 8s. 9d.

£	s.	d.
4	6	3 × 3
		10
43	2	6
		2
86	5	0
12	18	9
£99	3	9

Multiply 4l. 6s. 3d. by 423. When the multiplier, 423, is a hundred, or above it, multiply the multiplicand, 4l. 6s. 3d., twice by 10, and the product, 43l. 5s., by the number of hundreds, 4; then multiply the product of the first 10, 43l. 2s. 6d., by the number of tens, 2; and place it under the product of the 4, under 1725l. 0s. 0d.: multiply now the first line, 4l. 6s. 3d., by the number of units, viz. 3; put the product obtained under the product of the tens, and add the products of the hundreds, the tens, and the units together for the answer.—For thousands multiply by four tens, and proceed in the same manner.

£	s.	d.
4	6	3 × 3
		10
43	2	6 × 2
		10
431	5	0
		4
1725	0	0
86	5	0
12	18	9
1824	3	9

Multiply £6 12s. 4½d. by 345.

£	s.	d.
6	12	4½ × 5
		10
66	3	6½ × 4
		10
661	15	5
		3
4405	5	3 = 200
394	14	2 = 40
83	1	3½ = 5
4803	9	2½ = 45

Multiply £7 8s. 5d. by 648.

£	s.	d.
7	8	5 × 8
		10
74	4	2 × 4
		10
742	1	8
		6
4452	10	0 = 600
396	16	8 = 40
59	7	4 = 8
4808	14	0 = 45

COMPOUND MULTIPLICATION.

	£	s.	d.			£	s.	d.	
13. Mr. A.	64	16	7½	by 88	23. Mult.	98	18	8½	by 87
14. —	86	13	4½	75	24. —	42	16	7½	45
15. —	69	12	6½	93	25. —	63	12	8½	64
16. —	648	19	7½	68	26. —	746	0	7½	96
17. —	367	16	4½	240	27. —	820	7	6½	268
18. —	658	13	7	478	28. —	763	16	0½	403
19. —	467	15	8½	647	29. —	278	9	11½	784
20. —	675	0	4½	608	30. —	560	17	0½	430
21. —	563	12	0½	785	31. —	804	0	7	653
22. —	307	14	6½	680	32. —	786	12	0½	367

33. What do 4 lbs. of butter come to at 1s. 1d. per lb.?
34. What do 6 lbs. of tea come to at 6s. 3d. per lb.?
35. What do 7 gallons of spirits come to at 8s. 9d. per gallon?
36. Patrick gets 1s. 9d. per day; how much is that in 6 days?
37. A grocer bought 12 cwt. of sugar, for which he paid 3s. 7½d. per cwt.; how much did he pay in all?
38. I bought 8 dozen pair of gloves at 2s. 3d. per pair; what did the whole cost me?
39. A farmer bought 12 cows: they cost him 9s. 1s. 6d. each; how much did they all come to?
40. Bought 20 barrels of herrings at 1s. 8s. 7½d. each; what did the whole cost?
41. Sold eight oxen, and gained upon each 2s. 11s. 7½d.; how much did I gain?
42. Bought 11 loads of hay at 3s. 17s. 7d. each load; how much did they come to?
43. A gentleman spends, per day, 1s. 7s. 6d.; how much does he spend in a year?
44. A farmer paid in rent 340s. 16s. 6d. every year; how much did he pay the landlord in the course of 10 years?
45. A carpenter received 14s. 6d. per week; how much was he paid in the year?
46. What is the value of 100 cwt. of wool at 1s. 1d. per lb.?

47. the en
annu
48.
49s. 6

If t
If t
If t
ter of
multi
fracti
upper
tained
plying
numb
way

£
4

16
2
1

20

a. d.
18 8½ by 87
16 7½ 45
12 8½ 64
0 7½ 96
7 6½ 268
16 0½ 403
9 11½ 784
17 0½ 430
0 7 658
12 0½ 867

1d. per lb.
per lb.
at 8s. 9d. per

is that in 6

which he paid
all

8d. per pair;

9s. 12d. 6d.

7½ each;

11s. 7½;

lead; how

how much

47. A person spent 12s. 6d. per day, and found that at the end of the year he had saved 25 guineas; what was his annual income?

48. A farmer bought 568 sheep: he paid for them 12 12s. 6d. each; how much did the whole flock cost him?

CASE III.—To multiply by parts.

Multiply 4s. 8½d. by 4½.

If the part be ¼, take a quarter of the multiplicand.

If the part be ½, take a half of the multiplicand.

If the part be ¾, take half and a quarter of the multiplicand, or divide the multiplicand by the under figure of the fraction, and multiply the product by the upper figure. Add the quotient thus obtained to the product obtained by multiplying the multiplicand by the whole number in the multiplier; This latter way applies to any fractional part.

a. d.
4 8½
4½
18 10
2 4½ half of
1 1 2½ top line

Multiply 44 4s. 8d. by 4½.

£ s. d.
44 8
4½

16 18 8

2 3 4=1 of top line,

1 1 2=1 of top line,

30 1 2

or

£ s. d.
44 8
4½

16 18 8

3 8 4=1 of top

line.

22 2 2

4 2 8 by 4½

7 16 7½ 7½

25 18 8½ 9½

57 18 9 12½

57 17 10 10½

57 12 11 11½

55. Mult. 7 8 9½ by 7½

56. — 4 19 6½ 8½

57. — 45 17 6½ 8½

58. — 59 14 7½ 8½

59. — 796 13 4½ 8½

60. — 804 18 5½ 8½

COMPOUND DIVISION.

CASE I.—When the Divisor does not exceed 12.

Divide £8 12s. 7½d. by 6.

RULE WITH EXAMPLE.—Proceed thus: 6 in 8 once and 2 over; set down the 1 under the 8, and carry 40s. for the 2l. to the 12; then 6 in 52, 8 times and 4 over; set down the 8 and carry 48d. for the 4s. to the 7; then 6 in 55, 9 times and 1 over; set down the 9 and carry 4 farthings to the farthing; 4 and 2 are 6: 6 in 6 once; set down 1.

$$\begin{array}{r} \text{£} \quad \text{s.} \quad \text{d.} \\ 6 \overline{) 8 \ 12 \ 7\frac{1}{2}} \\ \underline{1 \ 8 \ 9} \end{array}$$

EXERCISES.

$$\begin{array}{r} 2) \ 74 \ 16 \ 8\frac{1}{2} \\ \underline{148 \ 8 \ 4\frac{1}{2}} \end{array}$$

$$\begin{array}{r} 3) \ 76 \ 12 \ 2\frac{1}{2} \\ \underline{225 \ 10 \ 8\frac{1}{2}-3} \end{array}$$

- | | £ | s. | d. | | | £ | s. | d. | | |
|-----------|------|----|-----|------|------------|------|----|-----|------|--|
| 1. Divide | 68 | 17 | 9½ | by 2 | 12. Divide | 98 | 14 | 7½ | by 7 | |
| 2. | 42 | 12 | 8½ | 8 | 13. | 47 | 15 | 6½ | 8 | |
| 3. | 69 | 18 | 7½ | 4 | 14. | 67 | 19 | 1½ | 9 | |
| | 748 | 15 | 0½ | 5 | 15. | 864 | 1 | 7½ | 12 | |
| | 176 | 19 | 10½ | 6 | 16. | 587 | 14 | 10½ | 6 | |
| | 407 | 14 | 2½ | 7 | 17. | 811 | 7 | 11½ | 5 | |
| | 8647 | 17 | 11½ | 8 | 18. | 4000 | 18 | 0½ | 10 | |
| | 7808 | 18 | 6½ | 9 | 19. | 8681 | 11 | 3½ | 12 | |
| 9. | 5060 | 0 | 7½ | 10 | 20. | 7010 | 18 | 0½ | 9 | |
| 10. | 8897 | 18 | 11½ | 11 | 21. | 8671 | 2 | 11½ | 8 | |
| 11. | 4711 | 11 | 7½ | 12 | 22. | 8762 | 17 | 0½ | 12 | |

23. A tradesman had in the savings bank £42 12s. 6d.; this sum he had saved in 5 years; how much did he save on an average each year?

24. Ten men rented a house at 46l. 14s. 8d.; how much had each to pay?

25. A father left 426l. 16s. 6d. to be divided equally among his eight children; how much did each get?

26. Twelve persons subscribed 22l. 12s. 6d. for the support of a school; how much did each contribute?

27. A piece of cloth containing nine yards was bought for 4l. 10s. 6d.; how much was that per yard?

28. 23l. 17s.

29. what v

Round
pound
multiply
to it the
simple
19. by
vide a
ply the
the far
quotie
remain

31. Di

32.

33.

34.

35.

36.

37.

38.

villag

chidren

sel 11

28. Bought nine dozen bottles of wine, for which I paid £11 17s. 9d.; what did I pay per dozen?

29. Nine vessels imported goods, valued at 79687l. 16s.; what was the average value of each cargo?

CASE II.—When the Divisor exceeds 12.

Divide £64 7s. 8½d. by 47.

RULE WITH EXAMPLE.—Divide the pounds as in simple long division. Multiply the remainder, 17, by 20, adding to it the shillings, 7. Divide again as in simple division. Multiply the remainder, 19, by 12, adding to it the pence, 8. Divide again as in simple division; multiply the remainder, 36, by 4, adding to it the farthings, and divide as before. The quotient then is 1l. 7s. 4½d. with 5 of a remainder.

$$\begin{array}{r}
 \text{£} \quad \text{s.} \quad \text{d.} \\
 47 \overline{) 64 \quad 7 \quad 8\frac{1}{2}} \\
 \underline{47} \\
 17 \\
 \underline{17} \\
 20 \\
 47 \overline{) 347(7} \\
 \underline{329} \\
 18 \\
 \underline{18} \\
 47 \overline{) 224(4} \\
 \underline{188} \\
 36 \\
 \underline{36} \\
 4 \\
 47 \overline{) 146(3} \\
 \underline{141} \\
 5
 \end{array}$$

31. Divide 47 16 4½ by 28	39. Divide 69 16 7½ by 4
32. 78 15 6½ 37	40. 97 13 6½ 74
33. 487 19 7½ 146	41. 647 14 7½ 106
34. 798 17 0½ 365	42. 870 0 6½ 266
35. 980 7 6½ 478	43. 998 19 7½ 266
36. 6427 14 9½ 942	44. 7088 8 0½ 788
37. 7068 9 11½ 806	45. 9408 17 4½ 208
38. 4817 6 8½ 718	46. 7608 16 4½ 759

COMPOUND DIVISION.

CASE III.—When the Divisor contains a fraction.

Divide £24 4s. 6½d. by 2½.

RULE WITH EXAMPLE.—Multiply both the dividend and the divisor by the under figure of the fraction, 2; adding in the upper figure, 1, to the product of the divisor; and divide by short or long division as the case may require.

£	s.	d.
24	4	6½
2		2
5)	48	9 1
	9	18 9½

47. Divide	£	s.	d.			53. Divide	£	s.	d.		
48.	42	14	6½	by	3½	54.	64	17	6½	by	4½
49.		64	17		6½	55.	87	14	2½		9½
50.		97	18		7½	56.	38	12	5½		8½
51.		847	12		47½	57.	789	0	6½		78½
52.		948	17		76½	58.	807	14	10½		84½
		408	0	10½	48½		978	17	6½		96½
59. A farmer rents											

59. A farmer rents a farm at 596l. 16s. 6d. per annum; he wishes to lay past as much every week as may pay the rent: how much must he save each week?

60. A merchant gained 14687l. in 15 years; what was his average gain per year?

61. In a large town there were 4768 children educated by 26 teachers; how many pupils on an average to each teacher?

62. A manufacturer paid in wages each week 204l. 17s. 6d.; there were 321 workmen; how much did each man receive?

63. There are about eight hundred millions of people in the world, and it is thought that as many die in 32 years; how many die on an average in a year?

64. If so many die in a year, how many die in an hour, there being 8766 hours in a year?

65. A prize of 7257l. 8s. 6d. is to be divided equally among 500 sailors; what is each man's share?

66. A gentleman had an estate of 8466 acres, for which he received per annum 879l. 16s. 8d.; how much was it for per acre?

67.
first
the
daily
68.
268l.
had p
ited o

CASE

For
Bring
dend
tion
ple d
will b
that
dend

fraction.

67. A tax gatherer collected 747*l*. 15*s*. 6*d* per month, the first six months of the year; and 547*l*. 17*s*. 8*d* per month, the last six months of the year: how much did he collect daily on an average for the whole year?

$$\begin{array}{r} \text{£} \quad \text{s.} \quad \text{d.} \\ 24 \quad 4 \quad 6\frac{1}{2} \\ 2 \\ \hline 48 \quad 9 \quad 1 \\ 9 \quad 18 \quad 9\frac{1}{2} \end{array}$$

$$\begin{array}{r} \text{£} \quad \text{s.} \quad \text{d.} \\ 17 \quad 6\frac{1}{2} \text{ by } 4\frac{1}{2} \\ 14 \quad 2\frac{1}{2} \quad 9\frac{1}{2} \\ 12 \quad 5\frac{1}{2} \quad 8\frac{1}{2} \\ 0 \quad 6\frac{1}{2} \quad 78\frac{1}{2} \\ 10 \quad 10\frac{1}{2} \quad 84\frac{1}{2} \\ 17 \quad 6\frac{1}{2} \quad 98\frac{1}{2} \end{array}$$

arum; he
may pay the
; what was

n educated
ge to each

204*l*. 17*s*.
each man

people in
83 years;

an hour,

equally

for which
was it

CASE IV.—When the Divisor contains several denominations

Divide £32 16*s*. 8*d* by £7 8*s*. 4*d*

RULE WITH EXAMPLE.
Bring both divisor and dividend to the same denomination, and proceed as in simple division. The answer will be of the denomination that the divisor and dividend have been reduced to.

£	s.	d.		£	s.	d.
7	8	4	)	32	16	8
20				20		
148				656		
12				12		
1780			)	7880(4 <i>d</i>		
				7120		
				760		
				4		
				3040(4 <i>s</i>		
				1780		
				1260 rem.		

	£	s.	d.		£	s.	d.
69. Divide	764	16	9	by	364	14	7
70. —	967	13	8	—	249	17	8
71. —	847	10	0	—	24	12	7
72. —	210	8	4	—	120	16	0
73. —	901	12	10	—	710	10	4
74. —	7826	13	3	—	627	14	7
75. —	9368	14	3	—	43	7	0
76. —	3010	16	0	—	760	13	8
77. —	8103	12	1	—	213	12	1
78. —	4109	0	0	—	891	14	8
79. —	8383	13	7	—	491	12	0

REDUCTION.

Reduction is the bringing of one denomination to another without altering its value.

CASE I.—To bring from a higher to a lower.

RULE WITH EXAMPLE.—Multiply by as many of the less as make one of the greater. Thus, to bring 2*l.* to shillings, multiply 2 by 20, because there are 20*s.* in a pound.

$$\begin{array}{r} £2 \\ 20 \\ \hline 40s \end{array}$$

CASE II.—To bring a lower to a higher.

RULE WITH EXAMPLE.—Divide by as many of the less as make one of the greater. Thus, to bring 40 shillings to pounds, divide by 20, because there are 20 shillings in a pound.

$$\begin{array}{r} 2 \\ 20 \overline{)40} \\ \hline £2 \end{array}$$

Bring 24 *9s.* 6*d.* to farthings.

Multiply the *l.* by 20, and add the *9s.* to the product: this will give the number of shillings, 89*s.* Multiply then by 12, adding 6 pence; this will give the number of pence, 1074*d.* Multiply by 4, and add the two farthings to the product: this will give the number of farthings in 24 *9s.* 6*d.*

$$\begin{array}{r} £ \quad s \quad d \\ 20 \\ 89 \\ 12 \\ \hline 1074 \\ 4 \\ \hline 4298 \end{array}$$

Bring 4298 farthings to pounds.

Divide the farthings by 4; this will give 1074 pence and 2 farthings. Divide this by 12, and 89 shillings and sixpence is obtained. Divide by 20, and the quotient is 4 pounds 9 shillings. In all 24 *9s.* 6*d.*

$$\begin{array}{r} 4)4298 \\ 12)1074 \\ \hline 4 \quad 9 \quad 6 \end{array}$$

REDUCTION.

EXERCISES.

Beuchard

41

11882 farthings

1. How many farthings are there in 12l. 7s. 6½d. ?
2. In 264l. 9s. 10d. how many pence ?
3. Reduce 364l. 14s. 9½d. to farthings.
4. In 247l. 12s. 8½d. how many halfpence ?
5. How many pence are there in 276 guineas ?
6. In 298 crowns, how many farthings ?
7. Reduce 364s. sixpences to farthings.
8. In 42768 farthings, how many pence ?
9. How many pounds are there in 67890 shillings ?
10. In 426876 farthings, how many pounds ?
11. How many guineas are there in 37689 shillings ?
12. In 68794 pence, how many crowns ?
13. How many fourpences are there in 37689 shillings ?
14. In 2470l. how many crowns ?
15. How many pounds in 39076 half-crowns ?
16. In 29635 twopences, how many shillings ?
17. In 43687 crowns, how many threepences ?
18. How many fivepences are there in 4796 crowns ?
19. In 76971 halfpence, how many fourpences ?
20. In 796302 pounds, how many sixpences ?
21. How many crowns are there in 7968 guineas ?
22. In 79201 half-guineas, how many seven-shilling pieces ?
23. How many fivepences are there in 764 pounds ?
24. In 73027 farthings, how many eightpences ?
25. How many half-sovereigns are there in 7642 guineas ?
26. Reduce 7632l. 17s. 0½d. to farthings.
27. Reduce 3010l. 11s. 8d. to farthings.
28. In 7324 guineas, how many ninepences ?
29. How often is three farthings contained in 742l. 17s. 9½d. ?
30. In 7690 fourpences, how many fivepences ?

omination to

over.

£3
20
40s

2,0)4,0
22

£ s d
4 6 3
20
89
12
974
4
398

298
074
3,9 4
9 5

WEIGHTS AND MEASURES.

EXERCISES.

-AVOIRDUPOIS WEIGHT.

ADDITION.

(1)			(2)		
cwt.	qrs.	lbs.	qrs.	lbs.	oz.
4	2	12	1	14	12
2	3	14	2	24	15
6	1	7	3	18	7
8	2	24	5	17	12
17	2	1			

SUBTRACTION.

(3)			(4)		
cwt.	qrs.	lbs.	qrs.	lbs.	oz.
16	2	12	19	22	12
12	3	24	11	26	14
2	2	16			

MULTIPLICATION.

(5)			(6)		
cwt.	qrs.	lbs.	qrs.	lbs.	oz.
4	2	16	2	22	12
		4			9
19	2	8			

DIVISION.

(7)			(8)		
cwt.	qrs.	lbs.	qrs.	lbs.	oz.
2)19	2	8	9)19	11	12
6	2	12			

2. A tobacconist received 16 cwt. 2 qrs. 25 lb. of tobacco, and sold 12 cwt. 3 qrs. 26 lb.; how much has he shelled?

10.
1 cwt.
2 weig
26 lb.;
weight

11.
3 qrs.
ness ha
the thi

12.
sugar;

13.
16 lbs.
the thi
cwt. 8
13 dra
in the

14.
cwt. 1
13 oz.
drains
drains

15.
weighi

16.
how mu

17.
14 oz.;

18.
made o

19.
much o

20.
cwt. 2
bards

21.
22 lbs.
2, whi

RES.

10. A brewer bought five bags of hops: No. 1 weighed 1 cwt. 2 qrs. 14 lb.; No. 2 weighed 1 cwt. 3 qrs. 24 lb.; No. 3 weighed 1 cwt. 1 qr. 27 lb.; No. 4 weighed 1 cwt. 3 qrs. 26 lb.; No. 5 weighed 2 cwt. 2 qrs. 25 lb.: what was the weight of the whole?

11. A grocer sold the first year he was in business 64 cwt. 3 qrs. 26 lb. 14 oz. of sugar; the third year he was in business he sold eight times as much: how much did he sell in the third year?

12. Eight hogsheads contained 168 cwt. 3 qrs. 26 lb. of sugar; how much did each contain?

13. A plantation produced the first year 376 cwt. 2 qrs. 16 lb. of sugar; the second year 478 cwt. 1 qr. 9 lb. 15 oz.; the third year 698 cwt. 14 lb. 12 oz.; the fourth year 568 cwt. 3 qrs. 18 oz.; the fifth year 737 cwt. 2 qrs. 18 lb. 10 oz. 18 drams: how much sugar was produced on the plantation in these five years?

14. A grocer bought 8 hhds. of sugar, each containing 4 cwt. 1 qr. 18 lb. The first month he sold 2 cwt. 3 qrs. 14 lb. 18 oz.; the second month he sold 2 cwt. 2 qrs. 14 oz. 10 drams; the third month he sold 3 cwt. 1 qr. 11 lb. 18 drams: how much has he on hand?

15. What is the weight of 36 hhds. of tobacco, each hhd. weighing 5 cwt. 3 qrs. 14 lb. 18 oz.?

16. Eleven pieces of iron weighed 4 tons 16 cwt. 3 qrs.; how much did each piece weigh?

17. Ten sacks of potatoes weighed 19 cwt. 3 qrs. 18 lb. 14 oz.; what was the weight of each sack?

18. How many parcels, each containing 4½ lbs., can be made out of 2 cwt. 2 qrs. 23 lb.?

19. If 35 bags of cotton weighed 49 cwt. 3 qrs. 18 lb., how much did one weigh?

20. How many hogsheads of sugar, each containing 13 cwt. 3 qrs. 14 lb., may be put on board a ship of 82½ tons burden?

21. St. Paul's bell in London weighs 5 tons 3 cwt. 1 qr. 26 lb.; by how much does the great bell of Moscow exceed it, which weighs 198 tons 3 cwt. 1 qr. 21 lb. 5 oz. 2

(3)
lb. oz.
14 12
24 15
18 27
17 12

(4)
lb. oz.
22 12
26 14

(5)
lb. oz.
22 12
9

(6)
lb. oz.
1 18

of tobacco,
should be

TROY WEIGHT.

MULTIPLICATION.

$$\begin{array}{r}
 \text{lbs. oz. dwt.} \\
 18 \ 6 \ 14 \\
 \quad \quad 4 \\
 \hline
 74 \ 2 \ 16
 \end{array}$$

$$\begin{array}{r}
 (22) \\
 \text{lbs. oz. dwt.} \\
 24 \ 8 \ 12 \\
 \quad \quad 8 \\
 \hline
 \end{array}$$

$$\begin{array}{r}
 (23) \\
 \text{oz. dwt. gra.} \\
 43 \ 5 \ 14 \\
 \quad \quad 9 \\
 \hline
 \end{array}$$

DIVISION.

$$\begin{array}{r}
 \text{lbs. oz. dwt.} \\
 2)17 \ 7 \ 14 \\
 \hline
 8 \ 9 \ 17
 \end{array}$$

$$\begin{array}{r}
 (24) \\
 \text{lbs. oz. dwt.} \\
 4)67 \ 8 \ 17 \\
 \hline
 \end{array}$$

$$\begin{array}{r}
 (25) \\
 \text{oz. dwt. gra.} \\
 7)48 \ 16 \ 22 \\
 \hline
 \end{array}$$

26. A silversmith made three dozen spoons, weighing 5 lb. 9 oz. 8 dwt.; a teapot, weighing 3 lb. 2 oz. 16 dwt. 16 gra.; two pair silver candlesticks, weighing 4 lb. 6 oz. 17 dwt.; a dozen silver forks, weighing 1 lb. 8 oz. 19 dwt. 22 gra.; what was the weight of all the articles?
27. Three dozen silver tablespoons weighed 5 lb. 9 oz. 8 dwt., while three dozen silver teaspoons weighed only 1 lb. 8 oz. 16 dwt. 18 gra.; what was the difference in weight?
28. Sold eight silver teapots, each weighing 3 lb. 9 oz. 18 dwt. 18 gra.; how much did they all weigh?
29. A silversmith received 86 lb. 8 oz. 14 dwt. 15 gra. of silver to make 12 tankards; what would the weight of each tankard be?
30. What is the weight of 86 ingots of silver, each ingot weighing 2 lb. 10 oz. 15 dwt.?
31. 2 lb. 4 oz. 9 dwt. of gold cost 59l. 16s. 6d.; what did it cost per dwt.?
32. What is the weight of 3 dozen spoons each weighing 3 oz. 3 dwt. 19 gra.?

LONG MEASURE.

ADDITION.

(23)

chet. gra.
 5. 14
 9

ml.	fur.	per.
4	6	20
6	5	18
7	4	9
6	7	12
26	0	14

(33)

fur.	per.	yd.
7	22	2
6	22	4
9	16	3
6	14	5

(34)

per.	yd.	ft.
16	3	2
17	4	1
24	5	0
23	2	2

(25)

chet. gra.
 16 22

SUBTRACTION.

(35)

ml.	fur.	per.
4	6	20
1	7	35
2	6	25

fur.	per.	yd.
7	10	1
2	19	4

(36)

per.	yd.	ft.
16	3	1
12	4	2

weighing 5
 16 dwt. 16
 lb. 6 oz. 17
 19 dwt. 23

5 lb. 9 oz. 8
 and only 1 lb.
 weight?

lb. 9 oz. 18

15 gra. of
 rht of each

each ingov

what did

weighing

37. A man rode 35 miles, 2 furlongs, 34 perches; walked 24 miles, 6 furlongs, 25 perches, 2 yards; then rode again 32 miles, 7 furlongs, 4 yards; then walked again 16 miles, 4 furlongs, 38 perches, 7 yards: what was the length of his journey?

38. A traveller walked on Monday 32 miles, 5 furlongs; on Tuesday he walked 27 miles, 7 furlongs, 35 perches: how much did his journey of Monday exceed that of Tuesday?

39. A mail-coach travelled at the rate of 7 miles, 5 furlongs, 25 perches per hour; how far would it go in 12 hours?

40. A surveyor who had 19 miles, 7 furlongs, 36 perches of road to keep in repair, appointed 12 men to the work; what length of road had each to attend to?

41. A man travelled in nine days 150 miles, 4 furlongs, 18 perches, 3 yards; how much did he travel per day on an average?

CLOTH MEASURE

MULTIPLICATION.

$$\begin{array}{r}
 \text{yds.} \quad \text{qrs.} \quad \text{nls.} \\
 24 \quad 2 \quad 3 \\
 \hline
 4 \\
 98 \quad 8 \quad 0
 \end{array}$$

$$\begin{array}{r}
 (42) \\
 \text{yds.} \quad \text{qrs.} \quad \text{nls.} \\
 16 \quad 3 \quad 2 \\
 \hline
 7
 \end{array}$$

$$\begin{array}{r}
 (43) \\
 \text{yds.} \quad \text{qrs.} \quad \text{nls.} \\
 36 \quad 2 \quad 3 \\
 \hline
 9
 \end{array}$$

DIVISION.

$$\begin{array}{r}
 \text{yds.} \quad \text{qrs.} \quad \text{nls.} \\
 4 \overline{) 25} \quad 3 \quad 2 \\
 \hline
 6 \quad 1 \quad 34
 \end{array}$$

$$\begin{array}{r}
 (44) \\
 \text{yds.} \quad \text{qrs.} \quad \text{nls.} \\
 7 \overline{) 64} \quad 2 \quad 3
 \end{array}$$

$$\begin{array}{r}
 (45) \\
 \text{yds.} \quad \text{qrs.} \quad \text{nls.} \\
 9 \overline{) 86} \quad 3 \quad 1
 \end{array}$$

46. A tailor bought four pieces of cloth: in the first there were 27 yds. 2 qrs. 3 nls.; in the second, 39 yds. 2 qrs. 1 nl.; in the third, 32 yds. 3 qrs. 3 nls.; in the fourth, 47 yds. 3 qrs. 9 nls.: how much in all?
47. A tailor, from a piece of cloth containing 37 yds. 2 qrs. 3 nls., cut off 18 yds. 3 qrs. 2 nls.; how much remained?
48. A dozen weavers wove, each, 36 yds. 3 qrs. 3 nls. of cloth; how much was woven by the whole?
49. In nine pieces of cloth of equal length, there were 187 yds. 2 qrs. 3 nls.; how much in each piece?
50. A piece of cloth at 7s. 6d. per yard, cost 177 12s. 6d.; how many yards were there in it?
51. What is the difference in length of one web of cloth measuring 36 yds. 3 qrs. 3 nls., and two webs, each measuring 23 yds. 2 qrs. 3 nls.?
52. How many suits of clothes can be made from a piece containing 39 yds. 2 qrs. 3 nls.; each suit requiring 3 yds. 1 qr. 3 nls.?

SQUARE AND LAND MEASURE.

ADDITION.

(43)			(53)			(54)		
ac.	rd.	per.	ac.	rd.	per.	ac.	rd.	per.
32	3	16	46	3	27	37	3	12
16	2	21	12	2	16	41	5	21
76	1	13	61	0	34	62	1	17
24	2	27	46	3	17	47	2	34
150	1	37						

SUBTRACTION.

(45)			(55)			(56)		
ac.	rd.	per.	ac.	rd.	per.	ac.	rd.	per.
42	1	10	36	0	20	42	1	25
16	2	25	13	2	30	17	2	35
25	2	25						

57. I bought four fields: in the first there were 6 acres, 2 roods, 12 perches; in the second 7 acres, 2 roods; in the third 9 acres and 13 perches; in the fourth 5 acres, 2 roods, 26 perches: how much in all?


58. A farmer sowed with wheat, a field containing 16 acres, 2 roods, 25 perches; and another with oats, containing 19 acres, 3 roods, 24 perches: how much larger was one field than the other?

59. Eight men cut down a field of hay: each man cut 3 acres, 2 roods, 27 perches; how much was mown?

60. Twelve men ploughed a field containing 16 acres, 3 roods, 25 perches; how much did each plough?

61. In a field containing 241 acres, 8 roods, 16 perches; 176 acres, 2 roods, 23 perches, were sown with wheat; the remainder of the field was sown with barley: how much was sown with barley?

62. Bought 26 acres, 3 roods, 17 perches of land, for which I paid 17642; what did I pay for it per perch?



MEASURE OF CAPACITY.

MULTIPLICATION.

$$\begin{array}{r}
 \text{gra. bush. pk.} \\
 7 \quad 6 \quad 2 \\
 \hline
 28 \quad 3 \quad 2
 \end{array}$$

$$\begin{array}{r}
 (63) \\
 \text{gra. bush. pk.} \\
 27 \quad 7 \quad 3 \\
 \hline
 \quad \quad 7
 \end{array}$$

$$\begin{array}{r}
 (64) \\
 \text{gra. bush. pk.} \\
 49 \quad 5 \quad 2 \\
 \hline
 \quad \quad 6
 \end{array}$$

DIVISION.

$$\begin{array}{r}
 \text{gra. bush. pk.} \\
 2)9 \quad 7 \quad 2 \\
 \hline
 4 \quad 7 \quad 3
 \end{array}$$

$$\begin{array}{r}
 (65) \\
 \text{gra. bush. pk.} \\
 4)48 \quad 6 \quad 3 \\
 \hline
 \quad \quad 3
 \end{array}$$

$$\begin{array}{r}
 (66) \\
 \text{gra. bush. pk.} \\
 9)78 \quad 7 \quad 2 \\
 \hline
 \quad \quad 2
 \end{array}$$

67. Sold to one man 27 qra. 6 bushels, 3 pecks; to another 38 qra. 4 bushels, 2 pecks; to another 49 qra. 6 bushels; and to another 58 qra. 7 bushels, 3 pecks: how much did I sell in all?

68. Lent a person 49 qra. 2 bushels, 1 peck. I have received from him 32 qra. 3 bushels, 3 pecks; how much does he still owe me?

69. John has 24 qra. 3 bushels, 2 pecks; but Tom has 10 times as much: how much has he?

70. I received 248 qra. 6 bushels, 3 pecks, and gave away a sixth part of it; how much did I give away?

71. What quantity of beer will be consumed in a year at the rate of 2 gallons, 3 quarts, 1 pint per day?

72. One cask contained 23 gallons, 3 quarts, 1 pint; another 27 gallons, 2 quarts, 3 gills: how much more did the one contain than the other?

73. Nine fields produced each on an average 24 loads, 4 quarters, 7 bushels, 3 pecks; how much was the produce of the nine fields?

74. In 27 barrels there was on an average in each, 39 gallons, 3 quarts, 1 pint; how much in all?

gra.
24
12
41
32
MIC

gra.
48
24
18

79.
weeks
days,
and 34
minutes
about

80.
weeks
to Am
less tin

81.
25 min
times
coach

82.
in a mo

83.
old!

TIME.

ADDITION.

(64)

ra.	bush.	pk.
9	5	2
		8

(75)			(76)		
grs.	wks.	dys.	dys.	hrs.	min.
24	6	3	27	36	4
12	16	5	48	12	4
41	24	4	74	48	6
32	18	6	27	18	5
MC	9	4			

(66)

ra.	bush.	pk.
	7	2

SUBTRACTION.

cks; to an-
gra. 6 bush-
how much

(77)			(78)		
grs.	wks.	dys.	dys.	hrs.	min.
48	4	2	32	3	4
24	6	5	16	7	6
18	49	4			

I have re-
much does

Tom has 10

gave away

a year at

pint; an-
e did the

loads, &
produce.

each, 39

79. The bricklayers were engaged about a house 21 weeks, 4 days, and 8 hours; the carpenters, 14 weeks, 6 days, and 9 hours; the painters, 12 weeks, 5 days, 7 hours, and 34 minutes; the upholsterer, 5 weeks, 10 hours, and 42 minutes: how long were these different workmen engaged about the house?

80. Two vessels sailed for America: one of them was 9 weeks, 6 days, and 14 hours on the voyage; the other got to America in 7 weeks, 5 days, and 19 hours: how much less time did the one go in than the other?

81. I can go to a certain town by the railway in 9 hours, 25 minutes, and 30 seconds: it would take me, at least, five times as long to go by the stage-coach; how long would the coach take?

82. There are 365 days, 5 hours, 48 minutes, 57 seconds, in a solar year; how much is there in a twelfth of it?

83. How many seconds has a boy lived, who is 11 years old?

REDUCTION.

AVOIRDUPOIS WEIGHT.

1. In 7 cwt. 2 qrs. 14 lbs. how many pounds?
2. In 3 qrs. 18 lbs. 12 oz. how many ounces?
3. How many pounds are there in 1427 oz.?
4. Bought 24 bags of hops, each weighing 3 cwt. 2 qrs. 18 lbs.; how many pounds in the whole?
5. In 8 cwt. 2 qrs. 14 lbs. of sugar, how many parcels are there, each containing half a pound?

TROY WEIGHT.

6. In 24 lbs. of gold, how many pennyweights?
7. In 2468 grains of gold dust, how many ounces?
8. In a silver snuff-box, weighing 10 oz. 16 dwt., how many grains?
9. How many silver tablespoons, each weighing 4 oz. 10 dwt., can be made out of 2 lbs. 8 oz. 18 dwt. of silver?
10. What quantity of gold will it require to make twelve gold ornaments, each weighing 1 oz. 18 dwt. 12 gr.?
11. A gentleman sent a silver tankard to a silversmith, and ordered him to make it into spoons, each to weigh 3 oz. 12 dwt.; how many spoons did he make, the tankard weighing 4 lbs. 7 oz.?

APOTHECARIES' WEIGHT.

12. In 4 lbs. 8 oz. 4 dra. 2 scr., how many grains?
13. In 2487 grains, how many ounces?
14. In 7 ounces, 5 drams, 3 scruples, how many scruples?
15. A patient is required to take daily 3 drams, 2 scruples of bark; how long will 7 lbs. of bark last him?

16.
17.
18.
many
19.
does
circum
20.
does
circum
21.
22.
23.
many
24.
each
25.
26.
27.
28.
29.
many
30.
there
31.
32.
and 6
33.
does

LONG MEASURE.

16. In 76 miles, 6 furlongs, how many perches?
17. In 47968 inches, how many yards?
18. From Dublin to Liverpool is about 88 leagues; how many yards is it?
19. From Dublin to Cork is about 180 miles; how often does a coach-wheel turn round between the two places, the circumference of the wheel being 12 feet?
20. From Dublin to Belfast is about 90 miles; how often does a coach-wheel turn round between the two places, the circumference of the wheel being 12 feet?

CLOTH MEASURE.

21. In 246 yards, how many nails?
22. In 4786 nails, how many yards?
23. From a piece of linen containing 24 English ells, how many shirts can be made, each requiring $2\frac{1}{2}$ yards?
24. How many suits may be made from 26 yds. 2 qrs., each suit containing $3\frac{1}{2}$ yards?

MEASURE OF CAPACITY.

25. In 24 gallons, 3 quarts, 1 pint, how many pints?
26. In 4687 pints, how many gallons?
27. In 24 loads, 6 bushels, 3 pecks, how many pecks?
28. How many bushels are there in 4796 pecks?
29. In a hogshead of wine containing 63 gallons, how many gills are there?

TIME.

30. In 6 weeks, 3 days, 14 hours, how many hours are there?
31. In 74697 minutes, how many days?
32. How many minutes has a boy lived, who is 10 years and 6 weeks old?
33. A clock strikes 156 times during the day; how often does it strike in 6 years?

SIMPLE PROPORTION.

When we have three numbers given, this rule teaches how to find a fourth number, which may have the same proportion to the third number, that the second has to the first.

Thus, if the three given numbers be 1, 2, 3, it is required to find a fourth number which will have the same proportion to 3 that the 2 has to 1: now, the 2 is double the 1; therefore, the required number must be double of the 3; that is, 6. To express proportion, the numbers are put thus: $1 : 2 :: 3 : 6$, and are read thus, 1 is to 2 as 3 is to 6.

|| CASE I.—To find out a fourth proportional to three given numbers.

Find a fourth proportional to the numbers 4, 8, 6.

RULE WITH EXAMPLE.—Place them thus: $4 : 8 :: 6 : x$
and multiply the second and third numbers together, and divide by the first; the quotient is 12, which bears the same proportion to 6 that 8 does to 4.

To 2, 6, 12, find a fourth proportional.....	Ans. 24.
To 6, 8, 3, find a fourth proportional.....	4.
To 3, 6, 8, find a fourth proportional.....	16.
To 6, 12, 4, find a fourth proportional.....	8.
To 10, 150, 68, find a fourth proportional.....	1020.
Find a fourth proportional to 1020, 68, 150....	10.
Find a fourth proportional to 150, 10, 1020.....	68.
Find a fourth proportional to 68, 1020, 10.....	150.

Find a fourth proportional to the following numbers:—

To 2 tons, 17 tons, and 257.....	Ans. 3127 1/2 tons.
To 10 lb, 150 lb, and 5a.....	75a.
To 9 yds, 36 yds, and 18a.....	72a.
To 5 lb, 1 lb, and 18a.....	3a.
To 4 yds, 18 yds, and 2a.....	9a.
To 1 cwt, 216 cwt, and 50a.....	10800a.
To 5 tons, 50 tons, and 277.....	2700.

SIMPLE PROPORTION

53

CASE II.—When the two first terms are of different denominations, reduce them to the same.

To 3 oz., 112 lbs., and 2s., find a fourth proportional.

RULE WITH EXAMPLE.—Multiply the 3 oz. by 16, to bring them to the same denomination as the first term, viz. to ounces. When this is done, the numbers stand thus: 3 oz., 1792 oz., 2s.

3	1792	2
16		
672		
112		
1792		
2		
3)8584		
1144,2		

Find the fourth proportional to the following numbers:—

Ans.

To 3 qrs., 240 yds., 12s.	5760s.
To 5s., 80l., 1 yd.	320 yds.
To 5 cwt., 6000 lbs., 8s.	85s. 400 remains.
To 5s. 6d., 140s., 2 yds.	50 yds. 60 remains.
To 3s. 4d., 1l. 10s., 1 yd.	9 yds.

CASE III.—When the third term is of a different denomination, reduce it to the lowest.

To 2 lbs., 112 lbs., and 5s. 6d., find a fourth proportional.

RULE WITH EXAMPLE.—Multiply the lbs. by 12, adding the 6d. It then stands thus: 2 lbs., 112 lbs., 66d. Proceed as formerly.

2	112	66
12		
66		
672		
3)7892		
2630 pence.		

Find the fourth proportional to the following numbers:—

Ans.

To 2 tons, 14 tons, 38l. 10s.	3950s.
To 3 brls., 100 brls., 18s. 6d.	2440d.
To 4 lbs., 112 lbs., 5d.	528 shillings.

SIMPLE PROPORTION.

If 24 lbs. of butter cost £1 8s., what is the price of 2 lbs.?

RULE WITH EXAMPLE.—In this question there are two things mentioned—butter and money. Is the answer to the question to be given in butter or money? You see at once it is to be given in money. Put down the money, 1l. 8s.; for the third term. Having done this, you have now to consider where you are to place the 24 lbs. and the 2 lbs. Read over the question, and you will see that the answer must be less than the third term; for 2 lbs. will not cost so much as 24 lbs. If, then, the answer is to be less, put the less number for the second term, and the greater for the first. In all questions let the third term be the same as the answer; and if the answer is to be greater than the third term, put the greater second; if it is to be less, put the less second.

lbs.	lbs.	£	s.
24	: 2 :	1	8
		20	
		28	
		2	
24	{ 2) 84		
	{ 12) 42		
		8s. 6d.	

1. If 2 lbs. of tea cost 9s., what will 24 lbs. cost?
2. If 4 lbs. of coffee cost 8s. 8d., what will 26 lbs. cost?
3. If 8 yds. of cloth cost 4l. 10s. 6d., what will 74 yds. cost?
4. Bought 2 pair of boots for 1l. 18s. 8d.; what will 48 pair cost?
5. Bought 2 oz. of tea for 7½d.; what is that per lb.?
6. Bought 15 lbs. of sugar for 9s. 10d.; what was the price per cwt.?
7. A person spends 2l. 16s. 8d. per week; how much is that per annum?
8. 3 qrs. 24 lbs. of sugar cost 4l. 16s. 8d.; how much is that per cwt.?
9. If 9s. 2½d. will buy 14 lbs. of sugar, how much will 8s. 6d. buy?
10. If 24 yds. cost 2l. 14s. 7d., how much must I give for 1 yd. 2 qrs. 2 lbs.?
11. What cost 5 hogheads of sugar, each weighing 14 cwt. 2 qrs. 24 lbs., at 2l. 18s. 6d. per cwt.?
12. If for 1s. 6d. I can buy 9 lbs. of raisins, how much can I purchase for 56l. 16s.?

12.
cient
some
14.
a; wh
56 feet
15.
men w
16.
which
he sell
17.
ing 3 h
taken l
18.
time co
19.
how do
duced t
20.
for 2 m
quantit
21.
days;
ance; i
22.
many
money!
23.
24 lbs.
ounce!
24.
will 16
25.
for 42l.
26.
to the v

SIMPLE PROPORTION.

59

price of 2 lbs.

16s. £ 1 8
: 3 : : 1 : 8

20

28

3

{ 2)84
12)42

3s. 6d.

the third term;
then, the an-
second term,
let the third
answer is to be
second; if it is

set!

16s. cost!

74 yds. cost!

what will 43

per lb.!

to the price

w much is

w much is

ch will 3s.

I give for

giving 14

each can

12. A bankrupt owes 4968*l*.; but he has only money suf-
ficient to pay 9*s*. 7*d*. for every pound he owes: how much
money has he to pay his debts?

14. A pole 6 feet high throws a shadow of 5 feet 8 inch-
es; what is the height of a spire which throws a shadow of
156 feet?

15. If 54 men can build a house in 90 days, how many
men would it require to do it in 12 days?

16. A grocer bought 6 cwt. 3 qrs. 26 lbs. of sugar, for
which he paid 24*l*. 16*s*. 8*d*.; at what rate per pound must
he sell it to gain 4*l*. 10*s*. 4*d*. on the whole?

17. A person reaches a certain place in 18 days by walk-
ing 8 hours a day; what number of days would he have
taken had he walked 12 hours a day?

18. If 14 men could make a ditch in 18 days, in what
time could 34 men do it?

19. A ship was provisioned for a crew of 40 for 8 months;
how long would these provisions last, if the crew were re-
duced to 32 men?

20. If 8 horses can subsist on a certain quantity of hay
for 2 months, how long would 12 horses subsist on the same
quantity?

21. A field of corn was to be cut down by 40 men in 10
days; 10 of the men, however, did not make their appear-
ance; in what time would the field be cut down?

22. If for 24*s*. I can have 1200 lbs. carried 34 miles, how
many pounds can I have carried 24 miles for the same
money?

23. A tea dealer bought 4 chests of tea, each weighing
34 lbs. 7 oz., for 63*l*. 14*s*. 6*d*.; what did the tea cost him per
ounce?

24. If 74 gallons of wine cost 52*l*. 17*s*. 9*d*., how much
will 14 gallons cost?

25. If 4 lbs. of tea cost 24*s*. 8*d*., how much may be bought
for 42*l*. 7*s*. 8*d*.?

26. If 2 cwt. 3 qrs. 16 lbs. of sugar cost 13*l*. 17*s*. 9*d*., what
is the value of 19 cwt. 3 qrs. 14 lbs.?

COMPOUND PROPORTION.

When in order to find a fourth proportional, several circumstances require to be considered, it is called Compound Proportion.

If 14 horses eat 56 bushels of oats in 16 days, how many bushels will be required for 20 horses for 24 days?

RULE WITH EXAMPLE.—Write down for the third term that number which is of the same kind with the answer required—56 bushels. Then take two numbers of the same kind—14 horses and 20 horses—and consider, as in Simple Proportion, whether from the nature of the question, the greater or less is to be put in the first or second term. Here it is obvious that the greater must be in the second term, as 20 horses will eat more than 14 horses. Take the other two terms, and proceed in the same manner. After all the terms have been put down, multiply the two first terms, 14 and 16, together; do the same with the two second terms, 20 and 24, and proceed as in Simple Proportion.

horses 14	:	20	::	56	bush.
days 16	:	24	:	24	
		224		480	
				56	
				2880	
				2400	
		224		26880	(120 bus.
				324	
				448	
				448	
				0	

CONTRACTION.—Let the question be the same as in the last example.

After the terms have been properly arranged, the operation may often be greatly shortened by using the following method: Draw a line, and place the first terms, 14 and 16, under it, and the second and third terms, 20, 24, and 56, above it; then divide any number above the line and any below by any number which will divide both without leaving a

10	3	4
20	24	56
14	16	56
2	2	2

remain
vided
ow s
ame
ed 2
hem,
he 30
ff the
produc
any, fo
swet;
divide.

1. U
roods v
2. U
men to
3. U
many
4. If
many
5. A
men; l
a wall

6. If
quarry
in 18 d

7. A
the rat
will th
each m

8. If
3 hours
6 hours

9. W
per cen

10. I
gain in

ION.

portional, sev-
nsidered, it i

days, how many
days?

busk.

: 20 :: 56 :

: 24

480

56

2880

2400

2880(120 busk

224

448

448

0

orma, and pro-
ms have been
16, together;
d 24, and pro-

as in the last

4

0 3 8

8x2x56

4x16

2 2

t leaving s

remainder. Thus, 14 below and 56 above may both be divided by 7; divide by it, and place the figures obtained below and above the 14 and 56, drawing your pencil at the same time through the 14 and 56. Again, you see that 16 and 24 may be divided by 8; draw your pencil through them, and write the numbers above and below; then cancel the 30 and the 2; then the 8 and the other 2. Multiply all the figures that remain above the line, and divide the product by the product of all the figures under the line, if any, for the answer; thus, $10 \times 3 \times 4 = 120$. This is the answer, as there are no figures below the line by which to divide.

1. If 15 men build 37 roods of wall in 27 days, how many roods will 74 men build in 63 days?

2. If 8 men for 5 days' work get 40s., how much ought 33 men to get for 24 days' work?

3. If 4 men can mow 20 acres of grass in 7 days, how many acres can 12 mow in 28 days?

4. If 6 tailors can make 10 suits of clothes in 4 days, how many suits can 20 make in 7 days?

5. A wall 28 feet in height was built in 15 days by 68 men; how many men working at the same rate could build a wall 32 feet high in 8 days?

6. If 12 horses in 5 days draw 44 tons of stones from a quarry, how many horses would it require to draw 132 tons in 18 days?

7. A garrison of 1500 men has provisions for 12 weeks, at the rate of 20 ounces per day to each man; how many men will the same provisions maintain for 20 weeks, allowing each man only 8 oz. per day?

8. If 50 men can do a piece of work in 100 days, working 8 hours per day, in what time will 120 men do it, working 6 hours per day?

9. What is the interest of 880*l*. 10*s*. for $2\frac{1}{2}$ years, at 4*l*. per cent per annum?

10. If 600*l*. gain 45*l*. in 18 months, how much will 1000*l*. gain in 12 months?

BILLS OF PARCELS.

A bill is a written account of goods purchased, or work performed.

A Bill of Parcels is that which is delivered with the goods at the time of purchase.

BOOKSELLER'S BILL.

Mr. JOHN THOMPSON

Bought of CONY & Co.

1836.
January 17.

Cowper's Poetical Works.....	2	2	2
Bonycastle's Algebra.....	0	5	8
Norie's Navigation.....	0	7	0
Plutarch's Lives, 6 vols.....	0	16	0
Hutton's Mathematics, 8 vols.....	3	12	0
Lardner's Arithmetic.....	1	11	6
	0	6	0
	2	28	8

HOSIERY'S BILL.

Mrs. YOUNG

Bought of PATRICK MURPHY,

1836.
Decem. 16.

5 Pair of Worsted Stockings, at 8 8 per pair,	2	2
Yards of Flannel, 10	1	9
4 Pair of Gloves, 2 6 " pairs,	2	6
1 Pair Thread Stockings, 2 9 1 " "	2	9
6 Pair Cotton do, 2 7 " "	2	7
	2	7

A
forme
in wh
book

183
May
June
July
Sept

GROCER'S BILL.

Mrs. Young

Bought of JOHN DICKSON.

1836.

July 16.

12 lbs. of Loaf Sugar,	at	0 10	per lb.
9 lbs. of Green Tea,	"	12 0	"
6 lbs. of Turkey Coffee,	"	2 6	"
8 lbs. of Hyson Tea,	"	8 6	"
16 lbs. of Soft Sugar,	"	0 8	"
14 lbs. of Rice,	"	0 4	"
15 lbs. of Currants,	"	0 11	"

£

BILLS OF BOOK DEBTS.

A Bill of Book Debts is a statement of debts formerly contracted. The following is the manner in which it ought to be copied from the tradesman's books:—

WINE MERCHANT'S BILL.

Mr. THOS. ROBINSON

To WM. ANDERSON.

1836.

May 24. To 4 doz	Port,	at	1 18 6	per doz.
" 26. — 3½ "	Sherry,	"	1 16 0	"
June 18. — 3 "	Claret,	"	2 18 0	"
July 19. — 4½ "	Burgundy,	"	3 10 0	"
" 24. — 1 "	Champagne,	"	3 18 0	"
Sept 19. — 4 gals	Brandy,	"	1 2 0	per gal
" 27. — 3 "	Holland,	"	1 1 0	"

£

PRACTICE.

Practice is an abridged mode of performing operations in the rule of Simple Proportion; and is so named because it is much used by people in business.

A less number is said to be the aliquot part of a greater, when the less number is contained in the greater any number of times without leaving any remainder: thus, 3 is the aliquot part of 9 or of 15, and 4 of 16 or of 20.

TABLE OF ALIQUOT PARTS.

Of a pound. s. d.	Of a pound. d.	Of a shilling. d.
10 0 is 1	10 is 1	6 is 1
6 8 -	8 -	4 -
5 0 -	7 1/2 -	3 -
4 0 -	6 -	2 -
3 4 -	5 -	1 1/2 -
2 6 -	4 -	1 -
2 0 -	3 -	0 1/2 -
1 8 -	2 -	0 -
1 4 -	1 1/2 -	0 -
1 3 -	1 -	0 -
1 0 -	1 -	0 -

Of a ton. cwt.	Of a cwt. gra. lbs.	Of a quarter. lbs.
10 - is 1	2 0 is 1	14 is 1
8 -	1 0 -	7 -
4 -	0 16 -	4 -
2 1/2 -	0 14 -	3 1/2 -
2 -	0 8 -	2 -
1 -	0 7 -	1 -

CASE I.—When the price is less than a penny.

forming oper-
on; and is so
le in business.

not part of a
tained in the
leaving any
of 9 or of 5,

RULE.—Divide by the aliquot parts of a penny, as this will give the answer in pence; divide them by 12 and by 100 to obtain the value in shillings and pounds.

What is the price of 4268 pencils, at $\frac{1}{4}$ d each?

$$\begin{array}{r} \frac{1}{4} = \frac{1}{4}) 4268 \\ \underline{12} 2134 \\ 2,0) 17,7-10 \\ \hline \pounds 8 \ 17s. \ 10d \end{array}$$

What is the price of 4268 pencils, at $\frac{1}{4}$ d each?

$$\begin{array}{r} \frac{1}{4} = \frac{1}{4}) 4268 \\ \underline{12} 2134 \\ \underline{1067} \\ 12) 8201 \\ 2,0) 26,6-9 \\ \hline \pounds 18 \ 6s. \ 9d \end{array}$$

shilling.

1. What is the value of 6486 yds. of tape, at $\frac{1}{4}$ d, a yd.?
2. How much will 3684 slate pencils come to, at $\frac{1}{4}$ d each?
3. I bought 368 yards of black ribbon, at $\frac{1}{4}$ d per yard; what did it cost me?
4. Bought 8 dozen of herrings at $\frac{1}{4}$ d each; how much did give for the herrings?
5. How much did 428 yards of rope cost me, at $\frac{1}{4}$ d per yard?

CASE II.—When the price is less than a shilling.

RULE.—Take the aliquot parts of a shilling, and divide by 20.

What is the value of 4608 lbs. of soap, at $8\frac{1}{2}$ d per lb.?

$$\begin{array}{r} \frac{1}{2} = \frac{1}{2}) 4608 \\ \underline{2304} \\ 20) 1152 \\ \hline \pounds 57 \ 16s. \ 4d \end{array}$$

What is the value of 4608 lbs. of sugar, at $8\frac{1}{2}$ d per lb.?

$$\begin{array}{r} \frac{1}{2} = \frac{1}{2}) 4608 \\ \underline{2304} \\ 20) 1152 \\ \hline \pounds 57 \ 16s. \ 4d \end{array}$$

6. What do 784 yds. of canvas come to, at 2½d. per yd.
7. Bought 856 yards of ribbon, for which I paid 8½d. per yard; how much did I pay?
8. Sold 1 swt. of sugar at 9½d. per lb.; how much was paid me?
9. Bought 7899 lbs. of candles for 5½d. per lb.; what did they cost me?
10. A fruiterer sold 8968 lbs. of raisins at 10½d. per lb. how much did he get for all?

11. 6423 at 1	19. 7568 at 3	27. 8612 at 8
12. 3684 — 1½	20. 8548 — 3½	28. 7643 — 8½
13. 2786 — 1½	21. 2758 — 4	29. 8765 — 9
14. 5963 — 1½	22. 5628 — 4½	30. 2011 — 10
15. 4285 — 2	23. 4278 — 5½	31. 4776 — 10½
16. 6786 — 2½	24. 6496 — 6	32. 5697 — 11
17. 4588 — 2½	25. 4378 — 6½	33. 2784 — 11½
18. 8463 — 2½	26. 4021 — 7½	34. 8016 — 11½

CASE III.—When the price is shillings.

Rule.—Multiply by the shillings, and divide by 20; or, take shillings be the aliquot part of a pound, divide by the aliquot part.

What is the price of 467 yds. of cloth, at 7s. per yd.?

$$\begin{array}{r}
 467 \\
 \times 7 \\
 \hline
 3269 \\
 20536 \\
 \hline
 \pounds 158\ 9s. \text{ Ans.}
 \end{array}$$

How much do 694 lbs. of tea come to, at 8s. per lb.?

$$\begin{array}{r}
 694 \\
 \times 8 \\
 \hline
 5552 \\
 \hline
 \pounds 227\ 6s. \text{ Ans.}
 \end{array}$$

What is the price of 246 yds. of cloth, at 10s. per yd.?

$$\begin{array}{r}
 246 \\
 \times 10 \\
 \hline
 2460 \\
 \hline
 \pounds 123\ 0s. \text{ Ans.}
 \end{array}$$

How much do 544 lbs. of tea come to, at 11s. per lb.?

$$\begin{array}{r}
 544 \\
 \times 11 \\
 \hline
 5984 \\
 \hline
 \pounds 274\ 4s. \text{ Ans.}
 \end{array}$$

at 2½d. per yd.

which I paid 8½d. per

; how much was

per lb.; what did

at 10½d. per lb.

27. 8642 at 8½

28. 7643 — 8½

29. 8765 — 9

30. 2011 — 10½

31. 4776 — 10½

32. 8697 — 11½

33. 2784 — 11½

34. 8016 — 11½

divide by 20; or

divide by the

du 684 lbs. of

8s. per lb.?

34

8

35

36

37

38

39

40

When the price is an even number of shillings, the operation may be shortened by multiplying by half the number of shillings, and doubling the unit's place for shillings.

What is the price of 468 yds. at 8s. per yard?

yds.

468

4

£187 4s. Ans

What is the price of 967 yds. of cloth, at 14s. per yd.?

yds.

967

7

£676 18s. Ans.

35. What must I pay for 796 yards of cloth, at 12s. per yard?

36. A fruiterer bought 148 boxes of oranges, and paid for each box 16s.; how much did he pay for all?

37. Bought 12 dozen pair of shoes, and paid for them 10s. a pair; what did they cost?

38. A farmer bought 968 sheep, and gave for each 18s.; how much did he give for all?

39. Bought 9 dozen hats, at 15 shillings each; what did the whole cost?

40. How much must I pay for the carriage of 748 tons of goods, at 18s. per ton?

41. Bought 768 cwt. of sugar, at 16s. per cwt.; how much did I pay for the whole?

42. Sold 12 dozen pairs of silk stockings, at 9s. per pair; what sum did I receive for the whole?

43. 6428 at 2

9460 — 3

7643 — 4

8765 — 5

4103 — 6

8016 — 7

8016 — 8

8016 — 9

8016 — 10

52. 5768 at 11

53. 2104 — 12

54. 4013 — 13

55. 7617 — 14

56. 2016 — 15

57. 8697 — 16

58. 1208 — 17

59. 4133 — 18

60. 7641 — 19

CASE V.—When the price is shillings and pence.

RULE.—If the price be the aliquot part of a pound, divide by the aliquot part. If it be not an aliquot part, multiply by the shillings, and take aliquot parts of a shilling for pence and farthings.

What is the price of 964
lbs. of tea, at 6s. 8d. per lb.?

$$\begin{array}{r} 6s. 8d. = \frac{1}{3} 964 \\ \hline £321 \text{ 6s. 8d.} \end{array}$$

What is the price of 268 yds
of cloth, at 7s. 6½d. per yd.

$$\begin{array}{r} 6d. = \frac{1}{2} 268 \\ \hline 134 \\ 7 \\ \hline 1876 \\ \frac{1}{2} = \frac{1}{2} 184 \\ \hline 11 \text{ 2} \\ 20)202,1 \text{ 2} \\ \hline £101 \text{ 1s. 2d.} \end{array}$$

61. Paid 2s. 6d. per yard for 768 yards of ribbon; how much did I pay?
62. Received a chest of tea containing 278 lbs., for which I paid 6s. 8½d. per lb.; what did the whole cost me?
63. A hosier bought 8 dozen pairs of silk stockings, for which he paid 6s. 9½d. per pair; what did he pay in all?
64. A bootmaker sold, during the year, 272 pairs of boots at 18s. 10½d. per pair on an average; how much money did he get for the boots during the year?
65. Two tailors sold, during the year, 168 suits of broad clothes, for which they were paid at the rate of 17s. 5½d. per suit; how much did they get during the year?

66.	3488	4	2.	d.	75.	1201	at 12 10
67.	—	4.	7		76.	2782	— 18 10
68.	—	6.	2½		77.	—	—
69.	—	5.	8½		78.	—	—
70.	—	8.	7		79.	—	—
71.	—	2.	4½		80.	—	—
72.	—	9.	8½		81.	—	—
73.	3416	10.	6½		82.	—	—
74.	3450	1	9½		83.	—	—

V. - When the price is pounds, shillings, pence, and farthings.

Use--Multiply by the pounds, and take aliquot parts the rest.

or thus:

$$\begin{array}{r} 268 \\ 7 \\ \hline 1876 \\ 184 \\ 11 \text{ } 2 \text{ } 3 \text{ } 4 \\ \hline 02,1 \text{ } 2 \\ \hline 01 \text{ } 12 \text{ } 2d. \end{array}$$

$$\begin{array}{r} 10s. = \frac{1}{2} 248 \\ \quad \quad \quad \underline{2232} \\ 6s. 8d. = \frac{1}{2} 124 \\ 1s. = \frac{1}{16} 82 \quad 18 \quad 4 \\ \quad \quad \quad \underline{12 \quad 8 \quad 0} \\ \hline \pounds 2451 \quad 1s. \quad 4d. \end{array}$$

74. How much do 268 cwt. of sugar come to, at 2l. 6s. 8d. per cwt.?

85. What rent do 796 acres yield at 8 $\frac{1}{2}$ 14s. 6 $\frac{1}{2}$ d. per

96. What did 279 score of sheep cost, at 67. 18s. 9d. per
score?

87. How much did a grocer pay for 948 cwt. of sugar, at \$1.17 a cwt.?

88. A watchmaker sold 796 watches for 9 $\frac{1}{2}$ 12s. 6d. each.
How much did he sell all for?

2 a. 2		2 a. 2		2 a. 2	
at 12 10	97.	7204	at 7 9 6	97.	7204 at 12 16 7
— 12 10	98.	4679	— 8 17 8	98.	4121 — 13 14 8
— 12 10	99.	8742	— 4 16 5 1/2	99.	3145 — 14 17 0 1/2
— 12 10	100.	8528	— 9 12 8 1/2	100.	6876 — 15 19 7
— 12 10	101.	7780	— 10 17 0 1/2	101.	9684 — 16 18 6 1/2
— 12 10	102.	4627	— 13 14 7	102.	7780 — 17 13 4
— 12 10	103.	8794	— 8 11 4 1/2	103.	4627 — 18 14 5
— 12 10	104.	7780	— 11 10 2	104.	8794 — 28 9 6 1/2

Case VI.—When both the quantity and price are of some denominations.

Rule.—Multiply the price by the highest name in quantity, and take parts for the rest of the quantity.

What is the price of 3 cwt. 2 gra. 7 lbs. of sugar, at 3*l*. 6*s*. 8*d*. per cwt.?

gra.	£	s.	d.
2=4)	8	6	8
			8
lbs.	10	0	0
7=8)	1	18	4
	0	4	2
	£11	17 <i>s</i> .	6 <i>d</i> .

What is the value of 2 cwt. 2 gra. 14 lbs. at 3*l*. 1*s*. 6*d*. per cwt.?

gra.	£	s.	d.
2=4)	3	1 <i>s</i>	6
		5	5 × 5 = 25
	19	7	6
			5
lbs.	98	17	6
14=4)	1	18	9
	0	9	8 <i>d</i>
	£99	5	11 <i>d</i>

105. Sold 5 cwt. 1 qr. 8 lbs. of sugar, at 3*l*. 15*s*. 8*d*. per cwt.; what did I get for the whole?

106. Bought 72 cwt. 2 gra. 14 lbs. tobacco, at 4*l*. 16*s*. 8*d*. per cwt.; what did the whole cost?

107. Bought 96 cwt. 3 gra. 8 lbs. soap, at 3*l*. 12*s*. 8*d*. per cwt.; how much did I pay for the whole?

108. Sold 27 cwt. 3 gra. 14 lbs. cheese, at 1*l*. 10*s*. 8*d*. per cwt.; what does the whole come to?

109. Bought 29 cwt. 2 gra. 14 lbs., at 4*l*. 16*s*. 8*d*. per cwt. what did I pay?

	cwt.	gra.	lbs.	£	s.	d.
110.	24	2	7	at	2	16 7
111.	14	1	8	—	3	14 6
112.	7	3	6	—	4	15 8
113.	16	2	18	—	5	14 9
114.	27	1	16	—	6	13 2
115.	22	3	14	—	7	12 8

	cwt.	gra.	lbs.	£	s.	d.
116.	35	1	8	at	6	19 6
117.	38	2	7	—	4	13 8
118.	40	3	9	—	9	12 1
119.	42	3	16	—	3	14 7
120.	45	1	14	—	9	15 6
121.	48	2	4	—	4	17 8

price are of same

highest name in the quantity.

is the value of a 14 lbs at 2l 10s 6d.

14 6
5 5 × 5 = 25
7 6
5
7 6
8 9
9 82
5 11 1/2

at 3l 15s 8d per

co, at 4l 16s 8d

at 3l 12s 8d per

12 10s 8d per

8s 6d per cwt.

lbs. 2 s. d.
8 at 6 10 6
7 — 4 12 8
9 — 9 12 14
6 — 2 12 7
4 — 9 12 6
4 — 4 17 8

CASE VII.—When the quantity contains a fraction.

RULE.—Work for the whole number by the preceding rules, to the result add the $\frac{1}{4}$ or $\frac{1}{2}$ or $\frac{3}{4}$ of the price, or whatever the fraction in the quantity may be. The sum to be added may be obtained by multiplying the price by the upper figure of the fraction, and dividing by the under figure.

What is the value of 246 $\frac{1}{2}$ cwt. of sugar, at 2l. 10s. 6d. per cwt.?

$$\begin{array}{r} 10s = \frac{1}{4} 246 \\ \quad \quad \quad 3 \\ \hline \quad \quad \quad 738 \\ 6d = \frac{1}{20} 123 \\ \quad \quad \quad 6 \quad 3 \\ \hline \quad \quad \quad 1 \quad 8 \quad 2 \frac{1}{2} \\ \hline \pounds 868 \quad 11 \quad 2 \frac{1}{2} \end{array}$$

The value of the fraction is found thus:

$$\begin{array}{r} s. \quad s. \quad d. \\ 3 \quad 10 \quad 6 \\ \quad \quad \quad 2 \\ \hline 5 \quad 7 \quad 1 \quad 0 \\ \hline \pounds 1 \quad 8 \quad 2 \frac{1}{2} \end{array}$$

- 22. 4787 $\frac{1}{2}$ at 23 10 6
- 23. 7641 $\frac{1}{2}$ — 4 9 7
- 24. 8409 $\frac{1}{2}$ — 0 8 6
- 25. 4210 $\frac{1}{2}$ — 0 5 7 $\frac{1}{2}$
- 26. 8659 $\frac{1}{2}$ — 0 7 11 $\frac{1}{2}$
- 27. 4286 $\frac{1}{2}$ — 9 12 6 $\frac{1}{2}$

- 128. 7426 $\frac{1}{2}$ at 26 15 8
- 129. 3278 $\frac{1}{2}$ — 2 12 6
- 130. 4625 $\frac{1}{2}$ — 0 14 7 $\frac{1}{2}$
- 131. 2010 $\frac{1}{2}$ — 6 16 9
- 132. 8607 $\frac{1}{2}$ — 8 19 8 $\frac{1}{2}$
- 133. 1243 $\frac{1}{2}$ — 3 17 7

TARE AND TRET.

GROSS WEIGHT means the weight both of goods and package, whether these packages be barrels, boxes, or sacks.

TARE is an allowance made to purchasers for the weight of the package.

There is an allowance of 4 lbs. on every 104 lbs. of goods, for waste, or $\frac{1}{26}$ part of the whole.

TRET is an allowance of 2 lbs. on every 3 cwt. made to those who retail goods for turning the scales.

NEAT is what remains after part of the allowance is taken from the gross.

CASE I.—When an allowance is made for the tare per cwt. box, or sack.

What is the net weight of 4 hogsheads of sugar, each weighing 13 cwt. 3 qrs. 14 lbs., the tare being 1 qr. 10 lbs. per hhd.?

RULE WITH EXAMPLE.—Multiply the weight of each hhd. by 4, to find the gross weight of the whole. 53 cwt. 2 qrs. 0 lbs. Then multiply the tare per hhd., 1 qr. 10 lbs., by the number of hhds., 4, and place the tare upon the 4 hds. to be 1 cwt. 1 qr. 10 lbs.; place this under the gross of the 4 hhds., 53 cwt. 2 qrs., and subtract. The remainder, 54 cwt. 0 qr. 10 lbs. is the net weight.

	cwt.	qrs.	lbs.	qr.
13	3	14		
53	2	0	1	1
1	1	12		
54	0	16		

1. What is the net weight of 9 chests of tea, each weighing 5 cwt. 2 qrs. 19 lbs., tare 18 lbs. per chest?

2. What is the net weight of 6 casks of tea, each weighing 1 cwt. 3 qrs. 9 lbs., tare 18 lbs. per chest?

CASE II.—When the tare is so much per cwt.

Gross weight 178 cwt. 3 qrs. 17 lbs., tare 16 lbs. per cwt. What is the net weight?

RULE WITH EXAMPLE.—Divide the gross weight, 178 cwt. 3 qrs. 17 lbs., by the aliquot part of a cwt.; thus, 14 lbs. is the $\frac{1}{8}$ of a cwt.; divide by $\frac{1}{8}$; again, 2 lbs. is the $\frac{1}{4}$ of 14 lbs.; divide by $\frac{1}{4}$; add the two quotients together, and 24 cwt. 3 qrs. 9 lbs. are obtained; let this be taken from the gross weight, 178 cwt. 3 qrs. 17 lbs., and 149 cwt. 0 qr. 28 lbs. are obtained, which is the net weight. The remainder has been attended to in the next section, as they are not in order to understand it.

lb.	cwt.	qrs.	lbs.
14	= $\frac{1}{8}$	178	3 17
2	= $\frac{1}{4}$	21	3 2
		3	0 1
		24	3 9
		149	0 28

3. What is the net weight of 7 hhds. of sugar, each weighing 3 qrs. 14 lbs. gross; tare 12 lbs. per cwt.?

the tare per cwt. What is the net weight of 8 hhds. of tobacco, each weighing 3 qrs. gross, tare 18 lbs. per cwt.?

5. The gross weight of 50 casks of butter is 202 cwt. 2 qrs. 15 lbs., tare 15 lbs. per cwt.; what is the net weight?

Ques. III.—When allowance is to be made both for tare and tret.

What is the net weight of 4 cwt. 2 qrs. 14 lbs. gross, tare 4 lbs. per cwt., tret as allowed?

RULE WITH EXAMPLE.—Find the tare by the foregoing rule, and subtract it from the gross; divide the remainder, oruttle it, as it is called, by 26 (26 being the fourth of 104) for the tret; this, when subtracted from theuttle, leaves the net weight required.

cwt. qrs. lbs.		
4	2	14 gross
	2	8 tare
26	4	0 6uttle
		17 tret
3	3	17 net

6. What is the net weight of 9 hhds. of tobacco, each weighing 5 cwt. 2 qrs. 12 lbs., tare 96 lbs. per hhd., tret as usual?

7. What is the net weight of 6 chests of tea, each weighing 1 cwt. 3 qrs. 9 lbs., tare 18 lbs. per chest, tret as allowed?

8. The gross weight of 24 barrels of rice is 67 cwt. 2 qrs. 18 lbs., tare 1 qr. 12 lbs. per barrel, tret as usual; what is the net weight?

CASE IV.—When the tare, tret, and cloff are allowed.

What is the net weight of 4 cwt. 2 qrs. 14 lbs. gross, tare 4 lbs. per cwt., tret as allowed, cloff as allowed?

RULE WITH EXAMPLE.—Take the tare and the tret from the gross as before; divide the remainder by 168 (168 being the half of 3 cwt. or 336 lbs.); this being subtracted, leaves the net weight. The cloff may also be obtained by multiplying the cwt. by the tret,uttle by 2, and divide by 2, receiving the quotient in pounds; thus, $2 \times 3 = 6 - 2 = 4$ lbs.

cwt. qrs. lbs.		
14	2	14 gross
	2	8 tare
26	4	0 6
		17 tret
168	3	17uttle
		2 cloff
3	3	15 net

9. What is the net weight of 8 hhds. of sugar, each weighing 6 cwt. 8 qra. 14 lbs., tare 13 lbs. per cwt., tret and cloff as usual?

10. What is the net weight of 8 hhds. of tobacco, each 8 cwt. 2 qra. gross, tare 18 lbs. per cwt., tret and cloff as allowed?

11. The gross weight of 50 casks of butter is 202 cwt. 2 qra. 12 lbs., tare 15 lbs. per cwt., tret and cloff as allowed, what is the net weight?

12. What is the net weight of 24 hhds. weighing gross 47 cwt. 2 qra. 18 lbs., tare 2 qra. 18 lbs. per hhd., tret as usual?

13. What is the net weight of 19 chests, each weighing 1 cwt. 13 lbs., tare 14 lbs. per chest, tret as allowed?

14. What is the value of the net weight of 8 hhds. of tobacco, each weighing 4 cwt. 2 qra. 12 lbs. gross, at 7l. 10s. 6d. per cwt., allowing 7 lbs. per cwt. for tare, tret as usual, and cloff 3 lbs. per hhd.?

SIMPLE INTEREST.

Interest is money paid for the loan of money.

The principal is the sum of money lent.

The rate per cent. is the sum to be given for the loan of £100.

The amount is the principal and interest added together. Thus, if I get from a banker £100 at 5 per cent., I must pay him back at the end of the year the principal, viz. £100, and the interest, viz. £5. The principal and interest, viz. £105 that I pay, is the amount.

Ques. I.—To find the interest of any sum for one or more years.

What is the interest of 20l. 10s. at 5 per cent. per an. sum for 3 years?

SIMPLE INTEREST.

71

RULE WITH EXAMPLE. — Multiply the principal, 26*l*. 10*s*., by the rate, 5, and divide the product, 132*l*. 10*s*., by 100. The quotient, 1*l*. 6*s*. 8*d*., is the interest of the principal for one year; this multiplied by the number of years, 3, will give the interest for the number of years, which in this instance is 2*l*. 19*s*. 8*d*.

<i>£</i>	<i>s</i>	<i>d</i>
26	10	
	5	<i>£</i> <i>s</i> <i>d</i>
100	132	10
100		1
32		6
		8
20		
650		
600		
50		
12		
600		
600		

E. B.

1. What is the interest of 267*l*. for 4 years, at 5 per cent.?
2. What is the interest of 90*l*. 15*s*. for 6 years, at 4 per cent.?
3. What is the interest of 2368*l*. 10*s*. for 4½ years, at 4½ per cent.?
4. What is the interest of 768*l*. 9*s*. 6*d*. for 9½ years, at 3½ per cent.?
5. What is the amount of 9687*l*. for 7 years, at 5 per cent.?
6. What is the amount of 379*l*. 1*s*. for 9½ years, at 4½ per cent.?
7. What is the interest of 4268*l*. 17*s*. 9*d*. for 20½ years, at 3½ per cent.?
8. What is the amount of 3786*l*. 14*s*. for 17 years, at 4½ per cent.?
9. What is the interest of 794*l*. 15*s*. 7*d*. for 19½ years, at 3½ per cent.?
10. What is the amount of 968*l*. 1*s*. 7*d*. for 10½ years, at 4½ per cent.?

CASE II.—To find the interest for weeks and days.

What is the interest of 400*l.* for 10 weeks and 3 days, at 4 per cent. per annum?

RULE WITH EXAMPLE.—Find, by Case I., the interest of 400*l.* for one year, at 4 per cent.; it is 16*l.* Multiply the number of days in the weeks and days, $73=10$ weeks and 3 days, by the rate per cent. for one year, 16*l.*, and divide by the number of days in a year, 365; the quotient, 8*l.* 4*s.*, is the percentage for 73 days.

days.	days.	£
365	73	: : 16
	16	
	488	
	78	
	365	) 1168 (8 <i>l.</i> 4 <i>s.</i>
	1095	
	78	
	20	
	) 1460 (4 <i>s.</i>	
	1460	

Or,

If, as is the case in this example, the number of days form an aliquot part of a year; divide the interest of one year by that aliquot part, 5, because 73 days is $\frac{1}{5}$ of a year.

£
73 = $\frac{1}{5}$) 16
£3 4 <i>s.</i>

11. What is the interest of 496*l.* for 6 weeks and 4 days, at 5 per cent. per annum?
12. What is the interest of 764*l.* 16*s.* for 9 weeks and 3 days, at 4 per cent. per annum?
13. What is the interest of 376*l.* 14*s.* 8*d.* for 940 days, at $4\frac{1}{2}$ per cent. per annum?
14. What is the amount of 748*l.* for 120 days, at $3\frac{1}{2}$ per cent. per annum?
15. What is the interest of 859*l.* 12*s.* for 5 years, 8 weeks, and 4 days, at $2\frac{1}{2}$ per cent. per annum?
16. What is the amount of 978*l.* for 3 years and 136 days, at $4\frac{1}{2}$ per cent. per annum?
17. What is the interest of 7462*l.* 13*s.* for 9 years and 4 weeks, at $3\frac{1}{2}$ per cent. per annum?
18. What is the amount of 846*l.* for 12 years and 98 days, at $4\frac{1}{2}$ per cent. per annum?

19.
6 days
20.
weeks,
21.
4 months
22.
days, 3
23.
cent. p
24.
at 3 $\frac{1}{2}$ p
25.
per
26. 1
weeks,

DIS
of mon
me a 'l
and I
a bank
at the
ing £5
had a
called
of £10

RULE
time ad
£100 fo

DISCOUNT.

73

and days.
and 8 days, at

2. days. 2
5 : 73 : : 16
16

488
73
55)1168(32. 4s
1095

73
20
)1460(4s
1460

3
73=1)16
£3 4s

and 4 day.

weeks and 3

940 days, at

days, at 3½

rs, 8 weeks,

and 186 days

years and 6

and 98 days

19. What is the interest of 764*l.* 7*s.* 6*d.* for 5 weeks and 6 days, at 3½ per cent. per annum?

20. What is the amount of 9864*l.* 17*s.* 9*d.* for 10 years, 7 weeks, and 4 days, at 4½ per cent. per annum?

21. Required the interest of 460*l.* 12*s.* 6*d.* for 2 years and 4 months, at 5 per cent. per annum.

22. Required the interest of 326*l.* 15*s.* for 8 weeks and 5 days, at 4 per cent. per annum.

23. What is the amount of 864*l.* for 120 days, at 4½ per cent. per annum?

24. What is the amount of 978*l.* for 6 years and 89 days, at 3½ per cent. per annum?

25. What is the interest of 723*l.* 15*s.* 6*d.* for 3½ years, at 4½ per cent. per annum?

26. Required the amount of 246*l.* 15*s.* for 3 years, 6 weeks, and 4 days, at 2½ per cent. per annum?

DISCOUNT.

DISCOUNT is an allowance made for the payment of money before it is due. Thus, if a person passed me a bill for £105, to be paid at the end of a year, and I wished money immediately, I might take it to a banker, who, if he was sure of getting the money at the end of the year, would give me £100, keeping £5 to himself for the interest of the £100 he had advanced. The £5 that the banker kept is called discount; and the £100 is the *present value* of £105 a year hence, at 5 per cent.

RULE.—As £100 with the interest for the given rate and time added to it is to the sum or debt, so is the interest of £100 for the given rate and time to the discount.

74 DISCOUNT—COMMISSION, BROKERAGE, ETC.

What is the discount on 250*l.* due 6 months hence, at 6 per cent. ?

EXAMPLE.—Here 2*l.* 10*s.* is added to 100*l.* for the first term, because 2*l.* 10*s.* is the interest of 100*l.* for 6 months at 5 per cent. The second term is the debt, viz. 250*l.* The third term is the interest on 100*l.* for 6 months, at 5 per cent. The answer is 6*l.* 1*s.* 11½*d.*; subtract this from 250*l.*, and the present value of 250*l.* is obtained, viz. 243*l.* 18*s.* 0½*d.*

£	s.	£	s.	£	s.
100		2	10		
		102	10	250	2
		20		50	20
2050		12500	50		
		6	1	11½	

1. What is the present value of 640*l.*, due 2 years hence, at 5 per cent. ?
2. What is the discount on 736*l.*, due 9 months hence, at 5 per cent. ?
3. What is the discount on 370*l.*, due 100 days hence, at 4½ per cent. ?
4. What is the discount on 246*l.* 16*s.* from March 26 to June 23, both days included, at 3½ per cent. ?

COMMISSION, BROKERAGE, INSURANCE, BUYING AND SELLING STOCKS.

COMMISSION is an allowance given to an agent or factor, for buying or selling goods, negotiating bills, &c.

BROKERAGE is an allowance to a broker for procuring sales, transfers of property, &c.

INSURANCE is an allowance, called premium, given to persons who engage to make good the loss of ships, merchandise, houses, &c., that may be lost or damaged by storms, fire, &c.

Stock is the debt owing by government, or it is the capital of any trading company.

the hence, at

Any questions in these rules may be performed by the rules for Simple Interest.

EXAMPLES.

£ 250 :: 2 : 10
50 20

12500 50
6l. 1s. 11½d

2 years hence,

ths hence, at

days hence, at

March 26 to

URANCE,
KS.an agent
negotiating

r for pro-

um, given
e loss of
be lost or

t, or it is

What is the commission on
426l. 16s. at 2½ per cent.?

£	s.
426	16
	2½
853	12
¼ = 213	8
100) 1067	0
£10	13s. 4½d

What is the insurance on
426l. 16s. at 12½ per cent.?

£	s.
426	16
	12½
5121	12
¼ = 213	8
100) 5335	0
£53	7s.

or thus :

£	s.	d.
10 = 100) 426	16	0
	42	13 7
2 = 1) 8	10	8½
¼ = 1) 2	2	8
£53	6s.	11½d

What is the brokerage on
426l. 16s. at 5s. or ½ per ct.?

£	s.
¼) 426	16
100) 106	14
£1	1s. 4½d

What is the purchase of
426l. bank stock, at 110½ per
cent.?

£	
426	
110½	
46860	
¼ = 106	10
100) 46966	10
£469	13s. 3½d

or thus :

£	s.	d.
10 = 100) 426	16	0
	42	13 7
¼ = 1) 8	10	8½
¼ = 1) 2	2	8
£469	13s.	3½d

EXERCISES.

1. What is the commission on 496l. 16s. 6d., at 2½ per cent.?

- 2 What is the commission on 1243*l*. 19*s*., at $\frac{1}{2}$ per cent.
- 3 What is the brokerage on 8964*l*. 14*s*., at $1\frac{1}{2}$ per cent.!
- 4 What is the brokerage on 467*l*., at $\frac{3}{4}$ per cent.!
5. I employed an agent to sell a quantity of goods; having agreed to give him $\frac{3}{4}$ per cent. upon the sales, the goods having sold for 7648*l*., how much am I to pay him?
6. An agent charges $4\frac{1}{2}$ per cent. for commission and risk of bad debts: his sales in the year are 16,780*l*. and his losses 34*l*.; what is his income?
7. A salesman disposes of woollen goods to the amount of 1467*l*., muslins to 1342*l*., and hardware to 964*l*.; what is his commission at $2\frac{3}{8}$ per cent.!
8. What premium must be paid for insuring a house for 7684*l*., at $2\frac{1}{4}$ per cent.!
- 9.* What is the premium on 4968*l*., at 5*l* guineas per cent.!
10. What is the insurance on 6968*l*. for 2 years, at $4\frac{1}{2}$ per cent.!
11. What is the premium on 7848*l*., at 6 guineas per cent.!
12. What is the insurance on 796*l*. for 3 years and 42 days, at $3\frac{1}{2}$ per cent.!
13. What is the value of 796*l*. stock, at 105 per cent.!
14. What is the purchase of 978*l*. India stock, at 74*l* per cent.!
15. What is the price of 7468*l*. bank stock, at 168. per cent.!
16. What is the brokerage on 426*l*. 16*s*. 6*d*., at $2\frac{1}{2}$ per cent.!

* If the rate be in guineas, calculate as if it were pounds, and add one-twentieth to the amount.

17. Required the commission on 648*l*., at 2*½* per cent.
18. What is the premium of insurance on 968*l*., at 4*l*. 12*s*. 6*d*. per cent.?
19. What is the expense of insuring a ship and cargo, at 3*l*. 15*s*. per cent.; the ship being worth 2450*l*. and the cargo worth 4768*l*.?
20. At 4*½* per cent., how much must be insured on goods worth 768*l*., so that in case of loss the owner may receive the value of the goods and the premium?
21. I allow my broker 3*½* per cent.; how much do I owe him for selling goods to the amount of 796*l*.?
22. What is the purchase of 3450*l*. India stock, at 112*½* per cent.?
23. What is the purchase of 266*l*. 16*s*. 6*d*. bank stock, at 16*½* per cent.?

COMPOUND INTEREST.

COMPOUND INTEREST is interest, not only for the use of the sum borrowed, but also for the use of the interest, if it be not paid at the end of a year. Thus, if I borrow £100 at 5 per cent., I owe at the end of the year £105. If I wish to pay off the debt, I pay £105. If I wish merely to pay the interest, I pay £5, and still owe £100. If, however, I do neither, it is obvious that at the end of the second year, I must pay interest, not upon £100, but upon £105.

What is the compound interest of 240*l.* 10*s.* for 3 years, at 5 per cent.?

RULE WITH EXAMPLE.—Find the interest upon the principal for 1 year at 5 per cent., viz. 12*l.* 6*s.* 6*d.* and add it to the principal. At the beginning of the second year the principal is 252*l.* 10*s.* 6*d.*; find the interest upon this for 1 year, at

5 per cent., add it; and so on for any number of years.—278*l.* 8*s.* 2*d.* is what 240*l.* 10*s.* amount to in 3 years. The compound interest is found by taking the original principal, 240*l.* 10*s.*, from the amount in 3 years, 278*l.* 8*s.* 2*d.*, and what remains, 37*l.* 18*s.* 2*d.*, is the compound interest on 240*l.* 10*s.* for 3 years.

	£	s.	d.	
5 = $\frac{5}{100}$	240	10	0	1st year's principal
add	12	0	6	1st year's interest.
$\frac{1}{10}$	252	10	6	2d year's principal.
add	12	12	64	2d year's interest.
$\frac{1}{10}$	265	3	04	3d year's principal.
add	13	5	12	3d year's interest.
	278	8	1	amount in 3 years.
subtract	240	10	0	principal.
	£37	18	2	compound interest for 3 years.

1. Required the interest on 420*l.* for 3 years, at 5 per cent.
2. Required the amount of 640*l.* for 4 years, at 2 per cent.
3. What will 436*l.* amount to in 3 years, at 4½ per cent.?
4. What is the compound interest on 678*l.* 10*s.* for 3 years, at 3½ per cent. per annum?
5. What will 764*l.* amount to in 4 years, at 6 per cent.?
6. What is the compound interest on 786*l.* 10*s.* for 6 years, at 4½ per cent. per annum?

BARTER.

When one person gives goods to another, and receives not money, but goods in return, he is said to Barter.

How for 98.

RULE. the goods of the therefore cloth y of 1 y

All Simple

1. H given f

2. H cwt. of

3. H ceive f

4. A per cw

5. H for 986

The gained

CASE I. find

Boug at 11s

RULE. price, 9 and m 10d, b The pr yards

How many yards of cloth, at 10s. per yard, ought I to get for 98 lbs. of tea, at 8s. per pound?

RULE WITH EXAMPLE.—Find the value of the goods given. In this example, the value of the tea is found to be 784s.; you have, therefore, to consider how many yards of cloth you ought to receive for 784s., the value of 1 yard being 10s.

lbs.
98
8
10)784
784
10

All the questions in this rule may be found either by Simple Proportion or Practice.

1. How many pairs of shoes, at 12s. per pair, must be given for 206 pairs of stockings, at 2s. per pair?

2. How much tea, at 7s. per lb., ought I to receive for 1 cwt. of coffee, at 2s. per lb.?

3. How much brandy, at 23s. per gallon, ought I to receive for 98 gallons of rum, at 15s. per gallon?

4. A chandler gave 2 cwt. 3 qrs. of tallow, at 17. 18s. 6d. per cwt.; how much soap ought he to receive at 5d. per lb.?

5. How much iron at 1½d. per lb. ought a nailer to receive for 9860 nails, at 6½d. per hundred?

PROFIT AND LOSS.

The use of this rule is to discover how much is gained or lost in buying and selling goods.

CASE I.—When the prime cost and selling price are given, to find the entire gain or loss on any quantity of goods.

Bought 12 yards of cloth, at 9s. 8d. per yard, and sold it at 11s. 6d.; what did I gain on the whole?

RULE WITH EXAMPLE.—Subtract the cost price, 9s. 8d., from the selling price, 11s. 6d., and multiply the gain upon one yard, 1s. 10d., by the number of yards bought, 12. The product, 17. 2s., is the gain on the 12 yards.

s.	d.
11	6
9	8
1	10
17	2

1. Bought 256 yards of cloth, at 12s. 9d. per yard, and sold it at 14s. 9d.; what did I gain?
2. Bought 404 lbs. of butter, at 10d. per lb., and sold it at 14d. per lb.; what was gained on the whole?
3. Bought 248 pairs of stockings, at 1s. 8d. per pair, and sold the whole for 12l. 16s.; what was the gain or loss?
4. Bought 9 cwt. of cheese, at 2l. 12s. per cwt., and sold it at 2l. 18s. per cwt.; what was the gain upon the whole?
5. Sold a chest of tea containing 144 lbs. for 57l. 10s.; how much did I gain, the tea having cost me 6s. 8d. per lb.?

CASE II.—*The first cost and selling price being given, to find the gain per cent.*

Bought cloth at 12s. per yard and sold it at 14s. per yd.; what was the gain per cent.?

RULE WITH EXAMPLE.—Find the gain or loss by the former case; then say, as the cost price, 12s., is to the gain, 2s., so is 100% to the gain or loss per cent.

$$\begin{array}{r}
 12 \\
 14 \\
 2 \\
 12 : 2 :: 100 \\
 \hline
 20 \\
 2000 \\
 2 \\
 12 \overline{) 4000} \\
 2,0 \overline{) 83,8} \quad 4 \\
 \hline
 £16 \ 18 \ 4
 \end{array}$$

6. If a pound of tea be bought for 6s. 6d., and sold for 7s. 4d., what is the gain per cent.?
7. When wine is bought for 18s. 6d. per gallon, and sold for 27s. 8d. per gallon, what is the gain per cent.?
8. Bought a quantity of goods for 64l., and sold them for 76l.; what was the gain per cent.?
9. Bought cloth at 6s. 8d. per yard; but finding it not so good as I expected, I was obliged to sell it at 6s. 4d.; how much did I lose per cent.?

Pa
in tra
eordin

RUL
to is e

EXA
gave 4
is each

Capitals
A. 400
B. 500
C. 700
£1600

1. T
put in
what w

2. T
of the
to B.;
524l.;

3. T
of wine
the res
throw
each!

PARTNERSHIP.

Partnership is when two or more persons unite in trade, and agree to share the profits or losses, according to the terms of agreement.

Case I.—Partnership without time.

RULE.—As the whole capital is to the whole gain or loss, so is each partner's stock to his share of the gain or loss.

EXAMPLE.—A, B, and C entered into partnership: A gave 400*l.*, B 500*l.*, and C 700*l.*; they gained 350*l.*; what is each partner's share of the gain?

Capitals.					
A. 400	1600 <i>l.</i> :	350 <i>l.</i> ::	400 <i>l.</i> :	87 <i>l.</i> 10 <i>s.</i> 0 <i>d.</i>	A's gain
B. 500			400		
C. 700	16,00	1400,00			
£1600		£87 10			
	1600 <i>l.</i> :	350 <i>l.</i> ::	500 <i>l.</i> :	109 <i>l.</i> 7 <i>s.</i> 6 <i>d.</i>	B's gain
			500		
	16,00	1750,00			
		£109 7 6			
	1600 <i>l.</i> :	350 <i>l.</i> ::	700 <i>l.</i> :	153 <i>l.</i> 2 <i>s.</i> 6 <i>d.</i>	C's gain
			700		
	16,00	2450,00			
		£153 2 6			

1. Two persons, A. and B., entered into partnership; A. put into the business 865*l.*, B. 2608*l.*; they gain 964*l.*: what was each person's share of the profit?

2. Three merchants freight a ship to America; the value of the cargo was 2640*l.*: of this 686*l.* belonged to A.; 1200*l.* to B.; and the rest to C.: they lose upon the whole cargo 524*l.*; what is each merchant's share of the loss?

3. Three wine merchants freighted a ship with 468 pipes of wine, of which 142 pipes belonged to A., 204 to B., and the rest to C. During a storm the sailors were obliged to throw overboard 96 pipes; what was the loss sustained by each?

4. Three persons pay a tax of 100*l.* in proportion to the annual value of their property. A's property is worth 800*l.* per annum, B's 600*l.*, and C's 400*l.*; how much is each to pay?

CASE II.—Partnership with time.

RULE.—Multiply each person's money by the time it is continued in the business, and proceed as in Case I.

EXAMPLE.—Three persons enter into partnership: A. puts in 200*l.* for 4 months; B. 400*l.* for 6 months; and C. 800*l.* for 7 months. They gain 500*l.*; what is each person's share of the gain?

Capital.

A. $200 \times 4 = 800$ 8800*l.* : 500*l.* :: 800*l.* : 45*s.* 1*d.* A's gain

B. $400 \times 6 = 2400$ 800

C. $800 \times 7 = 5600$ 88,00)4000,00

8800

£45 9 1

8800*l.* : 500*l.* :: 2400*l.* : 186*l.* 7*s.* 3*d.* B's gain.

2400

88,00)12000,00

£136 7 8½

8800 :: 500*l.* :: 5600*l.* : 318*l.* 3*s.* 7½*d.* C's gain.

5600

88,00)28000,00

£318 3 7½

5. A, B, and C. enter into business: A. puts in 968*l.*, B. 1420*l.*, and C. 2470*l.* A's money was in the business 4 years, B's 5 years, and C's 7 years: they gained 2348*l.* how ought the gain to be divided among them?

6. Three graziers rented a piece of land for 98*l.*: A. put 6 cows on the land for 4 months, B. 5 cows for 7 months, and C. 9 cows for 6 months; how much ought each to pay of the rent?

7. A, B, C, and D. put each into partnership 750*l.*: A's money remains 7 months, B's 9 months, C's 11 months, and D's a year: they gain 488*l.*; what is each person's share of the gain?

VULGAR FRACTIONS.

A FRACTION is a part of any thing, and is represented by two numbers: one above the line and the other below it; thus, $\frac{1}{2}$, $\frac{2}{3}$, $\frac{3}{4}$: read, one-half, two-thirds, three-fourths.

The figure above the line is called the *numerator*, the figure below the line is called the *denominator*, thus, in the fraction $\frac{4}{5}$, read four-fifths, the 4 is the numerator and the 5 is the denominator

The denominator marks the number of equal parts into which the whole is divided; the numerator shows the number of those intended to be expressed by the fraction: thus, if I say that I have $\frac{2}{3}$ of an apple, I mean that the apple was divided into three equal parts, and that I have two of these parts.

A PROPER FRACTION is that which has its numerator *less* than its denominator; as $\frac{1}{2}$, $\frac{2}{3}$, $\frac{4}{5}$.

AN IMPROPER FRACTION is that which has its numerator *greater* than its denominator; as $\frac{3}{2}$, $\frac{7}{4}$, $\frac{9}{5}$.

A COMPOUND FRACTION is a fraction of a fraction, and is expressed by two or more fractions, as $\frac{2}{3}$ of $\frac{3}{4}$, or $\frac{1}{2}$ of $\frac{2}{3}$ of $\frac{4}{5}$.

A MIXED NUMBER is a whole number with a fraction annexed; as $2\frac{1}{2}$, $4\frac{2}{3}$, $16\frac{1}{4}$.

Any whole number may be made a fraction of by writing a 1 under it for a denominator; for example, 6 may be made a fraction of by writing it thus, $\frac{6}{1}$, or 10 thus, $\frac{10}{1}$. The value of a fraction is not altered by multiplying or dividing both the numerator and denominator, provided both be multiplied or divided by the same number.

REDUCTION.

CASE I.—To change an improper fraction into a whole or mixed number.

RULE.—Divide the numerator by the denominator, and if there be any remainder write the denominator under it in the form of a fraction.

EXAMPLE.—Reduce the improper fraction, $\frac{1367}{3}$, to a whole or mixed number.

$$\begin{array}{r} 5 \overline{)1367} \\ \underline{273} \text{ Ans.} \end{array}$$

1. Reduce $\frac{1493}{3}$ to its equivalent whole or mixed number.
2. Reduce $\frac{2463}{4}$ to its equivalent whole or mixed number.
3. Reduce $\frac{2726}{3}$ to its equivalent whole or mixed number.
4. Find the value of $\frac{2327}{5}$ in whole or mixed numbers.
5. Find the value of $\frac{3361}{3}$ in whole or mixed numbers.

Reduce the following fractions to whole or mixed numbers:

$$6. \frac{2586}{43}$$

$$9. \frac{742613}{75873}$$

$$12. \frac{736201}{7636}$$

$$7. \frac{7982}{886}$$

$$10. \frac{968780}{3766}$$

$$13. \frac{480010}{3684}$$

$$3. \frac{3643}{2104}$$

$$11. \frac{492001}{487666}$$

$$14. \frac{276246}{4968}$$

CASE II.—To reduce a mixed number to an improper fraction.

RULE.—Multiply the whole number by the denominator of the fraction; add the numerator, and under the product place the denominator.

EXAMPLE.—Reduce the mixed number $46\frac{2}{3}$ to an improper fraction.

$$\frac{46 \times 3}{3} + \frac{2}{3}$$

$$280 + 2 = 282$$

Reduce the following mixed numbers to their equivalent improper fractions:

$$15. 7\frac{1}{2}$$

$$20. 54\frac{7}{13}$$

$$25. 976\frac{24}{138}$$

$$16. 8\frac{3}{4}$$

$$21. 360\frac{19}{17}$$

$$26. 843\frac{31}{431}$$

$$17. 17\frac{7}{8}$$

$$22. 976\frac{21}{36}$$

$$27. 687\frac{23}{111}$$

$$18. 9\frac{1}{2}$$

$$23. 842\frac{17}{36}$$

$$28. 769\frac{111}{134}$$

$$19. 27\frac{1}{2}$$

$$24. 684\frac{19}{27}$$

$$29. 807\frac{121}{131}$$

CASE III.—To reduce a compound fraction to a simple fraction.

RULE.—Multiply together all the numerators for a numerator, and all the denominators for a denominator.

EXAMPLE.—Reduce the compound fraction $\frac{2}{3}$ of $\frac{6}{7}$ of 5 to a simple fraction. $\frac{2 \times 6 \times 5}{3 \times 7 \times 1} = \frac{60}{21}$ Ans.

Reduce the following compound fractions to their equivalent simple ones:

- | | |
|---|--|
| 30. $\frac{2}{3}$ of $\frac{3}{4}$ of $\frac{4}{5}$ | 35. $\frac{17}{23}$ of $\frac{3}{5}$ of $\frac{3}{35}$ of $\frac{13}{17}$ |
| 31. $\frac{7}{8} \dots \frac{3}{11} \dots \frac{2}{13}$ | 36. $\frac{11}{17} \dots \frac{1}{7} \dots \frac{18}{38} \dots 191$ |
| 32. $\frac{5}{13} \dots \frac{17}{3} \dots \frac{11}{20}$ | 37. $\frac{11}{21} \dots \frac{17}{38} \dots \frac{135}{78} \dots 24$ |
| 33. $\frac{4}{9} \dots \frac{8}{11} \dots \frac{11}{13}$ | 38. $\frac{3}{4} \dots \frac{9}{17} \dots \frac{28}{78} \dots 32$ |
| 34. $\frac{7}{17} \dots \frac{8}{19} \dots 7$ | 39. $\frac{7}{13} \dots \frac{13}{19} \dots \frac{21}{30} \dots 27\frac{1}{2}$ |

CASE IV.—To reduce a fraction to its lowest terms.

RULE.—Divide the numerator and denominator by any number that will measure them; that is, that will divide them without a remainder. Do the same with the quotients as long as any number can be found to divide them.

Reduce $\frac{144}{216}$ to its lowest terms.

Divide the fractions $\frac{(2)}{(2)} \frac{(2)}{(2)} \frac{(3)}{(3)} \frac{(2)}{(2)} \frac{(2)}{(2)}$ and the quotients by the $\frac{144}{216} = \frac{72}{108} = \frac{36}{54} = \frac{12}{27} = \frac{4}{9}$ Ans.
figures placed above them.

Or,

If a number be wished for that may bring the fraction to its lowest terms at once, divide the greater term by the less and the divisor by the remainder; and so on, dividing each divisor by the last remainder till nothing remains. The last divisor is the number by which, if the numerator and denominator of the fraction be divided, the lowest term will be obtained.

VULGAR FRACTIONS.

Reduce $\frac{144}{448}$ to its lowest terms.

The denominator of the fraction being greater, it is divided by the numerator. The former divisor, 144, is now to be divided by the remainder, 96; the remainder, 48, is now to divide the former divisor, 96. The last divisor 48, is the number by which, if the numerator and denominator be divided, the lowest term will be obtained; thus, $48 \frac{144}{448} = \frac{3}{8}$, as in former example.

$$\begin{array}{r} 144)240(1 \\ \underline{144} \\ 96)144(1 \\ \underline{96} \\ 48)96(2 \\ \underline{96} \end{array}$$

Reduce the following numbers to the lowest terms:

$$40. \frac{48}{272}$$

$$41. \frac{40}{116}$$

$$42. \frac{176}{484}$$

$$43. \frac{48}{168}$$

$$44. \frac{744}{864}$$

$$45. \frac{764}{3240}$$

$$46. \frac{644}{1728}$$

$$47. \frac{825}{1620}$$

$$48. \frac{55}{5555}$$

$$49. \frac{1245}{320}$$

$$50. \frac{1344}{1536}$$

$$51. \frac{1409}{1684}$$

CASE V.—To reduce fractions to a common denominator.

RULE.—Multiply each numerator by all the denominators, *except its own*, for a new numerator; and multiply all the denominators together for a new denominator.

Reduce $\frac{2}{3}$, $\frac{3}{5}$, and $\frac{4}{7}$ to a common denominator

Here the first numerator, 2, $2 \times 5 \times 7 = 70$ } numerators.
is multiplied by 5 and 7, the $3 \times 3 \times 7 = 63$ }
denominators of the other $4 \times 3 \times 5 = 60$ }
fractions. Mark that it is not $3 \times 5 \times 7 = 105$ com. denom.
multiplied by its own denominator, 3. The same is done to the other numerators. The
answer then is $\frac{70}{105}$, $\frac{63}{105}$, $\frac{60}{105}$.

Reduce the following fractions to others having a common denominator.

$$52. \frac{2}{3}, \frac{3}{5}, \text{ and } \frac{4}{7}.$$

$$53. \frac{5}{6}, \frac{7}{8}, \text{ and } \frac{9}{10}.$$

$$54. \frac{2}{11}, \frac{7}{13}, \text{ and } \frac{13}{15}.$$

$$55. \frac{13}{18}, \frac{11}{23}, \text{ and } \frac{19}{25}.$$

$$56. \frac{17}{24}, \frac{19}{28}, \frac{15}{32}, \text{ and } \frac{13}{36}.$$

$$57. \frac{21}{24}, \frac{18}{28}, \frac{31}{36}, \text{ and } \frac{27}{40}.$$

$$58. \frac{71}{71}, \frac{39}{76}, \frac{410}{761}, \text{ and } \frac{71}{71}.$$

$$59. \frac{113}{113}, \frac{710}{113}, \frac{762}{113}, \text{ and } \frac{71}{113}.$$

RUL
and m
this, b
nume
mon d
bring i

Ac

Her
is first
er frac
fraction
commo

The

Add

1

2

3

4

5

6

RUL
in add
which

Her
brough
nator,
24, and
tor wr

ADDITION.

RULE.—Reduce compound fractions to simple fractions, and mixed numbers to improper fractions. Having done this, bring them to a common denominator. Add all the numerators together, and place, under the result, the common denominator. If the answer be an improper fraction, bring it to a mixed number.

Add together the following fractions: $\frac{2}{3}$, $\frac{4}{5}$, and $4\frac{1}{2}$.

Here the mixed number $4\frac{1}{2}$ is first brought to the improper fraction $\frac{9}{2}$, and then all the fractions are brought to a common denominator.

$$2 \times 5 \times 2 = 20$$

$$3 \times 3 \times 2 = 18$$

$$9 \times 3 \times 5 = 135$$

$$3 \times 5 \times 2 = 30$$

numerators

common denom.

$$\text{Therefore } \frac{20}{30} + \frac{12}{30} + \frac{135}{30} = \frac{177}{30} = 5\frac{27}{30} \text{ sum required.}$$

Add together the following fractions and mixed numbers

$$1. \frac{2}{3} + \frac{3}{4} + \frac{1}{5}$$

$$2. \frac{3}{4} + \frac{9}{11} + \frac{12}{13}$$

$$3. \frac{4}{7} + \frac{11}{16} + \frac{18}{19}$$

$$4. \frac{7}{8} + \frac{12}{13} + \frac{15}{14} + \frac{23}{17}$$

$$5. \frac{8}{13} + \frac{11}{14} + \frac{9}{17} + \frac{16}{18}$$

$$6. \frac{21}{23} + \frac{41}{24} + \frac{71}{25} + \frac{32}{26}$$

$$7. \frac{2}{3} \text{ of } \frac{5}{7} + \frac{3}{4} \text{ of } \frac{1}{2}$$

$$8. \frac{4}{7} + \frac{9}{11} \text{ of } \frac{12}{13} + \frac{1}{5} \text{ of } 5\frac{1}{2}$$

$$9. \frac{12}{13} \text{ of } 7\frac{2}{3} \text{ of } 9 + \frac{2}{7} \text{ of } 14$$

$$10. \frac{23}{24} + \frac{11}{13} \text{ of } 2\frac{2}{3} + \frac{1}{5} \text{ of } 6$$

$$11. \frac{17}{18} \text{ of } \frac{23}{24} \text{ of } 17\frac{2}{3} + \frac{1}{4} \text{ of } 12$$

$$12. \frac{13}{14} + \frac{19}{22} \text{ of } 9\frac{2}{3} + \frac{11}{13} \text{ of } 8\frac{1}{2}$$

SUBTRACTION.

RULE.—Reduce the fractions to common denominators, as in addition. Find the difference of the numerators, under which write the common denominator.

From $\frac{12}{13}$ take $\frac{4}{15}$.

Here the fractions are first brought to a common denominator, then the 60 taken from 84, and the common denominator written under the difference.

$$12 \times 7 = 84$$


$$4 \times 15 = 60$$

$$15 \times 7 = 105$$

numerators

common denom.

$$\text{Therefore } \frac{84}{105} - \frac{60}{105} = \frac{24}{105} \text{ the answer.}$$
















IMAGE EVALUATION TEST TARGET (MT-3)



**Photographic
Sciences
Corporation**

23 WEST MAIN STREET
WEBSTER, N.Y. 14580
(716) 872-4503

18 20 22 25

10

What is the difference between the following fractions ?

- | | | |
|----------------------------------|-----------------------------------|---|
| 1. $\frac{4}{7} - \frac{3}{4}$ | 5. $4\frac{1}{2} - \frac{9}{10}$ | 9. $\frac{9}{11} - \frac{1}{13}$ of 4 |
| 2. $\frac{6}{11} - \frac{8}{9}$ | 6. $2\frac{1}{8} - 5\frac{4}{7}$ | 10. $\frac{11}{34} - \frac{3}{28}$ of $\frac{4}{5}$ |
| 3. $\frac{7}{13} - \frac{4}{13}$ | 7. $2\frac{1}{5} - 3\frac{2}{5}$ | 11. $169 - 14\frac{3}{7}$ |
| 4. $\frac{9}{13} - \frac{6}{9}$ | 8. $6\frac{4}{7} - 9\frac{1}{10}$ | 12. $76\frac{1}{4} - \frac{2}{3}$ of 19 |

MULTIPLICATION.

RULE.—Reduce the mixed numbers to improper fractions, and compound fractions to simple ones, after this has been done, multiply all the numerators together for the numerator of the product, and all the denominators together for its denominator.

Multiply $6\frac{2}{3}$ by $\frac{2}{3}$ of $\frac{7}{8}$.

Here the mixed number $6\frac{2}{3}$ is converted into the improper fraction $\frac{20}{3}$, and the compound fraction $\frac{2}{3}$ of $\frac{7}{8}$ into the simple fraction $\frac{14}{24}$. Then $\frac{20}{3} \times \frac{14}{24} = \frac{280}{72} = 3\frac{64}{72}$ Ans. The numerators and denominators being multiplied, produce the improper fraction $\frac{280}{72}$, which being reduced to a mixed number gives $3\frac{64}{72}$ the answer.

Multiply together the following fractions.

- | | | |
|---------------------------------------|--|--|
| 1. $\frac{3}{4} \times \frac{5}{6}$ | 5. $8\frac{3}{4} \times \frac{5}{13}$ | 9. $8\frac{3}{4} \times \frac{2}{3}$ of $\frac{1}{2}$ |
| 2. $\frac{7}{9} \times \frac{9}{11}$ | 6. $7 \times \frac{5}{13}$ | 10. $16 \times \frac{4}{7}$ of $\frac{1}{13}$ |
| 3. $\frac{9}{11} \times \frac{1}{11}$ | 7. $5\frac{3}{4} \times 11\frac{1}{4}$ | 11. $17\frac{1}{2} \times \frac{1}{13}$ of $7\frac{1}{2}$ |
| 4. $\frac{1}{13} \times \frac{1}{13}$ | 8. $3\frac{1}{2} \times 4\frac{1}{2}$ | 12. $24\frac{1}{13} \times \frac{1}{13}$ of $9\frac{1}{2}$ |

DIVISION.

RULE.—Prepare the fractions as in multiplication; then invert the divisor, and proceed as in multiplication.

Divide $\frac{4}{7}$ by $\frac{3}{7}$. $\frac{4}{7} \div \frac{3}{7}$ inverted thus $\frac{4 \times 5 = 20}{7 \times 3 = 21}$

- | | |
|---|--|
| 1. Divide $\frac{14}{5}$ by $\frac{11}{12}$ | 7. Divide $5\frac{1}{2}$ by $\frac{4}{7}$ |
| 2. $\frac{21}{10} \div \frac{3}{10}$ | 8. $3\frac{1}{2} \div \frac{2}{15}$ |
| 3. $\frac{15}{10} \div \frac{4}{5}$ | 9. $3\frac{1}{2} \div 9\frac{1}{2}$ |
| 4. $\frac{33}{25} \div \frac{3}{5}$ | 10. $9\frac{1}{2} \div \frac{1}{2}$ of 7 |
| 5. $\frac{12}{37} \div \frac{13}{43}$ | 11. $116\frac{1}{2} \div \frac{1}{2}$ of $5\frac{1}{2}$ |
| 6. $\frac{16}{331} \div \frac{4}{37}$ | 12. $\frac{2}{3}$ of $\frac{3}{4}$ by $\frac{1}{2}$ of $\frac{2}{3}$ |

REDUCTION, CONTINUED.

CASE VI.—To reduce fractions from one denomination to another.

RULE.—If from a lower name to a higher, multiply the denominator, as in reduction of whole numbers. If from a higher name to a lower, multiply the numerator, as in reduction of whole numbers.

Reduce $\frac{1}{3}$ of a farthing to the fraction of a pound.

Here the denominator is multiplied, as it is to be brought to a higher name. $\frac{2}{3} \times 4 \times 12 \times 20 = \frac{2}{2880}$

Reduce $\frac{1}{2}$ of a pound to the fraction of a penny.

Here the numerator is multiplied, as it is to be brought to a lower name. $\frac{3 \times 20 \times 12 = 720}{5}$

- 1 Reduce $\frac{3}{4}$ of a farthing to the fraction of a pound.
- 2 Reduce $\frac{1}{2}$ of a pound to the fraction of a penny.
- 3 Reduce $\frac{1}{2}$ of a shilling to the fraction of a guinea.
- 4 Reduce $\frac{1}{4}$ of a shilling to the fraction of a farthing.
- 5 Reduce $\frac{1}{7}$ of a farthing to the fraction of a crown.
- 6 Reduce $\frac{3}{10}$ of a day to the fraction of a week.
- 7 Reduce $\frac{1}{7}$ of a week to the fraction of an hour.
- 8 Reduce $\frac{1}{8}$ of a nail to the fraction of a yard.
- 9 Reduce $\frac{1}{8}$ of a cwt. to the fraction of a dram.
- 10 Reduce $\frac{1}{4}$ of a yard to the fraction of a mile.

CASE VII.—To express any given quantity as a fraction of another quantity, considered as an integer.

RULE.—Reduce both quantities to one denomination; then make the reduced integer the denominator, and the other quantity the numerator.

What part of 1*l.* is 13*s.* 4*d.*?

Here both quantities, the 1*l.* and the 13*s.* 4*d.*, are reduced to pence; the pence in the integer, 240, is made the denominator, and the pence in the other quantity is made the numerator: the fraction, $\frac{160}{240}$ of a pound, is, when brought to its lowest terms, equal to $\frac{2}{3}$ of a pound.

£	s	d
1		
20	13	4
20	12	
12	160	
240		

then $\frac{160}{240} = \frac{2}{3}$ Ans.

11. Reduce 14*s.* 6*d.* to the fraction of a pound.
12. Reduce 17*s.* 4*d.* to the fraction of a pound.
13. Reduce 5*s.* 8½*d.* to the fraction of a pound.
14. Reduce 17*s.* 9*d.* to the fraction of a penny.
15. Reduce 6*s.* 7½*d.* to the fraction of a farthing.
16. Reduce 7 hours 21 minutes to the fraction of a day.

17.
18.
ounce.
19.
20.

Ru
and di
any, t
the lo

Her
to bri
The 1
and 4
12, to
it is th
ery r
which

21.
22.
23.
24.
25.
26.
27.
28.
29.
30.

17. Reduce 7 lbs. 8 drams to the fraction of a cwt.
18. Reduce 8 cwt. 2 qrs. 14 lbs. to the fraction of an ounce.
19. Reduce 3 lbs. 9 oz. to the fraction of a dwt.
20. Reduce 16 hours 13 minutes to the fraction of a day.

CASE VIII.—To find the value of a fraction.

RULE.—Reduce the numerator to the next inferior name, and divide by the denominator; reduce the remainder, if any, to the next lower name, and divide again, and so on to the lowest name.

What is the value of $\frac{7}{8}$ of a pound sterling?

Here the numerator, 7, is multiplied by 20, to bring it to the next inferior name, 140s. The 140s. are divided by 8, which gives 17s. and 4 of a remainder; the 4 is multiplied by 12, to bring it to the next inferior name, 48d.; it is then divided by 8, which gives 6 without any remainder. The answer then is 17s. 6d., which is the $\frac{7}{8}$ of a pound.

$$\begin{array}{r} 7 \\ 20 \\ \hline 8)140 \\ \underline{136} \quad 4 \\ 12 \\ \hline 8)48 \\ \underline{48} \\ 0 \end{array}$$

21. What is the value of $\frac{9}{16}$ of a pound?
22. What is the value of $\frac{5}{8}$ of a shilling?
23. What is the value of $\frac{1}{4}$ of a crown?
24. What is the value of $\frac{9}{11}$ of a day?
25. What is the value of $\frac{13}{16}$ of a guinea?
26. What is the value of $\frac{1}{4}$ of a yard, long measure?
27. What is the value of $\frac{13}{16}$ of a lb. troy?
28. What is the value of $\frac{13}{16}$ of a pound avoirdupois?
29. What is the value of $\frac{23}{32}$ of a cwt.?
30. What is the value of $\frac{11}{16}$ of a mile?

$$\begin{array}{r} 13 \quad 4 \\ 12 \\ \hline 160 \\ = \frac{1}{2} \text{ Ans.} \end{array}$$

PROMISCUOUS EXERCISES.

If the fractions be of different denominations, it will be necessary to bring them to the same name before they are added or subtracted.

1. To $\frac{3}{4}$ of a pound add $\frac{1}{2}$ of a shilling.
2. To $\frac{1}{4}$ of a crown add $\frac{2}{3}$ of a shilling and $\frac{1}{3}$ of a penny.
3. From $\frac{5}{8}$ of a pound take $\frac{1}{4}$ of a shilling.
4. From $\frac{1}{4}$ of a shilling take $\frac{1}{2}$ of $\frac{1}{4}$ of a penny.
5. What is the value of $\frac{1}{2}$ yd. of both at $1\frac{1}{2}l.$ per yd.?
6. What is the value of $\frac{1}{2}$ oz. of silver at $3\frac{1}{2}l.$ per lb.?
7. If $8\frac{1}{2}$ yards of cloth cost $49\frac{1}{2}s.$, what is the price per yard?
8. What is the price per yard, when 3 pieces of cloth each $12\frac{3}{4}$ yards, cost $46\frac{1}{2}l.$?
9. What is the difference between $\frac{2}{3}$ of a league and $\frac{1}{4}$ of a mile?
10. What is the sum of $\frac{1}{2}$ of a cwt., $7\frac{1}{2}$ lbs., and $4\frac{3}{4}$ oz.?
11. From $\frac{1}{2}$ of a guinea take $\frac{1}{4}$ of a pound.
12. What is the sum of $\frac{1}{2}$ of a guinea, $\frac{1}{4}l.$, and $\frac{1}{8}$ of a crown?
13. How much is 8 times $1\frac{1}{8}$ of a yard?
14. How much is $\frac{3}{4}$ of $\frac{2}{3}$ of a pound sterling?
15. A yard of ribbon cost $17d.$; what is the price of $\frac{1}{2}$ of $\frac{1}{4}$ of a yard?
16. If $\frac{3}{4}$ of a yard cost $1\frac{1}{3}l.$, what ought to be paid for $6\frac{3}{4}$ yards?
17. If $2\frac{1}{4}$ yards of flannel cost $3\frac{1}{2}s.$, what is the price of $4\frac{3}{4}$ yards?
18. If $\frac{1}{16}$ of a ship cost $273\frac{1}{2}l.$, what is $\frac{1}{32}$ of her worth?
19. If $\frac{1}{4}$ of a cwt. cost $4\frac{1}{2}l.$, what will $4\frac{1}{2}$ lbs. cost?
20. If 1 lb. of coffee cost $2\frac{3}{4}s.$, how many pounds can I have for $38\frac{1}{2}s.$?
21. If $7\frac{1}{2}$ yards cost $7l.$ $18s.$ $4d.$, how much did $49\frac{1}{2}$ yards come to?

DECIMAL FRACTIONS.

A DECIMAL FRACTION is a fraction whose denominator is 10, 100, 1000, &c., or a unit with as many ciphers annexed to it as there are figures in the numerator. Thus, $\frac{5}{10}$, $\frac{25}{100}$, $\frac{325}{1000}$, are decimal fractions, and are usually written in this manner: $\cdot 5$, $\cdot 25$, $\cdot 325$, the numerators being omitted; but a point is placed on the left hand to distinguish them from integers. In reading them the first is called 5-tenths, the second 25-hundredths, and the third 325-thousandths.

When there are not so many figures in the numerator as there are ciphers in the denominator, as many ciphers as are necessary must be prefixed; thus, $\frac{3}{100} = \cdot 03$, and $\frac{3}{1000} = \cdot 003$.

Ciphers on the left hand of a decimal *decrease* its value tenfold: thus, $\cdot 5$ is 5-tenths; $\cdot 05$ is 5-hundredths, and $\cdot 005$ is 5-thousandths. Ciphers on the right do not alter the value, for $\cdot 5$, $\cdot 50$, $\cdot 500$, are the same as $\frac{5}{10}$, $\frac{50}{100}$, $\frac{500}{1000}$, and these are of equal value.

ADDITION.

RULE.—Place the numbers to be added so that the decimal points be directly under each other, and add as in Simple Addition. Insert the point in the answer directly under the other points.

Add together the following numbers:—

$$\begin{array}{r} (1) \\ 2\cdot 13 \\ 426 \\ 31\cdot 2 \\ 7\cdot 63 \\ \hline 440\cdot 072 \end{array}$$

$$\begin{array}{r} (2) \\ 43\cdot 27 \\ 9\cdot 042 \\ 712\cdot 417 \\ 41\cdot 007 \\ 962 \\ \hline F \end{array}$$

$$\begin{array}{r} (3) \\ 320\cdot 71 \\ 2\cdot 006 \\ 84\cdot 243 \\ 217\cdot 072 \\ 9\cdot 241 \\ \hline \end{array}$$

DECIMAL FRACTIONS.

- 4 Add 4.231, 72.32, 920.74, .9374, 376.05,
 5 723.312, 91.0006, 2.0251, 3724.7, .00007.
 6 37.214, .736, 7213.04, 123.476, 21.6743.
 7 800.273, 498.0009, .296, .0071, 4260.008.
 8 320.492, .23687, 970.0083, 9.086, 41.762.

SUBTRACTION.

RULE.—Place the numbers as in addition; subtract as in simple numbers, and insert the point under the other points.

- | | |
|----------------------------|------------------------------|
| 1. From 72.378, take 4.861 | 6. From 279.712 take 97.0076 |
| 2. 9.007 .962 | 7. 72.0076 1.273 |
| 3. 41.217 7.0968 | 8. 900.005 89.1171 |
| 4. 298.012 .9999 | 9. 243.21 .964213 |
| 5. 840.001 170.98 | 10. 462.0068 134.791 |

MULTIPLICATION.

RULE.—Arrange the factors, and multiply as in whole numbers. Reckon the number of decimals in both factors and point off as many from the right of the product. When the number of figures in the product is not as many as the number of decimals in both factors, as many ciphers as may be necessary to make up the deficiency must be placed at the left of the product.

Multiply 7.4 by .35.

$$\begin{array}{r} 7.4 \\ \times .35 \\ \hline 370 \\ 222 \\ \hline 2590 \end{array}$$

In the above example there are three decimal places in the multiplicand and multiplier: therefore three figures are pointed off from the right of the product.

Multiply .045 by .03

$$\begin{array}{r} .045 \\ \times .03 \\ \hline .00135 \end{array}$$

In the above example there are five decimal places in the factors, and only three figures in the product; therefore two ciphers are placed at the left of the product to make the number of decimal places in the product equal to those in the factors.

1. M
- 2.
- 3.
- 4.
- 5.
- 6.

RULE.
 decimals
 than t
 the qu
 If th
 phers
 Who
 to any
 mand

D

In t
 the di
 the d
 figure
 off in

• In
 to the
 † To
 as ma

605.
7, 00007.
216748.
4260008.
5, 41762.

1. Mult.	27 by	27	7. Mult.	23007 by	48008
2.	421	841	8.	70423	0007
3.	9704	8003	9.	786	100
4.	4102	1004	10.	4862	75
5.	700	806	11.	20003	002
6.	879	10	12.	00076	1000

DIVISION.

subtract as in
other points.

take 970078
1273
891171
984218
134791

RULE.—Divide as in whole numbers. Point off as many decimal places in the quotient as the dividend has more than the divisor: if necessary, place ciphers to the left of the quotient.

If the divisor has more figures than the dividend, add ciphers to the right of the dividend.

When there is a remainder, the quotient may be carried to any degree of exactness, by annexing ciphers to the remainder.

in whole
both factors
act. When
any as the
ers as may
placed at

Divide 47614 by 38.

38)47614(1253

In this case the decimals in the dividend exceed those in the divisor by three; three figures are therefore marked off in the quotient.

Divide 7644 by 42.

42)7644(0182

In this case the decimals in the dividend exceed those in the divisor by four; a cipher is therefore prefixed in the quotient to make four decimal places.

by 03

ple there
ces in the
three fig-
t; there
e placed
oduct to
decimal
et equal
a.

1. Divide 674 by 234

2. 496 278

3. 76 784

4. 723 406

5. 024 001

6.† 296 10

7. Divide 7241 by 3807

8. 8203 90002

9. 7624 2001

10. 5213 24121

11. 31 124689

12. 34689 1000

* In order to multiply a decimal by 10, remove the point one figure to the right; if by 100, remove it two places, and so on.

† To divide by 10, 100, &c., remove the decimal place of the dividend as many places to the left as there are ciphers.

REDUCTION.

CASE I.—To reduce a vulgar fraction to a decimal.

RULE.—Divide the numerator by the denominator; annexing as many ciphers to the numerator as may be necessary. Point off as many decimal places in the quotient as there were ciphers annexed to the numerator.

Reduce $\frac{1}{5}$ to a decimal.

$$\begin{array}{r} 2)10 \\ \hline .2 \text{ Ans.} \end{array}$$

Reduce $\frac{1}{4}$ to a decimal.

$$\begin{array}{r} 4)300 \\ \hline .75 \text{ Ans.} \end{array}$$

1. Reduce $\frac{1}{2}$ to a decimal.

$$\begin{array}{r} 2. \quad \frac{1}{2} \\ 3. \quad \frac{1}{4} \\ 4. \quad \frac{1}{5} \\ 5. \quad \frac{1}{8} \\ 6. \quad \frac{1}{10} \end{array}$$

7. Reduce $\frac{2}{10}$ to a decimal.

$$\begin{array}{r} 8. \quad \frac{1}{10} \\ 9. \quad \frac{1}{20} \\ 10. \quad \frac{1}{25} \\ 11. \quad \frac{275}{1000} \\ 12. \quad \frac{1}{1875} \end{array}$$

CASE II.—To reduce a decimal to a vulgar fraction.

RULE.—Make the given decimal the numerator, and place under it, for a denominator, a unit with as many ciphers as there are figures in the decimal.

Reduce .5 to a vulgar fraction. Reduce .078 to a vulgar frac.

$$\frac{5}{10} \text{ Ans.}$$

$$\frac{78}{1000} \text{ Ans.}$$

1. Reduce .25 to a vulgar frac.

$$\begin{array}{r} 2. \quad .625 \\ 3. \quad .875 \\ 4. \quad .005 \\ 5. \quad .01 \end{array}$$

6. Reduce .001 to a vulg. frac.

$$\begin{array}{r} 7. \quad .41 \\ 8. \quad .021 \\ 9. \quad .007 \\ 10. \quad .019 \end{array}$$

CASE II.

RULE.
rectly u
divide h
annexin

Redu
cimal of

Here
pence a
other, b
er; and
many o
one of t

1. R
2. R
3. R
4. R
5. R
6. R
7. R
8. R
9. R
10. R
11. R
12. R

mile.

CASE III.—To reduce numbers of a lower denomination to the decimal of a higher.

RULE.—Write the given numbers, if more than one, directly under each other, beginning with the lowest, and divide by as many of the lower as make one of the higher, annexing ciphers if necessary.

Reduce 12s. 3d. to the decimal of a pound.

$$\begin{array}{r} 12) 3.00 \\ 20) \underline{12.250} \\ \quad .6125 \text{ Ans.} \end{array}$$

Here the shillings and pence are placed under each other, beginning with the lower; and each divided by as many of the lower as make one of the higher.

Reduce 16s. 6½d. to the decimal of a pound.

$$\begin{array}{r} 4) 3.00 \\ 12) \underline{6.7500} \\ 20) \underline{16.56250} \\ \quad .828125 \text{ Ans.} \end{array}$$

Here the farthings, pence, and shillings are placed under each other, beginning with the lowest; each is then divided by as many of the lower as make one of the higher.

1. Reduce 19s. 5½d. to the decimal of a pound.
2. Reduce 15s. 9½d. to the decimal of a pound.
3. Reduce 18s. 4d. to the decimal of a pound.
4. Reduce 9d. to the decimal of a pound.
5. Reduce 3 cwt. 2 gra. 8 lbs. to the decimal of a cwt.
6. Reduce 4 feet 3 inches to the decimal of a yard.
7. Reduce 26 min. 34 sec. to the decimal of a week.
8. Reduce 5 furlongs 3 poles to the decimal of a mile.
9. Reduce 4½d. to the decimal of a guinea.
10. Reduce 5 dwt. 12 gra. to the decimal of an ounce.
11. Reduce 2 roods 12 perches to the decimal of an acre.
12. Reduce 17 yards, 1 foot, 6 inches, to the decimal of a mile.

CASE IV.—To find the value of a decimal.

RULE.—Multiply the decimal by as many of the next lower denomination as make one of the given denomination. Point off, from the product, as many decimal places as are in the given decimal. Proceed thus to the lowest denomination. The figures on the left of the points are the value of the decimal.

What is the value of $\cdot 427$ of a pound?

$$\begin{array}{r}
 \cdot 427 \\
 \times 20 \\
 \hline
 8 \cdot 540 \\
 \times 12 \\
 \hline
 6 \cdot 480 \\
 \times 4 \\
 \hline
 1 \cdot 920
 \end{array}$$

Ans. 8s. 6½d.

What is the value of $\cdot 243$ of a day?

$$\begin{array}{r}
 \cdot 243 \\
 \times 24 \\
 \hline
 5 \cdot 832 \\
 \times 60 \\
 \hline
 49 \cdot 920 \\
 \times 60 \\
 \hline
 55 \cdot 200
 \end{array}$$

Ans. 5 hrs. 49 min. 55 sec.

1. What is the value of $\cdot 76344$?
2. What is the value of $\cdot 34127$?
3. What is the value of $\cdot 00767$?
4. What is the value of $\cdot 764$ cwt.?
5. What is the value of $\cdot 986$ lb. avoirdupois?
6. What is the value of $\cdot 007$ ton?
7. What is the value of $\cdot 782$ shilling?
8. What is the value of $\cdot 079$ crown?
9. What is the value of $\cdot 9218$ day?
10. What is the value of $\cdot 496$ yard?
11. What is the value of $\cdot 0796$ mile?
12. What is the value of $\cdot 782$ lb. troy?
13. What is the value of $\cdot 987$ oz. avoirdupois?
14. What is the value of $\cdot 987$ oz. troy?
15. What is the value of $\cdot 779$ lb. avoirdupois?

When
act is of
the root
second
here 8
Again,
power

Ev
numbe

EXTR

To e
is to
itself,

RULE
given n
each, b
figure,
toward
2. of th
the qua
it, 9, fr
remain

INVOLUTION.

When a number is multiplied by itself, the product is called the power, and the number multiplied the root. Thus, $2 \times 2 = 4$: here 4 is the square or second power of the root 2. Again, $2 \times 2 \times 2 = 8$: here 8 is the cube or third power of the root 2. Again, $2 \times 2 \times 2 \times 2 = 16$: here 16 is the fourth power of the root 2.

1. Find the second power of 8.
2. Required the third power of 18.
3. Raise 32 to the fourth power.
4. Involve 19 to the fifth power.
5. Involve 33 to the sixth power.

EVOLUTION.

EVOLUTION is the method of finding the roots of numbers.

EXTRACTION OF THE SECOND OR SQUARE ROOT.

To extract the square root of any given number is to find a number which, when multiplied by itself, will produce the given number.

What is the square root of 106929?

RULE WITH EXAMPLE.— Divide the given number into periods of two figures each, by placing a point over the unit figure, and over every alternate figure towards the left. Find the square root, 3, of the first period, 10, and place it in the quotient. Subtract the square of it, 9, from the first period, and to the remainder annex the next period, 69,

$$\begin{array}{r}
 106929(327 \\
 \underline{9} \\
 62) \ 169 \\
 \underline{124} \\
 647) \ 4529 \\
 \underline{4529}
 \end{array}$$

for a dividend. Double the root already found, 3, for a divisor. and supposing the unit figure, 9, omitted, find how often, it, viz. 6, is contained in the dividend. It is contained 2 times; place the 2 then *both* in the quotient and the divisor. Multiply by it, 2, the divisor, 62, and subtract the product, 124, from the dividend. Bring down another period, and proceed thus till all the periods are brought down.

If there be a remainder after all the periods are used, periods of ciphers may be annexed; when the result will be decimals. Should there be decimals in the given number, still the pointing is to begin from the units' place of the *integers*, and a point to be placed over every alternate figure both right and left.

The square root of a fraction is found by extracting the square root of the numerator for a new numerator, and the root of the denominator for a new denominator; if, however, this cannot be done, let the fraction be reduced to a decimal, and the root extracted as before.

1. What is the square root of 30976 ?
2. What is the square root of 622521 ?
3. What is the square root of 1234321 ?
4. What is the square root of 2052.09 ?
5. What is the square root of 4795.25731 ?
6. What is the square root of 24674.1264 ?
7. What is the square root of $\frac{49}{144}$?
8. What is the square root of $\frac{196}{1585}$?

EXTRACTION OF THE THIRD OR CUBE ROOT

To extract the Cube Root of any given number, is to find a number which, when multiplied twice by itself, will produce the given number.

RULE

EXAMPLE—D
given num
periods of
ures, begi
the place
Place the
of the fir
2, in the
and subtr
cube, 8,
first per
bring dow
period fo
dend, whic
to find
multiply
 $800=120$
viz. 8 tim
ure of th
found, viz
the produ
last figur
tiply the
root, 8, s
4812; b
proceed

In ord
duce it t

In min

R

1. 0

2. .

3. .

4. .

5. .

Find the cube root of 12812904.

RULE WITH Ex-

AMPLE.—Divide the given number into periods of three figures, beginning at the place of units.

Place the cube root of the first period, 2, in the quotient, and subtract its cube, 8, from the first period, and bring down the next period for a dividend, which is 4812;

to find a divisor,

multiply the square of the figure placed in the quotient by 300=1200; find how often this is contained in the dividend, viz. 3 times; place the 3 in the quotient for the second figure of the root. Multiply the part of the root formerly found, viz. 2, by the last figure placed in the root, viz. 3, and the product by 30=180; add this, and the square of the last figure placed in the root to the divisor, viz. 1200; multiply the sum of these, 1389, by the last figure placed in the root, 3, and subtract the product, 4167, from the dividend, 4812; bring down another period for a new dividend, and proceed in the same manner.

12812904(234

$$\begin{array}{r} 8 \\ \hline 4812 \end{array}$$

$$2 \times 2 = 4 \times 300 = 1200$$

$$2 \times 3 = 6 \times 30 = 180$$

$$3 \times 3 = 9$$

$$1389 \times 3 = 4167$$

$$\hline 645904$$

$$23^2 \times 300 = 152100$$

$$23 \times 4 \times 30 = 2760$$

$$4^2 = 16$$

$$161476 \times 4 = 645904$$

$$\hline 0$$

In order to extract the cube root of a vulgar fraction, reduce it to a decimal, and then extract the root.

In mixed numbers, reduce the fractional part to a decimal

Find the cube root of the following numbers:

1. Of 373248

2. — 54872

3. — 389917

4. — 1092727

5. — 84604519

6. Of 52734375

7. — 78343748

8. — 053157576

9. — $\frac{4}{7}$

10. — $7\frac{1}{2}$

ROOT

number,
twice by

DUODECIMAL MULTIPLICATION.

This rule is made use of by artificers in measuring their work. The dimensions are taken in feet, inches, and parts. The foot is divided into 12 parts, called inches; the inch into 12 parts, called seconds; the seconds into 12 parts, called thirds; and the thirds into 12 parts, called fourths. Three seconds are marked thus, 3''; thirds, thus, 3'''; and fourths, thus, 4''''.

Multiply 7 feet 6½ inches by 2 feet 5½ inches.

RULE WITH EXAMPLE.—Place the multiplier under the multiplicand, feet under feet, inches under inches, &c. Multiply the multiplicand, beginning at the lowest term, 9, by the highest term in the multiplier, 2, carrying by 12; then multiply by the next lower term in the multiplier, viz. 5 inches, taking care, however, to put the product one place towards the right hand. Do the same with the next lower term, and so on. Add the different products together.

ft. in. "	
7	6 9*
2	5 3
15	1 6
3	1 9 9
1	10 8 9
18	5 2'' 5''' 3''''

1. Multiply 7 feet 9 inches, by 5 feet 6 inches.
2. Multiply 9 feet 5 inches 3'', by 4 feet 8 inches 6''.
3. Multiply 12 feet 8 inches 7'', by 8 feet 4 inches 9''.

* Instead of ½ inches 9'' are put down, because they are equivalents. The same is done with the ¼ inch.

4. Multi
5. Multi
6. Multi

To find t

7. Find
3 feet 4 in

8. Find
feet 4 inc

9. Wh
is 6 feet
foot!

10. Re
feet 9 inc

11. A
was the
breadth

12. H
per foot,
12 feet 4

To find

13. V
2 inches
thick!

14. I
feet br

4. Multiply 46 feet 11 inches 8'', by 12 feet 7''
5. Multiply 87 feet 9½ inches, by 11 feet 10½ inches.
6. Multiply 687 feet 7½ inches, by 24 feet 10½ inches.

To find the superficial content, multiply the length by the breadth.

7. Find the content of a board 8 feet 4 inches long, and 3 feet 4 inches broad.

8. Find the area of a table 10 feet 9 inches long, and 4 feet 4 inches broad.

9. What is the price of a marble slab, the length of which is 6 feet 4 inches, the breadth 3 feet 2 inches, at 7s. per foot?

10. Required the area of a square, the side of it being 28 feet 9 inches.

11. A grave-stone was charged at 5s. 2d. per foot; what was the price of it, the length of it being 7 feet 2 inches, the breadth 3 feet 6 inches?

12. How much will it cost to pave a court-yard, at 7s. 8d. per foot, the length of it being 28 feet 9 inches, the breadth 12 feet 4 inches?

To find the solid content, multiply the length, breadth, and thickness together.

13. What is the solid content of a block of marble 9 feet 2 inches long, 5 feet 8 inches broad, and 2 feet 3 inches thick?

14. Required the solid content of a box 6½ feet long, 4½ feet broad, and 3½ feet deep.

15. A log of mahogany is 72 feet $7\frac{1}{2}$ inches long, 5 feet $6\frac{1}{2}$ inches broad, and 8 feet $6\frac{1}{2}$ inches thick; required its solid content.
16. What would it cost to have a cellar dug 18 feet 4 inches long, 12 feet 9 inches broad, and 9 feet 6 inches deep, at 6d. per solid yard?
17. Required the solid content of a log of beech, 27 feet 6 inches long, 2 feet 5 inches broad, and 1 foot 2 inches thick.
18. What is the value of a block of granite 8 feet 9 inches long, 3 feet 7 inches broad, and 4 feet 2 inches thick, at 7s. 6d. the solid foot?

L—To find

RULE—
every far

Because

12	at
12	—
12	—
12	—
12	—
12	—
12	—
12	—
12	—
12	—
12	—
120	—
120*	—
240	—
360	—
480	—
600	—

When for a do

13 at
14 —
11 —
10 —
9 —
15 —



MENTAL ARITHMETIC.

L—To find the value of 12 articles, the price of one being given.

RULE.—Reckon every penny in the price a shilling, and every farthing three pence.

Because the value of 12 articles at 1d. each is 12 $\frac{1}{2}$ l. or 1s.

		<i>Ans.</i>			<i>Ans.</i>
12 at	6d. each	6s.	24 at	7d. each	14s.
12 —	8d. —	8s.	24 —	6 $\frac{1}{2}$ d. —	12s. 6d.
12 —	13d. —	13s.	36 —	9d. —	27s.
12 —	4 $\frac{1}{2}$ d. —	4s. 3d.	36 —	10 $\frac{1}{2}$ d. —	31s. 6d.
12 —	5 $\frac{1}{2}$ d. —	5s. 6d.	12 —	1s. 4 $\frac{1}{2}$ d. —	16s. 3d.
12 —	7 $\frac{1}{2}$ d. —	7s. 9d.	12 —	1s. 7 $\frac{1}{2}$ d. —	19s. 9d.
12 —	15 $\frac{1}{2}$ d. —	15s. 3d.	24 —	1s. 3d. —	30s.
12 —	16 $\frac{1}{2}$ d. —	16s. 6d.	24 —	2s. 1d. —	50s.
12 —	17 $\frac{1}{2}$ d. —	17s. 9d.	48 —	1s. 3d. —	50s.
12 —	19 $\frac{1}{2}$ d. —	19s. 6d.	72 —	1s. 8d. —	120s.
120 —	3d. —	30s.	720 —	5d. —	300s.
120* —	7d. —	70s.	840 —	7d. —	490s.
240 —	8d. —	160s.	960 —	6d. —	480s.
360 —	7d. —	210s.	1080 —	7d. —	620s.
480 —	9d. —	360s.	1200 —	8d. —	800s.
600 —	11d. —	550s.	1320 —	9d. —	990s.

When there are a few over or under the dozen, calculate for a dozen, and add or subtract as may be required.

		<i>Ans.</i>			<i>Ans.</i>
13 at	4d. each	4s. 4d.	25 at	4d. each	8s. 4d.
14 —	5d. —	5s. 10d.	26 —	9d. —	19s. 6d.
11 —	6d. —	5s. 6d.	28 —	3d. —	5s. 9d.
10 —	6d. —	5s.	22 —	7d. —	12s. 10d.
9 —	8d. —	6s.	37 —	1s. 3d. —	46s. 3d.
15 —	10d. —	12s. 6d.	35 —	1s. 4d. —	46s. 8d.

In this case find the answer for one dozen, and take it ten times.

II.—To find the price of a gross, the price of one article being given.

RULE—Reckon the pence in the price of one article as shillings, and the number of pence in these shillings will be the price of a gross in shillings.

Because taking the pence in the price as shillings is the same as multiplying by 12, and taking these shillings as pence again is the same as multiplying by 12 another time, and $12 \times 12 = 144 = 1$ gross.

		Ans.			Ans.
1 gross at	4d. each	48s.	1 gross at	8½d. each	99s.
1 — —	2½d. —	30s.	1 — —	9½d. —	114s.
1 — —	3½d. —	39s.	1 — —	11½d. —	141s.
1 — —	7½d. —	93s.	1 — —	12½d. —	147s.

III.—To find the price per score, the price of one article being given.

RULE—Reckon a pound for every shilling in the price. Thus, there being 20 cwt. in a ton, the price of 1 ton at 7s. 6d. per cwt. is 7l. 10s.

	Ans.		Ans.
20 lbs. at 4s. per lb.	4l.	*200 lbs. at 6s. per lb.	60l.
20 — — 5s. 6d. —	5l. 10s.	200 — — 5s. 6d. —	55l.
40 — — 6s. 3d. —	12l. 10s.	400 — — 7s. 3d. —	145l.
60 — — 2s. 3d. —	6l. 15s.	600 — — 9s. 9d. —	292l. 10s.
80 — — 4s. 6d. —	18l.	800 — — 12s. —	480l.
100 — — 5s. 3d. —	26l. 5s.	1000 — — 2s. 3d. —	112l. 10s.

IV.—To find the value of 100 articles, the price of one being given.

RULE—For every farthing in the price, take as many pence, and twice as many shillings. Thus, 100 pencils at 4d. each is 12s. 6d., 6 being the number of farthings.

* In this case find the value of one score, and take it ten times for the answer.

Because
as multipl
is the same

100 at 2
100 — 2½
100 — 3½

V.—To find

RULE—
dividend

1 at 1
1 —
1 —
1 —
1 —
1 —
2 —
3 —

VI.—To find

RULE—
divide t

Beac
by 12,

1 at
1 —
1 —
1 —

Because, by taking a penny for every farthing is the same as multiplying by 4, and taking 2 shillings for every farthing is the same as multiplying by 96, and $96 \div 4 = 100$.

	Ans.		Ans.
100 at 2d. each	16s. 8d.	100 at 4½d. each	37s. 6d.
100 — 2½d. —	18s. 9d.	100 — 5½d. —	47s. 11d.
100 — 3½d. —	29s. 2d.	100 — 6½d. —	52s. 1d.

V.—To find the price of one article, the rate per dozen being given.

RULE.—Reckon a penny for every shilling in the rate per dozen.

	Ans.		Ans.
1 at 12s. per doz.	12d.	1 at 4s. 3d. per doz.	4½d.
1 — 4s. —	4d.	1 — 7s. 6d. —	7½d.
1 — 7s. —	7d.	1 — 10s. 9d. —	10½d.
1 — 18s. —	18d.	2 — 4s. 3d. —	8½d.
1 — 14s. —	14d.	3 — 7s. 6d. —	22½d.
1 — 18s. —	18d.	6 — 8s. —	4s.
2 — 6s. —	12d.	13 — 9s. —	9s. 9d.
3 — 8s. —	24d.	11 — 7s. —	6s. 5d.

VI.—To find the price of one article, the price per gross being given.

RULE.—Reckon the shillings of the price as pence, and divide them by 12.

Because taking the shillings as pence and dividing them by 12, is equal to dividing twice by 12, or 144.

	Ans.		Ans.
1 at 48s. per gross	4d.	1 at 99s. per gross	8½d.
1 — 30s. —	2½d.	1 — 114s. —	9½d.
1 — 39s. —	3½d.	1 — 141s. —	11½d.
1 — 92s. —	7½d.	1 — 147s. —	12½d.

VII.—To find the value of a single article at a certain rate per score.

RULE.—Reckon a shilling for every pound in the price.

	<i>Ans.</i>		<i>Ans.</i>
1 at 4l. per score 4s.		2 at 4l. 5s. per score 8s. 6d.	
1—9l. — 9s.		1—7l. 7s. 6d. — 7s. 4½d.	
1—9l. 10s. — 9s. 6d.		1—6l. 17s. 6d. — 6s. 10½d.	
1—14l. 15s. — 14s. 9d.		1—3l. 13s. 4d. — 3s. 8d.	
1—27l. 5s. — 27s. 8d.		1—7l. 6s. 8d. — 7s. 4d.	
1—30l. 15s. — 30s. 9d.		21—2l. 10s. — 2l. 12s. 6d.	
4—35l. 15s. 10d. — 7l. 3s. 2d.		40—8l. 17s. 4d. — 17l. 14s. 8d.	
5—36l. 16s. 8d. — 9l. 4s. 2d.		60—8l. 15s. 2½d. — 11l. 5s. 6½d.	
10—42l. 18s. 6d. — 21l. 9s. 3d.		80—2l. 5s. 1d. — 9l. 0s. 4d.	

VIII.—To find the value of any number of articles when the price is given in pence or shillings.

RULE.—If the price be in pence, consider the number of articles as pence, and multiply by the pence in the price. If the price be in shillings, consider the number of articles as shillings, and multiply by the shillings in the price. Thus, 96 articles at 3d. each is 24s., because 96 pence is 8s., and $8 \times 3 = 24$. Again, 80 articles at 3s. each is 12l., because 80s. is 4l., and $4 \times 3 = 12$.

	<i>Ans.</i>		<i>Ans.</i>
36 at 3d. each 9s.		40 at 3s. each 6l.	
60 — 5d. — 25s.		100 — 7s. — 35l.	
120 — 7d. — 70s.		140 — 10s. — 70l.	
144 — 8d. — 96s.		300 — 8s. — 120l.	
54 — 6d. — 27s.		180 — 12s. — 108l.	
46½ — 4d. — 23s. 1d.		900 — 6s. — 270l.	
100½ — 8d. — 67s.		86 — 10s. — 43l.	
22½ — 9d. — 44s. 0½d.		145 — 4s. — 36l.	

IX.—To

RULE
pence,
day is 8
a year;

"Be

Or, t
this by

X.—
to
day

Ru
and p
day
of 31

Be

Or
per

1
2

IX.—To find what any number of pence per day will amount to in a year.

RULE.—Add together as many pounds, half-pounds, four-pences, and pence as there are pence per day. Thus, 3d. per day is 3 pounds, 3 half-pounds, 3 four-pences and 3 pence in a year; that is, 4l. 11s. 3d.

"Because 1l.=240d, 10s.=120d, 4d. and 1d.
And $240+120+4+1=365$.

Or, take 365 as pence; that is, 1l. 10s. 5d., and multiply this by the number of pence per day.

ertain rate

as price.

Ans.
re 8s. 6d.
7s. 4½d.
6s. 10½d.
3s. 8d.
7s. 4d.
2l. 12s. 6d.
17l. 14s. 8d.
11l. 5s. 6½d.
9l. 0s. 4d.

when the

number of
the price.
of articles
ce. Thus
is 8s., and
cause 80s

			Ans.
365 days at	2d. per day	3l.	0s. 10d.
365	4d.	6l.	1s. 8d.
365	5d.	7l.	12s. 1d.
365	6d.	9l.	2s. 6d.
365	7d.	10l.	12s. 11d.
365	8d.	12l.	3s. 4d.
365	9d.	13l.	13s. 9d.
365	10d.	15l.	4s. 2d.
365	16d.	24l.	6s. 8d.
365	18d.	27l.	7s. 6d.
*½ year at	14d.	10l.	12s. 11d.
¼	20d.	7l.	12s. 1d.

X.—To find what any number of pence per day will amount to in 313 days, which, omitting Sundays, is the number of days in a year.

RULE.—Add together as many pounds, crowns, shillings, and pence, as there are pence per day. Thus, 3 pence per day is 3 pounds, 3 crowns, 3 shillings, and 3 pence per year of 313 days; that is, 3l. 18s. 3d.

Because 1l.=240d, 1 crown=60d, 1s.=12d, 1d.
 $240 + 60 + 12 + 1 = 313$.

Or, multiply 1l. 6s. 1d.=313d. by the number of pence per day.

* In this case take half the number of pence per day and calculate for a whole year.

Ans.
6l.
35l.
70l.
120l.
108l.
9792.
48l.
33l.

818	days at	2d	per day	2l.	12s.	2d.
818	—	3d	—	3l.	18s.	3d.
818	—	6d	—	7l.	16s.	6d.
818	—	7d	—	9l.	2s.	7d.
818	—	18d	—	16l.	19s.	1d.
818	—	14d	—	18l.	5s.	2d.
818	—	20d	—	26l.	1s.	8d.
818	—	60d	—	78l.	5s.	0d.

Should there be farthings in the rate per day, add for every farthing in the rate 7s. 7½d for 865 days, and 6s. 6½d for 813 days.

Because 7s. $7\frac{1}{2}d = 365$ farthings, and 6s. $6\frac{1}{2}d = 313$ farthings.

Days at	2 1/2 d	per day	3 l.	8 s.	5 1/2 d
365	—	—	4 l.	18 s.	10 1/2 d
365	—	—	9 l.	17 s.	8 1/2 d
313	—	—	2 l.	18 s.	8 1/2 d
313	—	—	4 l.	4 s.	9 1/2 d
313	—	—	8 l.	9 s.	6 1/2 d

XI—To find what any number of shillings per week will amount to in a year.

RULE.—Add together twice and half as many pounds, and twice as many shillings, as there are shillings per week. Thus, 6s. per week is 15*l.* 12*s.*; for twice as many pounds is 12*l.*, and half as many pounds is 3*l.*, and twice as many shillings is 12*s.*, and 12*l.* + 3*l.* + 12*s.* = 15*l.* 12*s.*

Because 52, the number of weeks in a year, is equal to $20+20+10+2$.

Ans.		Ans.	
1 year at 4s. per wk.	10l. 8s.	1 year at 10s. per wk.	20l.
1 — 5s. —	13l.	1 — 11s. —	22l. 12s.
1 — 6s. —	15l. 12s.	1 — 12s. —	24l. 4s.
1 — 7s. —	18l. 4s.	1 — 16s. —	41l. 12s.
1 — 8s. —	20l. 16s.	1 — 17s. —	44l. 4s.
1 — 9s. —	22l. 8s.	1 — 19s. —	49l. 8s.

XII.—To find what any number of pence per week will amount to in a year.

RULE.—Take 4 times as many shillings and 4 times as many pence as there are pence per week, and if there be farthings in the rate, add 1s. 1d. for every farthing.

Because 52d.=1s. 4d., and 52 farthings=13d. or 1s. 1d.

<i>Ans.</i>			<i>Ans.</i>		
1 year at 2d. per week	8s. 8d.		1 year at 2½d. per wk.	9s. 9d.	
1 — 3d. —	13s.		1 — 3½d. —	15s. 2d.	
1 — 4d. —	17s. 4d.		1 — 4½d. —	18s. 5d.	
1 — 7d. —	30s. 4d.		1 — 7½d. —	33s. 7d.	
1 — 9d. —	39s.		1 — 9½d. —	41s. 2d.	
1 — 11d. —	47s. 8d.		1 — 11½d. —	50s. 11d.	

XIII.—To find the value of a pound, the price per ounce being given.

RULE.—If it be a pound avoirdupois, divide the farthings in the price per oz. by 3, for the answer in shillings; if it be a pound troy, divide by 4.*

Because, taking the farthings as shillings is multiplying by 48; now $48 \div 3 = 16$ oz. in lb. avoirdupois; and $48 \div 4 = 12$ lb. troy.

1 lb. avo. at 1½d. per oz. 2s.			1 lb. troy at 4d. per oz. 4s.		
1 — 2d. —	2s. 8d.		1 — 2½d. —	2s. 6d.	
1 — 3d. —	4s.		1 — 3½d. —	6s. 9d.	
1 — 5d. —	6s. 8d.		1 — 7½d. —	7s. 3d.	
1 — 7½d. —	10s.		1 — 9½d. —	9s. 8d.	
1 — 10½d. —	14s. 4d.		1 — 11½d. —	11s. 9d.	

XIV.—To find the value of an ounce, the price per pound being given.

RULE.—If it be an ounce avoirdupois, take the shillings and farthings and multiply by 3; if it be an ounce troy, multiply by 4.

* This mode of finding the value of a lb. troy is put here merely to show the principle of the rule. It is, of course, better to find its value by Case I.

Because, taking the shillings as farthings is equal to dividing by 48 instead of 16; therefore we multiply by 3, for $16 \times 3 = 48$; and in the case of troy weight we multiply by 4, for $12 \times 4 = 48$.

1 lb. avoird at 2s. per lb.	Ans.	1 oz. troy at 2s. per lb.	Ans.
1 — 1s. —	0½d.	1 — 1s. —	1½d.
1 — 3s. —	2½d.	1 — 3s. —	3½d.
1 — 6s. —	4½d.	1 — 6s. —	6½d.
1 — 9s. —	6½d.	1 — 9s. —	9½d.
1 — 10s. —	7½d.	1 — 10s. —	10½d.

XV.—To find the value of a hundred weight, or 112 lbs., the price per lb. being given.

RULE.—Take 9 times as many shillings, and 4 times as many pence, as there are pence in the price per lb.

Because 9s. 4d. = 112d.

1 cwt. at 2d. per lb.	Ans.	1 cwt. at 7d. per lb.	Ans.
1 — 3d. —	18s. 8d.	1 — 8d. —	65s. 4d.
1 — 6d. —	28s. —	1 — 9d. —	74s. 8d.
1 — 4d. —	56s. —	1 — 10d. —	84s. —
1 — 5d. —	87s. 4d.	1 — 11d. —	93s. 4d.
1 — 1d. —	46s. 8d.	1 — 12d. —	102s. 8d.
	9s. 4d.		112s. —

XVI.—To find the value of a pound, the price per cwt. being given.

RULE.—Multiply the shillings in the price by 8 and divide by 7 for the price of a pound in farthings.

Because taking the shillings as farthings is the same as multiplying by 48, and dividing by 48 and by 7, and multiply by 3, is the same as dividing by 112.

* Better to do this by Case II.

Int. on		Ans.	Int. on		Ans.
4l.	for 2 months	8d.	84l.	for 4 mths.	28s.
7l.	— 3 —	21d.	96l. 5s.	— 3 —	24s. 0½d.
4l. 5s.	— 2 —	8½d.	108l. 15s.	— 6 —	54s. 4½d.
9l. 10s.	— 3 —	28½d.	120l. 10s.	— 7 —	70s. 3½d.
60l.	— 7 —	35s.	132l. 5s.	— 8 —	88s. 2d.
72l.	— 9 —	54s.	144l. 15s.	— 9 —	108s. 6½d.

XX.—To find the interest on any sum at 5 per cent. for any number of days.

RULE.—Multiply either the money or the days by one-third of the money or the days; reject the unit figure, and you have the answer in pence. Thus, the interest of 27l. for 18 days: $27 \times 6 = 162 = 16d$; or $18 \times 9 = 162 = 16d$ interest.

Int. on		Ans.	Int. on		Ans.
21l.	for 6 days	4d.	76l.	for 6 days	15d.
24l.	— 7 —	5½d.	85l.	— 15 —	42½d.
33l.	— 9 —	9½d.	99l.	— 18 —	59½d.
41l.	— 12 —	16½d.	159l.	— 27 —	143d.

XXI.—To find the interest on any sum at 6 per cent. for months.

RULE.—Multiply the pounds and months; cut off the unit figure of the product, and the remainder will be the interest in shillings. The figure cut off is tenths of a shilling. Thus, the interest of 9l. at 6 per cent. for 5 months is $9 \times 5 = 45 = 4s. 5d.$

Int. on		Ans.	Int. on		Ans.
7l.	for 3 months	2s. 1d.	24l.	for 6 months	14s. 4d.
12l.	— 4 —	4s. 9d.	32l.	— 7 —	22s. 4d.
16l.	— 5 —	8s.	64l.	— 8 —	19s. 2d.
270l.	— 7 —	9l. 9s.	90l.	— 8 —	72s.
350l.	— 8 —	14l.	380l.	— 9 —	17l. 2s.

ANSWERS.

NUMERATION.

- 1.] One—Two—Three—Four—Five—Six—Seven—Eight
Nine—Cipher
- 2.] Ten—Eleven—Fourteen—Sixteen—Nineteen—Twenty
—Forty-two—Eighteen—Seventeen.
- 3.] Two hundred—Four hundred and twenty—Six hundred
and seven—Nine hundred and eighty-six—Four hun-
dred and seventy-three—Two hundred and forty-
seven—Three hundred and sixty-four.
- 4.] Nine hundred and twelve—Eight hundred and seventy-
four—Seven hundred and eighty-three—Six hundred
and fifty—Two hundred and two—Six hundred and
four—Five hundred and ten.
- 5.] Four thousand—Two thousand seven hundred—Eight
thousand six hundred and one—Seven thousand and
thirty-six—Two thousand one hundred and one—One
thousand and sixty.
- 6.] One thousand and ten—Seven thousand and thirty—
Four thousand six hundred—Nine thousand one hun-
dred and eleven—Four thousand and seventy-six—
Five thousand eight hundred and seventy.
- 7.] Twenty-six thousand and twelve—Seventy thousand
one hundred and one—Forty-two thousand one hun-
dred—Thirty-six thousand one hundred—Ninety
thousand two hundred and one.

- 8.] Seven hundred thousand—Seven hundred and one thousand and twenty—Nine hundred and twenty-six thousand four hundred and twenty-seven—One hundred and four thousand two hundred and six.
- 9.] Nine millions—Nine millions seven hundred and sixty-four thousand two hundred and sixty-eight—Eight millions two hundred and two thousand one hundred—Five millions twenty-three thousand and sixty-seven.
- 10.] Two millions six hundred thousand and sixty—Four millions one hundred and one thousand and ten—Two millions four thousand—One million four hundred and two thousand one hundred and forty-nine.
- 11.] Forty millions—Twenty-nine millions six hundred and two thousand six hundred and eighty-seven—Fifty millions twenty-six thousand and seventeen—One million six hundred and seventy thousand and twenty.
- 12.] Nine hundred and forty-one millions two hundred and sixty-eight thousand seven hundred and sixty-seven—Two hundred and sixty-seven millions six hundred and two thousand six hundred and seven—Four hundred and one million four hundred and sixty-seven thousand six hundred and eighty.
- 13.] Two hundred and ninety-six millions twenty-six thousand eight hundred and seventy-six—Seven hundred and ten millions twenty thousand and ten—Two hundred and seventy millions six hundred and three thousand and fifty.
- 14.] One thousand four hundred and two millions three hundred and sixty thousand seven hundred and forty—Three thousand four hundred and sixty millions seven hundred and sixty thousand and ten—Four thousand and twenty-three millions six hundred and one thousand four hundred and ninety-seven.
- 15.] Seven thousand and forty-two millions six hundred and three thousand seven hundred and fourteen—Five thousand and seventy-nine millions six hundred and seven thousand nine hundred and six—One thousand seven hundred and four millions seventy thousand six hundred.

16.] E

17.] F

18.] M

1.] C

2.] T

3.] I

4.] T

5.] I

6.]

7.]

- 16.] Eighty-one thousand four hundred and sixty-two millions three hundred and six thousand and twelve—Forty-six thousand and seven millions six hundred and eighty-seven thousand six hundred and eighty-one—Ninety-four thousand and eighty-six millions four hundred and twenty-one thousand three hundred and sixty.
- 17.] Fourteen thousand and twenty-three millions six hundred and forty-one thousand two hundred and one—Twenty thousand eight hundred and sixty millions two thousand and one—Forty thousand and two millions two hundred and two.
- 18.] Nine hundred and seven thousand and sixty millions two hundred and six thousand two hundred and four—Two hundred and forty thousand and twenty-six millions one hundred thousand two hundred and one—Five hundred and ninety thousand nine hundred and sixty millions one hundred and twenty-six thousand and twenty.

NOTATION.

- 1.] 6—7—9—8—5—10—12—14—16—18—20—19.
- 2.] 74—26—31—49—58—62—76—77—97—84—55—98.
- 3.] 100—104—244—691—750—909—999—802.
- 4.] 4000—4200—5352—6705—7050—9002—8080—6707.
- 5.] 10000—15560—19019—26595—38038—40040—55500—70777.
- 6.] 400000—400040—600707—980000—256975—700707—964259.
- 7.] 4000000—5493000—8040402—7493765—10010010—20240606—53053053—853948653—202406508—993000000.

SIMPLE ADDITION.

1.	1185	25.	105
2.	1246	26.	393
3.	1348	27.	408
4.	1465	28.	1475
5.	2249	29.	15383
6.	2072	30.	4257
7.	2341	31.	27731
8.	2856	32.	1658286
9.	975	33.	7861214
10.	1635	34.	536143
11.	1516	35.	75675
12.	1056	36.	311013
13.	34957	37.	257821
14.	21867	38.	2246
15.	18069	39.	72
16.	10913	40.	204
17.	30154	41.	251
18.	18001	42.	68391
19.	20169	43.	2263
20.	14372	44.	22197
21.	411093	45.	163
22.	351624	46.	5661
23.	278538	47.	415
24.	248663	48.	234

SIMPLE SUBTRACTION.

105	1.	184	31.	704026138872
393	2.	476	32.	424575325955
408	3.	342	33.	417801945959
1475	4.	456	34.	216879998308
15388	5.	536	35.	457555
4257	6.	375	36.	1205925
27731	7.	463	37.	3599214
38286	8.	531	38.	57935
11214	9.	96	39.	28072
6146	10.	90	40.	171
5675	11.	16175	41.	314
1013	12.	18943	42.	172
7821	13.	25972	43.	178
2246	14.	70747	44.	106
72	15.	36919	45.	125
204	16.	78373	46.	739
251	17.	40253	47.	1286517
3391	18.	38999	48.	11
2263	19.	22984	49.	139
197	20.	15289	50.	749
162	21.	78359	51.	2830
661	22.	35292	52.	875334
415	23.	462121935	53.	Millions
234	24.	435195169	54.	7672304
	25.	73922070	55.	5230
	26.	612663993	56.	603
	27.	722995412	57.	1794
	28.	91310919	58.	85
	29.	313841778927	59.	136
	30.	769608330043	60.	267

MIXED QUESTIONS IN ADDITION AND SUBTRACTION.

1.	88 left.	5.	415 got safe.
2.	2720 remain.	6.	221 remain.
3.	1557 returned.	7.	1244556 exceeds by
4.	162 to go.	8.	£287 remaining.

SIMPLE MULTIPLICATION.

1.	17104	23.	688289
2.	184574	24.	398309
3.	432285	25.	788616
4.	225804	26.	589962
5.	66276	27.	491635
6.	672608	28.	884943
7.	389304	29.	1179924
8.	748790	30.	1081597
9.	502557	31.	6823643
10.	1162248	32.	13386366
11.	574875	33.	23249959
12.	543668	34.	18221409
13.	350184	35.	23150413
14.	612822	36.	20896344
15.	787914	37.	19912230
16.	525276	38.	13825056
17.	262638	39.	56518416
18.	437730	40.	22039993
19.	875440	41.	57667632
20.	963006	42.	71550144
21.	1050552	43.	63221593
22.	196854	44.	74644803

45.
46.
47.
48.
49.
50.
51.
52.
53.
54.
55.
56.
57.
58.
59.
60.
61.

ANSWERS—SIMPLE DIVISION.

121

45	29050420	62.	175220
46.	48844096	63.	£2912
47.	84393932	64.	2592 feet.
48.	430143168	65.	2308 letters.
49	777566496	66.	3168 bottles.
50.	359831304	67.	£3240
51	63073762	68.	4480 pop.
52	41281053	69.	3650 pence.
53.	24294591	70.	2144
54.	28047414	71.	81056
55.	46350656	72.	783
56.	575630377	73.	80
57.	395494873	74.	1095 hours.
58.	649435896	75.	56940
59.	64008924	76.	768000
60.	3704412744	77.	£155168
61.	403576660	78.	111690 miles.

SIMPLE DIVISION.

1.	6911—1	12.	7140973—5
2.	13752—4	13.	3906406—4
3.	13281—1	14.	5859550
4.	11517—1	15.	12667006—5
5.	9553—2	16.	478066—7
6.	3186—2	17.	5894371—5
7.	6426—3	18.	28236344—1
8.	4206—1	19.	18824229—2
9.	3368906	20.	14118172—1
10.	5335955—2	21.	11294537—4
11.	13771812—3	22.	9412114—3

23.	8067527	55	1649—31	87.
24.	7059086—1	56.	1613—35	88.
25.	6274743—2	57.	107—513	89.
26.	5647268—9	58.	92—728	90.
27.	5133880—9	59.	181—26	91.
28.	4706057—5	60.	143—30	92.
29.	37484011—1	61.	280—43	93.
30.	24989841	62.	149—387	
31.	18742005—3	63.	123—319	
32.	14993604—3	64.	355—73	
33.	12494670—3	65.	244—295	
34.	10709717—4	66.	204—91	
35.	9371002—7	67.	174—55	
36.	8329780—3	68.	141—265	
37.	7496802—3	69.	118—555	
38.	6815274—9	70.	209—41	
39.	6247335	71.	532—155	
40.	26654—14	72.	101—846	
41.	41815—17	73.	167—396	
42.	40364—12	74.	216—355	
43.	24995—2	75.	127—535	
44.	17862—35	76.	10804—74	
45.	3703—9	77.	1032—570	
46.	6828—33	78.	9591—213	
47.	4408—23	79.	9902—383	
48.	10902—34	80.	7234—312	
49.	1889—64	81.	700—1507.	
50.	3309—88	82.	857—1713	
51.	3450—76	83.	3186—11	
52.	1767—22	84.	953—2014	
53.	1726—18	85.	2513—1409	
54.	1687—8	86.	2587—1222	

ANSWERS—COMPOUND SUBTRACTION.

122

87.	954— 308	94.	670— 7
88.	1061—2116	95.	45— 2
89.	875—2602	96.	36 hours
90.	418—7464	97.	266—20000
91.	2252—4000	98.	2066666— 30
92.	14—65474	99.	192268— 240
93.	290— 188	100.	925— 25

COMPOUND ADDITION

	£	s.	d.		£	s.	d.
1.	328	10	0	12.	4002	18	9½
2.	241	5	7	13.	0	15	4
3.	107	9	0½	14.	1	10	5½
4.	3904	7	1½	15.	9	5	3
5.	3621	13	6½	16.	2	12	1
6.	2774	10	7½	17.	4264	18	8
7.	4660	7	0½	18.	503	10	5
8.	3560	17	11	19.	3868	11	3
9.	3717	18	9½	20.	1912	9	9½
10.	4110	2	11½	21.	9652	1	10½
11.	4284	11	6½	22.	17	1½	1

COMPOUND SUBTRACTION.

	£	s.	d.		£	s.	d.
1.	48	16	9½	6.	36	17	8½
2.	18	19	2½	7.	80	12	11½
3.	58	18	3½	8.	16	6	7½
4.	39	16	8½	9.	18	14	9
5.	69	2	2½	10.	28	19	13½

24 ANSWERS—COMPOUND MULTIPLICATION.

11	£17 6 11½	19.	£14 1 2½
12	80 12 11½	20.	109 19 6
13	2807 16 9½	21.	111 2 6½
14	14819 18 8½	22.	21529 11 6-
15	3500 0 5½	23.	175 13 10
16	770 0 3	24.	58 11 4
17	837 0 0	25.	4166 9 6
18	125 1 6		

COMPOUND MULTIPLICATION.

	£	s.	d.		£	s.	d.
1	399	11	9½	21.	442428	9	0½
2	412	8	7½	22.	549253	14	2
3	306	2	4½	23.	8585	10	9½
4	463	3	8	24.	1927	8	1½
5	126	5	0½	25.	4072	14	8
6	876	3	9	26.	71618	18	0
7	867	3	1½	27.	219861	1	2
8	719	15	6	28.	307812	13	2½
9	610	11	8½	29.	218342	7	4
10	548	7	8	30.	241165	18	11½
11	349	6	1½	31.	529051	3	10
12	239	17	4½	32.	681984	18	2½
13	4408	10	6	33.	0	4	4
14	6500	3	1½	34.	1	11	6
15	6475	6	4½	35.	2	7	2
16	44180	15	11	36.	0	10	4
17	90488	3	1½	37.	41	15	6
18	314848	12	10	38.	10	16	0
19	302657	16	9½	39.	115	10	0
20	410410	15	4	40.	15	14	10½

ANSWERS—COMPOUND DIVISION.

125

41.	20 18 0	51.	268 2 51-1
42.	42 13 10 1/2	52.	1096 2 4 1/2
43.	501 17 6	53.	9402 8 7 1/2
44.	6170 12 8	54.	5505 7 2 1/2
45.	87 14 0	55.	53 18 8 1/2
46.	2002 4 0	56.	47 7 2 1/2
47.	254 7 6	57.	2321 13 2 1/2
48.	923 0 0	58.	5208 9 5 1/2
49.	18 11 3	59.	39264 7 9 1/2
50.	60 13 10 1/2	60.	81637 4 4 1/2

COMPOUND DIVISION.

	£	s.	d.		£	s.	d.
1.	84	8	10 1/2	18.	400	1	9 1/2
2.	14	4	1 1/2	19.	723	9	3 1/2
3.	17	9	7 1/2	20.	778	19	9 1/2
4.	149	15	0 1/2	21.	458	17	10 1/2
5.	29	9	11 1/2	22.	730	4	9 1/2
6.	58	4	10 1/2	23.	19	7	3 1/2
7.	1080	19	8 1/2	24.	4	13	5 1/2
8.	834	5	11 1/2	25.	53	7	0 1/2
9.	506	0	0 1/2	26.	2	7	11 1/2
10.	789	16	3 1/2	27.	0	10	8 1/2
11.	392	12	7 1/2	28.	1	17	6 1/2
12.	14	3	1 1/2	29.	8854	4	0 1/2
13.	5	19	2 1/2	31.	1	14	1 1/2
14.	7	11	0 1/2	32.	2	2	6 1/2
15.	73	0	1 1/2	33.	2	6	10 1/2
16.	97	19	1 1/2	34.	2	3	9 1/2
17.	62	5	7 1/2	35.	2	1	0 1/2

ANSWERS—REDUCTION.

36.	£6 16 5½—531	58.	£10 8 3½—495
37.	8 15 3—454	59.	11 9 6½—16
38.	6 0 3½—199	60.	979 2 8
39.	17 9 1½—½	61.	85½
40.	1 5 8½—62	62.	0 16 6—12
41.	3 6 1—111	63.	25000000 die
42.	3 5 10½—194	64.	2852—2220
43.	2 0 7½—184	65.	14 10 3½—388
44.	9 0 6½—186	66.	0 5 0½—1910
45.	10 7 1½—387	67.	21 5 11½
46.	10 0 5½—609	68.	4 16 0½—24
47.	12 4 1½—3	69.	0 0 2—8491
48.	10 7 7½—3	70.	0 0 0½—228504
49.	12 12 8½—15	71.	0 0 8½—22162
50.	17 16 10½—36	72.	0 0 0½—35791
51.	12 7 3—54	73.	0 0 0½—183482
52.	9 8 0½—185	74.	0 0 3—166957
53.	13 13 2	75.	0 4 7½—8770
54.	9 4 7½—9	76.	0 0 0½—469854
55.	4 11 11½—89	77.	0 0 9½—192206
56.	10 1 9½—109	78.	0 0 1—511821
57.	9 10 9½—201	79.	0 0 4½—115068

REDUCTION.

1.	11882 farthings.	7.	87552 farthings
2.	63478 pence.	8.	10692 pence.
3.	350150 farthings.	9.	£3394 10s.
4.	118865 halfpence.	10.	£444 13s. 3d.
5.	69552 pence.	11.	1751 gr. 18s.
6.	71520 farthings	12.	1146 cr. 2s. 10d.

ANSWERS—WEIGHTS AND MEASURES.

127

- | | |
|--------------------------|------------------------------|
| 13. 118067 fourpences. | 22. 118801½ seven shillings. |
| 14. 9880 crowns. | 23. 86672 fivepences. |
| 15. £4884 10s. | 24. 2282 eightpences 2d. |
| 16. 4947s. 6d. | 25. 16048 half-sovs. 2s. |
| 17. 873740 threepences. | 26. 7827589 farthings. |
| 18. 57552 fivepences. | 27. 2890160 farthings. |
| 19. 9621 fourpences 1½d. | 28. 205075 ninepences. |
| 20. 81032080 sixpences. | 29. 287725 three farthings. |
| 21. 32465 cr. 3s. | 30. 6152 fivepences. |

WEIGHTS AND MEASURES.

AVOIRDUPOIS WEIGHT.

	cwt.	qrs.	lbs.	oz.	dr.
1.	29	1	19	0	0
2.		2	14	15	0
3.	6	2	11	0	0
4.	0	7	23	14	0
5.	46	2	14	0	0
6.	6	1	17	12	0
7.	2	1	21	8	0
8.	0	2	4	6	12½
9.	3	2	27	0	0
10.	9	3	4	0	0
11.	519	3	19	0	0
12.	21	0	13	12	0
13.	2854	1	27	2	18
14.	4	1	12	3	7
15.	211	3	1	4	0

16.	8 cwt. 3 qrs. 5 $\frac{1}{11}$ lbs.
17.	1 cwt. 3 qrs. 26 lbs. 9 oz. 6 $\frac{1}{8}$ dr
18.	67 $\frac{3}{8}$ parcels.
19.	1 cwt. 1 qr. 15 lbs. 2 oz. 3 $\frac{3}{8}$ dr
20.	475 hogsheds. 910 rem.
21.	192 tons. 19 cwt. 3 qrs. 6 lbs

TROY WEIGHT.

	bs.	oz.	dwt.	gr.
22.	194	4	16	0
23.	0	389	10	6
24.	16	11	4	6
25.	0	6	5	6 $\frac{1}{2}$
26.	15	4	1	14
27.	3	11	11	6
28.	30	7	8	8
29.	3	0	14	13 $\frac{1}{2}$
30.	104	3	0	0
31.	25— $\frac{133}{8}$ d.			
32.	6	6	16	12

LONG MEASURE.

	mls.	fur.	per.	yds.	ft.	in.
33.	0	29	36	3	0	0
34.	0	2	2	4	2	0
35.	0	4	30	2 $\frac{1}{2}$	0	0
36.	0	0	3	2 $\frac{1}{2}$	2	0
37.	118	5	18	3 $\frac{1}{2}$	0	0
38.	4	5	5	0	0	0
39.	92	3	20	0	0	0
40.	1	5	12	0	0	0
41.	16	5	32	0	2	10

CLOTH MEASURE.

42.	118yds.	0qrs.	2nls.	48.	443yds.	1qrs.	0nls.
43.	330	0	3	49.	20	8	1 $\frac{3}{4}$
44.	9	0	3 $\frac{6}{7}$	50.	47 yds.		
45.	4	0	1 $\frac{1}{3}$	51.	10	1	1
46.	148	0	1	52.	11— $\frac{1}{4}$	suits.	
47.	19	0	0				

SQUARE OR LAND MEASURE.

53.	167ac.	2rd.	14per.	58.	1ac.	1rd.	9per.
54.	189	2	4	59.	29	1	16
55.	22	1	30	60.	1	1	26 $\frac{3}{4}$
56.	24	2	30	61.	65	0	33
57.	29	0	21	62.	2s.	3 $\frac{1}{2}$ d.	—4267

MEASURE OF CAPACITY.

63.	195qrs.	6bush.	1pks.	69.	244qrs.	8bush.	0pks.
64.	397	4	0	70.	41	8	3 $\frac{1}{2}$
65.	10	7	2 $\frac{1}{2}$	71.	1049gals.	1qt.	1pt.
66.	8	6	0 $\frac{3}{4}$	72.	18gals.	2qts.	1pt. 3gls.
67.	175	1	0	73.	224lds.	4qr.	5bsh. 3pk
68.	16	6	2	74.	806gals.	2qts.	1pt.

TIME.

75.	173yrs.	6wks.	5dys.	80.	2wks.	0dys.	19hrs.
76.	177dys.	12hrs.	28min.	81.	47hrs.	7min.	30sec.
77.	15yrs.	47wks.	5dys.	82.	30da.	10hrs.	29m. 4 $\frac{2}{3}$ s.
78.	29dys.	15hrs.	30min.	83.	347126807	seconds.	
79.	56wks.	2da.	11hrs.	16m.			

REDUCTION.

AVOIRDUPOIS WEIGHT.

1. 854 lbs.
2. 1564 oz.
3. 89 lb. 3 oz.

4. 7032 lbs.
5. 812 parcels

TROY WEIGHT.

6. 5760 dwt.
7. 5 oz. 2 dwt. 20 gr.
8. 5184 gr.
9. 6 spoons.
10. 23 oz. 2 dwt. 0 gr.
11. 21 spoons.

CLOTH MEASURE.

21. 3936 nails.
22. 399 yds. 2 nls.
23. 8 shirts—3
24. 7 suits—3

APOTHECARIES' WEIGHT.

12. 27160 grains.
13. 5oz. 1dr. 1scr. 7gr.
14. 186 scruples.
15. 252 days.

MEASURE OF CAPACITY.

25. 197 pints.
26. 535 gal. 3 qts. 1 pt.
27. 2853 pecks.
28. 1199 bushels.
29. 9016 gills.

LONG MEASURE.

16. 24560 perches.
17. 1252 yds. 1 ft. 4 in.
18. 200640 yards.
19. 27300 fms.
20. 27300 fms.

TIME.

30. 1094 hours.
31. 51 dya. 20 hr. 57 m.
32. 550000 minutes.
33. 241640 fms.

1.

2.

3.

4.

5.

6.

7.

8.

9.

10.

11.

12.

13.

1.

2.

3.

4.

5.

SIMPLE PROPORTION.

1.	108s.	14.	165 ft. 2 in.—8
2.	£3 18 0	15.	405 men.
3.	£44 12 7½	16.	9d.—6
4.	44 9 4	17.	12 days.
5.	0 5 2	18.	7 dyn. 9 hra.
6.	3 18 5½	19.	3½ months.
7.	147 6 8	20.	1½ month.
8.	5 0 2½	21.	13½ days.
9.	5 lb. 4 oz. 6 dr.—8	22.	1800 lbs.
10.	5s. 9½d.—264	23.	6½d.—1276
11.	£196 16s. 0½d.—48	24.	£11 8s. 8½d.—6
12.	1338 lbs. 9 oz.—4	25.	127 lbs. 7 oz.—26
13.	£2380 10s.	26.	£75 15s. 4½d.—324

COMPOUND PROPORTION.

1.	425 roods.—369	6.	10 horses.
2.	£38 8s.	7.	2250 men.
3.	940 acres.	8.	55½ days.
4.	58½ suits.	9.	£27 2s. 7½d.
5.	14½ men.	10.	25 2s.

BILLS OF PARCELS

BOOKSELLER'S BILL.....	25 12 0
HOOPER'S BILL.....	3 16 4
GROVER'S BILL	11 10 1

BILL OF BOOK DEBTS.

WINE MERCHANT'S BILL	£49 18
----------------------------	--------

PRACTICE.

1.	£6 15 1½	33.	£181 0 1	64.
2.	7 13 6	34.	147 13 2	65.
3.	1 3 0	35.	517 8 0	66.
4.	0 4 0	36.	118 8 0	67.
5.	1 6 9	37.	72 0 0	68.
6.	8 3 4	38.	871 4 0	69.
7.	30 6 4	39.	81 0 0	70.
8.	4 11 0	40.	678 4 0	71.
9.	180 19 0	41.	610 8 0	72.
10.	169 9 4	42.	64 16 0	73.
11.	26 15 3	43.	642 16 0	74.
12.	19 3 9	44.	1419 0 0	75.
13.	17 3 3	45.	1513 12 0	76.
14.	43 9 7½	46.	918 15 0	77.
15.	55 14 2	47.	1230 18 0	78.
16.	63 12 4½	48.	910 14 0	79.
17.	45 14 2	49.	1441 12 0	80.
18.	99 2 11½	50.	3940 4 0	81.
19.	84 12 0	51.	1800 10 0	82.
20.	133 9 8½	52.	3172 8 0	83.
21.	48 16 9½	53.	1262 8 0	84.
22.	105 8 7½	54.	3908 9 0	85.
23.	102 3 10½	55.	5331 18 0	86.
24.	175 3 3	56.	1512 0 0	87.
25.	123 2 7½	57.	2949 12 0	88.
26.	125 13 1½	58.	1027 13 0	89.
27.	297 1 4½	59.	3710 14 0	90.
28.	273 13 0½	60.	7252 12 0	91.
29.	326 13 2	61.	89 13 0	92.
30.	87 19 7½	62.	93 4 11	93.
31.	182 11 5	63.	33 14 3	94.
32.	172 16 6½			95.

ANSWERS—FRACTION.

123

64.	£263	6	1½
65.	149	9	0
66.	606	18	0
67.	1140	6	8
68.	1588	0	4
69.	905	15	7½
70.	3280	2	5
71.	2694	14	6
72.	1931	4	0½
73.	3380	6	10½
74.	5099	17	11
75.	770	12	10
76.	1885	14	0
77.	4795	10	11½
78.	3651	19	1
79.	8067	12	2½
80.	3637	2	9½
81.	2261	4	8
82.	2862	17	9
83.	6631	2	2½
84.	625	6	8
85.	2966	15	2
86.	1935	11	3
87.	8676	9	3
88.	7661	10	0
89.	59530	18	0
90.	41565	2	4
91.	42161	18	9
92.	25030	2	1½
93.	95335	17	9
94.	24208	5	5
95.	43371	6	0

96.	£32039	4	6
97.	92421	6	4
98.	56595	1	4
99.	46824	9	8½
100.	109872	15	0
101.	163981	19	3
102.	187446	13	4
103.	86621	5	11
104.	250427	9	5

CASE VI.

105.	20	2	7½
106.	351	0	5
107.	351	15	8½
108.	42	10	9½
109.	143	3	9
110.	69	9	9½
111.	53	6	11
112.	37	6	6½
113.	95	11	9½
114.	182	7	9½
115.	260	9	1½
116.	230	9	½
117.	169	9	7½
118.	400	6	11½
119.	372	4	8½
120.	443	13	7½
121.	237	0	3½

CASE VII.

122.	16872	3	2
123.	34226	16	1

124.	8599 12 2	129.	8606 6 0
125.	1188 13 2½	130.	8882 4 9½
126.	3486 17 9	131.	13747 9 6½
127.	41269 7 7½	132.	82411 10 5
128.	50375 5 10½	133.	4822 13 2½

1.
2.

TARE AND TRET.

1.	49cwt. 2qra. 9lbs. net.	8.	56cwt. 2qra. 7½lbs.
2.	10 0 2	9.	46 3 21½
3.	50 3 8½	10.	32 1 24
4.	23 2 0	11.	167 2 25½
5.	175 1 25	12.	30 2 9
6.	41 0 12	13.	36 1 14
7.	9 2 15	14.	£92 7s. 9½d.

1.
2.
3.
4.
5.
6.
7.
8.
9.
10.
11.
12.

SIMPLE INTEREST.

1.	£53 8 0	14.	£757 1 1½
2.	281 10 9	15.	182 9 6½
3.	479 12 4½	16.	1116 10 7½
4.	287 5 3	17.	2380 17 6½
5.	13077 9 0	18.	1338 9 0½
6.	551 3 6½	19.	2 15 11
7.	2041 13 11½	20.	14243 12 8
8.	6619 2 11½	21.	53 14 9½
9.	566 11 11½	22.	2 3 8
10.	1428 2 3½	23.	876 13 7½
11.	2 13 8½	24.	1206 11 10
12.	5 10 7½	25.	120 6 6½
13.	11 2 11	26.	266 6 8

1.
2.
3.1.
2.
3.

DISCOUNT.

1.	£581 16 4½	3.	£4 10 0½
2.	26 12 0½	4.	2 5 2½

COMMISSION, BROKERAGE, INSURANCE,
BUYING AND SELLING STOCKS.

1.	£12 8 4½	13.	£335 16 0
2.	6 4 4½	14.	726 3 3½
3.	59 9 4½	15.	12546 4 9½
4.	8 2 3	16.	10 14 10½
5.	28 12 7	17.	14 11 7
6.	408 2 0	18.	44 15 4½
7.	80 3 6½	19.	270 13 6
8.	172 17 9½	20.	802 11 2½
9.	286 18 0½	21.	29 17 0
10.	599 5 7	22.	2872 12 6
11.	494 8 5½	23.	206 13 0
12.	86 15 10		

COMPOUND INTEREST.

1.	£266 4 0½	4.	£155 12 3½
2.	720 6 5½	5.	964 10 7½
3.	497 10 11½	6.	237 14 5½

BARTER.

1.	34½ pails.	4.	254½ lbs.
2.	32 lbs.	5.	427½ lbs.
3.	63½ gals.		

PROFIT AND LOSS.

1.	£25 12 0	6.	£12 16 4- $\frac{1}{2}$
2.	6 15 4	7.	49 10 11- $\frac{3}{4}$
3.	7 17 4	8.	18 15 0
4.	2 14 0	9.	5 0 0
5.	9 10 0		

PARTNERSHIP.

	£	s.	d.		£	s.	d.
1. A's share,	240	1	11 $\frac{1}{2}$	5. A's share,	172	13	4 $\frac{3}{4}$
B's share,	723	18	0 $\frac{1}{2}$	B's share,	633	4	10 $\frac{1}{2}$
2. A's share,	136	8	2 $\frac{1}{2}$	C's share,	1542	1	8 $\frac{1}{2}$
B's share,	238	8	7 $\frac{1}{2}$	6. A pays	25	18	4
C's share,	149	13	1 $\frac{3}{4}$	B pays	28	6	11 $\frac{1}{2}$
3. A's share,	29	—	—	C pays	43	14	8 $\frac{1}{2}$
B's share,	41	—	—	7. A's share,	78	12	8 $\frac{1}{2}$
C's share,	25	—	—	B's share,	101	1	6 $\frac{1}{2}$
4. A's share,	44	8	10 $\frac{1}{2}$ - $\frac{1}{4}$	C's share,	123	10	9
B's share,	33	6	8	D's share,	134	15	4 $\frac{1}{2}$
C's share,	22	4	5 $\frac{1}{2}$ - $\frac{1}{4}$				

VULGAR FRACTIONS.

REDUCTION.

CASE I.

1.	2487 $\frac{1}{2}$	8.	11 $\frac{1}{2}$
2.	604 $\frac{1}{2}$	9.	96 $\frac{1}{2}$
3.	227 $\frac{1}{2}$	10.	351
4.	92 $\frac{1}{2}$	11.	1,441 $\frac{1}{2}$
5.	93 $\frac{1}{2}$	12.	1044 $\frac{1}{2}$
6.	199 $\frac{1}{2}$	13.	1301 $\frac{1}{2}$
7.	114 $\frac{1}{2}$	14.	1761 $\frac{1}{2}$

ANSWERS—VULGAR FRACTIONS.

127

CASE II.

CASE III.

6 4 $\frac{1}{2}$
0 11 $\frac{2}{3}$
5 0
0 0

$$15. \quad \frac{45}{1}$$

$$16. \quad \frac{26}{3}$$

$$17. \quad \frac{32}{3}$$

$$18. \quad \frac{172}{1}$$

$$19. \quad \frac{192}{1}$$

$$20. \quad \frac{2707}{16}$$

$$21. \quad \frac{5120}{17}$$

$$22. \quad \frac{29301}{22}$$

$$23. \quad \frac{20329}{28}$$

$$24. \quad \frac{18487}{27}$$

$$25. \quad \frac{123009}{126}$$

$$26. \quad \frac{254924}{121}$$

$$27. \quad \frac{79231}{111}$$

$$28. \quad \frac{180057}{254}$$

$$29. \quad \frac{491249}{621}$$

$$30. \quad \frac{30}{304}$$

$$31. \quad \frac{168}{1488}$$

$$32. \quad \frac{1616}{816}$$

$$33. \quad \frac{252}{1188}$$

$$34. \quad \frac{292}{373}$$

$$35. \quad \frac{5204}{58828}$$

$$36. \quad \frac{22048}{88376}$$

$$37. \quad \frac{605880}{58988}$$

$$38. \quad \frac{25056}{9281}$$

$$39. \quad \frac{261807}{88876}$$

CASE IV.

$$40. \quad \frac{2}{17}$$

$$41. \quad \frac{22}{11}$$

$$42. \quad \frac{71}{11}$$

$$43. \quad \frac{76}{16}$$

2 2
13 42
4 102
1 82
18 4
6 112
14 82
12 32
1 62
10 9
15 42

1122
1124
1124

1121,
1127
1122
1121

672

3237

1000

ANSWERS—VULGAR FRACTIONS.

44. $\frac{149}{1758}$

45. $\frac{191}{1916}$

46. $\frac{191}{191}$

47. $\frac{55}{128}$

48. $\frac{179}{179}$

49. $\frac{248}{44}$

50. $\frac{1}{1}$

51. $\frac{11}{11}$

CASE V.

52. $\frac{63}{63} \frac{56}{56} \frac{44}{44}$

53. $\frac{899}{899} \frac{597}{597} \frac{432}{432}$

54. $\frac{3727}{3727} \frac{1492}{1492} \frac{1719}{1719}$

55. $\frac{8033}{8033} \frac{6532}{6532} \frac{9824}{9824}$

56. $\frac{215522}{215522} \frac{225124}{225124} \frac{159120}{159120} \frac{249704}{249704}$

57. $\frac{2768022}{2768022} \frac{2922292}{2922292} \frac{5861934}{5861934} \frac{2212262}{2212262}$

58. $\frac{19591057802}{19591057802} \frac{1800355167}{1800355167} \frac{7046929530}{7046929530}$
 $\frac{1111488075}{12048530783}$

59. $\frac{1752284208040}{877382243080} \frac{201170321800}{877382243080} \frac{266686671252}{877382243080}$
 $\frac{98700070840}{877382243080}$

ADDITION.

1. $\frac{196}{196}$

2. $\frac{2170}{2170}$

3. $\frac{2181}{2181}$

4. $\frac{2191}{2191}$

5. $\frac{1184972}{1184972}$

6. $\frac{3128242}{3128242}$

7. $\frac{1874}{1874}$

8. $\frac{314192}{314192}$

9. $\frac{53314}{53314}$

10. $\frac{48782}{48782}$

11. $\frac{141076}{141076}$

12. $\frac{1172422}{1172422}$

1.
2.
3.
4.
5.
6.

1.
2.
3.
4.
5.
6.

1.
2.
3.
4.
5.
6.

1.
2.

SUBTRACTION.

1.	$\frac{3}{8}$	7.	$1\frac{1}{8}$
2.	$\frac{3}{8}$	8.	$2\frac{3}{8}$
3.	$\frac{31}{101}$	9.	$1\frac{1}{8}$
4.	$\frac{23}{147}$	10.	$1\frac{1}{8}$
5.	$\frac{33}{147}$	11.	$15\frac{4}{7}$
6.	$2\frac{1}{8}$	12.	$63\frac{7}{12}$

MULTIPLICATION.

1.	$\frac{11}{12}$	7.	$60\frac{1}{2}$
2.	$\frac{8}{8}$	8.	$17\frac{1}{2}$
3.	$\frac{2}{2}$	9.	$5\frac{1}{2}$
4.	$\frac{1}{1}$	10.	$5\frac{1}{2}$
5.	$3\frac{1}{2}$	11.	$115\frac{1}{2}$
6.	$2\frac{1}{2}$	12.	$181\frac{1}{2}$

DIVISION.

1.	$3\frac{1}{2}$	7.	3
2.	$\frac{1}{2}$	8.	$8\frac{1}{2}$
3.	$1\frac{1}{2}$	9.	$\frac{1}{2}$
4.	$2\frac{1}{2}$	10.	$2\frac{1}{2}$
5.	$\frac{1}{2}$	11.	$65\frac{1}{2}$
6.	$\frac{1}{2}$	12.	$1\frac{1}{2}$

REDUCTION, CONTINUED.

CASE VI.

1.	$5\frac{1}{2}$	3.	$1\frac{1}{2}$ guinea
2.	$2\frac{1}{2}$	4.	$1\frac{1}{2}$ shilling
		5.	$1\frac{1}{2}$ crown

ANSWERS—VULGAR FRACTIONS.

6. $\frac{3}{4}$ week.
 7. $1\frac{1}{2}$ hour.
 8. $\frac{4}{5}$ yard.
 9. $222\frac{2}{3}$ dram
 10. $3\frac{1}{2}$ mile.

19. $2\frac{1}{2}$ dwt.
 20. $1\frac{1}{2}$ day.

CASE VIII.

21. 17s. $1\frac{1}{2}$ — $\frac{1}{2}$ d.
 22. 10d.
 23. 4s.
 24. 19h. 38min. $10\frac{1}{2}$ sec.
 25. 12s. $9\frac{1}{2}$ — $1\frac{1}{2}$ d.
 26. 1 ft. 4 in.
 27. 9 oz. 15 dwt.
 28. 13 oz.
 29. 3qr. 11lb. 6oz. $8\frac{1}{2}$ dr.
 30. 5fur. 26 per. 3yds. 2ft.

1.
2.
3.
4.

1.
2.
3.
4.
5.

CASE VII.

11. $2\frac{1}{2}$ £.
 12. $1\frac{1}{2}$ £.
 13. $2\frac{1}{2}$ £.
 14. $2\frac{1}{2}$ d.
 15. $2\frac{1}{2}$ farthing
 16. $1\frac{1}{2}$ day.
 17. $172\frac{1}{2}$ cwt.
 18. $184\frac{1}{2}$ oz.

PROMISCUOUS EXERCISES.

1. 9s. $4\frac{1}{2}$ — $2\frac{1}{2}$ d.
 2. 3s. 3d. $1\frac{1}{2}$ ¢.
 3. 12s. 8d.
 4. $3\frac{1}{2}$ — $1\frac{1}{2}$ f.
 5. 11s. $8\frac{1}{2}$ — $1\frac{1}{2}$ f.
 6. 4s. $3\frac{1}{2}$ d.
 7. 3s. 6— $2\frac{1}{2}$ d.
 8. $16\frac{1}{2}$ ¢.
 9. 1 mile, 3 fur.
 10. $1558\frac{1}{2}$ oz.
 11. 3s. $4\frac{1}{2}$ d.

12. 4 cr. $1\frac{1}{2}$ d.
 13. 7 yds. 2 qrs.
 14. 2s. 6d.
 15. $2\frac{1}{2}$ d.
 16. £4 2s. $11\frac{1}{2}$ d.
 17. 6s. 4d.
 18. £227 12s. 1d.
 19. 6s. $1\frac{1}{2}$ — $\frac{1}{2}$ d.
 20. 14 lbs.
 21. £51 3s. $1\frac{1}{2}$ d.

1.
2.
3.
4.
5.
6.

1.
2.
3.
4.
5.
6.

ANSWERS.

111

DECIMAL FRACTIONS.

ADDITION.

1.	671.458	5.	4541.08777
2.	806.698	6.	7396.1408
3.	1128.872	7.	5558.6850
4.	1374.2784	8.	134.3861

SUBTRACTION.

1.	67.517	6.	182.7044
2.	8045.	7.	70.0846
3.	84.1202	8.	810.8876
4.	297.0121	9.	242.245787
5.	669.021	10.	827.2158

MULTIPLICATION.

1.	0729	7.	110440.502
2.	14.3561	8.	492961
3.	7766.1112	9.	78.6
4.	04118408	10.	3.6465
5.	5642	11.	40006
6.	8.79	12.	76

DIVISION.

1.	28808+	7.	19.0202+
2.	1784+	8.	9.114+
3.	10.854+	9.	3.81009+
4.	17807+	10.	2.161+
5.	024	11.	248.618+
6.	2.98	12.	3.4689



REDUCTION.

CASE I.

1.	.625
2.	.25
3.	.875
4.	.888+
5.	.833+
6.	.75+
7.	.5625
8.	.0188+
9.	.9411+
10.	.7272+
11.	.0715+
12.	.00058+

CASE II.

1.	$\frac{1}{2}$
2.	$\frac{1}{4}$
3.	$\frac{1}{8}$
4.	$\frac{1}{16}$
5.	$\frac{1}{32}$
6.	$\frac{1}{64}$
7.	$\frac{1}{128}$
8.	$\frac{1}{256}$
9.	$\frac{1}{512}$
10.	$\frac{1}{1024}$
11.	$\frac{1}{2048}$
12.	$\frac{1}{4096}$

CASE III.

1.	£9729+
2.	£790625
3.	£6666+
4.	£0875
5.	cwt. 8.57142
6.	yd. 1.4166+
7.	wk. 00263
8.	£68487
9.	guin. 0188
10.	oz. 275
11.	acre .575
12.	mile .00994

CASE IV.

1.	15s. 3d.
2.	6s. 9½d.
3.	1½d.
4.	3qrs. 1lb. 9oz. 1dr
5.	14oz. 15dr.
6.	15lbs. 10oz. 14dr.
7.	8½d.
8.	4½d.
9.	22hrs. 7min. 28sec.
10.	1qr. 3nl. 2in.
11.	25per. 2yd. 1ft. 9in.
12.	8oz. 15dwt. 16dr.
13.	18 drama.
14.	19dwt. 17gr.
15.	12oz. 7dr.

ANSWERS.

143

INVOLUTION.

64	4	2476099
2197	6	1291467969
1048576		

EVOLUTION.

176	5.	69-47-4
789	6.	15. 98
1111	7.	7
45.8	8.	14

CUBE ROOT.

72	6.	87.5
38	7.	19-86+
78	8.	376
108	9.	829+
489	10.	1-98+

DUODECIMAL MULTIPLICATION.

	ft.	in.	...	...	...	10.	564ft. 0in. 9"
1.	42	7	6	0	0	11.	26 9a. 7 1/2
2.	44	5	2	7	6	12.	£126 9a. 4 1/2 - 1/2
3.	106	9	0	3	3	13.	116ft. 10in. 6"
4.	565	11	4	9	8	14.	100ft. 4in. 1" 6"
5.	1040	8	4	4	6	15.	3419ft. 2in. 7" 2" 10" 6"
6.	17105	9	3	4	6	16.	22 1a. 0d.
7.	29	3	3	0	0	17.	77ft. 6in. 5"
8.	66	1	0	0	0	18.	6a5 19a. 24 - 21
9.	26	3a. 29	-	1/2			

- 1.
- 2.
- 3.
- 4.
- 5.
- 6.
- 7.
- 8.
- 9.
- 10.
- 11.
- 12.
- 13.
- 14.
- 15.
- 16.
- 17.
- 18.
- 19.
- 20.

16.	10918	40.
17.	80154	41.
18.	18001	42.
19.	20169	43.
20.	14372	44.
21.	411093	45.
22.	351624	46.
23.	278558	47.
24.	248663	48.



