
### Technical and Bibliographic Notes / Notes techniques et bibliographiques

Canadiana.org has attempted to obtain the best copy available for scanning. Features of this copy which may be bibliographically unique, which may alter any of the images in the reproduction, or which may significantly change the usual method of scanning are checked below.

Canadiana.org a numérisé le meilleur exemplaire qu'il lui a été possible de se procurer. Les détails de cet exemplaire qui sont peut-être uniques du point de vue bibliographique, qui peuvent modifier une image reproduite, ou qui peuvent exiger une modification dans la méthode normale de numérisation sont indiqués ci-dessous.

	Coloured covers / Couverture de couleur		Coloured pages / Pages de couleur
	Covers damaged / Couverture endommagée		Pages damaged / Pages endommagées
	Covers restored and/or laminated / Couverture restaurée et/ou pelliculée		Pages restored and/or laminated / Pages restaurées et/ou pelliculées
	Cover title missing / Le titre de couverture manque	$\checkmark$	Pages discoloured, stained or foxed/ Pages décolorées, tachetées ou piquées
	Coloured maps /		Pages detached / Pages détachées
	Cartes géographiques en couleur	$\checkmark$	Showthrough / Transparence
	Coloured ink (i.e. other than blue or black) / Encre de couleur (i.e. autre que bleue ou noire	e)	Quality of print varies / Qualité inégale de l'impression
	Coloured plates and/or illustrations / Planches et/ou illustrations en couleur Bound with other material /		Includes supplementary materials / Comprend du matériel supplémentaire
	Relié avec d'autres documents  Only edition available / Seule édition disponible		Blank leaves added during restorations may appear within the text. Whenever possible, these have been omitted from scanning / II se peut que
	Tight binding may cause shadows or distortion along interior margin / La reliure serrée peut causer de l'ombre ou de la distorsion le long of marge intérieure.		certaines pages blanches ajoutées lors d'une restauration apparaissent dans le texte, mais, lorsque cela était possible, ces pages n'ont pas été numérisées.
<b>/</b>	Additional comments / Continuor	us pagination.	



Vol. 2. No. 24

This Journal replaces the former " journal of Agriculture, and is delivered free to all members of Farmers' Clubs,

June 15th, 1899

THE.

# Journal of Agricultune and Horticulture

THE JOURNAL OF AGRICULTURE AND HORTICULTURE is the official organ of the Council of Agriculture of the Province of Quebec, It is issued Bi-monthly and is designed to include not only in name, but in fact, anything concerned with Agriculture and Stock-Kaising, Horticulture &c. All matters relating to the reading columns of the Journal must be addressed to Arthur R. Jenner Fust, Editor of the Journal or Agriculture and Horticulture, 4 Lincoln Avenue, Montreal. For RATES of advertisements, etc., address the Publishers

LA PATRIE PUBLISHING CO.,

77, 79 & 81 St. James St., Montreal. Subscription: \$1.00 per Annum payable in advance.

### Table of Contents

#### NOTES BY THE WAY

Permanent pasture	553
Butter-colour	553
Cider	554
Oats	554
Canadian cheese, etc	554
Tobacco	555
Bees	556
Yield of cream in butter	556
Manuring grass-land	556
-	
Canadian tobacco	557
THE HOUSEHOLD	
To dye straw-hats	557
The small cape	557
Recipes	558
THE POULTRY-YARD	
Why chicks die in the shell	559
THE FARM	
Rape-growing, Mortureux on	560
Which is the better way	
Early potatoes	
State of the crops, Macfarlane on the	563

## Mates by the Way.

Permanent pasture.—A great deal of nonsense is talked about the non-necessity of manuring pasture-land. To be sure, there is not much permanent pasture in this country, and what there is is mostly rough, outlying bits, only left down in grass - principally rubbish - on account of its being too strong to break-up. People "imagine a vain thing" when they think that, because grass is not mown for hay but grazed by cattle, it can stand for ever without deteriation. They say: Oh! if land is fed, every thing goes back on to it, and therefore it needs no manure. Now, cows or young cattle, grazing on grass land, carry off milk and increased weight of flesh from it, and if that is not replaced by manure, the land must inevitably grow poorer, more especially where the whole of the milk is sold off the farm, or where cheese is made.

Butter-colour.—We have lately observed, in the Montreal market, a lot of samples of butter, the colour of which was very much too deep. The best families in England prefer a palish straw colour for their butter, and if butter-making is carried on in the winter, when artificial colouring matter must per force be used, we strongly recommend the makers for export to use but little, be it annato, or the new colour "yellow aniline." The butter we consume in our household is from the Dairy at the Model-farm at Compton, and has exactly the right tinge. (1)

<sup>(1)</sup> The last tub, May 30th, was a tinge too deep in colour. ED.

Coal-oil.—The price of the best petroleum used in England; the Bear Creek; is 12 cts. a gallon. We are paying here, in Montreal, 30 cts. Why? We do not know.

Price of lime.—Lime ought not to be so dear as it seems to be from the complaints we hear. Plenty of coal-slack or coke can be had near our large towns, and not very dear either, though probably in the country parts, rough wood, stumps, etc., would be cheaper still. In England, we always used to calculate that 5 tons of lime-stone would make 3 tons of lime-shells.

Cider —In our younger days, there was hardly any cider made, in England, outside the counties of Devon, Somerset, Hereford, Worcester, and Gloucester, though, here and there, in a very plentiful crop-year, a few barrels might be made in Kent, Surrey, etc., but this was only poor, thin stuff, and quite unsaleable, being consumed by the laborers at haying and harvest.

But, now, things have greatly changed. Norfolk and Kent have sent buyers into the regular cider-counties, and bought up the fruit, paying as high as £4 a ton for it, equal to about 40 cents a bushel, averaging 45 lbs. in weight. Of course, every one knows that cider-apples of the best kinds are too harsh for the table. Could not we send some samples of cider over to England?

A great yield of oats.—Farming prints the following in a late issue:

#### A BIG YIELD OF OATS.

Mr. John Kenward, of Oxford county, writes as follows, and his statement is vouched for by Messrs. John S. Pearce & Co., of London, Ont.:

"I sowed 20 bushels of Danish Island oats by weight on 12 acres on April 20th, 1898, and cut them July 25th and 26th, and threshed 900 bushels, or 75 bushels per acre, or 75 bushels for every 56½ lbs. of seed sown. The land was not very rich, as it has been cropped for over fifty years, and there was no fertilizer of any kind used on the land."

When our dear old farm tutor, Wm. Rigden, of Hove, near Brighton, England, grew his celebrated crop of 140 bushels of white-tartars to the acre, he sowed 3½ bushels of seed to the acre. Mr. Kenward's seeding was only at the rate of 6½ pecks to the acre, which would be thin sowing for fall-

wheat. As a rule, people do not sow enough seed here. There is hardly any time for the plants to tiller, but they have to throw up their seed-culms pretty nearly all of a sudden. In Scotland, the oat-country, 4 and 4½ bushels to the acre are common seeding.

Canadian cheese.—Dealers say that there are a good many complaints about the quality of our cheese: not so good as it was. On the other hand, Mr. Derbyshire, President of the Eastern Ontario Butter and Cheese Association, who ought to know, writes to Farming as follows:

"I think that quite a lot of things have been said about Canadian cheese, in order to scare our people into making a point that we must have better curing rooms, better factories, better makers, everything must be improved. But I am perfectly ratisfied that our cheese last year was finer than ever before, and the only trouble has been, that there have been a few English cheeses made, this last year, a little better than formerly, so that this showed a little difference in quality. Another thing, some of our cheese became heated on the way, this last year, a few in July and August. This we must remedy this coming season, but you can depend upon the Canadian maker waking right up and putting his factory in better condition, and taking more care in the manufacturing of his goods, and we are going to walk right up to the front, with all our competitors in 1899 without any doubt."

Hardly a discreet tone to take, since at the date the above was written, the following were the quotations of English and Canadian Cheddars in London: "Cheddar has been placed at 68s. to 72s.; finest and fine at 60s. to 66s., and useful at 46s. to 52s. Canadian steady at 49s. to 50s. (London, February 17th, 1899)."

Bacon and hams.—There seems to be, in the English market, an unaccountable difference between the price of Canadian and Irish bacon, and the price of Canadian and Irish hams. Best Irish bacon, in January, was selling for 54s. a cwt.; best Canadian, for 44s. At the same date, best Canadian hams were fetching 56s. a cwt., while best, small Irish hams were worth for 94s. to 104s.! Logically, if Irish hams can be made to be worth nearly twice as much as Irish bacon, it is clear that a little more care in the preparation would make Canadian hams worth more than one-

fifth of their cost more than Canadian bacon. By the bye, talking of Canadian pig-meat, we saw, last spring, a genuine London porker hanging up in the shop at the corner of Ste. Catherine and Guy streets, Montreal. The pig weighed about 12 lbs. a quarter, and looked all right, neither too fat nor too lean, so we bought a fore-quarter, salted it-salt alone-for 9 days, and, when boiled, it was as delicate, tender a piece of meat as ever left Leadenhall market, London. It is a pity more farmers do not take to growing and feeding small porkers. There would always be a market in Montreal for them in the West-end butchers' shops, and, by degrees, the better class of the East-end dealers would take to them too. All that is needed to turn out good porkers is to breed nice, compact white pigs, keep them going from birth to the age of say, 18 weeks, on skim-milk and barley meal, scald and dress them very carefully, and consign them to the leading butchers in Montreal, such as the Browns, the Winches, the Richards, the Russells, and others of the same stamp. The season for such pork may be said to commence on, or about, the 15th of October, and to end on, say, the 15th of May. One thing is certain; the butchers, at present, cannot get supplied with nearly enough of these small porkers; at least so they tell our house keeper.

As to the difficulty in keeping the market supplied in winter, we may say that the happy porker, that forms the text of this article, was killed on the 10th of February, so he must have been born about the beginning of October, and doubtless his owner kept the litter warm; but so must the cow-house be kept warm, if winter dairying is to be kept up. The fact is, all things must alter here, as well as elsewhere, if we are to keep on a par with our neighbours; and, among other changes, must be one in particular; the winter habitations of our stock must be kept warm.

A most sensible remark is the following:

"The time devoted to study at agricultural colleges is too short to admit of complete practical training. Such training can best be acquired at a farm conducted on business principles." (Prof. W. N. Jordan).

Tobacco, it is probable, will be grown on an extended scale, in this country, to fill up the short supply from Cuba and Manila. The manufacturers

tell us, that the farmer had better leave the sweating of the crop to them, as they understand the process, which the farmers do not.

Science in tobacco sweating. —There is probably a no more inviting field for scientific research, for honor and for clear profit in dollars and cents, than in a study of bacteriology as applied to the sweating of tobacco. Experts who have studied the problem practically agree there is every reason to believe the ferment in sweating is caused by the growth of a minute fungus or bacterium within the leaf. There are undoubtedly many varieties of these bacteria, just as there are in bread yeast, in cream starters or in beer yeast. Whoever can separate the most desirable of these tobacco ferment starters, exclude the undesirable species and sell them as a commercial quantity, just as beer yeast. Cohn's bacillus for butter ripening, etc., are sold, will reap a rich harvest.

For work of this character, Secretary of Agriculture Wilson is becoming enthused and has asked congress for an appropriation of \$12,000 for investigations of this kind. The Ct exp sta, through Dr. Jenkins, has taken up the work. The U.S. dept of agri is doing preliminary work along this line at Quincy, Fla., at the present time. One of the most extensive tobacco growers in New England, who raised 35 acres of leaf last year, has fitted up a sweating room in his barns, with regulators for heat, ventilation, etc., and is voluntarily operating on several hundred cases of tobacco. We are not informed that any of the above experimenters are working directly along the line of the separation of one species of tobacco bacteria, but all recognize they have got to come to work of that kind before they solve the problem of the best sweated leaf. They are experimenting as to the various degrees of heat to be used in the sweat.

This work has been gotten down to a fine point. Thermometers have been in use for some time, which register permanently a minimum and maximum heat for any period. There are now quite common. But a telephone thermometer is the latest accession to assist scientific investigation and it is by the use of a telephone-registering thermometer that a special line of work as to the sweat is being investigated by Dr. Jenkins at New Haven. Tobacco is packed in the case and the thermometer packed right along with the tobacco. By means of telephone signals at certain times,

the actual temperature of the top, bottom, center or sides of the case may be registered.

When the bug has been separated that does the business most satisfactorily to consumers of the weed; when he has been bred until a "thorough bred" and developed in sufficient quantity to supply the demands of a world's commercial trade; when the best temperature for sweating tobacco by the aid of this particular "best bug" has been ascertained, then the art of tobacco growing, curing and fermenting or sweating will indeed have reached a high art and from the business of tobacco growing no ordinary farmer can expect an easy living. The world do move, and the development of the sciences as related to agriculture is fully and squarely in the front rank of the procession.—New Eng. Homestead.

Bees .- Our old friend and correspondent, M. Péloquin, of St. Hyacinthe, has harvested, from 72 hives, 8,000 lbs. of extracted honey, besides adding 20 colonies to his stock; and all this in one year. His opinion is that nothing pays better than a well managed apiary, and he hopes that, thanks to the daily gratuitous lessons in apiculture that he is giving to the neighbours, that art will make rapid progress in the district. M. Péloquin has almost made up his mind to give up farming and restrict himself to the special management of his apiary. We saw M. Peloquin's establishment some dozen years ago; it then consisted of 122 hives, and was evidently under the hands of a practical bee-master. We had a strong reason to remember our visit, for a bee stung us on the under lip; the only time we were ever stung by a bee during the forty years we have been in Canada.

Yield of cream in butter.—The butter-yield of cows varies greatly, as everybody knows; but I do not think the following from the Farmer's Gazette proves much.

One hundred pounds of cream from Jersey cows' milk gave 52 lbs. of butter; the same quantity of cream from Shorthorns, gave only 47 lbs.; from Ayrshires, only 43 lbs., and from Dutch cows, called, erroneously, in the States, Holsteins, a little over 30 lbs.

We only speak of what we know: we have seen plenty of Dairy Shorthorns giving 25 quarts (62½ lbs.) of milk a day, out of which 2½ lbs. of butter were made; and we knew an Ayrshire cow, belonging to Mr. James Drummond, that made 18

lbs. of butter a week; and that is of much greater importance than the special richness of any particular sample of cream.

For the manuring of grass, whether pasture or meadow, if any ditch-scrapings, or pond-emptyings are handy, mix them up with a lot of lime, and when the lime is in a thoroughly mild state, turn up a few loads of dung with the earth, etc.; in a fortnight, or so, spread this mixture over the grass. The quantity of lime may be calculated at the rate of, say, ten bushels to the acre. This dressing will promote the growth of both the grasses and the clovers or other leguminous plants.

Flax.—A newly established manufactory, entitled.

THE DOMINION OIL-CLOTH Co.,

promises to buy 1,000,000 bushels of linseed a year from our farmers, if the price asked is suited to its objects. Flax for textiles, as we stated in this periodical some 18 years ago, requires to be sown thick; for seed, thin. The fine laces of Valenciennes, Malines (or Mechlin), Brussels, etc., is made from flax sown at the rate of 3 bushels to the imperial acre. For seed alone, half a bushel to the arpent is plenty. The land should be heavily rolled after sowing, and the seed be deposited at an equal depth.

A full account of the cultivation of flax, as practised in England by the Editor of the JOURNAL, will be found at page 89, vol. for 1895. One thing must not be forgotten: the sale of the seed off the land, on farms where the milk goes to the cheese-factory, renders the purchase of manure absolutely necessary, otherwise the soil will, sooner or later, be improverished.

M. Barthe, in the French edition of the JOURNAL, states that the Judges of the Agricultural Merit Competition show the following rates of improvement in the various departments of farm-work for the year:

Accounts, 16%; drainage, 8%; green-manure crops, 37%; artificial manures, 63%; yield of wheat, 14%; grass-seeds, 38%; flax, 17%; green-fodder crops, 20%; orchards, 52%.

But the report is not all so bright; siloes have diminished in number by 16% in the region under inspection, while in the Townships, and in the S. E. part of the province, they are on the increase.

#### CANADIAN TOBACCO.

Exhibition of Canadian tobacco—On the 11th of February, the Commissioner of Agriculture, the Hon. F. M. Dechène, paid a visit to an exhibition of Canadian tobacco that was being held at St. Jacques l'Achigan. More than a thousand spectators were present. The samples, which were both numerous and varied, excited a good deal of admiration among the visitors and the members of the jury, Messrs. Rivard, Goldstein and Ferguson, all three of whom are engaged in the manufacture of Canadian tobacco.

The sort that attracted the greatest admiration was the "Blue-Prior," to which the first prize was awarded.

An address was presented, in the great tobacco factory, by the President of the Agriculiural Society, to the Hon. Sir Henri Joly de Lotbinière. M. Dechène then gave an excellent practical address, in which he gave a sketch of the history of the tobacco-trade, recounting the changes through which it has passed.

This exhibition will not fail, we trust, to have a beneficial effect upon the cultivation of to-bacco in the neighbourhood.

The best sorts of tobacco to grow.—The market for such sorts of tobacco as the Little Havana, the Great Havana, the Connecticut, etc., is very limited, it is a local, a purely local market; while the Blue-Prior, the White-Burley, and other kinds possessing great absorbtive qualities, with porous, spongy leaves, are well suited to the manufacturer of plug tobacco, and, even this year, are selling for good prices.

Now, in 1898, we grew about 12 millions of pounds, for which no demand exists.

Whose is the fault?

Had the advice of the JOURNAL D'AGRICULTURE, given last year, been taken, and the right sorts of tobacco been grown, the manufacturers would gladly have bought the crop at remunerative prices. But the manufacturers, naturally, declare that they are not going to expend their funds in the instruction of the farmer; consequently, all the latter has to do is to supply the manufacturer with the goods he requires for his trade, and to do that to a nicety.

This and other happenings of the same sort, should serve as a lesson to our people and open their eyes to the need that exists of studying acutely the demands of the market, and even its caprices; they must become better acquainted with the more recondite principles of cultivation, and appreciate the necessity of lectures on agriculture, read agricultural papers, etc.

(Trans. from the French by the Editor).

## Mausehald Matters.

(CONDUCTED BY MRS. JENNER FUST).

HOW TO DYE STRAW HATS BLACK

This spring, quite a number of my friends have been very successful in dyeing old hats black, and very well they have turned out.

The work is most interesting, and if done with the least possible care nobody need even soil their fingers. It does not matter how old or dirty the hat is, all will be covered up in the process of dyeing.

The first thing to do, is to pick off trimming and threads about it, leaving the straw quite bare, mend carefully any little tears that may be in it, also, should the brim be a little battered, iron it out, with a damp cloth under the iron, going over it with a firm pressure till the battered part is gone.

Secure a bottle of good boot polish, "Gilt Edge" is good and reliable.

Put a newspaper on a table to catch any stray drop of the polish, put the hat on it, crown downwards so that the inside of the brim can be done first. By the time one coat is given, the next can be started, as the polish dries very quickly; but it is well to give it five minutes for drying before turning over.

Now put it down, flat on its brim on the table and start by polishing the crown first then the side of it, and last the brim. By the time this is done, the second coating can be started, and then, after very part is gone over, the hat is finished and ought to be a good black. Take care not to put the polish on too thick, always keep bear in mind that two thin coats of any kind of polish, or paint, are better than one thick one.

#### THE SMALL CAPE

The little elbow cape still holds its own in the fashions of the day.

Its great usefulness makes it a favourite at this time of the year, when cotton waists are so much worn.

It has the great advantage over the jacket of giving just the little bit of warmth necessary in the cool of the morning and evening without crushing a newly laundried waist.

Any person owning one of these capes of last year's fashion, can very easily turn it into one of the present fashionable ones by cutting the corners round, and adding a frill all round the whole cape, with a ruffle at the neck.

Still another way is, to measure the depth of it and cut out three cross pieces as frills, letting them fall one over the other, but put on just easy, not too full, ending by the ruffles round the neck.

A very pretty light cape could be made like this summer cash more foundation, with frills of the same; its weight would not crush the most delicate musline.

#### COD ROYALE.

Just at present there is generally a good supply of fish in the market from which we can select the sort we must prefer. Many people have an idea that fish can only be worked two ways-either fried or boiled. Nowadays we have improved on these two methods, and many dainty fish dishes are prepared in various ways, quite unknown to our grandmothers. Fried fish is very nice, it is true, but it is somewhat indigestible when properly fried, and decidedly so when served, as is often the case at many tables, soft and sodden with fat, instead of delicately brown and crisp. Here is a method which is as easy as boiling, and twice as tasty. Procure a small cod, or the tail end of a larger one. After cleaning, slit it down the back on either side of the bone, so as to make a hole for the stuffing, which should be the ordinary veal stuffing, to which has been added a little essence of anchovy, before the egg which binds the forcement. Stuff the fish, and, if you possesses one, put it into a fireproof dish that can be sent to table; otherwise you must use a tin-which is not so good, because the fish breaks while dishing it up, unless carefully done. Make a little very thin melted butter, season with pepper, salt, lemon juice, and a little anchovy sauce, pour over the fish, and bake in a moderate oven for an hour, basting it with the sauce. If the sauce is too thick when done, thin with a little hot water and a little butter just before serving. I forgot to say well butter the dish before putting in the fish, or it will stick and the fish be broken.

#### A COOKED VEGETABLE SALAD.

Take equal quantities of carrots, turnips, French beans, green peas, cucumber, onions, cauliflower, and Brussels sprouts, and after cooking the various items in the usual way, cut the carrots, turnips, cucumber, French beans, and onions into small, neat dice, divide the cauliflower into tiny sprigs, cut the Brussels sprouts-if large-into halves or quarters, and of course keep the peas whole. Then, when quite cold, put the vegetables into a bowl, season them according to taste with salt, pepper, mixed vinegars, and fine salad oil, and toss the whole lightly until thoroughly blended, after which pile up the salad in the salad bowl, garnish round about the alternate slices of cooked beetroot and boiled potatoes stamped out in fanciful shapes and pleasantly sensoned. and serve.

Lemon Custard: Boil 1 quart milk with ½ cup sugar, and while boiling stir in 2½ tablespoons cornstarch, previously wet with a little cold milk. Stir constantly and boil a few minutes; then remove it from the fire and add 2 teaspoons lemon essence and the wellbeaten yolks of 4 eggs; turn the custard into a glass dish; beat the whites to a stiff froth; spread it over the top, sprinkle over a little sugar and serve when cold.

Fruit Custard with Cake: Cut some sponge cakes several days old into square pieces. Drain the liquor from a can of peaches and dip each piece of cake into the liquor and lay them in a glass dish. Place the peaches between and pour over them a cold custard. Then spread over the top the whites of 3 or 4 eggs, beaten to a stiff froth, and sprinkle over a little sugar and serve. Any kind of stale cake may be used up in this way.

Many a cook has complained to her butcher of the tough piece of corned beef he sent up, while in reality the fault was all her own. She was in a hurry and let it boil to hard. Place it near the back of the stove where it will scarcely boil, and when tender take from the stove and let stand in the water in which it is cooked until the whole is thoroughly cold.

#### PEACH PRESERVES

Preserved Peaches: Pare the peaches or remove the skins by plunging the fruit into bolling lye (2 gallons of water and 1 pint wood washes). When the skins will slip easily take the peaches out with a skimmer and plunge them into cold water; rinse in several waters and there will be no taste of the lye. Weigh and add  $\frac{3}{4}$  of a pound of sugar to every pound of fruit. Halve them and use some of the pits or leave them whole as you please, but the stones improve the flavor. Make a syrup by adding as little water as possible to the sugar, about 1 cut to each pound of sugar. When it bolls, skim until clear, then add the peaches and cook until transparent.

There are many ways of cleaning light colored leather belts, card cases, pocketbooks, and the like, but perhaps none more satisfactory than using naphtha soap. Many a valuable purse hase been ruined by experimenting with benzine, gasoline, etc. You can't tell until you've tried it whether it will clean or ruin.

#### BELLING THE TURKEYS

I have found it a good plan to the small bells on the necks of the turkey hens and the gobbler. They scared away the foxes and helped one to find the straying turkeys.—

To clean suede gloves, place them on the hands, then rub thorougfily with fine oatmeal, renewing the meal several times. Finally brush the meal from the gloves with a soft brush.

In buying white canvas shoes be careful to select only those of the very best quality. Cheap black shoes are poor enough economy, but to buy a cheap white shoe is a waste of money.

To fit corks tight in the bottles soak in bolling water untill they are soft, then pound them in.

Never enter the ;water with a headache; never do so with a full stomach.

# The Paultry-Yard.

#### WHY CHICKS DIE IN THE SHELL.

Some people will not understand the directions sent them by the maker of the incubator and would not follow them if they did. They have their own ideas in regard to artificial incubation.

After the hatch is over and the chicks fail to be excluded, the machine is blamed for not fulfilling expectations, and artificial incubation, in their minds, is a failure. Many chicks die in the shell from improper ventilation. Air cannot be seen and measured by the operator before the proper amount can be given. With insufficient air the chicks may die in all stages of growth, but the greatest number during the last three days of the Too much moisture is nearly always given under the mistaken notion that moisture is what makes the downy balls pop out. Mistaken kindness! Eggs pip but are wedged fast in the shell and cannot move. In very bad cases chicks get out of the shell, but fail to absorb all the yolk, and this sticks to them. Then the poor chick, in moving around, pulls out its bowels. After several are excluded in this manner, the tray presents a very unpleasant and ugly appearance. present a sticky appearance, with white and green deposits after birds hatch. When insufficient air is given for ventilation, the chicks blow and pant with out stretched necks and open mouths. Chicks should never pants after exclusion. If they do, insufficient air has been given.

When chicks are very much shriveled and small, and air-space very large, not enough moi-ture has been given. Chicks or ducks will die in the shell from overheat; running the machine at too low a temperature; bad air in incubator; bad air in the room; too much dampness in the cellar or room; dryness in the incubator when hatching; small air-cells; extremely large air-cells; (eggs do not have to be frozen to chill them); overfed breeding stock; unbred stock; diseased stock; ill fed stock; in fact anything that will lower the vitality of the breeding stock or the egg before or after The pipping stage is the judgement incubation day or summing up of all the evils that went before. In a large number of cases, poor eggs are caused by poorly fertilized eggs, and the incubator gets all the blame. Eggs laid in cold weather, in the winter months, are seldom properly fertilized. Eggs from birds in poor condition, or in confinement, may start to hatch, but not having sufficient vitality, they will die in an incubator or under a hen. Another cause of poor success arises from the anxiety of the operator. constantly fussing, turning the heat up and again turning it down, sliding the ventilators one way, then another, watches the machine day and night, gives the eggs an ocean of water one day and dries

them the next. The last great day of the hatch comes off—no chicks. Operator is angry and declare he has followed the directions (?)

A thorough knowledge of the development of the germ and the growth of the embryo chick is very important and should be carefully study by any one who expects to succeed in artificial incubation. This development is wonderful, and cannot but prove an interesting and fascinating study. We make the following remarks for the benefit of the amateur, while they will not be amiss to even the expert and will do no harm. First it will be remembered that only fertile eggs under any circumstances can hatch. If 75 per cent of average eggs prove fertile your breeders are in By a fertile egg I mean one good condition. that, under favorable circumstances, cortains a germ vigorous enough to produce a chick. eggs are only partially fertilized and will die in a few days under any circumstances. Such eggs are what produce the foul odor in the machine or under a hen when dead-simply rotten eggs. Some of these die at from five to seven days, while some may live until to or even 15 days, but for lack of sufficient vigor will not hatch. An egg that has no fertility whatever, will not rot or have a bad odor, though left in the machine for By the means of the egg tester, infertile 21 days. eggs can easily be distinguised.

This is a point which is not usually considered so important as it really is. Testing the egg is so intimately connected with the proper temperature, that it comes only second to the temperature itself.

By means of the egg tester infertile eggs can easily distinguished. At the fourth day, these will appear perfectly clear, like fresh eggs. Those which have a germ will be seen to have a small dark spot near the centre, with dark lines, running out on all sides, forming a spider like appearance. This should be, at the fifth day, quite plain and distinguishable at a glance even in dark shelled eggs. If any germ should have died, it will be apparent by a distinct red line in the form of a circle about the size of a silver quarter dollar on the side of the eggs.

The principal object of testing is to watch the development of the air cell, and to remove bad or dead eggs. By keeping out dead or infertile eggs, the operator runs no risk of getting the thermometer on a cold egg and overheating the lives ones. The removal also aids in keeping the air pure.



EGG TESTER.

Showing a good fertile egg after five days of incubation.

No tester is required for duck eggs. The germ can be seen in 36 hours by shading the egg with the hand when held up to the light. (I have tested hens' eggs repeatedly in the same way with a candle in a dark room, but I prefer the tester). Duck eggs should be teated frequently as they decay very rapidly and create a bad odor in the machine. Testing will not injure eggs. Use it in dark room on an ordinary hand lamp in place of the glass chimney.

S. J. Andres.

### The Farm.

#### RAPE (1) GROWING.

This plant, which but a few years ago was practically unknown, in our province has, since its value has been brought to light, chiefly through the Experiment-stations, been steadily growing in favor among our farmers. To-day, whether pastured or cut, it stands preeminent among all fodder crops. As Prof. Henry of Wisconsin says in his book on "Feeds and Feeding" "the rape is recommended to all farmers and stockmen as well worthy of a trial, since it is produced at a small expense for seed and culture, and yields an immense amount of nutritions forage, the flavor and succulence of which are highly appreciated by sheep and swine. As a promotor of growth in young animals, rape is said to be unequaled by all stock raisers who have experienced it."

Like all rank growing crops, rape requires a soil rich in organic matter and plant-food. Warm,

<sup>(1)</sup> We have the honour of recommend the cultivation of the rape in this country, long before Experiment-stations were heard ED.

friable soils, old pasture lands brought to a fine degree of tilth, or newly broken up land, generally give the best results. It will do very well also on a clover or timothy sod, provided that the soil is thoroughly tilled. This condition is essential to success, and should come before all other considerations. A good ploughing in the fall, followed in the spring by the pulverizer, will put the land in good shape. As rape requires a large amount of water, all precautions should be taken to prevent the loss of such from the soil by evaporation. In order to do so, the cultivator should be kept going over the land until seeding time, thus keeping the weeds in check and forming a moisturesaving mulch. If ploughing in the spring is needed, the harrow should follow closely behind the plow so as to prevent evaporation.

Three methods of sowing the rape are known. The seed may be drilled in rows, 26 or 30 inches apart, at the rate of 2 lbs. to the acre, or sown on drills, or broadcasted, at 6 lbs. to the acre. The first has proved, through repeated experiments, the most satisfactory. Less surface being exposed than with the drill-system and cultivation being possible during the summer months, the loss of moisture is lessened and the plants can withstand drier weather. They also grow taller and make better fodder than when broadcasted. This last method however is claimed by some to give good results when the land is perfectly clean. (1)

Rape may be sown at any time from May until August, and can be thus advantageously used as a catch-crop. Early seeding, as a rule, is not advisable unless the crop is cut as soon as developed, for soiling purposes. If not, the plants will turn yellow and become infested with plant-lice during the summer months. The most satisfactory method is to sow it at different dates. At the Ontario Agricultural College where 6 acres of rape are annually grown, one acre is sown in the latter part of May for early feeding (pigs and lambs); the remainder is sown at the end of June for fall-feeding (pigs, young cattle, steers and lambs).

The quantity of fodder given by a good crop of rape is very considerable. In a good season, with rape sown in May, 3 cuttings may be obtained before the snow come in November. "By cutting the plants 4 inches above the ground, which best

enables them to throw out new shoots, and cultivating between cuttings, it is estimated that about 30 tons of green fodder may be obtained from an acre." This yield, which may be considered as a limit, is obtained only by combining the best conditions. Experiments conducted at the O.A.C. have recorded a difference of 3 tons per acre in favor of the variety "Dwarf Essex" over all others. Similar results have also been obtained at other stations, so that the Dwarf Essex may now be considered as the most reliable variety of fodder-rape known. Plump, selected seed, gave an average of 5 tons per acre over the small seed.

Rape may be either pastured or cut off and fed as a soiling crop. The first method is the more convenient, and gives very good results, especially for lambs. Care must be taken however to get these gradually accustomed to eat rape or else they are liable to bloat. They should always be left to graze 2 hours on pasture land before being put on rape. This combination of pasture and rape will not only prevent bloating, but also secure better gains. At the Wisconsin station, it has been found that 401 lambs fed on an acre of rape and gives some pasturage and an average of 1 lb. of grain daily, per head, in addition, will produce at least 400 lbs. of mutton in one month.

In feeding swine, rape has also considerable value. It is considered as a very economical food during the latter period of fattening, as on an average of several trials, in Wisconsin, it was found that one acre of rape is equivalent to 2,600 pounds of grain. Its succulence, and the relish with which it is eaten, render it especially valuable for swine feeding during the hot summer months. Already rape is grown quite extensively and with benefit in Ontario. Let not Quebec miss the pecuniary advantages which this valuable crop affords to the former.

An acre of good rape will fatten ten tegs (weaned lambs) in about 3 months. Clover-hay chaffed, and a half-pint of pease and oats, mixed, should be given in troughs. See page 22, vol. I of this JOURNAL, 1879: "On the sandy soils of Bedfordshire, as well as on the chalky clays of Kent, towards the beginning of July, the traveller sees, as he journeys along the roads, large fields of a rich green plant, something like a tall cabbage-stalk, with leaves growing all the way up it, and from 3 to  $3\frac{1}{2}$  feet high. This is rape, or coleseed, the colza of the French, etc., etc." Ed.

<sup>(1)</sup> We have grown acres upon acres of rape, and seen thousands of acres grown by others, and except at Hillhurst, we never saw any except broadcasted. Ep.

#### WHICH IS THE BEST WAY?

An old Irishman living in an adjoining town, who is a most excellent farmer, in speaking of the way farmers cut their clover hay, said the following, once on a time.

"It's a quare thing that so many folks live all their lives wid clover an' don't know it. The way they cut it for hay is just the same as if a man, in fillin' a jug, would turn half the stuff onto the ground."

We have seen a lot of clover hay cut this season, that positively, we would not give half price for as a milk fodder.

The clover, in almost every instance, is left too long for the first cutting. That spoils it for hay, and also prevents a good second crop.

As we write, we look out on a small field of clover, of an acre in extent. It is new seeding. It came on in the spring with a rank growth, and just as it began to head out and show a few blossoms, it commenced to fall down badly. To secure any hay whatever, and prevent its rotting on the ground, the owner was obliged to cut it. It was given a day or so of hot sun, then cocked up and covered with hay caps. It cured nicely, even in the midst of heavy rains. For the best economy, it was cut a few days too soon, but the question was to save any hay at all.

But here was clearly shown a principal in clover cutting that every farmer ought to study. the first crop is cut early, before the heads commence to brown, a very much stronger growth will come afterward. Now, in this case this truth is abundantly proved. The second crop came on finely, and that was cut just as about two-thirds of the heads were well in blos-om. A larger weight of hay than the first crop, and very much finer in quality, was secured. This was cut two weeks ago. A third crop is coming on rank and strong, and will be ready to cut by the 10th of September. Now here are three crops, two of splendid milk quality, and one quite fair. A yield of hay of fully five tons per acre, will be secured. Is not this a better method to pursue than the one most farmers practise?

A practical feeding value of \$30 an acre will be had in this way. The principle involved is this:

Clover is a biennial. That is, it takes two years to grow and produce seed. When once the root has fulfilled its mission, and produced seed, it

begins to die. The thing to do then, if we want the largest supply of hay from that root, is to prevent seed from forming.

Nature is very persistent, and so she keeps on throwing up flower stalk after flower stalk, trying to produce seed. By cutting these stalks before any seed forms, we secure two results:

- (1) We keep the root alive and vigorous.
- (2) We secure two, and often three crops of hay, all of which, pound for pound, will produce double the milk that the clover hay, commonly harvested by the average farmer, will.

The brings us to the caption of this article "Which is the Best Way?"

What is the use of this constant turning of half of the water on the ground when we are filling the jug? Does it indicate that we are students of our business?

Farmers talk about their clover killing out. They don't realize that their practice of allowing it to stand until the seed forms before cutting, is one great reason why it kills out.—Hoard.

#### GROWING EARLY POTATOES

The Kansas Experimental Station has been experimenting for two years on the methods of hastening the growth and maturity of early pota-During 1897 some whole potatoes were set in shallow boxes with the blossom side up on Feb. 23rd. They were filled around with sand, leaving the upper fourth exposed and the boxes placed in a room of rather subdued light, and a temperature of 50° to 60°. Vigorous sprouts soon began to push from the exposed eyes. These potatoes were planted on March 22nd in furrows in the same position as they were in the boxes and fourteen inches apart in the rows. They were not cut but kept entire. Similar rows were planted of potatoes taken from the storage room and unexposed to the light till planted. As they grew, the sprouted potatoes took the lead from the start and both lots of whole seed kept ahead of cut seed of the same varieties. On June 1st the sand-sprouted lots showed excellent young table potatoes, while none of the others were yet large enough for use. A week's difference was apparent in the two lots. On June 16th the sand-sprouted potasoes were still ahead in size, and at the final digging, July 24th, the sand-sprouted lots showed better tubers and 10 per cent, larger yield than the others.

Last year, somewhat similar experiments were carried on with about the same results. (Just what we recommended 12 years ago. ED).

Farming.

#### STATE OF THE CROPS.—CATERPILLARS.

To the Editor of the JOURNAL OF AGRICULTURE:

DEAR SIR, — Your correspondent can make a report on some of the crops; others you will have to wait for. I would say in general that early sown grain is looking fairly well; but, that, that was sown later, did not come up well, on account of the drought.

Wheat.—There is rather more acreage in wheat this year than usual; it is looking fairly well; the Province of Quebec is not much of a wheat-country.

Oats.—This is the crop above all others for this Province; in some places it has come up unevenly, but the braird is looking well.

Barley.—We used to grow lots of this cereal, but lately the price has been very low, so that it has been used for the growing of pigs, etc., in preference to selling it to the brewers.

Pease.—The growing of pease has been a great failure for the past few years; they must be covered at least 4 inches deep to insure a good crop. (1)

Rge.—There are but a few sections where rye is grown, down in the sand near Berthier, and again near Three Rivers; it is looking fairly well.

Buckwheat.—There is lots of buckwheat sown around here, usually, but it is too soon yet to sow it this season.

Corn. — The weather has been somewhat cold for the favorable growth of this plant; however, it is now somewhat advanced in the season and we should soon get nice warm weather. In some sections, quite a good deal has been planted.

Potatoes. — It is rather early to speak of this tuber. The first potatoes I saw through the ground this year were at Maskinongé on the 25th of May; while, here, those who raise many potatoes are only putting them in the ground this week. There will be a great acreage planted this year, as they have been selling very high the past 3 months.

Roots.—Have made a fair start, the fly, that used to bother us years ago, does not nowadays seem to do much harm to the young turnip plant. Some mix the turnips and carrots together.

Grass and hay.—The past winter has been hard on the clover plant. Some grass was also winter killed. It will be many a year before we have another crop of clover like last year; new seeded down fields have some clover, but where clover was grown last year, very little of it is to be seen now. The pastures are looking fairly well, and cows are going out to graze pasture in better condition than usual. (2)

The price of cheese is gradually falling as there was up in Ontario plenty of fodder-cheese made, despite the warning given not to make it.

Butter is stiff-ning up a bit in the price, within the past 10 days, since grass butter has been made.

As regard, the outlook for small fruits and apples, it looks rather bad at present; this is an off-year anyway for apples; the dry spring having been favorable for the tent caterpillar, and, as a consequence, there never was such a host in any remembrance. They are very general all over the Province, and apple and cherry trees seem to be their favorite haunts, but the great crawling ugly things! they make me shudder just to think of them. In some sections, where they have not been killed, they have got all the foliage eaten up, the trees look about as bare as in mid winter. It will be just a chance if they survive through the hot sun. I should say that those who have kept them at bay have past the worst time for them, unless they swarm from those who have not kept up the warfare against the pest.

Gooseberries are suffering too from a green worm, but a spraying occasionally will keep them free.

Currants seem to have a fair appearance. Of plums I do not think we shall have many this season.

Strawberries are just now in bloom.

Raspberries seem to have lots of dead canes. Whether it was the hail storm that we had in August last that did the damage, or the past winter, I should not like to say.

To sum up: appeareances are only fair, and I do not expect more than  $\frac{2}{3}$  of last year crop, as a general thing; to be sure, that year was a quite exceptional season in every respect.

Yours truly,

PETER MACFARLANE.

Chateauguay, 30th May, 1899.

<sup>(1)</sup> Instead of, as usual, just harrowed in. En.

<sup>(2)</sup> The hay crop, from Montreal to Ste Anne de Bellevue, is sad to see. Ep.

# Index July 1st 1898 to June 15th 1899.

<b>A.</b>	" charlotte, with tapioca, cheese, trifle 470
Abolition of small factories	" Wykin pippin 545
Abortion	" Summer, Autumn, Winter 103, 104
Absorption in plants	" dying of 124
Accidents and diseases	" La Reine d'Angleterre 185
Accounts, farm	" storage of 260
Acetic acid	" in Norway
Address on cold storage, P. Macfarlane 62	Applying manures, a last word on 512
" M. H. Bourassa M. P 154	Application of top dressing 517
" Prof. Robertson 520	Aprona
Advantages of creamery butter 429	Artificial manures
" of early cropping 435	recaing
Advice, proctical, on Fruit culture, Revd Fathers	Arable dairy farm, W. R. Gilbert on
Trappists	Articles on the "transactions"
Adulteration, food	Art of broiling
Age of trees to plant	Asparagus
Agriculture, at the Paris Fair 1900 71	Association, Dairymen's, Province of Quebec 279
" remedy for	Autumn stable cleaning 123
" for use in schools	" gown, an 170
5011001 01; at Di. 11111B	Antomatic agricultural machine
Agricultural Show at Birmingham	Aylmer, Lord, correspondence 340
experimental union annual meeting 242	on farming in the Eastern Township 533
" chemical research	-
" automatic machine, (the Romaine) 171	В.
" societies, official notice to	Babcock test, the 290
" societies	" versus churn, tests
" meetings 386	Baby, time for it to sit up
" news and comments 296, 432, 360	" weighing the
" merit competition 1, 28, 29, 385, 431, 437, 531	« sleep 340
" schools, the purpose of	Bacon cooking 20
Aids to butchering 269	" hogs 195, 338, 454
Air and light action en fruit trees 54	" " premium for 512
Almond icing 323	" Canada 280
Albuminoids for butter 3	" Irish and Danish 290
Alfalfa 495	" trade the, and pork production 294
" for the east 149	" " the Canadian 415
American cheese	" production 420
" butter in South Africa	" export, producing 452
Ammonia in stables	66 Boft 324
C.000 be of 914	" and hams
purpusse or	Bacteria, plain talks on
Animals, tethering of	" in cheese making
Annual Exhibition of Montreal, Hort. Soc, Alex. Gibb 181	
" meeting of experiment Union	" what they are 48 " in milk, sources of 96
Anthrax, W. R. Gilberton	Baked eggs
Anxious time, the dairymen's499	" milk
Another large flower	" macaroni
Ancesthetics in operations on animals 547	Baie de St. Paul farmer's club 460
Aphorisms, farm	Barley 123
Apple trees 103	" crop 289
" King, the 351	Barometer, a breakfast 246
" culture in Normandy 496	" a fish 246
" fritters 372	Barn yard manure 337, 387
" shape 372	" new use of 409
" for cold climates 456	Basic slag 171, 337
	<u> </u>

Baths	246	Butter, making in the farm	149
Bath, the	349	" first prize at Sherbrooke fair, how made, H.	
Bats as insects destroyers	32	W. Parry	152
Beans, not like in England	290	" storing 266, 270, 2	280
Beans	482	" making	
Beauce, sheep in	266	" Danish	
Beauty, points of	450	" to Japan exports of	265
Beef steer and heifer		and eggs co-operation in France	
Bees		" American in South Africa	270
Bees	556	" superiority of Danish	
" as a barometer		" exporting to Japan	
Beef, how to came a sirloin		and cheese, price improved in England	290
baked with mushrooms		color	316
" Christmas		" and cheese 257,	467
" a pickle for		" colour,	
Beefsteak, American way to cook		Buying chemical manure	478
Beet root	482		
Belling the turkeys		<b>C.</b>	
Beetle, the potato			
Bengal Chutney sauce	201	Cauliflowers.:	
Begonia, new tree tuberous	487	Cabbage planting	
Benefits of sheep keeping		" centrepiece	
Bettering and manuring pastures	116	" preserving	
Biscuits, digestive		" pickled	
Blouse, the		« storing	
Boning		Carrots field	
Boil meat, to	229	Carnation, the new	
" potatoes before baking	202	Cake, Sultana	
Bourassa, M.P. address by M		" white layer	
Bran for horses		" rock	_
Bread, cost of a loaf of	267	" cream	
" rolls		Calf, a skim milk	
Breakfast dishes	469	Calves, feeding of	
barometer, a		" rearing of	
Breeds, local		Canada, dairying in	
Breeds weeder	234	" farm pupils 224,	
Breeders		Canadian Poultry 340,	
of colts		" bacon trade, the	
Breeding stock, accident and diseases		" Jersey, the	
and feeding of swine		" cheese	
British letter, Prof. Robertson's	119	Cambium 335,	393
« «		Calendar of work in orchhard	
Broiling, the art of		Calcareous soils	
and frying of fish		Cape, the small	557
Broiled sardines		Care of silver	20
Brown and white roux		" of farm horses, Wardle on	
Brocoli		" of mares	
Brooder the, and incubator		Carrying hay	
Brussels sprouts		Canning fruit	
Bruise, after		Carpet stains, removal of	
Buchauan's prize essay on the patoto		Carving	
Bullocks heart to cook		Casteration	
Bulletins of experimental from Ottawa	338	Castor oil plant	91
Buns, Spanish.		Cattle, molasses for	
Burnt lime		" show of range	264
Burns, treatment of		" dairy	175
Butchering, aids to		" at Liverpool, price of	
Butter, albuminoids for	3	" dip, a new	
" Devonshire	39	Shorthorns an all round breed	
" the kind wanted in England	40	" milking, prizes for	
" feeding for (W. R. Gilbert)	61	" for the general farmer	
" moths in	134	" feeding experiments	541

Caterpillars	Clear as you go	
Cellular clothing 10		
Celery 46		.538
Cereals, distribution of 99	2 " plated articles	539
" cause of their lodging 18		
" essay on 28		178
Coment for repairing churn 42		123
Central experimental-farm, Ottawa 34		562
Centrepiece, cabbage 27	for pigs, McPherson on 272,	330
Chalk 50		531
Charlotte apple 47	Clothing, cellular	100
Chair, a high kitchen 3		425
Cheddar cheese 37		
" price of in England 27		
Cheese, how to make Wensleydale 8:	•	
" American	· ·	
" and butter 25	The state of the s	
" storing 266, 268, 229, 28	" for dairy products	
" genuine cheddar	3 " milch-cow 241,	
" making, bacteria in		
" fauce		
" curing room 40		
" fodder 50		
" and butter		
" eggs with		
" apple		
" Canadian		
Cheeseries on Quebec, number of		
" improvement of		
Cherries in vinegar		
Chemical research, agricultural 12		
mannied out in the state of the		
10 81011 10011000 11 11 11 11 11 11 11 11 11	•	
growing crops with		
Chestnut sauce for turkey	Gorn	
Chicks, why they die in shell 55		
Chicken salad 30		
Childs garden, the 10		
Children, early training of		
Chickens, demand for 32		
" fattening in England 32	•	
" liver and bacon 37:		
China cement 423		
Chops and tomato sauce	Conclusions, general	30
Christmas plum-pudding		
" dainties 251	" Dexter Wee Kate	245
" beef 33		430
Chrysanthemum show, the 245, 260	" dairy, size of	497
" Gibb on	ec end of	337
Churn test v. babcock 40:	" the combination	320
Choosing ment 15:	" competition of milch	374
Cholera, preventing hog 270		
Choice of plant 3:		
Chutney shuce, Bengal 201		
Chow-chow tomato		
Churn and churning		
Oider 554		
Oider, sweet	<del>-</del>	279
" making 124, 47		
Circular official48		
Clean linoleum, to		

Creameries in Australia 29	Dairy Cows, feeding of
Components of feed ration. Weston Parry on 6	0 "the3, 37, 60, 80, 112, 133, 152, 172, 210, 227, 207
Cold storage, address on, Peter McFarlane 6	2 " cattle, spring and summer treatment, W. R.
Corn cockle 9	
Coleus 10	
Convincing experience	
Cold water starch 12	
Cocoanut cookies	
Gold poultry houses, Andres on	
Composite test fair, the 14	8 Dairymen, seasonable notes for, Weston Parry 172
County farm, Quebec 22	
Crops, McFarlane on the state of 1	
state of the	
" in Britain	, ,
10 35181000 U	
in Treiand in 1600-, 10	
111011 1	
in one neighbourhood of Quebec 19	
" state of	· · · · · · · · · · · · · · · · · · ·
" roots	
" hoed 50	
" larger 53	,
Cream of pea soup	•
" to whip	
" ripening of	0 Destroyer, insect
" soft omelette	
" in butter, yield of 55	
Creamery, the	
Crabs 10	
Creole pickles	7 Dinner makers 202
Cubans, the 29	7 Dipping sheen for ticks 46
Curiosities of nature 45	9 Dip for cattle, (new) 297
" plant life 10	6 Disinfecting rooms 493
Cucumber chow-chow	2 Diet, spring 537
Profite Breen 14	
Cultivator Coleman & Morton's (illustrated)	7
" shallow	Doucobolicon meaning
Cultural preparation for laying down land, Walter J.	2-00-1-18, 00-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-
Bunbury 221, 25	Docking colts
Currant, the	
" Current, raspberry and strawberry syrups 7	
Curing log ment 41	Docking colts
" room, the 401,50	2 Drainage and culture
" sardines 37	2 Dress
Curling fluid, a 53	9 Dress simplicity in
Curtains, long, to wash 51	7 Dress making house, hints for
Custard	1 Drains, open 121
" Lemon	Draining of grass land, Walter S. Bunbury on 10, 56
Cutiets, mincea	by the isditor 102, 187, 203, 237
77-12-1	apopulaegus, by the Editor
D.	Dressed beef
Dainties, Christmas	
Dairy school, St. Hyacinthe	
important to dairymen	- 0 · · · · · · · · · · · · · · · · · ·
school Manitoba	
calf, raising the	
research recent, notes on	
" cows, size of 49	7 Ducks hints 9
" competition of 24	

	••
E.	Exposure for orchard.
Early moulting, A. G. Gilbert 11	1 Exports, our 1
Economy in production 12	
Education, agricultural 14	5 Ewes 2
Effect of food on milk	7 Extension of mangel crop desirable 5
Effervescing lemonade 2	<b>F.</b>
Early training of children	1 Fallowing the soil 2
" spraying 47	
Eastern Townships, farming in 53	3 Factories, small, abolition of
Economy of sheep breeding 33	
Echoes from the farmer's clubs	
Education, Agricultural	
Eggs, make preparation for	
" grade for British market 34	2 "the Reburn
" medicinal uses of	3 " produce prices in London 1
Incarona, 1000 01000000000000000000000000000000	
moroughmens for 42	
01111 FCU 4055464646464646464646464646464646464646	
W1011 G11CCCC 41	
	5 _ " county
" the flavor of 5	
" to distinguished fresh 11	0 Farms, County 4
" to poach 15	1 Farm horse, care and management of 2
" delicious fried 20	2 " prize, essay at Sherbrooke, Geo. Buchanan 2
" preserved 10	8 " aphorisms 3
" baked 10	8 " pupils 2
" production, meat and bone for	
" feeding fowls for, Andres on 26	
" storing 266, 28	
· 51	
" testing of 52	
" feeding fowls for 20	
" lemonade 53	• • • • • • • • • • • • • • • • • • • •
" tester 56	
Elevator for stacking loose hay	
Ensilage	out of tehotre 4
England, weather in	
" wheat in 24	
brice or wheat in 13	
near m	
English sheep farming, the future of	
Fflects of lime on grass crops 51	
" chemical manure on wheat 459-46	
" on mangels 46	0 Fattening chickens 3
Efforts to improve seed grain of Canada 46	1 Fat and choose a turkey, how to 2
Entrée, an onion 45	0 Fall ploughing 128, 2
Essay, prize Sherbrooke, Geo. Buchanan 25	3 " and winter, preparations for
Everlasting fodder plant 41	9 Fatting turkeys 2
Exhibition, the Paris universal 50	1 Fertility latent in the soil 4
" of Canadian_tobacco 55	7 Fertilizers and manures 5
Experiments in wheat with chemical manures 51	4 Feeding artificial 5
" in feeding hogs 38	Feeds, how Mr. Wyckoff does it 3
" Field, Beauce 459, 48	33 Feed and its products 3
feeding cattle 54	Feeding pigs 3
" on swedes 58	fowls for eggs
Experimental Farm 34	7 " of calves
" Union, Ontario 38	
" field, the	
"Union, annual meeting	
o mon, annual meeting 24	
Exercice in the open air	S "moistening and soaking
" in cold weather 20	
Experience, a convincing experience	5 fowls for eggs
Expeditions potato digging 19	7 " calves 1

Fiction, farmers of	457	" syrups 107
Filet of Haddock	344	" growing, P. McFarlane on 182
Filling, golden		" gathering and packing 103
Fish cutlets		" practical advice on
« sauce		" trees ond bushes 53, 86
" broiling and frying		" preserved and dried
" cold cooking of		Frequent milking
barometer		Fried eggs 205
" small, te boil		Furniture polish
Fillet of mutton, a novel		Future progeny
of fish		ruture progeny
Flower, another large		<b>G.</b>
Flunnel night dress, a		G
Flocks should be improved		Garden, the child's
Flax		" nitrate in the
Fly specks to prevent		Gardening, cottage 485
Fluid, acurling		Gardeners, young, hints to 394
Floor, covering	21	Gabourage or mélange
Flowers, interesting to lovers of	33	Gardens, City of Quebec
Flavor of eggs	55	Gathering fruit 102
Flax.		Gait of horses, uneven 240
" seed	146	General farmer, the cattle for 478
Flock, the 206,	232	General observations 386
" of hens, starting a	209	Germany, fruit trees of 297
Foal putting the, to pasture		Gems
Foaling time 479,		Gipsy moth, the 152
Fodder plant, an everlasting	419	Glossing linen 538
" cheese		Ginger syrup preserved 517
" corn		Golden filling 371
Food		Good and durable pastures 327
" keeping hot		" do a little at time 323
" used for fattening chickens		" ploughing 386
With the table of ta		" seed and seed beds 535
GIII IIIIR		Gooseberry, the
" supply in time of war" and milk		" thrifty 34
Forest, replenishing the		Gown, an autumn
Form and function	522	Grain crops with chemical manures
Food and milk 202,		Grain cheap in England
" effect on milk	7	Grass, manuring experiments
Forage plants and sheep raising	23	Grass lands, manuring 250
" for sheep	44	Grass experiments in Staffordshire
Forestry	53	Green forage for six months
Fodder plants, feeding of	60	Growing rape 413
Foal, care of the	159	" rapsberries for profit, M. Jack 395
Fowls in moulting, S. J. Andres on		' potatoes 511
" how to improve common		Grass lands, the draining of 10
" fatting and packing	287	" laying down, J. C. Chapais 133-135
Fox killing turkeys	287	" temporary\ 285
Food influences milk, how	116	" seed 284
Fitter, an impromptu	537	" manuring of 556
Frost and Wood binder	284	Grazier and breeder, the
Frequent failure of the swede crops	534	Grafting on a vigorous stock 33
French cream cake		Grazing land, care and management of 15
France, butter and eggs competition	406	Grain for poultry 234
Fritters, savoury		Green fly
apple	5 ( Z	" cheese
Fruit	±0′( 250	" manuring 269
" culture, notes on practical advice		<b>H.</b>
* keeping	103	Haddock, fillets of
werking		

Hardy perennials (illustrated)		Too cream manifely	
Hay, export of	909	Ice cream, vanilla	
" situation, the	12.i		
" and fodder crop, lucerne as a		Ices, how to make	
Hair wash, an old fashioned		Icing, almond	
Harness, care of farm	979	Improving in orchard	
<del></del>	265	Improvements of roads	
Harvest		official circular	
Hay making	146	cheeseries	
" carrying	146	Improve your stock	-
" for farm horses	271	Importance of soil culture	
Healthy live stock.	389	" of good seed and seed bed	
Henvy seeds	393	Imported meat, inspection of	
Health, rules for		Indian meal pudding	
Help in washing, a		Index	
Heifers, first milking period	356	Insects destroyed by bats	
Herbs	482	Inspectors of syndicates	
Helleborus	449	In memoriam; Ed. Barnard	
Heat in England	170	Inoculation	
Healthy old woman, a		Improvement of old pastures by lime	
Height of trees to plant	32	" of stock	
Hens needs sunlight 286,	288	Inflamed feet	
Hints		Irish crops	
" on cooking	421	Incubator and brooder	
Hybridizing and selection		Influenza in horses	
Hog cholera, preventing of	270	Index, July 1 1898 to Dec. 15th	307
" the best medecine for	296	Insects	
" experiments in feeding		" injurious	
" meat receipt to cure		" destroyers	
Hog trough, a convenient	65	In-breeding of farm-poultry	
" packing in the East	150	Impromptu filter, an	
U00UII	195	Indian-rubber tree, the	046
Theodole House on Me	117	J. Jadoo fibre and liquid	ຈະກ
" cholera Horseraddish sauce	270 #10	Jersey Canadians	
Horses, influenza in	918	Jam, strawberry	
		Japan, export of butter to	265
Horse, largest in America		Japaneese dwarfed trees (illustrated)	
Horses farm, care and management of	41 <i>0</i> 971	Jelly, red currant	
" docking		" crab apple	
" good getting scarce		Jersey versus dairy Shorthorns.	
Honey in Eng., Canadian		Jersey-Ayrshire cross, the	
Horse hoe, the		Judging	
Horse, thrush in the foot of	157	<i>K</i> .	
" uneven gait of	240	Khartoum taken	297
" the Cleveland-bay		King, the apple	
Horses, Wardle on farm		Keeping fruit	
Holes in bread	517	Keeping nosegays.	
Home dresmaking, hints on	491	Kerries and Shorthorns	171
Honey	529	Kitchen chair, a high	
Hops in England, dear	290	Know what you breed, S. J. Andres	233
Household matters 516, 277,	321	<b>L.</b>	
Hot winds in Australia		Land preparation of, for hoed crops (by the editor)	508
Hoed crops (by the Editor)		Lambs, weaning and rearing	
" preparation of the ground for		" profit in feeding	
Holstein-Friesian breeds	522	Latent fertility in the soil	
Hunting	269	Last words on applying manure	
Household matters, 19, 35, 54, 78, 106, 126, 150, 176, 2	201,	Largest horse in America	
228, 9	251	Laying down land to grass, Bunbury	255
House plants, manure for	184	Lambing time, losses at	246
How plants feed, A. H. Plummer on	14	Larger crops	535

Lamps, how to economize in	Markets in England 219
Laundry work 127	Macaroni, baked 517
Lambing time, W. R. Gilbert on, losses at206, 232, 246	Maple sugar 265
Laying down land to, J. C. Chapais on 133, 135	Manure, artificial
reter attracted on 220	when should it be spread
Building on 255	barn yard, a new use for 392
Layers, developping	Daid fald
Leghorns	potato
Leguminous plans	" a last word on applying 412, 512 Manures and fertilizers 502
Lemonade, effervescing	" for mangels and swedes 508
Lemon water ice	Manuring experiments on grass
Letter, important on poultry	" permanent pasture 464
Lemonade, Egg	" grass lands
Lime	Manures, at Rothamsted
Linen skirts	Mangel culture, variations of
Light and air, action on fruit trees of	Making cider 472
Lincoln Shearling ram, (illustrated) 109	" custard 421
Lime 505	Mangels and swedes 508
" application of 348	Market, London 364
" its effects on grain crops 513	Мау 520
" benefit of 505	Mangels or field carrots 484
66 burnt 505	Maize 485
Lifting power of plants 519	Maguey plant, the 486
Live stock, price of 290	Markets 298
" healthy 389	Massachusetts Hort. Soc. exhibition 156
Linen 538	Meal for fatting fowls 288
" glossing 538	Ment, potted 108
Linoleum to clean 538	Ment and bone for egg production, S. J. Andres on 192
Lincolnshire-Red Shorthorn, yield of 283	Meat to boil
Live stock, stamina in 65	Meeting of the Dairymen's Association, the 17th 279
Live stock	Milk turnipy 7
Lord Mayors (Note on)	" effect of food on 7
London, value of clover in (Note) 166	" winter 38
Lovers of flower, interesting to 33	" how wasted, skim 50
Lodging of cereals, cause of	" affected by germ life, quality of 95
Lucerne 10, 41	" sources of bacteria in 96
" Walter S. Bunbury on 213	" and food 243
Local breeds	" affected by food, production of 112
London markets 364	" how food influences 116
Losses at lambing time 246	" testing 268
Lucerne or Alfalfa	" production 268
66	" pure 270
" as a hay and fodder crop 391	" untainted 355
<b>M</b> .	" analysis 363
	" for Cheddar cheese
Mackerel, how to bake	Command June of the second sec
Mangels, experiments with	211100-11 1.02 00 11-1111111111111111111111111111111
and carrots	" Shorthorn Ayrshire
" note on 217	
Making hay 146	Jug, dengers in
Manures 161, 212	passessing with the passessing pa
" experiments at Rothamsted, A. H. Plummer on 256	10.0., 0.000
Manure for orchards	" and food
tot modae highta 102	Milkings, frequent
101 1001 Clope, 21. 12. 1 10	Milch cows, Parochial competition of 241, 242
Manuring grass lands	Mince meat, royal
61001	Milch cows, selection of
Manitoba crops of wheat	Milking, Shorthorns
Maple syrup, &c., in England	"heifers, first period
Mare and colt, feeding of	Minced cutlets 399

Montreal annual exhibition, Alex. Gibb on the	151	Oats a great yield of	
" chrysanthemum show, A. Gibb on the	260	Oatmeal for the teeth	42
Molasses for cattle		" to be well cooked	469
Moulting		Observations, general	
" shortening the period of		Official notice	24
" A. G. Gilbert on early		Oats, experiment with	29
" S. J. Andres on care of fowls in		" for farm-horses 271,	273
" something about		" in Norway, rolled	268
Mock bisque soup		Official notice	241
Moistening and soaking feeds	264	Object lessons, suggestions for a local system of	84
Mottles in butter		October	203
Moth, the Gipsy	52	Old trees, evils of planting	32
Mould to turn out a		Omelette, a soft cream	202
Multiplication of bacteria		Orchard in summer, the, G. Moore on	
Muslins, to wash printed		Orchard and Garden 31, 51, 88, 102, 124, 156, 179, 1 224,	
Mushroom, turkey stuffed with		Ornaments, steel	
** Sauce		Oil cloths, to varnish	100
Montreal Chrysanthemum show		Onion entrée, an	450
Meadows, fall feeding of		Onione, boiled	221
		Ontario Experimental Union	381
Medicinal uses of eggs		Orchards	425
Milch-cows, competition of		Orchard, improving an	
Mushrooms		and garden, the	274
" pickles		Organic matter and nitrogen	348
Mutton, a novel fillet of		Ox tongue, to pickle	398
Mustard, sow white		Oxford Down sheep	399
Mushroom sauce for turkey			
Moistening and soaking feeds		n	
Motions of animals		<b>P.</b>	
Moth, warning about			
Mutton chops	518	Parochial competition of milch cows	Z41
Mutton chops	518	Packing fruit	103
Mutton chops	518		103
Nail, a wound from	451	Packing fruit	103 29
N.	451	Packing fruit.  Pastures, improvement of old by lime  bettering and manuring, W. R. Gilbert on  new management of, Walter S. Bunbury on.	103 29 116 186
Nail, a wound from	451 456	Packing fruit.  Pastures, improvement of old by lime  bettering and manuring, W. R. Gilbert on  new management of, Walter S. Bunbury on.  permanent, A. H. Plummer on	103 28 116 186 212
Nail, a wound from	451 456 489 489	Packing fruit.  Pastures, improvement of old by lime  bettering and manuring, W. R. Gilbert on  new management of, Walter S. Bunbury on.  permanent, A. H. Plummer on	103 29 116 186 212 285
Nail, a wound from	451 456 489 489 363	Packing fruit.  Pastures, improvement of old by lime  bettering and manuring, W. R. Gilbert on  new management of, Walter S. Bunbury on.  permanent, A. H. Plummer on  temporary  Pasteurizing	103 28 116 186 212 285 286
Nail, a wound from	451 456 489 489 363 447	Packing fruit.  Pastures, improvement of old by lime  bettering and manuring, W. R. Gilbert on  new management of, Walter S. Bunbury on.  permanent, A. H. Plummer on  temporary  Pasteurizing  Pastry puff.	103 29 116 186 212 285 286 251
Nail, a wound from	451 456 489 489 363 447 384	Packing fruit.  Pastures, improvement of old by lime  bettering and manuring, W. R. Gilbert on  new management of, Walter S. Bunbury on.  permanent, A. H. Plummer on  temporary  Pasteurizing  Pastry puff.  Packers, do they pay sufficient for bacon hogs	103 28 116 186 212 285 286 251 516
Nail, a wound from Nature's working Nature, curiosities of New carnation, the "in the garden Nikoteen Night dress, a flannel	451 456 489 489 363 447 384 451	Packing fruit.  Pastures, improvement of old by lime.  bettering and manuring, W. R. Gilbert on.  new management of, Walter S. Bunbury on.  temporary.  Pasteurizing  Pastry puff.  Packers, do they pay sufficient for bacon hogs  Pay your debts, first	103 29 116 186 212 286 251 516 278
Nail, a wound from Nature's working Nature, curiosities of New carnation, the "in the garden Nikoteen Night dress, a flannel Normandy apple, culture on	451 456 489 489 363 447 384 451 466	Packing fruit.  Pastures, improvement of old by lime  bettering and manuring, W. R. Gilbert on  new management of, Walter S. Bunbury on.  permanent, A. H. Plummer on.  temporary  Pasteurizing  Pastry puff.  Packers, do they pay sufficient for bacon hogs  Pay your debts, first  Pastures, temporary, Part 1.	103 28 116 186 212 285 286 251 516 278
Nail, a wound from Nature's working Nature, curiosities of New carnation, the Nitrate of soda " in the garden Nikoteen Night dress, a flannel Normandy apple, culture on Novel idea for the nursery	451 456 489 489 363 447 384 451 466 422	Packing fruit.  Pastures, improvement of old by lime  bettering and manuring, W. R. Gilbert on  new management of, Walter S. Bunbury on.  permanent, A. H. Plummer on  temporary  Pasteurizing  Pastry puff.  Packers, do they pay sufficient for bacon hogs  Pay your debts, first  Pastures, temporary, Part 1  Paris Universal Exhibition	103 29 116 186 212 285 286 251 516 278 5278
Nail, a wound from Nature's working Nature, curiosities of New carnation, the Nitrate of soda  in the garden Nikoteen Night dress, a flannel Normandy apple, culture on Novel idea for the nursery Noble purpose, a.	451 456 489 489 363 447 384 451 466 422 383	Packing fruit.  Pastures, improvement of old by lime	103 28 116 212 285 286 251 516 278 527 327
Nail, a wound from Nature's working Nature, curiosities of New carnation, the Nitrate of soda " in the garden Nikoteen Night dress, a flannel Normandy apple, culture on Novel idea for the nursery Noble purpose, a Norway, harvest in	451 456 489 489 363 447 384 451 466 422 383 265	Packing fruit.  Pastures, improvement of old by lime	103 29 116 212 285 285 251 516 278 527 295
Nail, a wound from Nature's working Nature, curiosities of New carnation, the Nitrate of soda  in the garden Nikoteen Night dress, a flannel Normandy apple, culture on Novel idea for the nursery Noble purpose, a Norway, harvest in Notes by the Way  145, 169, 193, 218,	451 456 489 489 363 447 384 451 466 422 383 265 243	Packing fruit.  Pastures, improvement of old by lime	103 29 116 212 285 286 251 516 278 527 327 295 251
Nail, a wound from Nature's working Nature, curiosities of New carnation, the Nitrate of soda  in the garden Nikoteen Night dress, a flannel Normandy apple, culture on Novel idea for the nursery Noble purpose, a Norway, harvest in Notes by the Way 145, 169, 193, 218, is seasonable	451 456 489 489 363 447 384 451 466 422 383 265 243 248	Packing fruit.  Pastures, improvement of old by lime	103 28 116 186 219 286 251 516 278 527 298 251 431
Nail, a wound from	451 456 489 489 363 447 384 451 466 422 383 265 243 248 261	Packing fruit.  Pastures, improvement of old by lime	103 28 116 186 212 285 286 251 516 278 527 293 251 431 466
Nail, a wound from Nature's working Natnre, curiosities of New carnation, the Nitrate of soda " in the garden Nikoteen Night dress, a flannel Normandy apple, culture on Novel idea for the nursery Noble purpose, a Norway, harvest in Notes by the Way " seasonable " on practical in fruit culture Notices official	451 456 489 363 447 384 451 466 422 383 265 243 248 261 241	Packing fruit.  Pastures, improvement of old by lime	103 28 116 186 212 285 285 278 278 278 299 251 431 466 36
Nail, a wound from Nature's working Natnre, curiosities of New carnation, the Nitrate of soda " in the garden Nikoteen Night dress, a flannel Normandy apple, culture on Novel idea for the nursery Noble purpose, a Norway, harvest in Notes by the Way " seasonable " on practical in fruit culture Notices official Nursery, a novel idea for the	451 456 489 363 447 384 451 466 422 383 265 243 248 261 241 422	Packing fruit.  Pastures, improvement of old by lime	103 28 116 219 285 285 278 278 285 527 327 299 251 431 466 36 179
Nail, a wound from Nature's working Natnre, curiosities of New carnation, the Nitrate of soda " in the garden Nikoteen Night dress, a flannel Normandy apple, culture on Novel idea for the nursery Noble purpose, a Norway, harvest in Notes by the Way " seasonable " on practical in fruit culture Notices official Nursery, a novel idea for the New pastures, management of	451 456 489 363 447 384 451 466 422 383 265 243 241 422 186	Packing fruit.  Pastures, improvement of old by lime	103 28 116 186 212 285 286 251 516 278 285 527 299 251 431 466 36 179 266
Nail, a wound from Nature's working Natnre, curiosities of New carnation, the Nitrate of soda " in the garden Nikoteen Night dress, a flannel Normandy apple, culture on Novel idea for the nursery Noble purpose, a Norway, harvest in Notes by the Way " seasonable " on practical in fruit culture Notices official Nursery, a novel idea for the New pastures, management of Nitrogen, a costly manure	451 456 489 363 447 384 451 466 422 383 265 243 241 422 186 285	Packing fruit.  Pastures, improvement of old by lime	103 28 116 186 212 285 286 251 516 278 527 295 431 466 36 179 266 105
Nail, a wound from Nature's working Nature, curiosities of New carnation, the Nitrate of soda  in the garden Nikoteen Night dress, a flannel Normandy apple, culture on Novel idea for the nursery Noble purpose, a Norway, harvest in Notes by the Way is seasonable on practical in fruit culture Notices official Nursery, a novel idea for the New pastures, management of Nitrogen, a costly manure Nosegays keeping of	451 456 489 489 363 447 384 451 466 422 383 265 243 261 241 422 186 285 147	Packing fruit.  Pastures, improvement of old by lime  bettering and manuring, W. R. Gilbert on  new management of, Walter S. Bunbury on.  permanent, A. H. Plummer on  temporary.  Pasteurizing  Pastry puff.  Packers, do they pay sufficient for bacon hogs  Pay your debts, first  Pastures, temporary, Part 1  Paris Universal Exhibition	103 28 116 186 212 285 286 251 516 278 527 295 431 466 179 266 105 553
Nail, a wound from Nature's working Nature, curiosities of New carnation, the "in the garden Nikoteen Night dress, a flannel Normandy apple, culture on Novel idea for the nursery Noble purpose, a Norway, harvest in Notes by the Way "esasonable "on practical in fruit culture Notices official Nursery, a novel idea for the New pastures, management of Nitrogen, a costly manure Nosegays keeping of Notes by the Way. 2, 25, 49, 73, 97, 122, 145, 168, 193,	451 456 489 489 363 447 384 451 466 422 383 265 243 261 241 186 285 147 503	Packing fruit.  Pastures, improvement of old by lime  bettering and manuring, W. R. Gilbert on  new management of, Walter S. Bunbury on  permanent, A. H. Plummer on  temporary.  Pasteurizing  Pastry puff.  Packers, do they pay sufficient for bacon hogs  Pay your debts, first  Pastures, temporary, Part 1  Paris Universal Exhibition	103 29 116 215 285 285 251 516 278 285 527 299 251 431 466 179 266 553 530
Nail, a wound from Nature's working Nature, curiosities of New carnation, the Nitrate of soda  in the garden Nikoteen Night dress, a flannel Normandy apple, culture on Novel idea for the nursery Noble purpose, a Norway, harvest in Notes by the Way  in practical in fruit culture Notices official Nursery, a novel idea for the New pastures, management of Nitrogen, a costly manure Nosegays keeping of Notes by the Way Notes in passing on poultry  24, 83,	451 456 489 489 363 447 384 451 466 422 383 265 243 261 241 186 285 147 503 166	Packing fruit.  Pastures, improvement of old by lime  bettering and manuring, W. R. Gilbert on  new management of, Walter S. Bunbury on  permanent, A. H. Plummer on  temporary  Pasteurizing  Pastry puff  Packers, do they pay sufficient for bacon hogs  Pay your debts, first  Pastures, temporary, Part 1  Paris Universal Exhibition	103 29 116 212 285 285 251 516 278 285 527 299 251 431 466 105 553 534
Nail, a wound from Nature's working Nature, curiosities of New carnation, the Nitrate of soda  in the garden Nikoteen Night dress, a flannel Normandy apple, culture on Novel idea for the nursery Noble purpose, a Norway, harvest in Notes by the Way 145, 169, 193, 218,  on practical in fruit culture Notices official Nursery, a novel idea for the New pastures, management of Nitrogen, a costly manure Nosegays keeping of Notes by the Way 25, 49, 73, 97, 122, 145, 168, 193, Notes in passing on poultry 24, 83, Notes on practical fruit culture 225,	451 456 489 489 363 447 384 451 466 422 383 265 243 261 241 422 186 285 147 503 166 261	Packing fruit.  Pastures, improvement of old by lime  bettering and manuring, W. R. Gilbert on  new management of, Walter S. Bunbury on  permanent, A. H. Plummer on  temporary  Pasteurizing  Pastry puff  Packers, do they pay sufficient for bacon hogs  Pay your debts, first  Pastures, temporary, Part 1  Paris Universal Exhibition	103 29 116 212 285 286 251 516 278 285 527 293 251 466 36 179 266 536 536 536 536 536 536 536
Nail, a wound from Nature's working Nature, curiosities of New carnation, the Nitrate of soda  in the garden Nikoteen Night dress, a flannel Normandy apple, culture on Novel idea for the nursery Noble purpose, a Norway, harvest in Notes by the Way  in practical in fruit culture Notices official Nursery, a novel idea for the New pastures, management of Nitrogen, a costly manure Nosegays keeping of Notes by the Way Notes in passing on poultry  24, 83,	451 456 489 489 363 447 384 451 466 422 383 265 243 261 241 422 186 285 147 503 166 261	Packing fruit.  Pastures, improvement of old by lime  bettering and manuring, W. R. Gilbert on  new management of, Walter S. Bunbury on  permanent, A. H. Plummer on  temporary  Pasteurizing  Pastry puff  Packers, do they pay sufficient for bacon hogs  Pay your debts, first  Pastures, temporary, Part 1  Paris Universal Exhibition	103 29 116 212 285 286 251 516 278 285 527 293 251 466 536 536 536 536 536 536 536 536
Nail, a wound from Nature's working Nature, curiosities of New carnation, the Nitrate of soda  in the garden Nikoteen Night dress, a flannel Normandy apple, culture on Novel idea for the nursery Noble purpose, a Norway, harvest in Notes by the Way 145, 169, 193, 218,  on practical in fruit culture Notices official Nursery, a novel idea for the New pastures, management of Nitrogen, a costly manure Nosegays keeping of Notes by the Way 25, 49, 73, 97, 122, 145, 168, 193, Notes in passing on poultry 24, 83, Notes on practical fruit culture 225,	451 456 489 489 363 447 384 451 466 422 383 265 243 261 241 422 186 285 147 503 166 261	Packing fruit.  Pastures, improvement of old by lime  bettering and manuring, W. R. Gilbert on  new management of, Walter S. Bunbury on  permanent, A. H. Plummer on  temporary  Pasteurizing  Pastry puff  Packers, do they pay sufficient for bacon hogs  Pay your debts, first  Pastures, temporary, Part 1  Paris Universal Exhibition	103 29 116 219 285 251 278 251 278 251 466 36 179 266 105 534 540 540
Nail, a wound from Nature's working Nature, curiosities of New carnation, the Nitrate of soda.  " in the garden Nikoteen Night dress, a flannel Normandy apple, culture on Novel idea for the nursery Noble purpose, a Norway, harvest in Notes by the Way 145, 169, 193, 218,  " seasonable.  " on practical in fruit culture Notices official. Nursery, a novel idea for the New pastures, management of Nitrogen, a costly manure Nosegays keeping of. Notes by the Way. 2, 25, 49, 73, 97, 122, 145, 168, 193, Notes in passing on poultry. 24, 83, Notes on practical fruit culture. 225, Novelty, a new brilliant.	451 456 489 489 363 447 384 451 466 422 388 265 243 261 221 422 186 285 147 503 166 261 52	Packing fruit.  Pastures, improvement of old by lime  bettering and manuring, W. R. Gilbert on  new management of, Walter S. Bunbury on  permanent, A. H. Plummer on  temporary  Pasteurizing  Pastry puff  Packers, do they pay sufficient for bacon hogs  Pay your debts, first  Pastures, temporary, Part 1  Paris Universal Exhibition	103 29 116 219 285 275 285 275 299 251 466 36 179 266 105 536 540 540 540 541

•			
Peach preserve		Potash salts	950
Peas		Poultry-yard, the (Andres)	200
Peas and oats		" private laying" sunlight in winter	200
Permanent pasture, manuring of		" sunlight in winter " where losr occurs	200
Perpetual strawberries		" how Mr. Wyckoff feds	200
Plants, absorption in.		now Mr. Wyckon leds	201
Pigs, feeding of		raising and feeding for Exhibition	201
Pig feeding at Newdale	323	200 tollion world in powers,	007
Pigs at Smithfield Show			
Pig talk at Guelph	68	indications of disease	904
Pickles, how to make		Territo to Territori servicioni dell'	900
" mushroom		" weights at table show	331
" Virginia mixed		" Gilbert on	471
" Creole		" and animal show	
Plants, how they feed, A. H. Plummer		calendar for February	
Plant, choice of		" show, Quebec	421
Planting old trees, evils of		Preparing the seed-bed	464
Plan protectors (illustrated)		Preventing hog cholera	271
Planting fruits trees and bushes 88, 102, 124, 179,		Preserved ginger syrup	
Plant life, curiosities of		Progeny, effects of first impregnation on	
Ploughing deep vs. shallow	121	Preperation for eggs	
" in the fall, Peter McFarlane on 128,		Profit in feeding lambs 341,	
Plums		Proposed agricultural school	406
Plum-pndding, the best		Practices, farm of olden days	493
Pigeon pie, a		Preparation of seeds	
Pickle, ox tongue		Production of bacon	
" for beef		Producing export bacon	
Pigs and sheep	467	Proprietors, peasant	466
Planting, cabbage,	249	Puff pastry	
Planting trees, seasonable notes on	487	Pure milk	
Plowing competition	296	Purpose, a noble	
" matches		Pudding, lemon	
" good	386	Printed muslins, to wash	35
Plow to clean a rusty	419	Preserved fruits	
Plum pudding, Christmas	278	Prices of farm products in London	
« sauces for		Practical fruit culture, notes on	225
" Queen's	252	Preserves	
Poached eggs, tomato sauce with	55	Preserved eggs	
Paisonous cheese	281	Preparations for fall and winter	138
Polish for furniture, home made		Prize winners, S. J. Andres on	
Poppies and Cosmos	106	Price of bread	
Points of beauty	450	" of lime	
Pomological Society	358	Production, economy in	170
Pork packing, co-operative	325	Provincial exhibition, the Quebec	183
" that will seil		Price of wheat in England	
Poor land, yield of	367	Private dairying, Parry on	
Poisons, vegetable		Ptomaines	281
Poppies, (illustrated) 544,		Pudding, sponge	230
Potato manures	394	Pupils, Terry on Canadian farm	250
" Klondike at Smithfield Show	291	Puff pastry	551
" experiments with	315	Pudding, Queen's Christmas	252
Potatoes, on 339,	468	Pure milk, how to secure	270
« growing	511		
Potato experiments		Q.	
Potatoes	97	Questions to be asked, farmers	296
" prize eesay on, Buchanan 1898	253	Quebec poultry show	
Potato beetle, the		" curing rooms in	552
soup		Quality of fowls	425
" expeditious digging	197	Quality, all important	119
" boil before baking	202	Quebec Provincial exhibition	183
" growing early	562	" city gardens	195
Potted meat	103	" crops in the neighbourhood of	196

Quebec county fair		Sauce chestnut for turkey	278
Queen's plum pudding	252	Sauce, horse raddish	276
R.		" dairying	378
Rape growing	560	research	351
Rations, what to feed and why		School of Agriculture, St. Anne's	347
Raspberry growing for profit, M. Jack		Societies, Agricultural	387
Rape growing		Scarlet fever, after	451
Raising the dairy calf	941	Scalloped salmon	108
Ram, a Lincoln Shearling, (illustrated)		Science 41, 94, 142, 160,	, 165
Rain and drainage waters.		" and fiction	
Raspberry, the		" in tobacco sweating	555
Raspberry vinegar		Seed grain	330
Rats, to get rid of	149	Selection of milch cows	282
Rawdon glover	284	Seeds, heavy	393
Rearing calves		Seed, preparation of	505
Reburn-farm, the	74	" good, importance of	461
Reading, England sewage farm	85	" grain, effort to improve	464
Red currant lelly	106	" bed, preparing the	248
Recipes 151		" on tree planting	487
Red polled cattle		Shape, Apple	372
Remedy for Agriculture		Secretary of the Council of Agriculture, the new	217
Results of threshing, England		Seeds, testing of	147
Remarks, important		Seasonable recipes, preserves	78
Removal of carpet stains		Sewage farm Reading, a visit to the	85
Replenish the forest		Sensible remark, a	555
Report of Judges		Sheep raising and forage plants	23
Ripening chambers, Elie Bourbeau on	80	" forage for	44
" cream, H. Weston Parry ou	28	" in England	
Rice Savory	450	rofitable management of	149
Road, improvement of		" Fair, the Wilton	207
" official notice		" prices of pure bred	109
Root crop, the 339,	508	" in England, future of	200
Rooms, disinfecting		ceport trade	200
Rotation of vegetable crops	467	breeding, economy of	331
Robertson Prof., address		dung	341
Roux, brown and white		" raising, hints on	343
Russian hog, the		versus dogs	401
Rusty plough to clean		"Oxford, Downs	397
Rules of health		" Shropshire	433
Rolls		" and pigs	467
" cost of growing	20	Shepherding in Vermont	207
Root crops, manures for, Plummer on	256	Shipments must be uniform	280
2000 otops, manacos tor, 2 rammer ou minimistration	200	Shorthorn cow, a word for the	6
S.		" Jewel II (illustrated)	75
		" in England	76
Salad, chicken	36	Show of range cattle	209
sauce	36	Shallow cultivation	122
11 L41V ••••••••••••••••••••••••••••••••••••		Shoulders, galled	200
Salmon, scalloped	108	Shell, dead in the	549
Sauces for plum pudding		Shirred eggs	470
Saw dust as manure, W. Early on		Short-horns, dairy	338
Savoury fritters		" an all round breed	438
" rice		Show, the Paris universal	466
Sardine curry		Shutt Prof., evidence	457
" broiled		Silk, to wash	538
Salads		Simplicity in dress	<b>4</b> 80
Sauce, fish	398	Situation, the hay	394
mushroom		Silks, washing	492

Signs of pregnancy 5	40 Stall, a model corn 4
Silver, the care of	20 Summer temperature, table of
Sir J. Lawes' farm	
Sifting flour	care of horses in
Skirts, linen	9 "resorts-cooking at
" a good idea about 1	Sunlight for hens in winter
Skim milk, how wasted	
" calf, the 3"	75 Supper dish, another new
Slag vs. superphosphate	20 Surface cultivation
Smithfield Show, 100th anniversary of	
Soil, do not neglect to cultivate	
Sow Alfalfa	
Soil culture, importance of	90 Sulphate of ammonia
" moisture, conservation of	69 Swine breeders, Dominion
Soup making 2	98 Sweat in collars, dried.
Soot	
Soufle tomato	
Soft fruits, storage of	66 Sweet cider
Soil, fallowing the	69 System
Soups, vegetable and meat	20 Syrup, Currant, Raspberry, Strawberry
Soup, mock bisque 1	28 " fruit 1
otato	28
Converse of the second	<b>1.</b>
Soil, maintaining fertility of 1	59 Tapioca, apples with
" selection and preparation for Orchard	Teaching at St. Hyacinthe Dairy-School
Spramotor, the	19 Tea-cakes, Yorkshire
Spraying, early 4	
Spring cleaning 4	69 Temporary grass
" (Peter McFarlane) 5	
" preparation 5	08 Tethering animals
" diet 5	B7 Testing seeds
Spring and summer treatment of dairy cattle, W. R.	" butter
	37 Test fair, the composite
	79 Temperature for preserving farm products (Prof.
Spanish bun 1	07 Robertson) 2
Sponge pudding 2	30 Temporary pasture
Spasmodic farmer, W. R. Gilbert on the 1	
Stables, care of	71 Threshing, results of, in England
State of the crops	
" Peter McFarlane on the 13,	
Strawberry, the	
« short cake	
Stable cleaning, autumn	
Starch, cold water	27 " the best sort to grow
Straw hats, how to dye 5	57 " growing with chemical manure
Starting a flock	O9 'Tomatoes on steaks
Stallion, value of a	18  in England
Steel ornaments	19 " souffle
Steel ornaments	Top dressing
Ste Anne de Bellevue	73 Treatment of breeders 4
Steer and heifer-beef	
Studies, a farmer's winter 2	75 Triffles, apple
Stock sale, Her Majesty's 3	14 Tree-tuberose Begonia
Steaks, tomatoes on 4	77 " the Indian rubber
St. Hyacinthe Dairy School	Turkey with mushroom sauce
St. Benoit's farmer's club	
St. Francis of Beauce farmer's club 4	59
Stuffed Turkey with chestnuts 2	78 Tuberculosis, effects of 270, 5
Stone and stump lifter, the	122
Strawberries, perpetual 3	Timothy-seed, sowing

Thrifty gooseberries			
Infility gooseberries	32	Wheat, in England	. 21
Thomas phosphate powder		Which is the best way?	. 129
Thrush in foot of the horse		White onion pickles Winter apples	10.
Ticks, dipping sheep for	909	Wilton sheep fair	. 207
Tomato chow-chow	201	Winter milk	. 38
" chutney	230	" Moore on the Canadian	274
Toronto show, the	174	" Andres on sunlight for hens in	. 286
Treacle	171	Work on bread, cost of the day's	267
Trees, age to plant	32	Wyckoff's system of poultry teeding	287
" height of	32	Wheat experiments with chemical manure	514
" care to be taken on arrival of	32	in England	248
Tuberculosis	144	" question, the manures	. 304 396
Turnips for horses	7	" chemical effects of manures	459
Turkey, how to fat and choose	251	Winter.	275
" stuffed with mushrooms	252	" manuring	329
		Wool, cheap	290
<b>v.</b>		Workshop of the farm	296
Uniformity of butter shipments	280	Wound from a nail	451
Untainted milk		Wykin pippin, the	545
Universal Exhibition Paris 527,		<b>Y</b> •	
Useful to know	451	Yield of poor land	362
<b>V.</b>		" of cream in butter	556
Value of stations	218	Yorkshire tea cake	
Vanilla ice cream	80	Tituatuationa	-
Vealettes		Illustrations. Blouse shirt	
Vegetables and meat soups	50	Blouse shirt	35
Ventilation in the curing-room	279	Cultivator Coleman & Morton's	
Vigorous stock to graft onVine, the	20 190	Cow, Wee-Kate, the Dexter  Dairymaids at the English dairy show	270
VIIIe, bile	100	Dairy maids at the English dairy show	01
Virginia miyed nickles	177	Draining diagrams 189.	. 190
Virginia mixed pickles		Draining diagrams       189,         " tools       204,	, 190 , 205
Visits to farms 1, 28	, 29	" tools	205 67
	, 29 493	" tools	205 67 157
Visits to farms	, 29 493 519 450	" tools	205 67 157 101
Visits to farms	, 29 493 519 450 493	" tools	205 67 157 101 135
Visits to farms	, 29 493 519 450 493 299	tools	205 67 157 101 135 33
Visits to farms	, 29 493 519 450 493 299 351	tools	205 67 157 101 135 33 109
Visits to farms	, 29 493 519 450 493 299 351	tools	205 67 157 101 135 33 109 165
Visits to farms	, 29 493 519 450 493 299 351	" tools	205 67 157 101 135 33 109 165 66
Visits to farms	, 29 493 519 450 493 299 351 467	tools	205 67 157 101 135 33 109 165 66 75
Visits to farms	, 29 493 519 450 493 299 351 467 279	"tools	205 67 157 101 135 33 109 165 66 75 34 105
Visits to farms	, 29 493 519 450 493 299 351 467 279 105 277	"tools	205 67 157 101 135 33 109 165 66 75 34 105 226
Visits to farms	, 29 493 519 450 493 299 351 467 279 105 277 295	tools	205 67 157 101 135 33 109 165 66 75 34 105 226 270
Visits to farms	, 29 493 519 450 493 299 351 467 279 105 277 295 421	tools	205 67 157 101 135 33 109 165 66 75 34 105 226 270 276
Visits to farms	, 29 493 519 450 493 299 351 467 279 105 277 295 421 303	tools	205 67 157 101 135 33 109 165 66 75 34 105 226 270 276
Visits to farms	, 29 493 519 450 493 299 351 467 279 105 277 295 421 303 492	tools	205 67 157 101 135 33 109 165 66 75 34 105 226 270 277 298
Visits to farms	, 29 493 519 450 493 299 351 467 279 105 277 295 421 303 492 481 456	tools	205 67 157 101 135 33 109 165 66 75 34 105 226 270 277 298 350
Visits to farms	, 29 493 519 450 493 299 351 467 279 105 2277 2295 4421 303 492 481 456 4425	tools	205 67 157 101 135 33 109 165 66 75 34 105 226 277 298 350 393
Visits to farms	, 29 493 519 450 493 299 351 467 279 105 277 295 421 303 481 485 482 485 482 485	"tools	205 67 157 101 135 33 109 165 66 75 34 105 226 277 298 350 393 456
Visits to farms	, 29 493 519 450 493 299 351 467 279 105 277 295 421 303 481 485 482 485 482 882	"tools	205 67 157 101 135 33 109 165 66 75 34 105 226 277 298 350 393 456 449 442
Visits to farms	, 29 493 519 450 493 299 351 467 279 105 277 295 421 303 492 445 4425 4425 4425 4425	"tools	205 67 157 101 135 33 109 165 66 75 34 105 226 277 298 393 456 449 442 487
Visits to farms	, 29 493 519 450 493 299 351 467 279 105 277 295 421 303 492 445 4425 4425 4425 4425 4427 4427	tools	205 67 157 101 135 33 109 165 66 75 34 105 226 277 298 350 393 454 449 442 448
Visits to farms	, 29 493 519 450 493 299 361 467 279 105 277 295 4421 303 492 481 456 4425 382 194 279 9	"tools	205 67 157 101 135 33 109 165 66 75 34 105 226 277 298 350 393 456 449 4487 488 485
Visits to farms	, 29 493 519 450 493 299 361 467 279 105 277 295 4421 303 492 4816 4625 381 382 194 279 28	tools	205 67 157 101 135 33 109 165 675 34 105 228 270 276 277 298 350 393 454 442 448 448 448 448 448 448
Visits to farms	, 29 493 519 450 493 299 361 467 279 2295 4421 303 492 481 456 4425 382 194 279 28 66	"tools	205 67 157 101 135 33 109 165 66 75 34 105 226 270 277 298 353 456 449 442 487 488 486 486 486 486 486
Visits to farms	, 29 493 519 450 493 299 361 467 279 105 277 2295 4421 303 492 481 466 425 381 819 466 669	tools	205 67 157 101 135 33 109 165 66 75 34 105 228 270 277 298 350 393 456 449 442 487 488 486 486 528 528