Technical and Bibliographic Notes / Notes techniques et bibliographiques

copy avail may be bi of the ima	ute has atten lable for film bliographical ages in the rep tly change the relow.	ing. Featur ly unique, v production,	es of this o which may or which	opy wh alter an may	nich Ny			lui a é exemp biblios reprod	té possi plaire qu graphiqu luite, ou a métho	ble de se p ii sont peu ue, qui peu u qui peu	procurer. (ut-être unic uvent mod vent exiger	r exemplaire Les détails d ques du poi lifier une im r une modif age sont ind	le cet nt de vue lage ication
1 1	oured covers/ iverture de co						į			d pages/ couleur			
10.7	ers damaged/ everture endo								-	imaged/ idommagé	ies		
1 1	ers restored a everture resta						l		•		d/or lamina t/ou pellic		
1 1	er title missir titre de couve	-	ue				[-		, stained o tachetées (r foxed/ ou piquées	
1 1	oured maps/ tes géographi	ques en cou	leur				[-	etached/ etachées			
1 1	oured ink (i.e re de couleur				e)			1 / L	Showth Transpa	•			
1 1	oured plates a nches et/ou il						[1 / 1	•	of print v inégale de	aries/ : l'impressi	on	
1 1	ind with othe ié avec d'autr		ıts				[12 1		ous pagin on contin			
alor La r	nt binding ma ng interior ma reliure serrée orsion le long	orgin/ peut causer	de l'ombe	e ou de				<u>`</u> .	Compre Title on		s) index ken from:	•	
with been	nk leaves add nin the text. n omitted fro	Whenever pom filming/	ossible, th	iese havi	e		[٦.	Title pa	de l'en-te ge of issue titre de la		:	
lors mai	e peut que ce d'une restau s, lorsque cel été filmées.	ration appa	raissent da	ns le tex	xte,					of issue/ départ de	e la livraiso	n	
•							[Masthea Génériq		diques) de	la livraison	
1.7.1	litional comn nmentaires su	•		Pagina	tion is	s as	follows	: [217	7]-232,	, [i]-iv	p.		
	is filmed at t ent est filmé				•	ous.							
10X		14X	yy	18X			22 X	,		26X		30>	;
	12X		16X		21	0x		\ <u>\</u>	24X		28>		32x

THE OTTAWA NATURALIST.

Published by the Ottawa Field-Naturalists' Club

CONTENTS.

ı.	Hymenoptera Parasitica-Proctotrypidæ-By W. Hague Harrington, F.R.S.C	217						
2.	Stephanoceros. A Beautiful Rotifer Recorded at Ottawa - By Walter S. Odell, Esq	220						
3.	Ottawa Hydrachuida. Notes from a paper by Von. F. Koenike describing Ottawa species							
	taken by Mr. J. B. Tyrrell	221						
4.	The Lecture Course	222						
Б.	Notices and Reviews of recent Geological Literature:							
	Papers by Dr. Beecher, Prof. Crosby, Director Aguilera of Mexico, S Calvin, J. B.							
	Kimball, T. W. Stanton, J. J. Jahn, Oscar H. Hershey, J. S. Diller, R. S. Parr, O. C.							
	Marsh, F. Frech and W. Dames, Em. de Margerie, G. Otis Smith, B. K. Emerson, W.							
	J. McGee, Jos. Leconte, G. P. Merrill, J. F. Kemp, and Warren Upham.							
6.	Earthquake Recorded at Ottawa, etc	232						
7.	ERRATA for Vol. X., OTTAWA NATURALIST	232						
0	Conord Indox for Vol. V. 1990 V	117						

OTTAWA, CANADA.

PRINTED AT THE OFFICE OF PAYNTER & ABBOTT,

48 RIDEAU STREET.

First General Excursion—Chelsea Mts., Que., via Gatineau Valley R. R., Saturday, May 22nd, 1897, 1.45 p.m. Rates as usual.

Canada's High Grade

PIANOS

Mason & Risch Nordheimer, Heintzman.

Estey & Dominion Organs.

J. L. Orme & Son.

189 Sparks St.



Sole Agents for STEINWAY. KNABE, CHICKERING.

A large assortment of second-hand instruments. Terms to suit all purchasIES HOPE

හ

Importing and

Manufacturing Stationers, Booksellers and Depository Ottawa Auxiliary Bible Society.

Bookbinders, Ottawa

J. L. Orme & Son.

189 Sparks St. Between O'Connor and Bank Streets.

J. G. BUTTERWORTH & Co.,

All-Rail Scranton Coal.

86 SPARKS STREET.

A. ROSENTHAL.

Jeweller and Optician.

87 SPARKS ST.

WELCH, MARGETSON & CO'S Shirts, Collars and Cuffo.

McGIFFIN.

49 SPARKS STREET.

KENNY BROS.,

Tailors to His Excellency THE GOVERNOR GENERAL.

C. H. THORBURN. Books and Stationery, FOUNTAIN PENS. Views of Ottawa. 80 Sparks St.

WM. HOWE.

Importer of Artists' Materials and Artistic Interior Decorations. Manufacturer of White Lead, Paints & Colors.

Howe's Block, OTTAWA.

~RY

BATE B COPS 33 C.

English Blended Black Tea.

J. & T. BALLANTYNE.

Best Grades of Hard and Soft Coal. OFFICE, COR. ELGIN & QUEEN STS.

Telephones 586 and 579.

A. J. STEPHENS, 39 SPARKS ST.

Boots and Shoes Made to Measure.

Wm. ROBERTSON.

Bookseller and Stationer.

69 Rideau Street.

Natural History Works supplied to order.

PITTAWAY'S PHOTO STUDIO

58 SPARKS STREET

THE OTTAWA NATURALIST.

Vol. X. OTTAWA, MARCH, 1897.

No. 12

FAUNA OTTAWAENSIS.

HYMENOPTERA PARASITICA—PROCTOTRYPIDE.

By W. Hague Harrington, F.R.S.C., Ottawa.

The species in the remaining two sub-families have proved more numerous than I anticipated. Fortunately I was able to send about a score of the more difficult specimens to Mr. Ashmead, who found among them seven new species, including representatives of two new genera. He very kindly prepared for me descriptions of these new genera and species, which will be found in the Canadian Entomologist, Vol. XXIX, pp. 53, 56. The first list contained 99 species and in the subjoined one are 60, so that, after allowing for possible synonyms, we have, in round numbers, 150 species captured in this locality. All the sub-families are represented except the second—Embolinæ—of which, however, only one American species has been recognized, viz. Ampulicomorpha confusa, Ashm., from California and Nevada. Undoubtedly many other species will yet be found around us, perhaps enough to swell this preliminary list to 200 eventually.

New localities will have to be visited, as those which were nearest are rapidly disappearing. Since the first portion of this paper was printed, Powell's Grove and the Race-course have met the fate of the luxuriant woods which, a few years ago, were known as Stewart's bush—the happy hunting grounds of the botanist, and yielding some game even for the gunner. The fall of the giant twin-pine that stood on Bank Street, signalled the near clearance of the adjacent woodland patches to make way for the extension of the city southward. Both Powell's Grove and the swamp enclosed by the old race track were capital collecting grounds, and their disappearance, albeit

inevitable, must give Ottawa naturalists a sense of personal loss sustained. One compensation there is in the extension of electric car systems, by which other more distant localities may be reached almost as quickly as were those which lay so near at hand.

PROCTOTRYPIDÆ. (Continued.)

SUB-FAMILY IX. BELYTINÆ.

Leptorhaptus rufus Ashm.

Leptorhaptus conicus Ashm.

Miota canadensis Ashm.

Miota americana Ashm.

Miota coloradensis Ashm.
Miota rufopleuralis Ashm.
Scorpioteleia mirabilis Ashm.
Stylidolon politum Ashm.
Acropiesta flavicauda Ashm.
Belyta erythropus Ashm.
Oxylabis spinosus Prov.

Cinetus mellipes Say.

Cinetus similis Ashm.

Kenotoma xanthopus Ashm.

Zelotypa flavipes Ashm.

Zelotypa longicornis Ashm.

Zelotypa fuscicornis Ashm. Zelotypa ruficornis Ashm. Zelotypa sp. nov. Pantoclis canadensis Ashm.

Pantoclis coloradensis Ashm.

Pantoclis analis Ashm.

Pantoclis similis Ashm.
Pantoclis crassicornis Ashm.
Zygota americana Ashm.
Aclista rufescens Ashm.

Three females; Hull and Race-course, July and Aug.

Female; Kettle Island, Aug. 25. Male; Race-course, Aug. 22.

Female; King's Mt., Aug. 12. Two males: Hull. Aug. 26.

Several females; Kettle Island, Hull and Race-course, Aug.

Female; Hull, July 23. Female; Hull, Aug. 14.

Female: Kettle Island, Aug. 18.

Female; May 13.

Female.

Two males; Hull, July and Aug.

Female and five males; Hull, Kettle Island and Race-course, May and Aug.

Female; King's Mt., Aug. 12. Male; Hull, Aug. 19.

Female; Hull, Aug. 16. Female; Hull, July 29.

Female and two males; Race-course, Aug. Four females and one male; King's Mt.,

Kettle Island and Hull, Aug.

Male; Hull, July 22.

Female; Race-course, Aug. 14.

Female; King's Mt., Aug. 12.

Two females and male; King's Mt., and Race-course, Aug.

Three males; Hull and Kettle Island, Aug.

Female and two males; Hull and Racecourse, June and Aug.

Two males; Hull, Aug. 5 and 14.

Male; Kettle Island, Aug. 25.

Abundant in Aug.

Female; Hull, Aug. 5.

Aclista borealis Ashm.

Anectata hirtifrons Ashm.

Female and male.

Female and two males; July and Aug.

SUB-FAMILY X. DIAPRIINZE.

Polypeza Pergandei Ashm. Paramesius clavipes Ashm.

Paramesius spinosus Ashm. Paramesius sp. nov.

Spilomicrus armatus Ashm.

Spilomicrus atriclavus Ashm. Spilomicrus sp. nov ? Spilomicrus sp. nov.?

Hemilexodes sp. nov.

Aneurhynchus mellipes Ashm.

Aneurhynchus sp. nov.?
Galesus quebecensis Prov.
Galesus atricornis Ashm.
Galesus polita Say.
Loxotropa nana Ashm.
Loxotropa abrupta Ashm.
Loxotropa pezomachoides Ashm.
Tropidopria conica Fahr.
Tropidopria carinata Thoms,
Tropidopria torquata Prov.
Tropidopria simulans Ashm
Diapria armata Ashm.

Diapria sp. nov.? Ceratropria megaplasta Ashm. Ceratropria infuscatipes Ashm. Trichopria Harringtonii Ashm. Trichopria carolinensis Ashm.

Diapria virginica Ashm.

Trichopria flavipes Ashm.
Phænopria hæmatobiæ Ashm.
Phænopria aptera Ashm.

Monelata hirticellis Ashm.

Female; May 20.

Four females, one male; Hull, Aug. and Dow's Swamp moss, Nov.

Male.

Female and two males; Aug.

Two females and male: Race course and Casselman, Aug. and May.

Female.

Two females; Hull, Aug.

Female; Hull, July 29. Female.

Six females, one male; Hull, Kettle Island and Race-course, June, July and Aug.

Male; Casselman, May 24. Five males; Hull, July and Aug.

Female.

Female; so determined by Provancher.

Two females; Aug. Several females; Aug. Eight females.

Female; June 12. Female.

Female.

Females abundant, Aug.

Female.

Three females and male; King's Mt. and Race-course, Aug.

Male; Aug. 13.

Female.

Three females; Aug.

Female.

Female; Dow's Swamp moss, Nov. Male; Race-course, Aug. 1.

Female.

Four females; Dow's swamp moss, Nov. Females abundant. Several from Dow's Swamp moss.

Two females.

STEPHANOCEROS—A BEAUTIFUL ROTIFER RECORDED AT OTTAWA.

By WALTER S. ODELL, Esquire.

I am not aware that the species of Rotifer Stephanoceros Eichornii has been found in this locality, if so it has not been described in the "Naturalist." Dr. A. C. Stokes, who is perhaps the best authority on Infusoria in America, says it "does not seem to be common." It has never been my good fortune to find it till it appeared in my aquarium this winter, on a leaf of Ceratophyllum. Three specimens have since appeared in the same. This is one of the most beautiful living microscopic objects found in fresh water, and is barely visible to the eye, being 1.82 mm. long, 212 mm. wide. This rotifer unlike the common forms, lacks the wheel-like cilia surrounding the rim of the head, but instead, five long elliptical arms arranged equidistantly on the head, are held aloft like graceful plumes. These, thicker at the base, are beautifully curved and extended, while the rotifer is feeding, and the tips all point inwards to a common centre. Each arm is bordered by a row of long hairs or cilia springing from the sides and curved outwards and upwards, with inner rows of shorter cilia, forming a firm cage for holding any unlucky infusorian that wanders in. I have seen a Paramecium passing through this cage several times without being secured. When touching the mouth at the base of the arms, it was suddenly drawn, in and in few seconds the creature was transformed into a shapeless mass. The rotifer then straightened the arms till they appeared as a round bundle of erect plumes, and gradually retracted into its case, first withdrawing the head and then the bundle of plumes till it was entirely enclosed. This hyaline case is hollow, tubular, faintly ringed and about four times as long as broad, rounded at the top, and constricted so as to enclose the animal tightly as if in the mouth of a sac The body is pyriform, the lower part gradually tapering to an attenuated foot. The mouth at the base of the arms is ciliated and leads through a short passage to the mastax or jaws. No eyes were present, and I would therefore conclude

that the individuals examined were adults, as Prof. Slack writes: "two red eyes are found in young specimens, but in adults they either disappear or not conspicuous."

Stephanoceros is voracious and feed upon a variety of organisms, such as unicellular plants, amniulcules and rotifers.

Reproduction takes place by means of ova. No ova were detected in the Ottawa examples but in Flossularia, an allied form. I have frequently met the brownish, ganular and oval ovism adhering to the body case. The ova of the latter are generally found attached to the slender stems of myriophyllum or other aquatic plants growing in quiet ponds or shallow bays. They are also found adhering to the fine rootlets of submerged willows. For the period covering two whole weeks I was able to study the characters and structure and mode of life of this rare and most beautiful rotifer—by being carerul and placing the individuals back into my aquarium immediately after examination

OTTAWA HYDRACHNIDA.

K(ENIKE, VON F.—Zur systematik der Gattung Eylais, Latr. Sonder-Abdr. d. Abh. d. Naturw. Ver. z. Bremen, 1897, Band XIV, H. 2.

In this paper, Eylais falcata, Eylais desecta and Eylais triangulifera are three Canadian species of Hydrachnida described for the first time by Dr. Kænike, on pp. 288-290. Previous to this most recent study of the genus Eylais, our Ottawa species of Eylais were all referred to E. extendens* by Mr. Tyrrell, in the Report of the Entomological Branch of the Club, and by Dr. Kænike himself in his "Nordamerikanische Hydrachniden." Dr. Kænike's present paper evidently subdivides the genus Eylais and the forms described under the designation E. extendens O. P. Muller).

(1) E. falcata—This species was found in a pond at Deschenes, and in the Rideau, by Mr. Tyrrell.

^{*}Trans. Ottawa Field-Naturalists' Club, Vol II, No. 1, p. 140, 1884; and Nordamerikanische Hydrachniden, Abh. d. Naturwiss. Ver. z. Bremen, Bd. XIII, Helt. 2, p. 171, 1895.

(2) E. desecta—Also discovered by Mr. Tyrrell in a pond at Deschene, Que. This form is related to E. undulosa, Kenike.

(3) E. triangulifera—Pond at Deschenes, collected by Mr. J. B. Tyrrell. A form showing some characters allied to E.

desecta, Krenike, and to E. Mulleri, Krenike.

The Rideau Canal and the ponds about Ottawa have only been partially examined as yet by the members of our Club, and we hope that future researches will disclose the rich fauna waiting to be discovered.—H. M. A.

THE LECTURE COURSE.

The joint course of Lectures under the auspices of the Ottawa Literary and Scientific Society and of the Ottawa Field Naturalists' Club is now over and a brief synopsis is given of the events as they took place.

By kind permission of the Hon. G. W. Ross, Minister of Education for Ontario, and of Dr. J. A. MacCabe, Principal of the Provincial Normal School, Ottawa, the hall was again placed at our disposal for the said course of free public lectures. The following comprise the series of evening soirces:

NOVEMBER 9TH, 1896.—On this evening between 8 and 10.30 p.m. was held a *Conversazione* and *Microscopical Soiree* at which Principal MacCabe, Mr. Shutt, Mr. Klotz, ond Mr. A. H. Macdougall gave brief addresses. These were followed by five-minute talks on Natural History, illustrated with microscopic slides thrown upon a white screen by means of an electric projection microscope furnished for the occasion by Mr. H. M. Ami. This method of presenting microscopical objects before so vast an audience as was present on that occasion proved most interesting and satisfactory. Dr. Fletcher spoke on insects and plants; Mr. Odell on living organisms in water; Prof. Prince on various Zoological and Anatomical preparations whilst Dr. Ami introduced thin sections of corals and rocks and spoke briefly upon their structure and characters.

At the conclusion of the evening a hearty vote of thanks was unanimously accorded to the Ottawa Electric Company for supylying *gratis* electric current, wires, etc., during the evening. To Mr. Wm. Scott and Mr. A. Dion especially, are the thanks of the members of the two societies due for their great kindness and interest in the matter.

NOVEMBER 27TH, 1896, Ottawa Teachers' Association.— Electrical Discharges in High Vacua," by Prof. John Cox, M.A., F.R.S.C., of the Physics Laboratories, McGill University, Montreal.

Professor Cox began by showing the insulating power of dry air and the disruptive discharges which occurs when the terminals are approached to a minimum distance. He then caused the same discharge to take place in sealed tubes from which the air had been exhausted in varying degrees, and demonstrated ·Ouet's observations upon the stratification of the medium. He referred to the fact that De la Rue has proved by the uniformity of potential that even in highly attenuated air the discharge is a disruptive one, and that at no degree of exhaustion is air a conductor. The striæ were shown in a large number of Geissler tubes containing various gases highly rarified. All the strata appear to start from the positive pole, and as they successively detach themselves from it they occupy very constant positions relatively. The potential necessary to cause a current to pass (disruptively, diminishes until a certain attenuation is reached, when it increases and the strata thicken and diminish in number until no discharge passes, however high be be the potential. The colours are reversed in order by reversing, the direction of the current. All these experiments were made in tubes which, are highly rarified, still were far from perfectly vacuous. Dr. Crooke, was the first to carry the exhaustion of tubes to a degree approaching perfect vacuum. In this case the stratification ceases, and a bluish light fills the entire tube. When the vacuum approaches perfection the light proceeds from

the electrode in straight lines, and is capable of throwing a shadow (of a piece of mica, &c.,) surrounded by a brilliant fluorescence. Tubes containing gems, as diamond, ruby, emerald, topaz, etc., were illustrated in this way with most beautiful effect. The rectilinear light is also capable of producing mechanical effects, and these were demonstrated. One of the most beautiful experiments was that in which a tube of potash was fused into a perfectly vacuous globe provided with electrodes. The vacuum acted as a complete non-conductor, but as the potash tube was treated and a little moisture generated, the striae began to appear. As the potash tube cooled, and the moisture was reabsorbed, the phenomena proceeded in reverse order.

Professor Cox went on to state the theories which have been promulgated to explain the appearances referred to; but our space will not permit us to attempt any exposition of these. But it would be inexcusable to omit stating that the whole field opened up by Crooke's and more recently investigated by Lenard, Roentgen and others, is really very imperfectly explored as yet, and may expected to yield rich treasure as research progresses.

DECEMBER 17TH, Ottawa Literary and Scientific Society.— "Goethe." By Prof. Leigh R. Gregor, M.A, Ph.D., (Heidelberg), of McGill University, Montreal.

Before introducing the lecturer (Dr. Gregor) to the audience. Mr. O. J. Klotz, who was chairman on this occasion, seized the opportunity and on behalf of the members of the two societies under whose auspices the lecture course was organized, disclaimed publicly their having had anything whatever to do with a certain item which had appeared in the daily press of the Capital reflecting upon the suitability of the hall for public lectures. The hall is most eminently fitted and particularly well adapted for courses of free public lectures like these.

Dr. Gregor's valuable lecture was greatly appreciated by the large audience present.

JANUARY 7TH, 1897, Ottawa Field-Naturalists' Club.—" *Under the Midnight Sun—a Trip to Iceland*," with lime-light illustrations. By Prof. James Mavor, University of Toronto.

At this lecture the Report of the Geological Branch of the of the Club was read by one of the leaders, Dr. H. M. Ami. This report will appear in the April number of the OTTAWA NATURALIST.

As Prof. Mavor's lecture has already been published *in extenso* in two leading Scottish magazines the above references are given for the benefit of those who desire to peruse this interesting study of the descendants of that early race which inhabits one of the most remote and northerly centres of civilization.

JANUARY 21ST, 1897, Ottawa Field-Naturalists' Club.—"Recent Explorations in Canada" was the subject of this evening's entertainment.

The Director of the Geological Survey of Canada, Dr. G. M. Dawson, was present and introduced the subject with a few preliminary remarks on the progress made in geographical research since '91—in which year he had read a paper before the Ottawa Field-Naturalists' Club—when he pointed out that there was then not less than 950,000 square miles of unexplored territory in British North America—in round numbers 1,000,000 square miles. Since that time, various exploratory surveys were carried on by the Geological Survey Department and by the other Geographical branches of the Canadian Government, chiefly under the direction of Capt. F. Deville, Surveyor General, and not less than 350,000 square miles of British territory had been made known within these six years of research.

Dr. Robert Bell was the next speaker. He described more particularly the region which may be called northermost Ontario in that part of the province and in the adjacent parts of Quebec which border on James's Bay. He spoke at length upon the non-validity and non-permanence of Indian names and con-

cluded his remarks with notes upon the agricultural, forest, mineral and other natural capabilities of that region.

Mr. J. B. Tyrrell then followed and described the "Barren Lands" through which he had traversed in several directions.

Mr. A. P. Low then described the "Labrador Area," the special district which had fallen to his lot to explore. The evening proved a most interesting and instructive one.

The February issue of the OTTAWA NATURALIST, Vol. X, No. 11, pp. 201-216, 1897, contains a full account of the exploratory surveys and remarks made by Dr. Dawson, Mr. Tyrrell and Mr. Low. We hope to publish Dr. Bell's remarks in a forthcoming report of these transactions.

FEBRUARY 4TH, 1897, Ottawa Literary and Scientific Society.—
This evening was occupied with "The Lyric Poets of the Sixteenth Century," by Duncan Campbell Scott, who kindly undertook to fill the gap caused by Mr. W. D. Lesueur's illness. The latter had intended to present to the audience a lecture entitled; "The Meaning and Value of Culture."

FEBRUARY 25TII, 1897, Ottawa Field-Naturalists' Club.—" The American Lobster," by Andrew Macphail, B.A., M.D., C.M.

This lecture proved a most instructive one and was illustrated by means of lime-light views, microscopic slides, and also by specimens. The lecture will probably appear in a forthcoming number of this journal, and need not be referred to at any greater length at present.

MARCH 4TH-" Weather" by Otto J. Klotz. Esq.

This lecture is now in the press and will be published in the May number of the OTTAWA NATURALIST. It was illustrated with a number of excellent lantern slides and much eneyjod by all who were present. MARCH 11TH, 1897, Ottawa Field-Naturalists' Club.—"Fruit and Fruit Districts of Canada," by Mr. John Craig, Horticulturist, Dominion Experimental Farms.

The valuable remarks made by His Excellency the Governor General, who, as patron of the Club, has always taken much interest in the work of the Club by attending on several occasions, together with remarks by members of the O. F. N. C. and the excellent lecture delivered by Mr. Craig, will shortly appear in the OTTAWA NATURALIST.

This lecture closed the series of winter soirces which were exceedingly well attended throughout.

NOTICES AND REVIEWS OF RECENT GEOLOGICAL LITERATURE.

BEECHER, CHARLES E.—Outline of a Natural Classification of the Trilobites. Articles VIII and XVIII, Amer. Journ Sc., 4th Series, Vol. III, pp. 89-106 and 181-207, Plate III, New Haven, March, 1807.

Following up his own good work on the ontogeny, structure, appendages and systematic position of the trilobites, Dr. Beecher presents to us his arrangement of the families of trilobites. We have much pleasure in reproducing his scheme as follows :---

SUB-CLASS TRILOBITA.

ORDER A .-- HYPOPARIA.

Family 1. Agnostidæ. " 2. Harpepidæ. Family 3. Trinucleidae.

ORDER B .- OPISTHOPARIA.

Family 4. Conocoryphidæ.
" 5. Olenidæ.
" 6. Asaphidæ.

" 7. Proetidæ.

Family S. Bronteidæ. " 9. Lichadidae.

" 10. Acidaspidæ.

ORDER C .- PROPARIA.

Family 11. Encrinuridæ. " 12. Calymenidae.

Family 13. Cheiruridæ. "14. Phacopidæ.

The definitions of the orders and the families of the Trilobita given by Dr. Beecher in article XVIII, point to the recent rapid advances made in palæobiologic studies; and whilst retaining the families adopted by Barrande, Salter and Zittel, the order of arrangement, consequent upon his own researches, is very different. There are certain families and genera of trilobites which Dr. Beecher has not yet included in his classifications. These it were well to keep in mind and obtain information thereon so as to enable them to be placed in their proper position in the classification. To Dr. Beecher and Mr. H. M. Bernard we owe much regarding the affinities and structure of a trilobite.—H. M. A.

BEECHER, CHAS. E.—On the occurrence of Silurian strata in the Big Horn Mts., Wyoming, and in the Black Hills, South Dakota, (not previously noted). Amer. Geol., Vol. XVIII, pp. 31-33, Minneapolis, July, 1896.

Dr. Beecher notes the occurrence near Buffalo, Wyoming, of Halysites caterulatus, L., Heliolites interstinctus, L., species of Zaphrentis, Favosites and Amplexus, besides a Rhynchotrema allied to R. increbescens and a small Scenidium or Orthis which may be from a horizon as yet indeterminate between the limits limits of the Trenton and Niagara. He further records the occurrence of Endoceras annulatum of Maclurea Logani, and of Halysites from a locality a few miles south-east of Deadwood, S. Dakota. "Recent investigations have shown," says the writer, "the unreliability of several species generally considered as characteristic of the American Niagara, notwithstanding that in Europe the same forms are well-known to have a wide vertical range."—H. M. A.

- CROSBY, W. O.—Englacial Drift. Technology Quarterly, Vol-IX, Nos. 2 and 3, pp. 116-144, June and September, Boston-1896.
- CROSBY, W. O.—Contribution to the Geology of Newport neck and Conancut, Island. Amer. Jour. Sc., Vol. III, pp. 230-236, March, New Haven, 1897.

CROSBY, W. O. AND M. L. FULLER—Origin of pegmatite. Technology Quarterly, Vol. IX, No. 4, pp. 326-356, Boston December, 1896.

The aqueo-igneous theory of the origin of pegmatite, the characters of the acid pegmatites, their composition, the relations of the composition to enclosing rocks, texture and crystallization are presented. Then the igneous, aqueous, and aqueo-igneous theories that have been advanced are discussed. We think that writers are presenting the situation in a very fair light when they conclude from their studies of pegmatite that:

- (1) "No sharp line of demarcation can be drawn between dikes and veins."
- (2) "In a broad view of the early history of the earth, all the sedimentary and vein rocks are, of course, secondary with reference to the primitive igneous crust, but so are the igneous rocks with which we are now acquainted."
- (3) "Probably none of the igneous rocks which have been studied are truly primitive and their derivation in some cases from sediments is claimed by many observers. We commend this paper to all earnest students of Archæan geology.—H. M. A.
- BOLETIN DEL INSTITUTO GEOLOGICO DE MEXICO. Nums 4, 5. 6. Bosquejo geologico de Mexico, Director, José G. Aguilera, Mexico, 1897.

We have just received the above work, which contains 270 pages of 4to letter press with a number of wood cuts and a coloured geological map of Mexico. This work opens with an appropriate "biographical sketch of Don Antonio del Castillo, late Director of the Geol. Inst. of Mexico," by J. G. Aguilera, followed by an introduction to the present volume and report by the same author. Three chapters follow, bearing upon the geological work carried on by R. J. Bullna, E. Ordonez and J. G. Aguilera. This completes part 1 of the present volume. The second part consists of a geological summary of the Republic of Mexico, in which extensive lists of the fossil

organic remains determined by James Hall, Newberry, Felix, Castillo and Aguilera and others are given. The volume closes with a chapter on volcanic rocks and a well-executed coloured geological map of Mexico mentioned above.-H. M. A.

CALVIN, S .--- Administrative Report of the State Geologist of Iowa for 1896.

The Pleistocene geology of Iowa is given by stages and include the following periods:-

I. The Albertan. -Invasion by glaciers.

II. The AFFONIAN.—Melting interglacial retreat.

III. The KANSAN.—More intense cold than Albertan.

IV. The BUCHANAN.—Long stage, interglacial.

V. The ILLINOIS.—Only small part of Iowa invaded.

VI. (Unnamed)—Interglacial modifications of previously deposited drift. VII. The IOWAN. - N. half of Iowa over-run by glaciers.

VIII. The TORONTO (?) sic. — Fourth interglacial, of short duration.
 IX. The WISCONSIN. —Last invasion of Iowa by ice.
 X. RECENT STAGE. —Wisconsin ice disappeared.

The above sketch is taken from Prof. S. Calvin's comment in the April number of the American Geologist, and may be of interest to our readers.—H. M. A.

WATSON, THOS. L.—Lakes with more than one outlet. Amer' Geol. Vol. XIX, pp. 267-290, April, 1897.

The result of observations over the surface of an island located in Hudson Strait, directly off the south-east coast o Baffin Land, named Big Island are here noted. The author quotes R. Bell, A. P. Low and J. B. Tyrrell of the Canadian Geological Survey. He also combats the theoretical assumption that "it is contrary to all known physiographic principles for a lake to exist with more than one natural outlet, for any length of time," a subject upon which we trust to hear further.

KIMBALL, JAMES B.— Physiographic Geology of the Puget Sound Basin. Amer. Geol. Vol. XIX, No. 4, pp. 225-237, Minneapolis, April, 1897.

Bears directly upon the geological history of the geolopical history of the Coastal Region of British Columbia and Vancouver Islands. This paper will be of special interests to Canadian

geologists, and others who have taken an active part in unravelling the intricate problems involved. The author states that he has not yet observed the marked "physical break between the Cretaceous and Eocene on the Pacific border."

STANTON, T. W.—The found relations of the Eocene and Upper Cretaceous on the Pacific Coast. U. S. Goological Survey, Extr. from 17th Ann. Rep. of Survey, 1895-96. 1005-1048, Washington, D. C., 1886.

In this paper the author, who has made a most careful study of and carried extensive researches in the Pacific Coast Region of the U. S. of America, gives us a valuable contribution to the geological history of that region, not only in differentiating the various horizons and faunas presented, but also in describing several new species which he has discovered during his travels in the West. Dr. Stanton has been able to bridge that hiatus between the Eocene and Cretaceous systems by careful statigraphic methods accompanied by accurate palaeontologica determination. H. M. A.

- JAHN, JAROSLAU J.—Ueber die Geolog. Ver des Cambrium von Tejrovic und Skrei in Bohmen. Jahrbuch der K. K. geolog. Reichenstalt, 1895, Bd. 45, Hft. 4, Wien., 1896.
 - An indispensible work to the student of Cambrian geology.
- HERSHEY, OSCAR H.—Eskers indicating Stages of Glacial recession in the Kansan epoch in Northern Illinois. Amer. Geol. Vol. XIX, pp. 237-253, April, 1897.
- DILLER, J. S.—Hornblende Basalt in Northern Culifornia. Amer. Geol. Vol. XIX, No. 4, pp. 253-255, April, 1897.
- TARR, RALF S.—Valley Glaciers of the upper Nugsuak peninsula. Amer. Geol. Vol. XIX, pp. 262-267, April, 1897.
- MARSH. O. C.—Stylinodontia, a sub-order of Eocene Edentates. Amer. Jour. Sc., (4) III, pp. 137-146, 1897.
- FRECH, FRITZ, AND W. DAMES—Ueber unter-devonischen. Korallen aus den Karnischen Alpen. Zeit. d. Deutsch, geol. Gesell, 119-201, 1896.
- MARGERIE, EMMANUEL DE—Catalogue des bibliographies géologiques, r digé avec le concours des membres de la commission bibliographique du Congres. Congrès Géol. International, (5e session, Washington, 1891), 733 pages, Paris, 1896.

٠.

SMITH, GEORGE OTIS—Geology of the Fox Islands, Maine. Pamphlet, 76 pages, plate and map, Skowhegan, 1896.

Seven bulletins of the Geol. Society of America were issued February 1897, as follows:

EMERSON, B. K.—Diabase pitchstone and mud enclosures of the Triassic trap of New England. Vol. 8. pp. 59-86, pls. 3-9, Rochester, 1897.

McGee, W J.—Sheetflood Erosion, Vol. 8, pp. 87-112, pls. 10-

13, Rochester, 1897.

LECONTE, JOSEPH—Earth crust movements and their causes.

Vol. 8, pp. 113-126, Rochester, 1897.

STANTON, T. W. and KNOWLTON, F. N.—Stratigraphy and Palæontology of the Laramic and related formations in Wyoming.

MERRILL, GEO. P.—Weathering of Micaceous gneiss in Albermarle County, Va. Vol. 8, pp. 157-168, Rochester, 1897. KEMP, J. F.—The leucite hills of Wyoming. Vol. 8, pp. 169-182

pl. 14, Rochester, 1897.

UPHAM, WARREN—Modified drist in St. Paul, Minnesota. Vol. 8, pp. 183-196, pl. 15, Rochester, 1897.

Earthquake.—On Tuesday the 23rd day of March, 1897, at 6 hrs. 8 min. 3 sec. p.m., there was felt at Ottawa a rather severe shock of earthquake which lasted about twenty seconds. The shock was accompanied by a rumbling noise, the period of greatest intensity of the shock being about eight seconds. At 6 hrs. 8 min. 23 sec. the vibrations and shock were no longer felt. The direction of the oscillations seemed to be from east to west.

The same shock was also felt and recorded at Montreal, Pointe Claire, Ste. Anne de Bellevue, Como, Point Fortune, Hawkesbury, Clarence, in a direction west of Montreal and along the Ottawa Valley; at Cornwall, Morrisburg and Lancaster along the St. Lawrence; at St. Hilaire ane St. John's south of Montreal, also at Jessup's Rapids, Berthierville, Three Rivers, east of Montreal besides Valleyfield, Coaticooke, Vankleek Hill; and at Malone in northern part of the State of New York.

ERRATA.

P. 128, for No. 3, Sept., 1896, read: p. 123 No. 2, Aug., 1896.

P. 149, line 9 from top, for Fullberg, read: Tullberg.

GENERAL INDEX

TO THE

OTTAWA NATURALIST, VOL. X., 1896-'97.

AND

Transactions of the Ottawa Field-Naturalists' Club, Vol. XII.

Anderson, Wm. P Note on Sur-		Bulletin of the Natural History So-	
vey of Tides and Currents in		ciety of New Brunswick, 1896.	197
Canadian Waters	78	Butterfly-catching Spider, James	
Animal intelligence, evolution and		Fletcher	151
development, Wesley Mills	178	Camelina sativa, Note on, by James	_
Annotated List of Some Noctnids		Fletcher	88
taken at Olds, N.W.T., John		Cardinia subanglata, Dawson	44
B. Smith	49	Chemistry:	
Annual Report of Council O.F.N.C.	19	Chemical Work in Canadian Agri-	
Ami, H. M.—New Species of Grap-		culture, F. T. Shutt	29
tolites from Canada	145	Laboratories at the Central Experi-	
Ami, H. M.—Cardinia subangulata,		mental Farm	118
Dawson, and Arca punctifer,		Popular Chemistry	93
Dawson	44	Chimæra and its Egg, The Living—	
Ami, H. M.—Note on the Algon-		Prof. E. E. Prince	185
quin and Nipissing Beaches	126	Clouds, J. A. Dresser	192
Ami, H. M Obituary Notices of		Club Notes	20 0
Sir Joseph Prestwich and G. A.		Coleman, A. P "The Anorthosites	
Daubrèe		of the Rainy Lake Region"	183
Ami, H. M.—Obituary Notice of		Colonial Museums, Some; note on.	81
Charles Wachsmuth	150	Conchology: Notes on Recent Ca-	
Ami, H. M.—Report of the Excur-	-	nadian Mollusca, F. R. Latch-	
sion to Galetta, Ont	141 .	ford	14
Ami, H. M.—Some Colonial Mus-		Craig, John-Ann. Rep. Horticul-	
eums	81	turist, Exp. Farms	63
Ami, H. M.—Supposed Pre-Cam-		Craig, John-Cedar birds eating	
brian Organisms	128	apple blossoms	72
Ami, H. M.—The Chemical Labora-		Daubrèe, G. A., Obit. Notice	119
tories at the Central Experimen-		Dawson, G. M.—Recent Explora-	
tal Faim	119	tions in Canada (Introduction)	201
Ami, H. M.—The National Mus-		Dodge, R. E.—"Geography from	
eum	8o	Nature."	125
Arca punctifer, Dawson	44	Dresser, John A.—Clouds	192
Back Grant awarded to Capt. Tyrrell	70	Dresser, John A.—"Petrographical	
Behring Sea Commission, Naturalists		Notes on Archæan Rocks from	
to the	92	Chelsea."	129
	229	Earthquake163,	232
Botanical Notes, by James Fletcher.	86	Economic Entomology-Notice of	
Botany:		Dr. Smith's Manual on	138
Cushing, Harold B.—The Ferns		Editorial Staff, 1897-98	3
of Montreal	154	Electrical Fishes, Prof. E. E. Prince	97
Cyperus Esculentus, Note on	153	Ells, R. W.—Notes on Summary	
Notes by James Fletcher	86	Rep., Geol. Surv. for 1895	24
Notes, Reviews and Comments.		Ells, R. W.—"The Geology of the	
Waghorne, Rev. A. C.—"The		Qttawa and Parry Sound Rail-	
Flora of Newfoundland, Labra-		way	165
dor and St. Pierre and Mique-		Entomology:	
lon."	152	Eaton, Lucy C "The Butterflies	

of Truro."	152	Claypole, E. W"Ancestry of	
Excursion to Galetta	141	Upper Devonian Placoderms 1	21
Noctuids, List of, from Olds,	.4.	Crosby, W. O -Englacial Drift . 2	
N W T	40	Crosby, W. O Geology of New-	20
N.W.T	49	nort Nucl. Sec.	~6
Ottawa Spiders and Mites	190	port Neck &c	20
Proctotrypidæ, W. H. Harrington	174	Crosby, W. O. and M. L. Fuller-	
Smith, J. B. (Dr.)-Manual on		Origin of Pegmatite 2	29
Economic Entomology, Notice	138	Cushing, H. P. — Pre-Cambrian	
Sphæridium scarabæoides, Notes		and Post Ordovician dykes in	
on	151	the Adirondacks I	58
Excursion to Rockland and the Stew-		Diller, J. S.—Hornblende basalt,	
art Quarries	84	Northern California	31
Experimental Farms, 9th Ann. Re-		Dresser, J. AArchæan Rocks	-
port : Abstracts	58	from Chelsea, Oue 1	29
port; Abstracts	201	from Chelsen, Que 1 Emerson, B. K — Diabase pitch-	•
Fauna Ottawaensis, W. H. Harring-		stone &c 2	32
ton	217	stone &c	J -
Fertilizers, Naturally occurring	36	Devonischen Korallen &c 2	21
Field-day—Chelsea Excursion	65	Geikie, Sir Archd.—Ann. Rep.	٠,٥٠
		Gual Suru Crost Pritain	- 0
Fishes, Electrical, by Prof. Prince	97	Geol. Surv. Great Britain 1	50
Fletcher, James—A butterfly-catch-		Geological Survey of Canada— Ann. Rep., Vol. VII, 1896 1	-0
ing spider	151	Ann. Rep., Vol. VII, 1890 1	
Fletcher, James-Ann. Rep. Ento-		Geol. Surv. Summ. Rep., 1896. Gordon, C. H.—St. Louis and	24
mologist and Botanist, Experim.	_	Gordon, C. H.—St. Louis and	_
Farms; Abstract	62	Warsaw formations	160
Fletcher, James, Botanical Notes.	86	Hershey, Oscar HEskers indi-	
Fletcher, James-Notice of Dr.		cating stages of glacial recession	
Smith's Manual on Economic		in Kansan epoch, North Illinois 2	231
Entomology	138	Hinde, G. J.—New Carb. limest.	-
Geological Society of America, An-	J	fossils	23
nouncement	163	Hobbs, W. HMineralogy in	•
	٠٠,	1705	160
Geology:	-	1795 1	160
Geology: Clark, W. B.—The Atlantic Eo-	-	Hobbs, W. H.—Minerals of the	
Geology: Clark, W. B.—The Atlantic Eocene	90	Hobbs, W. H.—Minerals of the "Galena Limestone".	160 160
Geology: Clark, W. B.—The Atlantic Eocene	90	Hobbs, W. H.—Minerals of the "Galena Limestone"	60
Geology: Clark, W. B.—The Atlantic Eocene	90	Hobbs, W. H.—Minerals of the "Galena Limestone"	60
Geology: Clark, W. B.—The Atlantic Eocene	90	Hobbs, W. H.—Minerals of the "Galena Limestone"	160 160
Geology: Clark, W. B.—The Atlantic Eocene	90	Hobbs, W. H.—Minerals of the "Galena Limestone"	60
Geology: Clark, W. B.—The Atlantic Eocene Adams, F. D. and B. J. Harrington, "On a new Alkali Hornblende &c. in Dungannon, Ont." Aguilera, José G.—" Bolet. del inst. Geolog. Mexico	90	Hobbs, W. H.—Minerals of the "Galena Limestone"	160 160 231
Geology: Clark, W. B.—The Atlantic Eocene Adams, F. D. and B. J. Harrington, "On a new Alkali Hornblende &c. in Dungannon, Ont." Aguilera, José G.—"Bolet. delinst. Geolog. Mexico Ami, H. M.—Preliminary lists of	90 120 229	Hobbs, W. H.—Minerals of the "Galena Limestone". Hyatt, Alpheus—"Lost Characteristics". Jahn, J. J.—Du Cambrian in Bohemia. James, Jos. F.—"The first fauna of the Earth".	160 160
Geology: Clark, W. B.—The Atlantic Eocene Adams, F. D. and B. J. Harrington, "On a new Alkali Hornblende &c. in Dungannon, Ont." Aguilera, José G.—"Bolet. del inst. Geolog. Mexico Ami, H. M.—Preliminary lists of Eastern Tps fossils	90 120	Hobbs, W. H.—Minerals of the "Galena Limestone". Hyatt, Alpheus—"Lost Characteristics". Jahn, J. J.—Du Cambrian in Bohemia. James, Jos. F.—"The first fauna of the Earth". Kemp, J. F.—The leucite hills of	160 160 231 122
Geology: Clark, W. B.—The Atlantic Eocene	90 120 . 229	Hobbs, W. H.—Minerals of the "Galena Limestone". Hyatt, Alpheus—"Lost Characteristics". Jahn, J. J.—Du Cambrian in Bohemia. James, Jos. F.—"The first fauna of the Earth". Kemp, J. F.—The leucite hills of Wyoming.	160 160 231 122 232
Geology: Clark, W. B.—The Atlantic Eocene Adams, F. D. and B. J. Harrington, "On a new Alkali Hornblende &c. in Dungannon, Ont." Aguilera, José G.—"Bolet. delinst, Geolog. Mexico Ami, H. M.—Preliminary lists of Eastern Tps. fossils Bailey, L. W.—Botany of Digby Neck, N.S.	90 120 . 229 120	Hobbs, W. H.—Minerals of the "Galena Limestone". Hyatt, Alpheus—"Lost Characteristics". Jahn, J. J.—Du Cambrian in Bohemia. James, Jos. F.—"The first fauna of the Earth". Kemp, J. F.—The leucite hills of Wyoming.	160 160 231 122 232
Geology: Clark, W. B.—The Atlantic Eocene Adams, F. D. and B. J. Harrington, "On a new Alkali Hornblende &c. in Dungannon, Ont." Aguilera, José G.—"Bolet. delinst, Geolog. Mexico Ami, H. M.—Preliminary lists of Eastern Tps. fossils Bailey, L. W.—Botany of Digby Neck, N.S.	90 120 . 229 120	Hobbs, W. H.—Minerals of the "Galena Limestone"	160 160 231 122 232
Geology: Clark, W. B.—The Atlantic Eocene	90 120 . 229 120	Hobbs, W. H.—Minerals of the "Galena Limestone"	160 160 231 122 232
Geology: Clark, W. B.—The Atlantic Eocene Adams, F. D. and B. J. Harrington, "On a new Alkali Hornblende &c. in Dungannon, Ont." Aguilera, José G.—"Bolet. delinst. Geolog. Mexico Ami, H. M.—Preliminary lists of Eastern Tps fossils Bailey, L. W.—Botany of Digby Neck, N.S Bailey, L. W.—Notes on the Geology and Botany of Digby Neck	90 120 229 120 159	Hobbs, W. H.—Minerals of the "Galena Limestone". Hyatt, Alpheus—"Lost Characteristics". Jahn, J. J.—Du Cambrian in Bohemia. James, Jos. F.—"The first fauna of the Earth". Kemp, J. F.—The leucite hills of Wyoming. Kimball, James B.—Geology of Puget Sound Basin. Lambe, L. M.—"Supposed new	160 160 231 122 232
Geology: Clark, W. B.—The Atlantic Eocene	90 120 229 120 159	Hobbs, W. H.—Minerals of the "Galena Limestone". Hyatt, Alpheus—"Lost Characteristics". Jahn, J. J.—Du Cambrian in Bohemia. James, Jos. F.—"The first fauna of the Earth". Kemp, J. F.—The leucite hills of Wyoming	160 160 231 122 232 232
Geology: Clark, W. B.—The Atlantic Eocene	90 120 229 120 159 159	1795. Hobbs, W. H.—Minerals of the "Galena Limestone". Hyatt, Alpheus—"Lost Characteristics". Jahn, J. J.—Du Cambrian in Bohemia. James, Jos. F.—"The first fauna of the Earth". Kemp, J. F.—The leucite hills of Wyoming. Kimball, James B.—Geology of Puget Sound Basin. Lambe, L. M.—"Supposed new genus of Polyzoa from the Trenton at Ottawa. LeConte. Joseph — Earth crust	160 160 231 122 232
Geology: Clark, W. B.—The Atlantic Eocene	90 120 229 120 159 159	1795. Hobbs, W. H.—Minerals of the "Galena Limestone". Hyatt, Alpheus—"Lost Characteristics". Jahn, J. J.—Du Cambrian in Bohemia. James, Jos. F.—"The first fauna of the Earth". Kemp, J. F.—The leucite hills of Wyoming. Kimball, James B.—Geology of Puget Sound Basin. Lambe, L. M.—"Supposed new genus of Polyzoa from the Trenton at Ottawa. LeConte. Joseph — Earth crust	160 160 231 122 232 230
Geology: Clark, W. B.—The Atlantic Eocene	90 120 229 120 159 159	1795. Hobbs, W. H.—Minerals of the "Galena Limestone". Hyatt, Alpheus—"Lost Characteristics". Jahn, J. J.—Du Cambrian in Bohemia. James, Jos. F.—"The first fauna of the Earth". Kemp, J. F.—The leucite hills of Wyoming. Kimball, James B.—Geology of Puget Sound Basin. Lambe, L. M.—"Supposed new genus of Polyzoa from the Trenton at Ottawa. LeConte. Joseph — Earth crust	160 160 231 122 232 232
Geology: Clark, W. B.—The Atlantic Eocene	90 120 229 120 159 159	Hobbs, W. H.—Minerals of the "Galena Limestone". Hyatt, Alpheus—"Lost Characteristics". Jahn, J. J.—Du Cambrian in Bohemia	160 160 231 1122 232 230 1157
Geology: Clark, W. B.—The Atlantic Eocene Adams, F. D. and B. J. Harrington, "On a new Alkali Hornblende &c. in Dungannon, Ont." Aguilera, José G.—"Bolet. delinst, Geolog. Mexico Ami, H. M.—Preliminary lists of Eastern Tps. fossils Bailey, L. W.—Botany of Digby Neck, N.S Bailey, L. W.—Notes on the Geology and Botany of Digby Neck Pecher, Chas. E.—Classification of the Trilobites Beecher, Chas. E.—On Siluriar strata in Big Horn Mountains Wyoming Beecher, Chas. E.—"On the vali	90 120	Hobbs, W. H.—Minerals of the "Galena Limestone" Hyatt, Alpheus—"Lost Characteristics" IJahn, J. J.—Du Cambrian in Bohemia Games, Jos. F.—"The first fauna of the Earth" Kemp, J. F.—The leucite hills of Wyoming Games B.—Geology of Puget Sound Basin Lambe, L. M.—"Supposed new genus of Polyzoa from the Trenton at Ottawa LeConte, Joseph—Earth crust movements &c. Luquer and Ries.—"The 'Augen' gneiss area &c."	160 160 231 122 232 230
Geology: Clark, W. B.—The Atlantic Eocene Adams, F. D. and B. J. Harrington, "On a new Alkali Hornblende &c. in Dungannon, Ont." Aguilera, José G.—" Bolet. del inst. Geolog. Mexico Ami, H. M.—Preliminary lists of Eastern Tps. fossils Bailey, L. W.—Botany of Digby Neck, N.S. Bailey, L. W.—Notes on the Geology and Botany of Digby Neck Beecher, Chas. E.—Classification of the Trilobites Beecher, Chas. E.—On Siluriat strata in Big Horn Mountains Wyoming Beecher, Chas. E.—"On the validity of the family Bohemillidae	90 120 229 120 159 159 227	Hobbs, W. H.—Minerals of the "Galena Limestone". Hyatt, Alpheus—"Lost Characteristics". Jahn, J. J.—Du Cambrian in Bohemia. James, Jos. F.—"The first fauna of the Earth". Kemp, J. F.—The leucite hills of Wyoming. Kimball, James B.—Geology of Puget Sound Basin. Lambe, L. M.—"Supposed new genus of Polyzoa from the Trenton at Ottawa. LeConte, Joseph—Earth crust movements &c Luquer and Ries.—"The 'Augen' gneiss area &c." Margerie, Em. de—Bibliographies	160 160 231 122 232 230 157 232
Geology: Clark, W. B.—The Atlantic Eocene Adams, F. D. and B. J. Harrington, "On a new Alkali Hornblende &c. in Dungannon, Ont." Aguilera, José G.—"Bolet. delinst. Geolog. Mexico Ami, H. M.—Preliminary lists of Eastern Tps fossils Bailey, L. W.—Botany of Digby Neck, N.S Bailey, L. W.—Notes on the Geology and Botany of Digby Neck Beecher, Chas. E.—Classification of the Trilobites Beecher, Chas. E.—On Siluriar strata in Big Horn Mountains Wyoming Beecher, Chas. E.—"On the validity of the family Bohemillidae Barrande"	90 120 229 120 159 159 227	Hobbs, W. H.—Minerals of the "Galena Limestone". Hyatt, Alpheus—"Lost Characteristics". Jahn, J. J.—Du Cambrian in Bohemia. James, Jos. F.—"The first fauna of the Earth". Kemp, J. F.—The leucite hills of Wyoming. Kimball, James B.—Geology of Puget Sound Basin. Lambe, L. M.—"Supposed new genus of Polyzoa from the Trenton at Ottawa. LeConte, Joseph—Earth crust movements &c Luquer and Ries.—"The 'Augen' gneiss area &c." Margerie, Em. de—Bibliographies	160 160 231 122 232 230 157 232 197
Geology: Clark, W. B.—The Atlantic Eocene Adams, F. D. and B. J. Harrington, "On a new Alkali Hornblende &c. in Dungannon, Ont." Aguilera, José G.—"Bolet. delinst. Geolog. Mexico Ami, H. M.—Preliminary lists of Eastern Tps fossils Bailey, L. W.—Botany of Digby Neck, N.S Bailey, L. W.—Notes on the Geology and Botany of Digby Neck Beecher, Chas. E.—Classification of the Trilobites Beecher, Chas. E.—On Siluriar strata in Big Horn Mountains Wyoming Beecher, Chas. E.—"On the validity of the family Bohemillidae Barrande"	90 120 229 120 159 159 227	Hobbs, W. H.—Minerals of the "Galena Limestone". Hyatt, Alpheus—"Lost Characteristics". Jahn, J. J.—Du Cambrian in Bohemia. James, Jos. F.—"The first fauna of the Earth". Kemp, J. F.—The leucite hills of Wyoming. Kimball, James B.—Geology of Puget Sound Basin. Lambe, L. M.—"Supposed new genus of Polyzoa from the Trenton at Ottawa. LeConte, Joseph—Earth crust movements &c Luquer and Ries.—"The 'Augen' gneiss area &c." Margerie, Em. de—Bibliographies	160 160 231 122 232 230 157 232
Geology: Clark, W. B.—The Atlantic Eocene Adams, F. D. and B. J. Harrington, "On a new Alkali Hornblende &c. in Dungannon, Ont." Aguilera, José G.—"Bolet. del inst. Geolog. Mexico Ami, H. M.—Preliminary lists of Eastern Tps. fossils Bailey, L. W.—Botany of Digby Neck, N.S. Bailey, L. W.—Notes on the Geology and Botany of Digby Nec Beecher, Chas. E.—Classification of the Trilobites Beecher, Chas. E.—On Siluriar strata in Big Horn Mountains Wyoming Beecher, Chas. E.—"On the validity of the family Bohemillide Barrande" Blue, Arch.—"Bureau of Mines Ontario	90 120 229 120 159 159 227	Hobbs, W. H.—Minerals of the "Galena Limestone" Hyatt, Alpheus—"Lost Characteristics" Jahn, J. J.—Du Cambrian in Bohemia James, Jos. F.—"The first fauna of the Earth" Kemp, J. F.—The leucite hills of Wyoming Kimball, James B.—Geology of Puget Sound Basin Lambe, L. M.—"Supposed new genus of Polyzoa from the Trenton at Ottawa LeConte, Joseph — Earth crust movements &c. Luquer and Ries.—"The 'Augen' gneiss area &c." Margerie, Em. de—Bibliographies geologiques Marsh, O. C.—Stylinodontia Matthew, G. F.—Cirripedes in	160 160 231 122 232 230 157 232 197 231 231
Geology: Clark, W. B.—The Atlantic Eocene	90 120 229 120 159 227 228	Hobbs, W. H.—Minerals of the "Galena Limestone" Hyatt, Alpheus—"Lost Characteristics" Jahn, J. J.—Du Cambrian in Bohemia James, Jos. F.—"The first fauna of the Earth" Kemp, J. F.—The leucite hills of Wyoming Kimball, James B.—Geology of Puget Sound Basin Lambe, L. M.—"Supposed new genus of Polyzoa from the Trenton at Ottawa LeConte, Joseph — Earth crust movements &c. Luquer and Ries.—"The 'Augen' gneiss area &c." Margerie, Em. de—Bibliographies geologiques Marsh, O. C.—Stylinodontia Matthew, G. F.—Cirripedes in	160 160 231 122 232 230 157 232 197
Geology: Clark, W. B.—The Atlantic Eocene	90 120 129 159 159 227 1 228 1 122 1 162	Hobbs, W. H.—Minerals of the "Galena Limestone". Hyatt, Alpheus—"Lost Characteristics". Jahn, J. J.—Du Cambrian in Bohemia. James, Jos. F.—"The first fauna of the Earth". Kemp, J. F.—The leucite hills of Wyoming	160 160 231 122 232 230 157 232 197 231 231
Geology: Clark, W. B.—The Atlantic Eocene Adams, F. D. and B. J. Harrington, "On a new Alkali Hornblende &c. in Dungannon, Ont." Aguilera, José G.—"Bolet. delinst, Geolog. Mexico Ami, H. M.—Preliminary lists of Eastern Tps fossils Bailey, L. W.—Botany of Digby Neck, N.S. Bailey, L. W.—Notes on the Geology and Botany of Digby Neck Pecher, Chas. E.—Classification of the Trilobites Beecher, Chas. E.—On Siluriar strata in Big Horn Mountains Wyoming. Beecher, Chas. E.—"On the validity of the family Bohemillide Barrande". Blue, Arch.—"Bureau of Mines Ontario	90 120 120 159 159 227 228 122 162	Hobbs, W. H.—Minerals of the "Galena Limestone". Hyatt, Alpheus—"Lost Characteristics". Jahn, J. J.—Du Cambrian in Bohemia. James, Jos. F.—"The first fauna of the Earth". Kemp, J. F.—The leucite hills of Wyoming. Kimball, James B.—Geology of Puget Sound Basin. Lambe, L. M.—"Supposed new genus of Polyzoa from the Trenton at Ottawa LeConte, Joseph—Earth crust movements &c Luquer and Ries.—"The 'Augen' gneiss area &c.". Margerie, Em. de—Bibliographies geologiques. Marsh, O. C.—Stylinodontia. Matthew, G. F.—Cirripedes in Cambrian rocks. Matthew, G. F.—Cirripedes in Cambrian rocks.	160 231 122 232 232 230 157 231 231 152
Geology: Clark, W. B.—The Atlantic Eocene	90 120 120 159 159 227 228 162 230	Hobbs, W. H.—Minerals of the "Galena Limestone". Hyatt, Alpheus—"Lost Characteristics". Jahn, J. J.—Du Cambrian in Bohemia. James, Jos. F.—"The first fauna of the Earth". Kemp, J. F.—The leucite hills of Wyoming. Kimball, James B.—Geology of Puget Sound Basin. Lambe, L. M.—"Supposed new genus of Polyzoa from the Trenton at Ottawa LeConte, Joseph—Earth crust movements &c Luquer and Ries.—"The 'Augen' gneiss area &c.". Margerie, Em. de—Bibliographies geologiques. Marsh, O. C.—Stylinodontia. Matthew, G. F.—Cirripedes in Cambrian rocks. Matthew, G. F.—Cirripedes in Cambrian rocks.	160 160 231 122 232 230 157 232 197 231 231
Geology: Clark, W. B.—The Atlantic Eocene Adams, F. D. and B. J. Harrington, "On a new Alkali Hornblende &c. in Dungannon, Ont." Aguilera, José G.—"Bolet. del inst. Geolog. Mexico Ami, H. M.—Preliminary lists of Eastern Tps fossils Bailey, L. W.—Botany of Digby Neck, N.S. Bailey, L. W.—Notes on the Geology and Botany of Digby Neck Beecher, Chas. E.—Classification of the Trilobites Becher, Chas. E.—On Siluriar strata in Big Horn Mountains Wyoming Beecher, Chas. E.—"On the validity of the family Bohemillide Barrande" Blue, Arch.—"Bureau of Mines Ontario Calvin, S.—Report State Geol J.—for 1896 Calvin, F.—"Essai de paléogéo graphie"; Notice of Chalmers, R.—"Pleistocene mar	90 120 229 120 159 159 227 228 122 162 230	Hobbs, W. H.—Minerals of the "Galena Limestone". Hyatt, Alpheus—"Lost Characteristics". Jahn, J. J.—Du Cambrian in Bohemia. James, Jos. F.—"The first fauna of the Earth". Kemp, J. F.—The leucite hills of Wyoming. Kimball, James B.—Geology of Puget Sound Basin. Lambe, L. M.—"Supposed new genus of Polyzoa from the Trenton at Ottawa LeConte, Joseph—Earth crust movements &c Luquer and Ries.—"The 'Augen' gneiss area &c.". Margerie, Em. de—Bibliographies geologiques. Marsh, O. C.—Stylinodontia. Matthew, G. F.—Cirripedes in Cambrian rocks. Matthew, G. F.—Cirripedes in Cambrian rocks.	160 231 122 232 232 230 157 231 231 152
Geology: Clark, W. B.—The Atlantic Eocene	90 120 120 159 159 227 1228 1228 1228 1220 141	Hobbs, W. H.—Minerals of the "Galena Limestone". Hyatt, Alpheus—"Lost Characteristics". Jahn, J. J.—Du Cambrian in Bohemia	160 160 231 122 232 230 157 232 197 231 152

Matthew, G. F.—Traces of the	weston, 1. C.—"Notes on the
Ordovician Syst. Atlantic Coast	Geology of Nfld
&c 155 McGee, W. J.—Sheetflood Erosion 232	Wiman, Carl—" Ueber die Grap-
McGee, W. L.—Sheetflood Erosion 232	toliten "
Merrill, G. PWeathering of	Winchell N. H -"The Blk. Riv.
Micaceous gneiss	limestone at Lake Nipissing. 12
	White, Theo. G.—Upper Ordovi-
Dykes cutting Laurentian Series	cian faunas at Trenton Falls 15
in Frontenac and Lanark, Ont. 124	Whiteaves, J. F.—Canadian Stro-
Miller, W. G.—"Minerals and	matoporoids 19
the Roentgen Rays" 124	Gill Memorial, Awarded to Lieut.
Note on Cardinia subangulata,	A. P. Low 7
	Grantolites New Canadian 14
Dawson &c 44	Graptolites, New Canadian 14
Petrographical notes on Archaan	Great Lakes, Facts about the 12
Rocks of Chelsea, Que 129	Halkett, Andrew—An Ottawa Natu-
Sapper, Carlos D.—Geology of	ralist's Journey Westward II
Yucatan	Harrington, W. H.—Fauna Ottawa-
Yucatan	ensis, Hymenoptera Parasitica-
the Maguesian series (Descrip-	Proctotrypida 17
tions)	Harrington, W. H.—Ottawa Spiders 1
sardeson, F. W.—"The Saint	
Sardeson, P. W.— The Saint	Harrington, W. H.—Ottawa Spiders
Peter Sandstone	and Mites 19
Peter Sandstone"	Honeyman, H. A Pinus Banks-
gin and evolution of Archaan	iana, Note on its occurrence at
rocks, with remarks and opin-	Aylmer 15.
ions on other geological sub-	Hellriegel, Hermann: Obituary
jects &c."	Note, F. T. Shutt
Smith, G. O.—Geography of the	How Whales Breathe, Prof. E. E.
For Islands Maine 222	
Fox Islands, Maine 232	Prince
Spencer, J. W.—Duration of Nia-	Hudson Bay, Is the Land Rising
gara Falls 160 Stanton, T. W. and F. N. Knowl-	Around
Stanton, T. W. and F. N. Knowl-	Hydrachnida from Ottawa 22
ton—Wyoming Laramie 232	International Geological Congress,
Stanton, T. W.—Faunal relations	Notice, of St. Petersburg Meet-
Eocene and Cretaceous of Paci-	ing 1897 12
fic Coast 231	Iroquois Nat. Science Association. 16
fic Coast 231 Tarr, R. S.—Valley glaciers of	
unner Mugauele naningula	
upper Nugsuak peninsula 231	Kingston, A. G.—Brown Pelican 2
Taylor, F. B.—Quaternary Geo-	Kingston, A. GWinter Birds 2
logy, Mattawa and Ottawa Val-	Klotz, Otto J-Note on Cyperus es-
leys 125 Todd, J. E.—" Log-like Concre-	culentus in Ontario 15
Todd, J. E.—" Log-like Concre-	Latchford, F. R.—Notes on Recent.
tions and Fossil Shores " 125	Canadian Mollusca 1.
Traquair, R. H"Fossil fishes	Lecture Course 164, 22
of the Moray Firth area." 123	Low, A. P., Gill Memorial award of
Tyrrell, J. B.—"Is the land	
annual Hudson Douglaine 2" and	the Roy. Geogr. Society 70
around Hudson Bay rising?" 156	Low, A. P.—Recent Explorations in
Tyrrell, J. B.—The Genesis of	Canada; The Labrador Area 20
Lake Agassiz 184	Macoun, W. T.—Notes on Fruiting
Upham, Warren-Modified drift	of Trees &c., Central Experim.
St. Paul, Minn 232	Farms, Ottawa 14
Upham, Warren-Origin and Age	Macoun, W. TNovember Notes
Laurentian Lakes 126	from the Arboretum, Cen. Exp.
Van Ingen, Gilbert and Theo. G.	Farm 144
White-Lake Champlain Geo-	Farm 149
Water The T Lake with	McGill, Anthony—Popular Science. 9
Watson, Thos. LLakes with	McGill, Anthony-Viscosity in Li-
more than one outlet 230	quids &c., Noted 8
logy 157	Members, List of Ordinary and Cor-
Watts, W. W.—The Crush-Con-	responding
glomerates of the Isle of Man 159	Members, New46, 72, 144, 200
Lamplugh, E. WCrush Con-	Meteorological Observations for 1895,
glomerates of the Isle of Man 159	Abstract47, 4
p	

Mills, Prof. T. Wesley "The Evo-		Prince, Prof. E. E. "The Living	_
lution and Development of Animal Intelligence		Chimiera and its Egg"	185
mal Intelligence "	178	Prizes offered by the Club.	45
Mollusca, Notes on Recent Canad-		Report of the Geological Branch	
ian, F. R. Latchford	15	O. F. N. C	17
National Museum, The; H. M. Ami	So	Rockland, and the Quarries Visited	84
Natural History Notes for April, 1896, H. B. Small		Royal Geographical Society of Lon-	
Matural History Matas for May 1806	44	don, Awards	70
Natural History Notes for May, 1896, H. B. Small	 1	Royal Society of Canada, Announce-	28
Nedel's Table of Facts About the	71	Royal Society of Canada, Annual	20
	127	Meeting, 1896, Notice	103
Notes on fruiting of trees &c., Cen-	/	Saunder., William Dr., Director's	
	147	Report, Exp. Farm	58
Obituary Notices:	7,	Shutt, F. TChemical Work in	٠,٠
Hermann Hellriegel	16	Canadian Agriculture	29
Ornithology:		Shutt, F. TObit. Note of Her-	- ,
A little wood and some of its		mann Hellriegel.	16
feathered denizens, Miss A. C.		Shutt, F. T Report of Chemist,	
Tyndall	54	Exp. Farms, Abstract	60
Bird life in Autumn, Miss A. C.		Shutt, F. T. Soil Inoculation by	
	133	Nitragin	136
Cedar birds cating apple blossoms.	72	Shutt, F. T To our Ottawa Mem-	
Klotz, Otto J Cathartes aurea,		bers	23
	154	Small, H. BNat. History Notes	
Note on Porzana Novaboracense	72	for April, 1896	44
Nuttall's Handbook of Birds, Notice	154	Small, H. BNat. History Notes	
Ottawa and Parry Sound Railway,		for May, 1896	71
The Geology of the ; R. W. Ells	10,	Smith, John B —Annotated list of	
Ottawa Naturalist's Journey West- ward, Andrew Halkett		some Noctuids taken at Olds, N.W.T	
Ottawa Spiders, W. H. Harrington.	113	N.W.T Soil Inoculation by Nitrogen, F. T.	49
Ottawa Spiders and Mites, W.	''		136
Hague Harrington	190	Shutt Spiders, Ottawa tt,	190
Paléogéographie Essai de, F. Canu,	.,,	Stephanoceros &c , by W. S. Odell	220
Notice	141	Sub-Excursions:	
Petrographical Notes on Some Arch	- 4	No. 1. Rockliffe	68
wan Rocks from Chelsea, Que,		No 2. Beaver Meadow	69
J. A. Dresser	129	Sub-Excursions, Announcement.	46
Phyllopods, Remarkable Points in	•	Tides and Currents in Canadian	•
the Life-history of, Prof. E. E.		Waters, Note on	78
Prince	7	Treasurer's Statement	22
Pinus Banksiana, at Aylmer	154	Tyndall, Miss A. C.—A little wood	
Pleistocene fossils at Chelsea, II. M.		and some of its feathered deni-	
Ami	66	zens	54
Podoplethalmous Crustacea from		Tyndall, Miss A. C.—Notes on bird-	
British Columbia (fossils)	90	life in Autumn	133
Popular Chemistry, Anthony McGill	93	Tyndall, Miss A. COrnithologi-	
Porzana Novaboracense, Note on	72 118	cal Notes	71
Prince, Prof. E. E. —Electrical Fishes		Tyrrell, J. B., Back Grant, Roy. Geogr. Soc. London	=-
Prince, Prof. E. E How Whales	97	Tyrre ¹ , J. B.—Recent Explorations	70
Breathe	73	in Canada; The Barren Lands	202
Zoology:	7.5	Virgin Soils of Canada, described.	31
Prince, Prof. E. E 1. Practical		Wachsmuth, ChasObit. Notice.	150
Notes on the Culture of Trout;		White, G. RNote on Porzana No-	. , ,
2. Breeding of Oysters; 3. Sar-		vaboracense	72
dine Fishing Industry in New		Woodward, Henry - Podophthal-	•
Brunswick	161	mous Crustacea from British	
Prince, Prof. E. E.—"Remarkable		Columbia	90
· Points in the life-history of Phyl-			
lopods "	7		

SHOES SOLD BY RETALLACK WEAR WELL. 63 SPARKS STREET.

Ottawa. 67 Sparks St., Telephone Dimsted & Hurdman, Diamonds, Watches, Jewellery

HENRY WATTERS,
Chemist and Druggist,
Corner of Sparks and Bank Streets,

OTTAWA.

JOHN MURPHY & CO.,

IMPORTERS

FANCY AND STAPLE DRY GOODS.

66 and 68 Sparks Street,



THE

Russell House,

OTTAWA.

F. X. ST. JACQUES,

Proprietor.

TOPLEY,

132 Sparks Street.

Come in and see latest Photos.

Kodaks to Rent.

R. A. MCCORMICK,

Prescription Druggist,

Phone 159. Ottawa.

G. M. HOLBROOK,

113 Sparks Street,

Trouser Stretchers, 50c. per pair.

C. C. RAY. D. MURPHY.

J. W. McRAE.

Pyke, Men's Outfitter and Proprietor of Pyke's Steam Laundi

C. C. RAY & CO.,

COAL DEALERS.

OFFICE:

53 Sparks Street, Ottawa.

Telephone 461.

J. & R. CRAIG, Tailors, 105 Sparks St., Ottawa.

THE OTTAWA FIELD-NATURALISTS' CLUB, 1896-1897.

Patron:

THE RT. HONOURABLE THE EARL OF ABERDEEN GOVERNOR-GENERAL OF CANADA.

Dresident:

MR. F. T. SHUTT, M.A., F.I.C., F.C.S. &c.

Vice=Presidents

W. Hague Harrington, F.R.S.C. Dr. H. M. Ami, M.A., F.G.S.

Librarian :

Mr. S. B. Sinclair, B.A. (Normal School.)

Secretary:

Mr. Andrew Halkett. (Marine and Fisheries Dept.)

Treasurer:

Mr. D. B. Dowling, B.A.Sc. (Geol. Survey Dept.)

Committee :

Prof. E. E. Prince, B.A., F. L.S. etc. Mr. James Fletcher, F.R.S.C., F.L.S. Mr. H. B. Small.

Miss A. Shenick, B. Sc. G. Harmer. Marion Whyte.

Standing Committees of Council:

Fublishing: Dr. Ami, Prof. Prince, Mr. Harrington, Mr. H. B. Smali, Mr. Dowling, Miss Whyte.

Excursions: Dr. Ami, Mr. Fletcher, Mr. Small, Mr. Sinclair, Miss Shenick, Miss Harmer.

Soirees: Prof. Prince, Mr. Sinclair, Mr. Fletcher, Mr. Halkett.

Acaders :

Geology: Dr. Ells, Mr. Ferrier, Dr. Ami.
Botany: Mr. R. B. Whyte, Mr. J. M. Macoun, Mr. J. Craig.
Entomology: Mr. Fletcher, Mr. Harrington, Mr. W. Simpson.
Ornithology: Mr. Kingston, Miss Harmer, Mr. Lees.
Conchology: Mr. Latchford, Mr. Halkett, Mr. O'Brier.
Zoology: Prof. Prince, Prof. Macoun, Mr. H. B. Small.

"THE OTTAWA NATURALIST."

Editor:

HENRY M. AMI, M.A., D.Sc., F.G.S.

Alssociate Editors:

Dr. R. W. Ells, F.R.S.C. -Geological Survey of Canada-Department of Geology. MR. W. F. FERRIER, B.A.Sc., F.G.S.-Geological Survey of Canada-Department of Mineralogy and Lithology.

Prof. John Macoun, M.A., F.L.S.—Dominion Betanist, Geological Survey of Canada—Department of *Botany*.

MR. F. R. LATCHFORD, B.A.—Department of Conchology.

MR. JAMES FLETCHER, F.L.S., F.R.S.C.-Botanist, and Entomologist, Central Experimental Farm-Department of Entomology.

MR. A. G. KINGSTON-Public Works Department-Department of Ornithology. PROF. E. E. PRINCE, B.A., F.L.S.-Commissioner of Fisheries for Canada— Department of Biology and general Zoology.

"Ottawa Naturalist" and Membership Fee to O.F.N.C. only \$1.00 per aunum.