

**CIHM
Microfiche
Series
(Monographs)**

**ICMH
Collection de
microfiches
(monographies)**



Canadian Institute for Historical Microreproductions / Institut canadien de microreproductions historiques

© 1998

Technical and Bibliographic Notes / Notes techniques et bibliographiques

The Institute has attempted to obtain the best original copy available for filming. Features of this copy which may be bibliographically unique, which may alter any of the images in the reproduction, or which may significantly change the usual method of filming are checked below.

- Coloured covers / Couverture de couleur
- Covers damaged / Couverture endommagée
- Covers restored and/or laminated / Couverture restaurée et/ou pelliculée
- Cover title missing / Le titre de couverture manque
- Coloured maps / Cartes géographiques en couleur
- Coloured ink (i.e. other than blue or black) / Encre de couleur (i.e. autre que bleue ou noire)
- Coloured plates and/or illustrations / Planches et/ou illustrations en couleur
- Bound with other material / Relié avec d'autres documents
- Only edition available / Seule édition disponible
- Tight binding may cause shadows or distortion along interior margin / La reliure serrée peut causer de l'ombre ou de la distorsion le long de la marge intérieure.
- Blank leaves added during restorations may appear within the text. Whenever possible, these have been omitted from filming / Il se peut que certaines pages blanches ajoutées lors d'une restauration apparaissent dans le texte, mais, lorsque cela était possible, ces pages n'ont pas été filmées.
- Additional comments / Commentaires supplémentaires:

L'Institut a microfilmé le meilleur exemplaire qu'il lui a été possible de se procurer. Les détails de cet exemplaire qui sont peut-être uniques du point de vue bibliographique, qui peuvent modifier une image reproduite, ou qui peuvent exiger une modification dans la méthode normale de filmage sont indiqués ci-dessous.

- Coloured pages / Pages de couleur
- Pages damaged / Pages endommagées
- Pages restored and/or laminated / Pages restaurées et/ou pelliculées
- Pages discoloured, stained or foxed / Pages décolorées, tachetées ou piquées
- Pages detached / Pages détachées
- Showthrough / Transparence
- Quality of print varies / Qualité inégale de l'impression
- Includes supplementary material / Comprend du matériel supplémentaire
- Pages wholly or partially obscured by errata slips, tissues, etc., have been refilmed to ensure the best possible image / Les pages totalement ou partiellement obscurcies par un feuillet d'errata, une pelure, etc., ont été filmées à nouveau de façon à obtenir la meilleure image possible.
- Opposing pages with varying colouration or discolourations are filmed twice to ensure the best possible image / Les pages s'opposant ayant des colorations variables ou des décolorations sont filmées deux fois afin d'obtenir la meilleure image possible.

This item is filmed at the reduction ratio checked below /
Ce document est filmé au taux de réduction indiqué ci-dessous.

| | | | | | | | | | | | | | | | | | | | |
|-----|--|-----|--|-----|--|-----|--|-----|--|-----|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | | | | | | | | | | | |
| 10x | | 14x | | 18x | | 22x | | 26x | | 30x | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| 12x | | 16x | | 20x | | 24x | | 28x | | 32x | | | | | | | | | |

The copy filmed here has been reproduced thanks to the generosity of:


National Library of Canada

The images appearing here are the best quality possible considering the condition and legibility of the original copy and in keeping with the filming contract specifications.

Original copies in printed paper covers are filmed beginning with the front cover and ending on the last page with a printed or illustrated impression, or the back cover when appropriate. All other original copies are filmed beginning on the first page with a printed or illustrated impression, and ending on the last page with a printed or illustrated impression.

The last recorded frame on each microfiche shall contain the symbol \rightarrow (meaning "CONTINUE"), or the symbol ∇ (meaning "END"), whichever applies.

Maps, plates, charts, etc., may be filmed at different reduction ratios. Those too large to be entirely included in one exposure are filmed beginning in the upper left hand corner, left to right and top to bottom, as many frames as required. The following diagrams illustrate the method:



L'exemplaire filmé fut reproduit grâce à la générosité de:


Bibliothèque nationale du Canada

Les images suivantes ont été reproduites avec le plus grand soin, compte tenu de la condition et de la netteté de l'exemplaire filmé, et en conformité avec les conditions du contrat de filmage.

Les exemplaires originaux dont la couverture en papier est imprimée sont filmés en commençant par le premier plat et en terminant soit par la dernière page qui comporte une empreinte d'impression ou d'illustration, soit par le second plat, selon le cas. Tous les autres exemplaires originaux sont filmés en commençant par la première page qui comporte une empreinte d'impression ou d'illustration et en terminant par la dernière page qui comporte une telle empreinte.

Un des symboles suivants apparaîtra sur la dernière image de chaque microfiche, selon le cas: le symbole \rightarrow signifie "A SUIVRE", le symbole ∇ signifie "FIN".

Les cartes, planches, tableaux, etc., peuvent être filmés à des taux de réduction différents. Lorsque le document est trop grand pour être reproduit en un seul cliché, il est filmé à partir de l'angle supérieur gauche, de gauche à droite, et de haut en bas, en prenant le nombre d'images nécessaire. Les diagrammes suivants illustrent la méthode.





LABORATORY
OF THE
INLAND REVENUE DEPARTMENT
OTTAWA, CANADA

BULLETIN No. 234

SWEET SPIRIT OF NITRE

LABORATORY
OF THE
INLAND REVENUE DEPARTMENT
OTTAWA, CANADA.

BULLETIN No. 234

SWEET SPIRIT OF NITRE

OTTAWA, February 15, 1912.

W. J. GERALD, Esq.,
Deputy Minister of Inland Revenue.

SIR,—I have the honour to report upon a collection of seventy-four (74) samples of sweet spirit of nitre purchased throughout Canada in October last.

Dunglison (Medical Dictionary, 23rd Edition) describes this drug as 'refrigerant, diuretic, antispasmodic and diaphoretic, and largely employed as an ingredient of fever mixtures.'

The National Dispensatory, 5th Edition, p. 1499, says of the drug: 'In febrile conditions it is much used to promote critical sweating, which it properly does by abating the morbid activity of the heart, and tension of the arteries. As a diuretic it is commonly employed to relieve strangury produced by calculous or inflammatory affections of the urinary apparatus, whether occasioned by calculous or inflammatory disorders, and in the various affections of the kidneys in which congestion of those organs and diminished secretion of urine occurs.'

I quote these authorities in order to emphasize the importance of this drug. It follows naturally that pharmacists who supply the article, are greatly to be blamed when sweet spirit of nitre, as furnished to physicians and to the public, is not of standard quality.

The British Pharmacopœia requires that, when fresh, it should contain 2½ per cent by weight of ethyl nitrite; and that it should never contain less than 1½ per cent of ethyl nitrite.

The United States Pharmacopœia (eighth revision) requires a minimum of 4 per cent of ethyl nitrite.

Sweet spirit of nitre deteriorates on keeping; and the British Pharmacopœia (1898) instructs that, 'the spirit of nitrous ether be kept in well closed vessels, preferably in a cool dark place, and in small bottles.'

This drug was inspected in 1908, and, the results of analysis are reported in Bulletin No. 167. At that time I took occasion to remark: 'It is well known that this preparation gradually loses its strength on keeping. The fact is expressly stated in the pharmacopœias. It follows that druggists should take proper precautions to enable

them to guarantee the article which they dispense, as meeting at least the minimum strength officially required.'

In 1908, 63 per cent of the collection was found to be adulterated, 3 samples containing no nitrous ether whatever. The present collection shows 43 per cent adulterated with 5 samples containing no ethyl nitrite.

It is clear that the retail dealer is to be held responsible for the character of the drug in this case. He may be able to throw back responsibility upon the manufacturer if he holds a warranty under section 33 of the Act; but in this case he would naturally be required to prove that the article had not deteriorated while in his possession.

The following synoptical table shows the results of inspections in 1908 and 1911:—

| Date. | Bulletin. | Total Samples. | Genuine. | Adulterated. | Percentage of Adulteration |
|-------|-----------|----------------|----------|--------------|----------------------------|
| 1908 | 167 | 77 | 28 | 49 | 63 |
| 1911 | 234 | 74 | 42 | 32 | 43 |

In view of the unsatisfactory character of this important drug, as found on the Canadian retail markets, it is desirable that another inspection be made at an early date.

One sample (No. 47847) contains 24.55 per cent of ethyl nitrite, and is therefore much too strong for safe administration as sweet spirit of nitre. I have judged this to be adulterated, since sold under the name quoted.

A concentrated solution of ethyl nitrite is mentioned by Squire (Companion to B. P., 18th edition, p. 1140) as sold under the name *Itrosyl*. It is said to keep better than the pharmacopœal spiritus, and is diluted with 95 per cent alcohol to proper strength for immediate preparation of this last.

I beg to recommend the publication of this report as Bulletin No. 234.

I have the honour to be, sir,

Your obedient servant,

A. MCGILL,

Chief Analyst.

| Date of Collection. | Nature of Sample. | No. of Sample. | Name and Address of Vendor. | Cost. | | Name and Address of Manufacturer or Furnisher as given by the Vendor. | |
|---|----------------------------|----------------|---|-----------|--------|---|-----------------|
| | | | | Quantity. | Cents. | Manufacturer. | Furnisher. |
| DISTRICT OF NOVA SCOTIA-- | | | | | | | |
| Oct. 25 | Spiritus Aetheris Nitrosi. | 46731 | Nat. Drug & Chem. Co., Halifax, N.S. | 3 ozs. | 25 | | Manufacturers.. |
| " 26 | " | 46732 | Brown Bros. & Co., Halifax, N.S. | 3 " | 30 | | " .. |
| " 26 | " | 46733 | John R. Rawley, Halifax, N.S. | 3 " | 30 | | " .. |
| " 26 | " | 46734 | J. McD. Taylor, Halifax, N.S. | 3 " | 40 | | " .. |
| " 26 | " | 46740 | J. D. Walsh, Halifax, N.S. | 3 " | 30 | Unknown | |
| DISTRICT OF PRINCE EDWARD ISLAND-- | | | | | | | |
| 1911. | | | | | | | |
| Oct. 14 | Spiritus Aetheris Nitrosi. | 46101 | George E. Hughes, Charlottetown, P.E.I. | 3 ozs. | 36 | | |
| " 16 | " | 46102 | Johnson & Johnson, Charlottetown, P.E.I. | 3 " | 30 | | |
| " 20 | " | 46103 | Dr. F. W. Farline, Kensington, P.E.I. | 3 " | 30 | | |
| " 20 | " | 46104 | " " " " | 3 " | 30 | | |
| DISTRICT OF NEW BRUNSWICK-- | | | | | | | |
| Oct. 12 | Spiritus Aetheris Nitrosi. | 45535 | Nat. Drug & Chem. Co., St. John, N.B. | 3 ozs. | 30 | | |
| " 20 | " | 45536 | E. Clinton Brown, St. John, N.B. | 3 " | 30 | | |
| Nov. 3 | " | 45537 | Johnston & Johnston, St. Stephen, N.B. | 3 " | 15 | | |
| " 7 | " | 45538 | R. T. Mack, Fredericton, N.B. | 3 " | 30 | Vendor | |
| " 15 | " | 45539 | Fairweather Bros., Moncton, N.B. | 3 " | 30 | | |
| DISTRICT OF QUEBEC-- | | | | | | | |
| Oct. 11 | Spiritus Aetheris Nitrosi. | 36993 | J. B. Giroux, 385 Rue St. Joseph, Quebec. | 3 ozs. | 35 | | |
| " 11 | " | 36994 | Alphonse Martineau, 734 Rue St. Valier, Quebec. | 3 " | 25 | | |
| " 11 | " | 36995 | Joseph Masson, 808 Rue St. Valier, Quebec. | 3 " | 25 | | |
| " 11 | " | 36996 | L. E. Martel, 79 Rue St. Joseph, Quebec. | 3 " | 30 | | |
| " 11 | " | 36997 | Estate G. P. Plamondon, 122 Rue St. Joseph, Quebec. | 3 " | 30 | | |

SPIRITUS ÆTHERIS NITROSI.

| Inspector's Report (Is not an expression of opinion.) | RESULTS OF ANALYSIS. | | | No. of Sample. | Remarks and opinion of the Chief Analyst. |
|---|----------------------|---|---|----------------|---|
| | Sp. gr. at 15°C. | Ratio of vol. of gas to vol. of liquid. | Ethyl Nitrite per cent by weight. | | |

R. J. WAUGH—INSPECTOR.

| | | | | | |
|-------|--------|-----|------|-------|--------------|
| | 0.8590 | 5.5 | 2.08 | 46731 | Genuine, |
| | 0.8443 | 5.6 | 2.08 | 46732 | " |
| | 0.8420 | 2.6 | 0.97 | 46733 | Adulterated. |
| | 0.8428 | 4.7 | 1.75 | 46734 | Genuine. |
| | 0.8438 | 3.0 | 1.12 | 46740 | Adulterated. |

WM. A. WEEKS—INSPECTOR.

| | | | | | |
|---|--------|-------|-------|-------|----------|
| | p. c. | p. c. | p. c. | | |
| | 0.8593 | 5.1 | 1.86 | 46101 | Genuine. |
| Tincture obtained from Lyman, Ltd. & alcohol added by vendor to make the spirit. | 0.8343 | 5.7 | 2.16 | 46102 | " |
| | 0.8680 | 5.5 | 2.02 | 46103 | " |
| | 0.8441 | 7.8 | 2.94 | 46104 | " |

J. C. FERGUSON—INSPECTOR.

| | | | | | |
|-------|--------|------|------|-------|--------------|
| | 0.8471 | 7.5 | 2.79 | 45535 | Genuine. |
| | 0.8573 | 4.9 | 1.85 | 45536 | " |
| | 0.8269 | 10.9 | 4.23 | 45537 | " |
| | 0.8338 | 11.0 | 4.22 | 45538 | " |
| | 0.8449 | 2.6 | 0.99 | 45539 | Adulterated. |

F. X. W. E. BELAND—INSPECTOR.

| | | | | | |
|-------|--------|-----|------|-------|---|
| | 0.9509 | 0.0 | 0.0 | 36993 | Adulterated. Contains no ethyl nitrite. |
| | 0.8562 | 3.5 | 1.25 | 36994 | Adulterated. |
| | 0.8326 | 0.6 | 0.2 | 36995 | " |
| | 0.8251 | 0.9 | 0.34 | 36996 | " |
| | 0.8560 | 1.5 | 0.54 | 36997 | " |

| Date of Collection | Name of sample | No. of Sample | Name and Address of Vendor | Cost | | Name and Address of Manufacturer or Furnisher as given by the Vendor | |
|-----------------------------------|-----------------------------|---------------|--|----------|------|--|-----------|
| | | | | Quantity | Cts. | Manufacturer | Furnisher |
| DISTRICT OF ST. HYACINTHE— | | | | | | | |
| Oct. 26 | Spiritus Ethericus Nitrosus | | 1165 De G. Verdon, Granby | 3 oz | 25 | | |
| Nov. 4 | | | 1166 F. F. Ansell, Sherbrooke | 3 " | 30 | | |
| " 8 | | | 1167 Dr. C. A. Coders, Megan Inc. | 3 " | 30 | | |
| " 9 | | | 1168 Pharmacia Drolet | 3 " | 30 | | |
| " 10 | | | 1169 J. F. Flink, Rock Island | 3 " | 24 | | Unknown |
| DISTRICT OF MONTREAL— | | | | | | | |
| 1911. | | | | | | | |
| Oct. 16 | Spiritus Ethericus Nitrosus | | 40916 S. Maisan 661 St. Lawrence St., Montreal. | 3 oz | 45 | | |
| " 16 | | | 40917 Myers Freeman, 43 St. Catherine St., west, Montreal. | 3 " | 30 | | |
| " 16 | | | 40918 B. Fox, St. Lawrence Boulevard, Montreal | 3 " | 30 | | |
| " 16 | | | 40919 A. Lebeau, 465 St. James St., Montreal. | 3 " | 45 | | |
| " 16 | | | 40920 Standard Pharmacy, 549 St. James St., Montreal | 3 " | 25 | | |
| DISTRICT OF OTTAWA— | | | | | | | |
| Oct. 10 | Spiritus Ethericus Nitrosus | | 49006 W. J. Hughes, Carleton Place. | 3 oz | 30 | Vendor | |
| " 14 | | | 49007 P. J. Nolan, Ottawa. | 3 " | 30 | " | |
| " 16 | | | 49008 J. F. Patterson, Almonte. | 3 " | 30 | Unknown | Unknown |
| " 24 | | | 49009 R. M. Arbuthnot, Ottawa. | 3 " | 30 | Vendor | |
| " 26 | | | 49010 G. F. Brethour, Ottawa. | 3 " | 30 | " | |
| DISTRICT OF KINGSTON— | | | | | | | |
| Nov. 2 | Spiritus Ethericus Nitrosus | | 48519 C. S. Prouse, Kingston. | 3 oz | 30 | | |
| " 2 | | | 48550 Geo. Mahood, | 3 " | 25 | | |
| " 2 | | | 48551 W. W. Gibson, | 3 " | 25 | Vendor | |
| " 3 | | | 48552 L. T. Best, | 3 " | 30 | | |
| " 3 | | | 48553 J. B. McLeod, | 3 " | 40 | | |

SPIRITUS ÆTHERIS NITROSI.

RESULTS OF ANALYSIS.

| Inspector's Report (is not an expression of opinion.) | Sp. gr. at 15°C. | Ratio of vol. of gas to vol. of liq. | Ethyl Nitrite per cent by weight. | No. of Sample. | Remarks and Opinions of the Chief Analyst |
|---|---------------------|--|---|----------------|---|
| J. C. ROULEAU, INSPECTOR. | | | | | |
| | 0.9101 | 0.0 | 0.0 | 1165 | Adulterated. Contains no ethyl nitrite. |
| | 0.8608 | 1.0 | 0.35 | 1166 | Adulterated. |
| Prepared according to U. S. P. | 0.8332 | 7.0 | 51 | 1167 | Genuine. |
| | 0.8618 | 4.1 | 1.43 | 1168 | Adulterated. |
| | 0.8276 | 9.6 | 3.53 | 1169 | Genuine. |

J. J. COSTIGAN, INSPECTOR

| | p. c. | l. c. | p. c. | |
|-------|--------|-------|-------|--------------------|
| | 0.8531 | 2.5 | 0.93 | 40916 Adulterated. |
| | 0.8262 | 7.7 | 2.92 | 40917 Genuine. |
| | 0.8433 | 2.3 | 0.85 | 40918 Adulterated. |
| | 0.8564 | 2.1 | 0.77 | 40919 " |
| | 0.8686 | 2.5 | 0.91 | 40920 " |

F. A. RICKEY, INSPECTOR.

| | | | | | |
|---|--------|-----|------|-------|----------------------------------|
| Made from concentrated spirit and alcohol. | 0.8340 | 1.5 | 0.55 | 49006 | Adulterated. |
| " | 0.9192 | 0.0 | 0.0 | 49007 | " Contains no ethyl nitrite. |
| " | 0.8312 | 4.3 | 1.59 | 49008 | Adulterated. |
| Made from concentrated spirit and alcohol. | 0.8310 | 4.5 | 1.66 | 49009 | " Slightly below standard limit. |
| " | 0.8391 | 0.0 | 0.0 | 49010 | " Contains no ethyl nitrite. |

JAS. HOGAN, INSPECTOR.

| | | | | | |
|-------|--------|------|------|-------|--------------------------|
| | 0.8422 | 4.3 | 1.58 | 48549 | Adulterated. |
| | 0.8641 | 23.8 | 8.60 | 48550 | Genuine; but too strong. |
| | 0.8344 | 10.4 | 3.83 | 48551 | " |
| | 0.8433 | 3.7 | 1.35 | 48552 | Adulterated. |
| | 0.8291 | 10.5 | 3.00 | 48553 | Genuine. |

| Date of Collection. | Nature of Sample. | No. of Sample. | Name and Address of Vendor. | Cost. | | Name and Address of Manufacturer or Furnisher as given by the Vendor. | |
|---------------------|-------------------|----------------|-----------------------------|-----------|--------|---|------------|
| | | | | Quantity. | Cents. | Manufacturer. | Furnisher. |

DISTRICT OF TORONTO—

| 1911. | | | | | | | |
|-------|----|---------------------------|-------|---|-------|----|--|
| Oct. | 16 | Spiritus Ætheris Nitrosi. | 49305 | Blaicher & Reche, Main st., Hamilton. | 3 oz. | 25 | |
| " | 16 | " | 49306 | T. F. O'Riley, 498 Queen st. East, Toronto. | 3 " | 27 | |
| " | 23 | " | 49307 | T. F. & T. J. Brown, Orangeville. | 3 " | 25 | |
| " | 24 | " | 49308 | Langs & Gilchrist, Owen Sound. | 3 " | 25 | |
| Nov. | 3 | " | 49309 | Geo. Callard, Stouffville. | 3 " | 25 | |

DISTRICT OF LONDON—

| | | | | | | | |
|------|----|---------------------------|-------|--------------------------------|-------|----|--|
| Oct. | 17 | Spiritus Ætheris Nitrosi. | 47813 | W. M. Mutton, Ridge town. | 3 oz. | 30 | |
| " | 17 | " | 47820 | Bawder Drug Store, Ridge town. | 3 " | 24 | |
| " | 18 | " | 47837 | W. H. Willson, Leamington. | 3 " | 40 | |
| " | 19 | " | 47847 | T. J. Stillman, Essex. | 3 " | 30 | |
| " | 20 | " | 47854 | A. J. McCall & Co., Chatham. | 3 " | 30 | |

DISTRICT OF MANITOBA—

| | | | | | | | |
|------|---|---------------------------|-------|--|-------|----|----------------------|
| Nov. | 6 | Spiritus Ætheris Nitrosi. | 47453 | St. John's Pharmacy, Winnipeg. | 3 oz. | 35 | Vendors..... |
| " | 6 | " | 47468 | Lincoln Park Drug Co., Winnipeg. | 3 " | 45 | |
| " | 7 | " | 47470 | Norwood Drug Co., Norwood Grove. | 3 " | 25 | Unknown..... Unknown |
| " | 7 | " | 47471 | W. G. Lang, Norwood Grove. | 3 " | 30 | "..... |
| " | 9 | " | 47472 | Elmwood Drug Store, (Elmwood), Winnipeg. | 3 " | 30 | "..... Unknown |

DISTRICT OF CALGARY—

| | | | | | | | |
|------|----|---------------------------|-------|---------------------------------|-------|----|-------------|
| Nov. | 8 | Spiritus Ætheris Nitrosi. | 44015 | E. M. Cawker, Medicine Hat. | 3 oz. | 50 | |
| " | 9 | " | 44016 | C. S. Pingle, Medicine Hat. | 3 " | 50 | Vendor..... |
| " | 9 | " | 44017 | B. F. Souch, Medicine Hat. | 3 " | 50 | |
| " | 14 | " | 44018 | Nat. Drug & Chem. Co., Calgary. | 3 " | 50 | |
| " | 14 | " | 44019 | C. A. Wallace, Calgary. | 3 " | 50 | |

SPIRITUS ÆTHERIS NITROSI—Continued.

| Inspector's Report. (Is not an expression of opinion). | RESULTS OF ANALYSIS. | | | No. of Sample. | Remarks and Opinion of the Chief Analyst. |
|--|----------------------|---|---|----------------|---|
| | Sp. gr. at 15°C. | Ratio of vol. of gas to vol. of liquid. | Ethyl Nitrite per cent by weight. | | |

H. J. DAGER, INSPECTOR.

| | p. c. | p. c. | p. c. | | |
|-------|--------|-------|-------|-------|--------------|
| | 0.8417 | 3.6 | 1.32 | 49305 | Adulterated. |
| | 0.8288 | 6.2 | 2.35 | 49306 | Genuine. |
| | 0.8260 | 7.3 | 2.76 | 49307 | " |
| | 0.8339 | 6.1 | 2.30 | 49308 | " |
| | 0.8520 | 4.4 | 1.60 | 49309 | Adulterated. |

JNO. TALBOT, INSPECTOR.

| | | | | | |
|-------|--------|------|-------|-------|---|
| | 0.8285 | 17.2 | 6.47 | 47813 | Genuine; too strong. |
| | 0.8373 | 0.0 | 0.00 | 47820 | Adulterated. Contains no ethyl nitrite. |
| | 0.8250 | 8.4 | 3.16 | 47837 | Genuine. |
| | 0.8413 | 66.4 | 24.55 | 47847 | Genuine; but too concentrated. Adulterated. |
| | 0.8258 | 8.0 | 3.03 | 47854 | Genuine. |

A. C. LARIVIERE, INSPECTOR.

| | | | | | |
|-------|--------|-----|------|-------|----------|
| | 0.8345 | 9.1 | 3.45 | 47453 | Genuine. |
| | 0.8265 | 7.5 | 2.85 | 47465 | " |
| | 0.8864 | 9.8 | 3.48 | 47470 | " |
| | 0.8858 | 6.9 | 2.44 | 47471 | " |
| | 0.8273 | 7.0 | 2.66 | 47472 | " |

R. W. FLETCHER, INSPECTOR.

| | | | | | |
|-------|--------|-------|--------|-------|---|
| | 0.8492 | 5.7 | 2.14 | 44015 | Genuine. |
| | 0.8282 | 10.8 | 4.17 | 44016 | " |
| | 0.8512 | 2.2 | 0.79 | 44017 | Adulterated. |
| | 0.8466 | 4.5 | 1.69 | 44018 | Adulterated; slightly below standard limit. |
| | 0.8654 | | trace. | 44019 | Adulterated. |

| Date of Collection. | Nature of Sample. | No. of Sample. | Name and Address of Vendor. | C. ST. | | Name and Address of Manufacturer or Furnisher as given by the Vendor. | |
|-------------------------------|----------------------------|----------------|--|-----------|--------|---|------------|
| | | | | Quantity. | Cents. | Manufacturer. | Furnisher. |
| DISTRICT OF NELSON— | | | | | | | |
| 1911. | | | | | | | |
| Oct. 19 | Spiritus Aetheris Nitrosi. | 48415 | McLean Drug & B. Co., Fernie, B.C. | 3 ozs. | 45 | | |
| " 19 | " | 48446 | N. E. Suddaby, Fernie, B.C. | 3 " | 30 | | |
| " 27 | " | 48451 | Goolove Bros., Rossland, B.C. | 3 " | 45 | | |
| " 28 | " | 48484 | Canada Drug & B. Co., Nelson, B.C. | 3 " | 25 | | |
| " 28 | " | 48486 | Poole Drug Co., Nelson, B.C. | 3 " | 40 | | |
| DISTRICT OF VANCOUVER— | | | | | | | |
| Oct. 17 | Spiritus Aetheris Nitrosi. | 38205 | W. E. Almas, Pender St., Vancouver. | 3 ozs. | 45 | | |
| " 17 | " | 38206 | Manhattan Pharmacy, Robson St., Vancouver. | 3 " | 75 | | |
| " 17 | " | 38207 | Le Patourel & McRae, Granville St., Vancouver. | 3 " | 50 | | |
| " 17 | " | 38208 | L. G. Henderson, Granville St., Vancouver. | 3 " | 59 | | |
| " 18 | " | 35209 | Ferguson's Drug Store, Granville St., Vancouver. | 3 " | 75 | | |
| DISTRICT OF VICTORIA— | | | | | | | |
| Nov. 20 | Spiritus Aetheris Nitrosi. | 47671 | W. Jackson & Co., Victoria. | 3 ozs. | 35 | | |
| " 20 | " | 47672 | Hali & Co., Victoria. | 3 " | 35 | | |
| " 22 | " | 47673 | W. S. Terry, Victoria. | 3 " | 35 | | |
| " 22 | " | 47674 | Ivil's Pharmacy, Victoria. | 3 " | 35 | | |
| " 22 | " | 47675 | F. J. Williams, Victoria. | 3 " | 35 | | |

SPIRITUS ÆTHERIS NITROSI.

| Inspector's Report (Is not an expression of opinion.) | RESULTS OF ANALYSIS. | | | No. of Sample. | Remarks and opinion of the Chief Analyst. |
|---|----------------------|---|---|----------------|---|
| | Sp. gr. at 15°C. | Ratio of vol. of gas to vol. of liquid. | Ethyl Nitrite per cent by weight. | | |

THOS. PARKER, INSPECTOR.

| | p. c. | p. c. | p. c. | |
|-------|--------|-------|-------|--------------------|
| | 0.8266 | 5.2 | 2.02 | 48445 Genuine. |
| | 0.8568 | 3.4 | 1.24 | 48446 Adulterated. |
| | 0.9047 | 5.6 | 1.91 | 48451 Genuine. |
| | 0.8601 | 9.4 | 3.37 | 48484 " |
| | 0.8237 | 1.5 | 0.55 | 48486 Adulterated |

J. F. POWER, INSPECTOR.

| | | | | | |
|-----------------------|--------|-----|------|-------|--------------|
| Made from compound... | 0.8295 | 8.3 | 3.10 | 38205 | Genuine. |
| " " | 0.8273 | 7.5 | 2.53 | 38206 | " |
| | 0.8117 | 3.9 | 1.51 | 38207 | Adulterated. |
| | 0.8316 | 8.8 | 3.30 | 38208 | Genuine. |
| | 0.8399 | 6.5 | 2.42 | 38209 | " |

D. O'SULLIVAN, INSPECTOR.

| | | | | | |
|-------|--------|-----|------|-------|--------------|
| | 0.8723 | 2.3 | 0.86 | 47671 | Adulterated. |
| | 0.8441 | 4.8 | 1.80 | 47672 | Genuine. |
| | 0.8266 | 9.4 | 3.63 | 47673 | " |
| | 0.8273 | 6.0 | 2.33 | 47674 | " |
| | 0.8284 | 8.9 | 3.43 | 47675 | " |

