



**IMAGE EVALUATION
TEST TARGET (MT-3)**



**Photographic
Sciences
Corporation**

23 WEST MAIN STREET
WEBSTER, N.Y. 14580
(716) 872-4503

0
16
18
20
22
25
28
32

**CIHM/ICMH
Microfiche
Series.**

**CIHM/ICMH
Collection de
microfiches.**



Canadian Institute for Historical Microreproductions / Institut canadien de microreproductions historiques

10
11

© 1983

Technical and Bibliographic Notes/Notes techniques et bibliographiques

The Institute has attempted to obtain the best original copy available for filming. Features of this copy which may be bibliographically unique, which may alter any of the images in the reproduction, or which may significantly change the usual method of filming, are checked below.

L'Institut a microfilmé le meilleur exemplaire qu'il lui a été possible de se procurer. Les détails de cet exemplaire qui sont peut-être uniques du point de vue bibliographique, qui peuvent modifier une image reproduite, ou qui peuvent exiger une modification dans la méthode normale de filmage sont indiqués ci-dessous.

- Coloured covers/
Couverture de couleur
- Covers damaged/
Couverture endommagée
- Covers restored and/or laminated/
Couverture restaurée et/ou pelliculée
- Cover title missing/
Le titre de couverture manque
- Coloured maps/
Cartes géographiques en couleur
- Coloured ink (i.e. other than blue or black)/
Encre de couleur (i.e. autre que bleue ou noire)
- Coloured plates and/or illustrations/
Planches et/ou illustrations en couleur
- Bound with other material/
Relié avec d'autres documents
- Tight binding may cause shadows or distortion along interior margin/
La reliure serrée peut causer de l'ombre ou de la distorsion le long de la marge intérieure
- Blank leaves added during restoration may appear within the text. Whenever possible, these have been omitted from filming/
Il se peut que certaines pages blanches ajoutées lors d'une restauration apparaissent dans le texte, mais, lorsque cela était possible, ces pages n'ont pas été filmées.
- Additional comments:
Commentaires supplémentaires:

- Coloured pages/
Pages de couleur
- Pages damaged/
Pages endommagées
- Pages restored and/or laminated/
Pages restaurées et/ou pelliculées
- Pages discoloured, stained or foxed/
Pages décolorées, tachetées ou piquées
- Pages detached/
Pages détachées
- Showthrough/
Transparence
- Quality of print varies/
Qualité inégale de l'impression
- Includes supplementary material/
Comprend du matériel supplémentaire
- Only edition available/
Seule édition disponible
- Pages wholly or partially obscured by errata slips, tissues, etc., have been refilmed to ensure the best possible image/
Les pages totalement ou partiellement obscurcies par un feuillet d'errata, une pelure, etc., ont été filmées à nouveau de façon à obtenir la meilleure image possible.

This item is filmed at the reduction ratio checked below/
Ce document est filmé au taux de réduction indiqué ci-dessous.

10X	14X	18X	22X	26X	30X
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12X	16X	20X	24X	28X	32X

The copy filmed here has been reproduced thanks to the generosity of:



National Library of Canada

The images appearing here are the best quality possible considering the condition and legibility of the original copy and in keeping with the filming contract specifications.

Original copies in printed paper covers are filmed beginning with the front cover and ending on the last page with a printed or illustrated impression, or the back cover when appropriate. All other original copies are filmed beginning on the first page with a printed or illustrated impression, and ending on the last page with a printed or illustrated impression.

The last recorded frame on each microfiche shall contain the symbol \rightarrow (meaning "CONTINUED"), or the symbol ∇ (meaning "END"), whichever applies.

Maps, plates, charts, etc., may be filmed at different reduction ratios. Those too large to be entirely included in one exposure are filmed beginning in the upper left hand corner, left to right and top to bottom, as many frames as required. The following diagrams illustrate the method:



L'exemplaire filmé fut reproduit grâce à la générosité de:

Bibliothèque nationale du Canada

Les images suivantes ont été reproduites avec le plus grand soin, compte tenu de la condition et de la netteté de l'exemplaire filmé, et en conformité avec les conditions du contrat de filmage.

Les exemplaires originaux dont la couverture en papier est imprimée sont filmés en commençant par le premier plat et en terminant soit par la dernière page qui comporte une empreinte d'impression ou d'illustration, soit par le second plat, selon le cas. Tous les autres exemplaires originaux sont filmés en commençant par la première page qui comporte une empreinte d'impression ou d'illustration et en terminant par la dernière page qui comporte une telle empreinte.

Un des symboles suivants apparaîtra sur la dernière image de chaque microfiche, selon le cas: le symbole \rightarrow signifie "A SUIVRE", le symbole ∇ signifie "FIN".

Les cartes, planches, tableaux, etc., peuvent être filmés à des taux de réduction différents. Lorsque le document est trop grand pour être reproduit en un seul cliché, il est filmé à partir de l'angle supérieur gauche, de gauche à droite, et de haut en bas, en prenant le nombre d'images nécessaire. Les diagrammes suivants illustrent la méthode.


aire
détails
ues du
modifier
ger une
filmage

ées

re

y errata
ed to

nt
ne pelure,
çon à



Terre de la France

A

DISSERTATION

ON THE
PUERPERAL FEVER,

DELIVERED

At a Public Examination for the DEGREE of
BACHELOR IN MEDICINE,

BEFORE THE REVEREND

JOSEPH WILLARD, S.T.D. President,

The MEDICAL PROFESSORS,

AND

The GOVERNORS

Of the UNIVERSITY at CAMBRIDGE,
IN AMERICA.

BY


PETER DE SALES LA TERRIERE,

From CANADA.

Cor dolet admonitu quoties reminiscor amaras esse
randa subit femina sepa vices.

B O S T O N :

Printed by SAMUEL HALL, at No. 53, Cornhill.
MDCCLXXXIX.



THIS DISSERTATION
IS DEDICATED, WITH ALL RESPECT,

TO

JOHN WARREN, M. D.

Professor of Anatomy and Surgery ;

BENJAMIN WATERHOUSE, M. D.

Professor of the Theory and Practice of Physic ;

AARON DEXTER, M. D.


Professor of Chemistry, and Materia Medica ;

GENTLEMEN not more distinguished by their
LITERARY ACCOMPLISHMENTS, and their
PROFESSIONAL ABILITIES, than respected
for their **ATTENTION TO STUDENTS,** and
their **TALENTS FOR INSTRUCTION ;**

By their

Humble Servant,

PETER DE SALES LA TERRIERE.



IT is not without diffidence that I appear before this HONOURABLE and REVEREND ASSEMBLY, in conformity to the laudable custom established in the University.

To produce a dissertation in a language I have never professedly studied, before I entered these walls, is not so easy a task as some perhaps may imagine: but relying on that candor which distinguishes a polite education, I am emboldened to offer you this specimen of my studies, hoping that every deficiency of language will be excused.

I shall say a few words for the information of those who may wonder to see a person of my age engaging in the study of Physic. The occasion of it is this;—Canada, like most provinces at a great distance from the mother country, has become very deficient in medical knowledge. Not only the most approved English authors are unknown to most of us, but even the late French writers on physic and surgery are scarcely seen among us.

Ignorance and quackery having, from these and some other causes, spread among us, to the great detriment of the lives of his Britannic Majesty's subjects, it excited the attention of the legislature, and particularly of the humane *Lord Dorchester*, who, touched with a tender feeling for the sufferings of others, issued an Ordonnance, obliging every


every practitioner to undergo an examination before a committee of physicians and members of the legislative council.

The result of this plan was,—A certain number having been examined, were approved, and permitted to go on in practice : a number were rejected as unqualified, and prohibited practising ; and some were passed conditionally, that is, they were recommended to pass some time at any university, where medicine was taught with regularity, according to the most improved British systems.


Finding myself included among the last, I took from the register's office what concerned myself only, and set off for the University of Cambridge, which had been strongly recommended to me as a medical school, where I could obtain every thing the ordonnance required of me.

Although I had formed an high idea of the University of Cambridge, and of the medical lectures in particular, yet I am happy in declaring that they far exceed my most sanguine expectations, and I shall account those circumstances, which I once was ready to conceive as grievances, among the most fortunate events of my life, inasmuch as they have made me acquainted with a set of truly learned men, whose urbanity, as well as abilities, I shall never cease to revere.





A
 DISSERTATION
 ON THE
 PUERPERAL FEVER.



THE puerperal fever is a disorder peculiar to women in child-bed ; and although it is probable it hath happened in all ages of the world, its cause is still involved in much obscurity, and its mode of treatment left, in a great measure, undecided.

The numbers cut off by this disease, in Canada, have moved my compassion, and excited me to enquire into its nature, and to try to ascertain the proper method of cure ; but alas ! I find even the most celebrated English physicians, who have written on the subject, differing in judgment with each other, and the same appearances after death explained in a different, and sometimes opposite manner.

Some practitioners doubt, whether it be a primary or a secondary disease. Some consider it as arising from an inflammation of the *uterus* ; others suppose it to be occasioned
 by

by an obstruction of the secretion of the milk, while many others imagine it arises from a suppression of the *lochia* merely.

It commonly begins, like other fevers, with rigour on the 1st, 2d, and 3d day after delivery, which is followed by great pain and soreness over the whole hypogastric region; there is a sense of heat and throbbing about the region of the *uterus*. There is much thirst, pain in the head, chiefly in the parts about the eye-brows, a flushing in the face, anxiety, a hot, dry skin, quick and weak pulse, though sometimes it will resist the finger strongly, accompanied with other signs of inflammation; a shortness in breathing, high coloured urine, and a suppression of the *lochia*.

A change in the quality of the *lochia* takes place, together with a tenesmus. Sometimes the patient vomits, from the beginning, a matter resembling what is discharged in the *cholera morbus*.

When the fever has continued a few days, the symptoms of inflammation usually subside, and the disease takes a putrid form; a bilious or putrid diarrhoea supervenes, the stools become involuntary, and the patient dies.

Although this disorder begins sometimes like a regular fever, and at others shows symptoms of genuine inflammation; yet it seems to differ from both, and exhibits those symptoms of irritation, with sudden depression of strength, quick and low pulse, dizziness, glazy eyes, and that species of delirium which denote a diminished energy of the brain; the symptoms are such as commonly arise when the mucous
 membrane

membrane of the throat, intestines, bladder or uterus are inflamed, which the skilful practitioner knows to be very different from the symptoms that arise when a thick, muscular part is inflamed. I cannot express my meaning better than by saying, that it is that kind of inflammation in which blood-letting is contra-indicated, and in which tonics are chiefly to be relied on.

The puerperal fever may be distinguished from the miliary, by the rigour being more violent, and without interruption: and the eruptions, which are critical in the miliary fever, procure no mitigation in the puerperal.

Physicians have differed nearly as much in their judgement respecting the method of cure, as in the nature of the disease. *Dr. Denman* supposes it to arise from a redundancy or preternatural acrimony of the bile, the secretion of which is irregular during pregnancy. *Dr. Manning* is of the same opinion, only he lays much stress on unwholesome air and bad diet.

Dr. Hulme differs from both these respectable physicians, says it is owing to an inflammation of the omentum and intestines, and maintains his argument by a variety of dissections; and the celebrated *Dr. John Hunter* is so far of this opinion, that he thinks it is possible even for men to have a disorder like it, and says that he has known similar appearances in the omentum and intestines of men, whose abdomens have been distended by dropsy.

Dr. Hulme readily admits, that unwholesome air, and bad diet, may powerfully operate in causing the disease. With this idea, *Dr. Hulme* proceeds to the cure by

emollient injections, and, if the abatement of pain is not soon procured, he recommends sal catharticus amarus, oleum ricini, and, in the intermediate spaces, the saline draughts of *Riverius*. The complication of inflammatory and putrid symptoms often puzzles the practitioner, who hesitates in doubt, whether he should bleed or not; nay more, whether he should adopt an antiphlogistic course of remedies, or give the bark.

The equivocal appearances of the vomiting and purging, whether they be symptomatical or critical, is another cause of perplexity in the physician; for what are the salutary efforts of nature, and what the ragings of a destructive disorder, he is unable to determine; and this disease is too acute to allow him time to hesitate long.

As many women who die of a puerperal fever are afflicted with a diarrhoea, some have supposed this symptom as the most alarming, and have accordingly bent all their attention to restrain it; and yet the experienced physician knows that numbers of women have recovered, apparently, through the intervention of this symptom. Some instances have occurred of hæmorrhage carrying off the disease, and this has been thought sufficient to justify venesection; but *Dr. Denman* thinks we are warranted, by experience, to reject the practice as very hazardous, if not fatal; and when we consider the situation of child-bed women, we should be apt, reasoning *a priori*, to conclude, that venesection was unnecessary.

Whether there may not occur cases in the coldest seasons, in such a climate as Canada, where bleeding would be beneficial, future experience must determine.

As

As Dr. Denman and Dr. Manning suppose that acrid bile chiefly, foments this disease, they begin with emetics, and then have recourse to purgatives; and they assert they have found this practice beneficial. *Dr. Denman* uses the following formula.

R. Tart. emetic gr. - - 1
 Ocul. cancror. p. scrup. 1 Intime misceantur.

The dose is 6 gr. of this powder; and if the first does not produce any sensible operation, he repeats it, in an increased quantity, every two hours. He gives the saline draughts, which not only keep up the evacuation from the intestines, but likewise promote the salutary discharges of urine and perspiration.

When a diarrhoea continues to such an alarming degree as to threaten a fatal termination, he orders injections of chicken water, but to be conducted with great care, on account of the extreme sensibility of the parts contained in the pelvis. He then administers the following draught:

R. Pulv. ipecac. - - - gr. 1
 Confect. democrat. scrup. 1.

Aq. alexit. simp. vel, aq. cinam. simp. unc. 1 m.

Dr. Hulme, supposing that the proximate cause of the puerperal fever is an inflammation of the omentum and intestines, says, that the predisponent cause is the pressure of the gravid uterus against these parts. But Mr. White, another eminent English practitioner, asks, if this were the case, whether the disorder would not take place before delivery, and be mitigated immediately after that period?

Seeing the puerperal fever is a disease, more frequent
 and

and more fatal, in large cities and in hospitals, than in the country, and in private practice, some have supposed, that it is a disorder very similar to the *cinanche maligna*, or ulcerated sore throat? Allowing for the different seat of the disorder, they ask, are not the symptoms very similar? and may it not be supposed that it is an inflammation of the mucous membrane of the uterus and parts adjacent? and do not the equivocal symptoms before mentioned, in some measure, confirm this idea?

It may not be improper to observe, that although *Dr. Hulme* supposes this disorder to arise from inflammation, yet he says that bleeding is to be used with great caution.

From the beginning of the year 1768 to 1770, the puerperal fever prevailed much in and about London. *Dr. Leak* published the observations he made in that interval. It seemed to be occasioned, he said, by catching cold, or by errors in diet, but oftener by anxiety of mind. He says the depression of strength was so sudden and so great, that few of the patients could turn in bed without assistance, even so early as the first or second day of the attack. The lochia, he observes, were not, from first to last, obstructed, nor deficient in quantity, neither did the quality of the discharge seem to be altered from its natural state; and what is remarkable, a considerable pressure above the pubes did not occasion pain, while the same degree of pressure between the stomach and umbilical region produced a pain almost intolerable; and in them that died, he says the omentum was found suppurated; he therefore concludes, with *Dr. Hulme*, that an inflammation of that part and of the intestines, is the proximate cause of the disorder

der we are now treating of. In consequence of this idea, he advises venesection, and recommends it from his own experience. But from the uniformity of the symptoms, in the many cases he relates, it has been supposed that it was a disease *sui generis*, then epidemic.

Dr. Kirkländ, who has written on this disease, recommends the peruvian bark, and, if the diarrhœa should become very alarming, he does not hesitate to add small doses of laudanum to the bark. He warmly recommends, after Mr. White, the columbo root, as an admirable remedy to remove the irritability of the intestinal canal.

Thus much have I been able to gather from authors, and from the lectures given in this university, respecting the nature and cure of this destructive disease; and have now to add a few observations I have made in my own practice in Canada.

Is it not reasonable to suppose, that, in different climates, the puerperal fever wears a different aspect? In our cold climate, there most commonly prevails the state of the arterial system, which is known by the name of *dia-thesis phlogistica*; and I have generally found, that puerperal patients bear bleeding better than we are led to suppose, from reading these English authors.

Dr. Leak's description of the disease comes the nearest to what I have observed in Canada of any of the English authors.

Dr. Tissot's history of the disease agrees with most of the cases I have met with, and his mode of treatment seems well

well adapted to our climate. I have found very beneficial effects from emetics and ecoprotics, and sometimes cathartics; and in many instances I have taken away 2 oz. of blood with evident advantage; but in most cases, I am rather deterred from using venesection at all.

The best way of preventing this disease is to obviate costiveness in the last months of pregnancy, to keep the woman, after delivery, perfectly easy in mind, as well as in body.

- Her food should be light, and in small quantities; her chamber should be properly aired, and every attention should be paid to cleanliness.

- However ignorant we may be of the nature of the puerperal fever, of this we are certain, that the female system is in such a state, on delivery, that errors in either of these respects are apt to produce the disease; too much heat will cause it full as often as too much cold.

That *particular state* or *predisposition* of their bodies, must be inquired into, before we can thoroughly understand this disorder.

And indeed, from a view of the whole matter, I am induced to form the following opinion: That upon the nature of this predisposition, the disease depends; or, in other words, that the disorder, usually known by the name of the puerperal fever, or that fever to which lying-in women are more peculiarly incident, assumes its form principally from circumstances pre-existing in the system. The circumstance of parturition, I would consider only as an *exciting cause*.

In

In this view of the matter, let us examine in what form it may be expected to make it's appearance.

The state of pregnancy may be considered as having certain effects on the viscera of the abdomen in particular, and on the whole system in general. The pressure of the gravid uterus is the principal agent in producing them.

The evident consequences of this pressure are, 1. retention of faecal matter in the intestines, and perhaps in the bladder; 2. diminished excretion of the bile, or difficult entrance into the duodenum; 3. an obstruction to the free course of the chyle; and 4. impeded circulation in the abdominal viscera. The last of these may perhaps be considered as the only one in which the viscera in particular are immediately interested.

The circumstances affecting the system in general, are, —Distension of the fibres of the uterus, which, from an extensive sympathy of parts with this organ, must necessarily increase the irritability of the nervous system:—From an accumulation of putrid matter in the intestines, an absorption of putrescent juices:—The collection of bile in the receptacles of the liver, which, by stagnating, will be exposed to the absorption of it's thinner and most diluting parts, and which will be the means of inducing constipation:—Debility through the want of a nutritious, cooling fluid in the blood.

A combination of these causes with certain peculiarities of the habit may heighthen the predisposition.

The causes dependent on parturition itself are,

1. Irritation

1. Irritation upon the uterus.
2. Accelerated circulation, and increased heat.
3. Sanguineous evacuation.
4. Suspension of the requisite discharges.

The first of these may very readily be conceived as exciting disease, by means of the sympathy of parts with the uterus; and it will conspire with the already increased irritability.

The second by giving activity to the retained stagnant fluids, as the bile or thinner parts of the fæces.

The third, by increasing the absorption of those fluids, the vessels of the receptacles being rendered more bibulous by the depletion. And

The last, by augmenting the quantity of colluvies, and by an application of putrid matter to the orifices of the uterine vessels, in addition to that contained in other parts.

That these may operate differently in different cases of predisposition, seems agreeable to the dictates of reason and common sense. The *degrees of violence* in the attack are allowed to depend much on constitution and on predisposing causes; and why may not the *nature* of the symptoms be dependant on them also? If it is granted that they may, are we not then justified in concluding, that the forms of this disease may be various in different cases, according to the predisposition of the habit? and may not the jarring opinions, and dissentient theories which the ingenious of our profession have advanced, be readily reconciled by these considerations?

Of the two leading theories that have been advocated by physicians, the one makes it an inflammatory, the other a putrid affection. Probably, in most cases, it is primarily inflammatory, and finally putrid; but may it not easily be conceived, that a puerperal-fever which, in a plethoric habit, where the vessels being turgid are less disposed to absorption, would in its origin be highly inflammatory, might in a thinner habit, where the irritability is great, assume from the very beginning, a putrid type?

I have been informed of an instance, in this Commonwealth, of two ingenious practitioners of eminence widely differing in sentiment on this disease, tenaciously supporting their opinions upon fact and experience, and yet supporting them in direct opposition to each other. Might not both of them be in the right, and even the method of cure adopted by each of them be perfectly justifiable, though the one recommended an antiseptic, and the other an antiphlogistic course? They both practised according to the obvious symptoms of the malady; the one, under appearances actually putrid, prescribed antiseptics; the other, under those that were inflammatory, prescribed antiphlogistics.

The many causes of absorption indeed should render us cautious of phlebotomy; but I conceive, it may sometimes be indicated.

It may, perhaps, be objected to what I have advanced, that if my theory is right, there is nothing specific in the puerperal fever.—

To this I answer—That from the irritable state of the
 C uterus

uterus in particular; from its vicinity to the sources of absorption; and other peculiarities in its situation immediately after parturition, I conceive such a variety in the character of the disease to be established, as may so far render it a disease *sui generis*, as to require a treatment very different from that of either the *synocha*, *typhus* or *synochus*; and, if I dared, I would venture to give it a name that should designate it as a *puerperal variety of the genus synochus*.

Dr. Hulme's dissections have proved that in many cases of what is called the puerperal fever, an inflammation of the omentum and intestines was the *proximate cause*. This might have been combined with a diathesis *phlogistica*; and from some of the *remote causes* above mentioned, they assumed this form. It is to be presumed, however, that Dr. Hulme did not mean to consider it as a simple enteritis; but as a disease, the character of which depended on the connexion of the parts which were the seat of it, with the uterus; thus constituting a distinct species in a manner similar to that which I have adopted above.

As to any inflammation of the uterus which may take place in consequence of parturition, I have neglected to speak of it as connected with this disorder, for this is another disease, and it is that which has been considered by Dr. Cullen under the name of a hysteritis.

I shall pay due attention to this subject, as cases occur, and hope, some time or other, to lay before you some farther observations, in addition to this imperfect sketch.

