

M^c Laughlin

SLEIGHS

1905








IRONWORK

All braces, T's, etc., of steel and forged in our own factory; 1¼-inch projecting steel shoes; gear very strongly braced.

TRIMMING

Good quality embossed plush or leather cloth; high easy spring back and spring cushion; sides of seat padded; carpet; toe rail; rubber boot behind; plated solid brass double-bar dash rail; shafts full leathered and silver tipped.

NOTE-For Nova Scotia, New Brunswick and Prince Edward Island trade we can supply right-shift or center-draft shafts and 11/2-inch projecting shoes, when ordered.



No. 201 "Improved Maritime Special"

WOODWORK

Panels are carefully glued, screwed and plugged; high patent hinged dash; bent fenders mortised to beams; choicest gearing throughout; shafts extra XXX hickory.

IRONWORK

All braces, T's, etc., of steel and forged in our own factory; 1¼-inch projecting steel shoes; gear substantially ironed.


PAINTING

Body and seat black, neatly striped; gear black or carmine, nicely striped. TRIMMING

Good quality embossed plush or leather cloth; easy spring back and spring cushion; sides of seat trimmed; carpet; padded toe rail; shafts full leathered, with silver tips; boot behind; plated solid brass dash rail. Supplied regularly with shifting shafts.

Note For New Brunswick, Nova Scotia and Prince Edward Island trade we can supply center-draft or right-shift shafts and 1½-inch shoes.

-3-



No. 215 "New Brunswick" Sleigh

I MPROVED light design for New Brunswick trade. Handsome new seat with bent panels; extra high dash; bar on top of beams; body has drop bottom; an extra good job, suited to this trade.

WOODWORK

Panels carefully glued, screwed and plugged; seat has high, comfortable back, bent panels and round corners; dash extra high, of improved design; shafts extra XXX hickory; choice stock used throughout.

PAINTING


Dark colors, with neat fine lines of striping; black gear.

TRIMMING

High-grade embossed mohair plush or leather cloth; easy spring back; spring cushion; sides of seat padded; carpet; toe rail; rubber boot behind; shafts full trimmed.

IRONWORK

Special pattern braces, T's, etc., to suit the trade, very neat and strong; shafts, hook draft, double shifting; 11/4-inch projecting steel shoes.



No. 202 "New Jarvis"

THE neatest and best proportioned small-size cutter on the market. Solid mouldings (not transfers).

PAINTING

TRIMMING

WOODWORK

Panels are carefully glued, screwed and plugged; mouldings as represented are solid; best selected gearing throughout; bent knees; fenders mortised to beams and braced; patent hinged dash; shafts extra XXX hickory. Supplied regularly with shifting shafts.


IRONWORK

All braces, T's, etc., of steel and forged in our own factory ; 1¹/₄-inch projecting steel shoes.

High-grade embossed mohair plush to match painting; high easy spring back and spring cushion; sides of seat trimmed; carpet; padded toe rail; plated solid brass dash rail; plated arm rails. Shafts full leathered and silver tipped.

Body and seat dark or bright colors, or walnut, handsomely striped and decorated; gear carmine or black.

Note—Detachable storm boards for Manitoba and Northwest trade, when ordered. For New Brunswick, Nova Scotia and Prince Edward Island trade, center-draft or right-shift shafts and 1½-inch shoes, when ordered.



No. 2031/2 "New Jarvis," with Screen and Child's Seat

Note-Detachable storm boards for Manitoba and the Karthwest trade, when ordered. For New Brunswick, Nova Scotia and Prince Edward Island trade, center-draft or right-shift shafts and 1¹/₂-inch shoes, when ordered.

-6-

WOODWORK

Mark Sec. 11

Mouldings as shown are solid (not cheap transfers); panels are carefully glued, screwed and plugged; best selected gearing throughout; bent knees; fenders mortised to beams and braced; patent hinged dash; shafts extra XXX hickory. Supplied regularly with shifting shafts.

IRONWORK

76

All braces, T's, etc., of steel and forged in our own factory ; 1¼-inch projecting steel shoes.


PAINTING

Body and seat dark or bright defors, or walnut, handsomely striped and decorated; gear carmine or black.

TRIMMING

High-grade embossed mohair plush to match, inting; high easy spring back and spring cushion; sides of seat trimmed; carp; ; padded toe rail; new model full-plated solid brass screen of handsome desig; very substantial; plated arm rais.

A. Hara



No. 224 "Manitou." A Handsome Medium-size Cutter

NOTE-Detachable storm boards for Manitoba and Northwest trade, when ordered. For New Brunswick, Nova Scotia and Prince Edward Island trade, center-draft or right-shift shafts and 1½-inch shoes, when ordered.

-7-

WOODWORK

Panels are carefully glued, screwed and plugged; mouldings as represented are solid; best selected gearing throughout; bent knees; fenders morised to beams and braced; patent hinged dash; shafts extra XXX hickory. Supplied regularly with shifting shafts.

IRONWORK


All braces, T's, etc., of steel and forged in our own factory ; 11/2-inch projecting steel shoes.

PAINTING

Body and seat dark or bright colors, or walnut, handsomely striped and decorated; gear carmine or black.

TRIMMING

High-grade embossed mohair plush to match painting; high easy spring back and spring cushion; sides of seat trimmed; carpet; padded toe rail; plated solid brass arm and daah rails; shafts full leathered and silver tipped.



No. 2251/2 "Manitou," with Screen and Child's Seat .

THE neatest medium-size cutter on the market ; comfortable proportions ; tasty outlines. Designed for real comfort in small space. Handsomely painted and decorated, neatly upholstered. Mouldings as shown are solid, not cheap transfers.

WOODWORK

Panels are carefully glued, screwed and plugged; mouldings as represented are solid; best selected gearing throughout; bent knees; fenders mortised to beams and braced; patent hinged dash; shafts extra XXX hickory. Supplied regularly with shifting shafts.

IRONWORK


All braces, T's, etc., of steel and forged in our own factory; 11/2-inch projecting steel shoes.

PAINTING

Body and seat dark or bright colors, or walnut, handsomely striped and decorated; gear carmine or black.

TRIMMING

High-grade embossed mohair plush to match painting; high easy spring back and spring cushion; sides of seat trimmed; carpet; padded toe rail; new design full-plated solid brass screen; shafts full leathered and silver tipped; plated solid brass arm rails.



No. 204 "New Portland."

A^N up-to-date two-passenger sleigh. Choicest material and finest workmanship throughout. Supplied regularly with shifting shafts. Design slightly changed for 1904.

-9-


PAINTING Bady dark colors , gear black of

1

Body dark colors; gear black or carmine; appropriately striped.

TRIMMING

Blue cloth, unless ordered in embossed mohair plush; easy spring back; spring cushion; carpet; padded toe rail; solid brass arm and dash rails; shafts full leathered and silver tipped.



No. 214¹/₂ "Strathcona," with Small Seat

T HIS handsome, comfortable, medium-sized family sleigh needs no words of commendation, as the trade is well acquainted with its superiority over other somewhat similar sleighs.

-- 10 --

WOODWORK

Panels carefully glued, screwed and plugged; mouldings as represented are solid, and not cheap transfers; best selected gearing throughout; bent knees; fenders mortised to beams and braced; patent hinged dash; shafts extra XXX hickory.

IRONWORK


All braces, T's, etc., of steel and forged in our own factory; 14-inch projecting steel shoes; gear very strongly braced.

PAINTING

Body bright or dark colors, or walnut, handsomely striped and decorated ; gear to match.

TRIMMING

High-grade embossed mohair plush or best leather cloud high easy spring back and spring cushion; sides of panels padded; carrée all around inside; padded toe rail; solid brass full-plated screen, new dragn; solid brass nickelplated arm rails; shafts full leathered, with silver **g**.



No. 216 "St

"Strathcona," with Top and Storm Boards.

- 11 -

MADE especially for Manitoba and Northwest trade. This sleigh, having an extra strong top, with reinforced side curtains stitched solid to quarters, and detachable storm boards, fills a long-felt want for protection against the strong, biting winds of the prairies. No more necessity for cold, comfortless drives, when by a small outlay you can be comfortable and cosy in our No. 216. Mouldings as shown are solid, not cheap transfers.

WOODWORK

Panels carefully glued, screwed and plugged; mouldings as represented are solid; best selected gearing throughout; bent knees; fenders mortised to beams and braced; patent hinged dash; shafts extra XXX hickory.

IRONWORK


All braces, T's, etc., of steel and forged in our own factory; 1¼-inch projecting steel shoes; gear very strongly braced.

PAINTING

Body dark or bright colors, or walnut; gear to match; handsomely striped and decorated.

TRIMMING

High-grade embossed mohair plush or best leather cloth; high easy spring back and spring cushion; sides of body padded; carpet all around inside; padded toe rail; solid brass full-plated new-design screen; shafts full leathered, with silver tips.



No. 2311/2 "Victor Sleigh," with Misses' Seat

A FINE, comfortable, full-size sleigh; handsomely finished and decorated; elegantly upholstered; will seat four grown people comfortably and give ample room for robes. Mouldings as shown are solid, and not transfers.

WOODWORK

Panels are carefully glued, screwed and plugged; best selected gearing throughout; knees bent; fenders mortised to beams and braced; patent hinged dash; shafts extra XXX hickory.

IRONWORK

All braces, T's, etc., of steel and forged in our own factory; 1¼-inch projecting steel shoes.


PAINTING

Bright or dark colors; gear black or carmine.

TRIMMING

High-grade embossed mohair plush or best cloth; extra high easy spring back and spring cushion; sides of body padded; carpet all around front panels; padded toe rail; full-plated solid brass screen; plated side arms; supplied with misses' seat, as shown in cut, unless ordered otherwise; shafts full leathered and silver tipped.

-12-





A HANDSOME new sleigh; many new features; beautifully painted, striped and decorated and elegantly upholstered. Supplied regularly with driver's box. Mouldings are solid, not cheap transfers.

-13-

WOODWORK

Panels are carefully glued, screwed and plugged; best selected gearing throughout; bent knees; fenders mortised to beams and braced; mouldings as shown are solid; large bent wings; patent hinged dash; shafts extra XXX hickory; supplied regularly with shifting shafts.

IRONWORK


All braces, T's, etc., are forged in our own factory; 1¼-inch projecting steel shoes.

PAINTING

Body bright or dark colors, or walnut, handsomely striped and decorated; gearing to match body.

TRIMMING

High-grade embossed mohair plush or best cloth; extra high easy spring back and spring cushion; sides of body padded; carpet all around front; padded toe rail; full-plated solid brass screen; plated side arms, with upholstered pad; supplied with misses' seat, unless ordered otherwise; shafts full leathered and silver_tipped,



No. 217 Extra Light Gentleman's Driver

MEETS a long-felt want for a fine, neat and extra light sleigh, coming between a speeder and an ordinary cutter. Weight (approximately), 110 lbs., complete.

GEAR	PAINTING
Choicest second-growth hickory.	Gear bright red or black, fine-line striping; body black.
IRONWORK	TRIMMING
Extra light and neat, hand forged.	Blue cloth of fine quality, extra small neat design.
BODY	MOUNTINGS
Very light and neat.	Plain dash and arm rails, brass finish.
DASH	SHAFTS
High and well curved forward to stop snowballs.	Very light, second-growth hickory; trimmed with calfskin; round stitched straps.

Note-Supplied center-draft, with loose bar ; track, 36 inches ; height of body from ground, 19 inches.

- 14-

No. 226 **Fine Speeding Sleigh**

Chanaho

APPROXIMATE weight, 95 lbs.; height from ground to bottom of body, 23 inches; track, 50 inches.

Very strongly ironed and braced. Will not spread.

GEAR

Choicest second-growth hickory.

IRONWORK

Extra light and neat, hand forged.

BODY

Very light and neat.

DASH

High and well curved forward to stop snowballs.

PAINTING

corda

Gear bright red or black ; fine, light striping ; body black.

TRIMMING

Blue cloth of fine quality, extra small neat design.


MOUNTINGS

Plain dash and arm rails, brass finish.

SHAFTS

Second-growth hickory, special bend, with safety straps; trimmed with calf-skin; round stitched straps.

-15-



No. 230 The "King Edward"

THIS design proved such a favorite in 1903 that we are again placing it on the market, with a few minor alterations.


PAINTING Body dark or red; gear to match.

TRIMMING


Blue all-wool English broadcloth; high easy spring back and spring cushion, with hair filling; complete with driver's cushion; deep velvet mat; brassplated screen, with driving rail; shafts trimmed with calfskin; round stitched straps.

IMPORTANT NOTE-Supplied regularly with center-draft shafts and loose bar.

- - 16-



-




Dark or bright colors.


A

TRIMMING

High-grade cloth; driver's box; deep velvet carpets; rattan wings; nickeled body rails of solid brass; new design driving rail; shafts full leathered and silver tipped.

NOTE-Supplied regularly with shifting shafts. 18





No. 212 Democrat Bobs

BODY

36 inches by 8 teet inside; bolted; band-iron strips on top edge and along bottom inside; drop end gate full width; high solid-back seats.

GEAR

Very strong and substantial, as illustrated, extra well made of choicest stock.

PAINTING

Body and seats black and green, handsomely decorated; gear red.

TRIMMING

Good grade cloth; spring backs and cushions; silver dash rail.

SHAFTS

Solid bar side draft, very substantial.

No. 213 Democrat Bobs, as above, but with Two-Knee Bobs.

- 20 -

No. 209 Delivery Sleigh

A^N excellent job in every respect; will give entire satisfaction and will last for years. Three-knee wooden bobs; runners special bend, made to run very easily through the snow; 1¹/₄-inch shoes; 14-inch knees; body, 8 feet x 36 inches inside; hard-wood frame on top of panels; bolts extend through top frame, panel and heavy sills; band-iron strips on top edge and along bottom of body; drop end gate full width.

PAINTING

All carmine; body neatly striped and decorated. Cushion.

Supplied with serviceable shafts as shown on page 23. There is nothing cheap this job.


0.

Lettering extra when ordered. Flare boards as shown, extra. NOTE-See page 23.

SHAFTS

No. 211 Delivery Sleigh, as above, but with two-knee Bobs.

- 21




No. 241 Two-knee Bobsleighs

T_{HESE} meet a demand for a lighter and lower set than we have heretofore been supplying.

WOODWORK

Same description as No. 242, but 20 inches from ground to top of bolster.





WOODWORK

Choicest second-growth stock throughout; runners have special bend, made to go through snow lightly; height from top of bolster to ground, $21\frac{1}{2}$ inches; size of knee at shoulder, 1 x 2.

IRONWORK

All braces, T's, etc., are made extra strong and serviceable.

PAINTING


Carmine, nicely striped.

SHAFTS

We can supply bobs with or without shafts, as ordered. When shafts are ordered we supply them as illustrated above. These are made very substantial and of the choicest material.

IMPORTANT NOTE-Quoted regularly without shafts or pole. Supplied regularly to fit a body 38 inches wide over all.

-23-



- 21 -