

Technical and Bibliographic Notes / Notes techniques et bibliographiques

The Institute has attempted to obtain the best original copy available for filming. Features of this copy which may be bibliographically unique, which may alter any of the images in the reproduction, or which may significantly change the usual method of filming are checked below.

- Coloured covers / Couverture de couleur
- Covers damaged / Couverture endommagée
- Covers restored and/or laminated / Couverture restaurée et/ou pelliculée
- Cover title missing / Le titre de couverture manque
- Coloured maps / Cartes géographiques en couleur
- Coloured ink (i.e. other than blue or black) / Encre de couleur (i.e. autre que bleue ou noire)
- Coloured plates and/or illustrations / Planches et/ou illustrations en couleur
- Bound with other material / Relié avec d'autres documents
- Only edition available / Seule édition disponible
- Tight binding may cause shadows or distortion along interior margin / La reliure serrée peut causer de l'ombre ou de la distorsion le long de la marge intérieure.
- Blank leaves added during restorations may appear within the text. Whenever possible, these have been omitted from filming / Il se peut que certaines pages blanches ajoutées lors d'une restauration apparaissent dans le texte, mais, lorsque cela était possible, ces pages n'ont pas été filmées.
- Additional comments / Commentaires supplémentaires: Cover title page is bound in as last page in book but filmed as first page on fiche.

L'Institut a microfilmé le meilleur exemplaire qu'il lui a été possible de se procurer. Les détails de cet exemplaire qui sont peut-être uniques du point de vue bibliographique, qui peuvent modifier une image reproduite, ou qui peuvent exiger une modification dans la méthode normale de filmage sont indiqués ci-dessous.

- Coloured pages / Pages de couleur
- Pages damaged / Pages endommagées
- Pages restored and/or laminated / Pages restaurées et/ou pelliculées
- Pages discoloured, stained or foxed / Pages décolorées, tachetées ou piquées
- Pages detached / Pages détachées
- Showthrough / Transparence
- Quality of print varies / Qualité inégale de l'impression
- Includes supplementary material / Comprend du matériel supplémentaire
- Pages wholly or partially obscured by errata slips, tissues, etc., have been refilmed to ensure the best possible image / Les pages totalement ou partiellement obscurcies par un feuillet d'errata, une pelure, etc., ont été filmées à nouveau de façon à obtenir la meilleure image possible.
- Opposing pages with varying colouration or discolourations are filmed twice to ensure the best possible image / Les pages s'opposant ayant des colorations variables ou des décolorations sont filmées deux fois afin d'obtenir la meilleure image possible.

This item is filmed at the reduction ratio checked below / Ce document est filmé au taux de réduction indiqué ci-dessous.

10x		14x		18x		22x		26x		30x	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	12x		16x		20x		24x		28x		32x

No. 78.

5th Session, 8th Parliament, 63 Victoria, 1900

BILL.

An Act to amend the Gas Inspection
Act.

First reading, March 9, 1900.

SIR H. JOLY DE LOTBINIÈRE.

OTTAWA

Printed by S. E. DAWSON
Printer to the Queen's most Excellent Majesty
1900

An Act to amend the Gas Inspection Act.

HER Majesty, by and with the advice and consent of the Senate and House of Commons of Canada, enacts as follows :—

1. Subsection 1 of section 36 of *The Gas Inspection Act*, R.S.C., c. 101, chapter 101 of the Revised Statutes, as amended by section 1 of chapter 26 of the statutes of 1896, is repealed and the following is substituted therefor :—

“ 36. Every undertaker shall keep the public informed of the illuminating power of the gas supplied by him, and of its purity as affected by the absence or presence of sulphuretted hydrogen, by procuring a certificate from the inspector and posting it up in the chief office of the undertaker from time to time, as follows : Undertakers having more than four thousand meters shall procure such certificate once in each week ; those having less than four and more than three thousand meters, once in two weeks ; those having less than three and more than two thousand meters, once in each month ; those having less than two thousand and more than one thousand meters, once in each interval of two months ; and those having less than one thousand meters, once in each interval of three months.”

Certificate of quality to be posted up.

Frequency of certificate according to number of consumers.