

**CIHM  
Microfiche  
Series  
(Monographs)**

**ICMH  
Collection de  
microfiches  
(monographies)**



**Canadian Institute for Historical Microreproductions / Institut canadien de microreproductions historiques**

**© 1996**

## Technical and Bibliographic Notes / Notes techniques et bibliographiques

The Institute has attempted to obtain the best original copy available for filming. Features of this copy which may be bibliographically unique, which may alter any of the images in the reproduction, or which may significantly change the usual method of filming are checked below.

- Coloured covers / Couverture de couleur
- Covers damaged / Couverture endommagée
- Covers restored and/or laminated / Couverture restaurée et/ou pelliculée
- Cover title missing / Le titre de couverture manque
- Coloured maps / Cartes géographiques en couleur
- Coloured ink (i.e. other than blue or black) / Encre de couleur (i.e. autre que bleue ou noire)
- Coloured plates and/or illustrations / Planches et/ou illustrations en couleur
- Bound with other material / Relié avec d'autres documents
- Only edition available / Seule édition disponible
- Tight binding may cause shadows or distortion along interior margin / La reliure serrée peut causer de l'ombre ou de la distorsion le long de la marge intérieure.
- Blank leaves added during restorations may appear within the text. Whenever possible, these have been omitted from filming / Il se peut que certaines pages blanches ajoutées lors d'une restauration apparaissent dans le texte, mais, lorsque cela était possible, ces pages n'ont pas été filmées.
- Additional comments / Commentaires supplémentaires:

L'Institut a microfilmé le meilleur exemplaire qu'il lui a été possible de se procurer. Les détails de cet exemplaire qui sont peut-être uniques du point de vue bibliographique, qui peuvent modifier une image reproduite, ou qui peuvent exiger une modification dans la méthode normale de filmage sont indiqués ci-dessous.

- Coloured pages / Pages de couleur
- Pages damaged / Pages endommagées
- Pages restored and/or laminated / Pages restaurées et/ou pelliculées
- Pages discoloured, stained or foxed / Pages décolorées, tachetées ou piquées
- Pages detached / Pages détachées
- Showthrough / Transparence
- Quality of print varies / Qualité inégale de l'impression
- Includes supplementary material / Compris du matériel supplémentaire
- Pages wholly or partially obscured by errata slips, tissues, etc., have been refilmed to ensure the best possible image / Les pages totalement ou partiellement obscurcies par un feuillet d'errata, une pelure, etc., ont été filmées à nouveau de façon à obtenir la meilleure image possible.
- Opposing pages with varying colouration or discolourations are filmed twice to ensure the best possible image / Les pages s'opposant ayant des colorations variables ou des décolorations sont filmées deux fois afin d'obtenir la meilleure image possible.

This item is filmed at the reduction ratio checked below /  
Ce document est filmé au taux de réduction indiqué ci-dessous.

	10x		14x		18x		22x		26x		30x	
							/					
	12x		16x		20x			24x		28x		32x

The copy filmed here has been reproduced thanks to the generosity of:



Library  
Agriculture Canada

The images appearing here are the best quality possible considering the condition and legibility of the original copy and in keeping with the filming contract specifications.

Original copies in printed paper covers are filmed beginning with the front cover and ending on the last page with a printed or illustrated impression, or the back cover when appropriate. All other original copies are filmed beginning on the first page with a printed or illustrated impression, and ending on the last page with a printed or illustrated impression.

The last recorded frame on each microfiche shall contain the symbol  $\rightarrow$  (meaning "CONTINUED"), or the symbol  $\nabla$  (meaning "END"), whichever applies.

Maps, plates, charts, etc., may be filmed at different reduction ratios. Those too large to be entirely included in one exposure are filmed beginning in the upper left hand corner, left to right and top to bottom, as many frames as required. The following diagrams illustrate the method:



L'exemplaire filmé fut reproduit grâce à la générosité de:

Bibliothèque  
Agriculture Canada


Les images suivantes ont été reproduites avec le plus grand soin, compte tenu de la condition et de la netteté de l'exemplaire filmé, et en conformité avec les conditions du contrat de filmage.

Les exemplaires originaux dont la couverture en papier est imprimée sont filmés en commençant par le premier plat et en terminant soit par la dernière page qui comporte une empreinte d'impression ou d'illustration, soit par le second plat, selon le cas. Tous les autres exemplaires originaux sont filmés en commençant par la première page qui comporte une empreinte d'impression ou d'illustration et en terminant par la dernière page qui comporte une telle empreinte.

Un des symboles suivants apparaîtra sur la dernière image de chaque microfiche, selon le cas: le symbole → signifie "A SUIVRE", le symbole ∇ signifie "FIN".


Les cartes, planches, tableaux, etc., peuvent être filmés à des taux de réduction différents.

Lorsque le document est trop grand pour être reproduit en un seul cliché, il est filmé à partir de l'angle supérieur gauche, de gauche à droite, et de haut en bas, en prenant le nombre d'images nécessaire. Les diagrammes suivants illustrent la méthode.



# MICROCOPY RESOLUTION TEST CHART

(ANSI and ISO TEST CHART No. 2)



4.5

5.0

5.6

6.3

7.1

8.0

9.0

10

11.2

12.5

14.3

16

18

20

22.5

25

28

31.5

36

40

45

50

56

63

71

80

90

100

112

125

143

160

180

200

225

250

280

315

360

400

450



APPLIED IMAGE Inc

1653 East Main Street  
Rochester, New York 14609 USA  
(716) 482 - 0300 - Phone  
(716) 288 - 5989 - Fax

Cowichan Field Naturalists' Club.

Bulletin No. 1.

---

---

PROPERTY OF LIBRARY, DEPARTMENT OF  
AGRICULTURE CONFEDERATION BLOCK, OTTAWA

Lent to

PLEASE RETURN

Date

An Annotated - -  
Check List of the  
Flowering Plants -  
and Ferns - - - -  
Native and Introduced

GROWING WITHOUT CULTIVATION  
- - - IN THE COWICHAN DISTRICT  
- - - - VANCOUVER ISLAND, B. C.

Comp<sup>o</sup>sed by R. Glendenning

---

---

581.9711  
.C874

Price 25c.

## NOTE.

---

The following list is the precursor of a series covering all branches of Natural History which the Club hopes to publish in due course.

This list makes no pretence at being complete, nor in the present chaotic state of botanical nomenclature, will it give satisfaction to all, but it is hoped that it may be helpful to the amateur botanist and be the foundation of a complete list, the result of further researches.

While the author was much inclined to be eclectic in the nomenclature, the list follows that of Henry's Flora of Southern British Columbia, not on account of its accuracy, but on account of that Flora being in most general use.

To Professors John Macoun, J. M. Macoun, and J. Davidson, my thanks are due for their valued assistance in identifying difficult species, and to several members of the Club for kindly bringing to my notice new and uncommon species. To Mr. G. Buchanan Simpson, of Cowichan Lake, I am also indebted for a list of alpine and subalpine species found in that locality and which is incorporated herein.

The district included in this list is a natural one, and may be described roughly as the valleys of the Chemainus, Cowichan and Koksilah Rivers, from Chemainus south to Shawnigan and west to Cowichan Lake.

R. GLENDENNING.

Duncan, B. C.,  
April, 1918.

---

### Abbreviations

V. C. Very Common.	L. Local.
C. Common.	S. Scattered.
F. Frequent.	R. Rare.

# Flowering Plants and Ferns

---

## FILICES (FERNS)

- Adiantum**  
pedatum L. Maidenhair. Wet rocks. C.
- Asplenium**  
cyclosorum Rupr. Lady-fern. Damp woods. C.
- Botrychium**  
silafolium Presl. Moonwort. Damp places. S.
- Cheilanthes**  
gracillima D. C. Lip-fern. Sunny rocks, Maple Bay. R.
- Cryptogramma**  
acrostichoides R. Br. Parsley-fern. Mountain tops. L.
- Cystopteris**  
fragilis L. Bladder-fern. Wet rocks. L.  
montana Bernh. Bladder-fern. Rich woods. R.
- Gymnogramme**  
triangularis Kauf. Silver-back. Dry rocks. F.
- Pellea**  
densa Hook. Cliff brake. Sunny rocks. R.
- Phegopteris**  
dryopteris Fee. Oak-fern. Damp woods. L.
- Polypodium**  
vulgare var. occidentale Hook. Polypod. Damp woods. C.
- Polystichum**  
dilatatum Hoff. Broad-fern. Damp woods. F.  
lonchitis Roth. Holly-fern. Cowichan Lake.  
munitum Underw. Sword-fern. Rich woods. C.
- Pteris**  
aquilina L. Bracken. Abundant.
- Struthiopteris**  
spicant L. Hard fern. Damp woods. L.

## EQUISETACEAE (HORSETAILS)

- Equisetum**  
arvense L. Horsetail. Damp fields. C.  
hyemale L. Scouring rush. Wet places. L.  
telmateia Ehrh. Great horsetail. Wet places. C.

## SELAGINELLACEAE

- Selaginella**  
rupestris L. Sunny rocks. C.

## LYCOPODIACEAE (CLUB MOSSES)

- Lycopodium**  
clavatum L. Mount Sicker, 2,000 feet. L.  
lucidum L. Cowichan Lake.  
selago L. Cowichan Lake.

## TAXACEAE (YEW FAMILY)

- Taxus**  
brevifolia Nutt. Yew. By streams. F.

**CONIFERAE (FIR FAMILY)****Abies**

*amabilis* Forbs. Mt. Balsam. Mt. Brenton, 3,000 feet S.  
*grandis* Lindl. Balsam. Lowlands. C.

**Chamaecyparis**

*nootkatensis* Spach. Cypress. Mt. Brenton. 3,000 ft. S.

**Juniperus**

*communis* var. *sibirica* Rybd. Juniper. Cowichan Lake.  
*scopulorum* Sarg. Juniper. Rocks by sea. S.

**Picea**

*sitchensis* Carr. Spruce. Bottom lands. C.

**Pinus**

*contorta* Dougl. Scrub pine. Bogs and gravel ridges. F.  
*monticola* Dougl. White pine. Mountain woods. S.

**Pseudotsuga**

*mucronata* Raf. Douglas fir. Abundant throughout.

**Tsuga**

*plicata* Donn. Cedar. Lowlands. C.

**Tsuga**

*heterophylla* Sarg. Hemlock. Lowlands. C.  
*mertensiana* Carr. Mt. Hemlock. Mt. Brenton. S.

**TYPHACEAE (CAT-TAIL FAMILY)****Typha**

*latifolia* L. Cat tail. Lake margins. C.

**SPARGANIACEAE (BUR-REED FAMILY)****Sparganium**

*simplex* Huds. Wet places. F.

**NAIADACEAE (POND-WEED FAMILY)****Potamogeton**

*americanus* C. & S. Pondweed. Outlet, Somenos Lake. S.  
*epihydus* Raf. Pondweed. Quamichan Lake. F.  
*heterophyllus* Schreb. Pondweed. Quamichan Lake. L.  
*natans* L. Lakes and streams. C.  
*praelongus* Wulf. Lakes and streams. F.  
*pusillus* L. Lakes and streams. F.  
*Richardsonii* Rybd. Quamichan Lake. L.  
*Robbinsii* Oaks. Lakes. L.  
*zosterifolius* Schum. Lakes. F.

**Zostera**

*marina* L. Eel grass. Marine. F.

**JUNCAGINACEAE (ARROW-GRASS FAMILY)****Triglochin**

*maritima* L. Arrow grass. Marshes, Cowichan Bay. F.

**ALISMACEAE (WATER PLANTAIN FAMILY)****Alisma**

*plantago-aquatica*. Water plantain. Ditches, Cow. Bay. F.

**GRAMINEAE (GRASS FAMILY)****Agrostis**

*alba* L. Red top. Introduced. C.  
*microphylla* Steud. Open places. S.

- Aira**  
*caryophyllea* L. Hair grass. Introduced. F.
- Alopecurus**  
*geniculatus* var. *aristulatus* Munro. Wet places. C.  
*pratensis* L. Fox-tail. Introduced. C.
- Avena**  
*fatua* L. Wild oat. Introduced. S.
- An.hoxanthum**  
*odoratum* L. Sweet vernal grass. Introduced. F.
- Bromus**  
*carinatus* H. & A. Brome grass. Open woods. F.  
*eximus* Piper. Brome grass. Open woods. F.  
 var. *robustus* Shear. With the type.  
*Hookerianus* Thurb. Brome grass. Open woods. S.  
*hordaceus* L. Chess. Introduced. Dry ground. C.
- Cynosurus**  
*cristatus* L. Dog's tail. Introduced. S.
- Dactylis**  
*glomerata* L. Orchard grass. Introduced. C.
- Danthonia**  
*americana* Scrib. Oat grass. Open places. L.
- Deschampsia**  
*elongata* Munro. Hair grass. Open places. L.
- Distichlis**  
*spicata* Gr. Salt grass. Salt marshes. C.
- Elymus**  
*glaucus* Buch. Wild rye. Dry woods. F.
- Festuca**  
*elatioides* L. Meadow fescue. Introduced. S.  
*myuros* L. Introduced. L.  
*occidentalis* Hook. Dry slopes. F.  
*ovinus* L. Sheep fescue. Introduced. F.  
*rubra* L. Introduced. F.
- Glyceria**  
*borealis* Nash. Manna grass. In water. F.  
*nervata* var. *elata* Nash. Wet places. S.  
*pauciflora* Presl. Wet places. C.  
*septentrionalis* Hitch. In water. F.
- Hierochloa**  
*odorata* Walen. Holy grass. Salt marshes. L.
- Holcus**  
*lanatus* L. Yorkshire fog. Introduced. V. C.
- Hordeum**  
*jubatum* L. Squirrel-tail. Introduced. C.  
*nodosum* L. Open places. F.
- Koeleria**  
*cristata* Pers. Shining spike grass. Dry slopes. L.
- Lolium**  
*perenne* L. Rye grass. Introduced. C.  
*multiflorum* L. Italian rye grass. Introduced. S.
- Melica**  
*Hartfordii* Bol. Melic grass. Fir woods. F.  
*subulata* Scrib. Open woods. L.
- Panicum**  
*Scribnerianum* Nash. Panic grass. Grassy banks. L.

**Phalaris**

arundinacea L. Reed canary grass. Somenos Lake. L.

**Phleum**

pratense L. Timothy. Introduced. C.

**Phragmites**

communis Tris. Reed grass. By lakes. F.

**Poa**

annua L. Spear grass. Introduced. C.  
compressa L. Blue grass. Introduced. S.  
nevadensis Vasey. Dry slopes. L.  
pratensis L. June grass. Introduced. C.  
triflora Gilib. Wet places. F.

**Setaria**

italica Beauv. Millet. Introduced. S.

**Stipa**

viridula Trin. Feather grass. Dry slopes. F.

**Trisetum**

canescens Buch. False oat. Dry slopes. F.  
cernuum Trin. False oat. Dry slopes. L.  
spicatum Rich. False oat. Dry slopes. L.

**CYPERACEAE (SEDGE FAMILY)****Carex**

athrostachya Olney. Wet places. F.  
acutina Bailey. By Cowichan River. L.  
brunescens Poir. Wet places. F.  
canescens L. Wet places. C.  
cryptocarpa Meyer. Salt marshes. L.  
decidua Boott. Wet places. S.  
dives Holm. Wet places. C.  
echinata Willd. Bogs. L.  
festiva Dewey. Wet places. C.  
flava var. rectorostrata Bailey. Wet places. L.  
Hendersoni Bailey. Damp woods. S.  
lasiocarpa Ehrh. By Solly's Lake. L.  
oederi Retz. Bogs. L.  
pennsylvanica var. vespertina Howell. Dry slopes. F.  
rostrata Stokes. Lake sides. F.  
sitchensis Bong. Swamps. C.  
stipata Muhl. Wet places. C.  
Tolmiei Boott. Sand by Cowichan River. L.

**Dulichium**

spathaceum L. Margin of lakes. C.

**Eleocharis**

palustris. Spike rush. Wet places. C.

**Eriophorum**

chamissonis Mey. Cotton grass. Bogs. F.

**Rynchospora**

alba Vahl. Bogs. S.

**Scirpus**

microcarpus Presl. Swamps. F.  
validus Vahl. Bulrush. By lakes. C.

**ARACEAE (ARUM FAMILY)****Lysichiton**

kamtshatcense Schott. Skunk cabbage. Wet places. C.

**LEMNACEAE (DUCKWEED FAMILY)****Lemna**

minor L. Duckweed. Somenos Lake. F.

**JUNCACEAE (RUSH FAMILY)****Juncus**

Colvillei Piper. Rush. Sand by Chemainus River. L.  
 effusus var. brunneus Enghlm. Wet places. C.  
 ensifolius Wiks. Wet places. C.

**Luzula**

campestris L. Wood rush. Clearings. C.  
 parviflora Desv. Wood rush. Damp places. F.

**LILIACEAE (LILY FAMILY)****Allium**

acuminatum Hook. Onion. Rocky woods. L.  
 attenuifolium Kellog. By shore Maple Bay. R.  
 cernuum Roth. Rocky woods. F.  
 crenulatum Wiegand. Cowichan Lake.

**Brodiaea**

Douglasii Wats. "Hyacinth". Oakwoods, Quamichan.  
 grandiflora Smith. Rocky woods. L. V. R.  
 lactea Wats. Dry woods by sea. L.

**Camassia**

Leichlinii Wats. Camas. Open woods. F.  
 quamash Greene. Open woods. L.

**Clintonia**

uniflora Kunth. Queen cup. By Cowichan River. R.

**Disporium**

oreganum B. & H. Fairy bells. Moist woods. S.

**Erythronium**

grandiflorum vars. Easter Lily.  
 albiflorum Hook. Rocky woods. C.  
 parviflorum Wats. Alpine Mount Prevost. L.  
 Smithii Hook. (Pink form.) By Cowichan River. L.

**Fritillaria**

kamtschatense Ker. Fritillary. Salt marshes Cow. Bay. R.  
 lanceolata Pursh. Rocky banks. F.  
 pudica Spreng. Cowichan Lake.

**Lilium**

parviflorum Holtz. Tiger lily. Damp clearings. F.

**Maianthemum**

bifolium var.  
 kamtschaticum. Lily of the valley. Damp woods. F.

**Smilacina**

recemosa Desf. False Solomon's Seal. Stream sides. L.  
 sessilifolia Nutt. False Solomon's Seal. Damp woods. L.

**Stenanthium**

occidentale Gray. Mountain bells. Wet cliffs. L.  
 streptopoides F. & R. Cowichan Lake.

**Streptopus**

amplexifolius D. C. Twisted stalk. Damp woods. L.

**Tofieldia**

intermedia Ryb. False Asphodel. Bogs. L.

**Trillium**

ovatum Pursh. Wood lily (Wake-robin). Damp woods. C.

**Veratrum**

viride Ait. Hellebore. Bottom lands. F.

**Zygadenus**

venenosus Wats. Poison camas. Dry, rocky woods. L.

**IRIDACEAE (IRIS FAMILY)****Sisyrinchium**

idahoense. Blue-cyad grass. Damp, grassy places. L.

**ORCHIDACEAE (ORCHID FAMILY)****Calypso**

bulbosa Oaks. Lady slipper. Mossy woods. F.

**Corallorhiza**

mertensiana Bong. Coral root. Fir woods. R.

multiflora Nutt. Fir woods. F.

striata Lindl. Fir woods. L.

(*Cypripedium montanum* Dougl. Lady Slipper, reported to have been frequent near Duncan years ago, not found lately.)

**Goodyera**

Menziesii Lindl. Rattlesnake plantain. Under firs. F.

**Habenaria**

elegans Lindl. Rein orchid. Dry woods. L.

gracilis Wats. By springs. L.

leucostachys Wats. Wet places. F.

Micheali Greene. Dry woods. V. L.

unalaskensis Wats. Mount Tzouhalem. R.

viridiflora Rybd. Mount Brenton. R.

**Listera**

caurina Piper. Tway blade. Cowichan Lake.

convallarioides Torr. Under hemlocks, Mount Prevost.

nephrophylla Rybd. Fir woods. S.

**Spiranthes**

romanzoffiana Cham. Lady's tresses. Open places. F.

**SALICACEAE (WILLOW FAMILY)****Populus**

tremuloides Michx. Aspen. Damp places. F.

trichocarpa T. & G. Poplar. Damp places. F.

**Salix**

Geyeriana Anderson. Willow. Swamps. L.

Hookeriana Barret. Willow. Wet places. F.

lasiandra Benth. Willow. Wet places. C.

melanopsis Nutt. Willow. Sahlam River bottom. R.

Scouleriana Barrat. Willow. Wet places. V. C.

sitchensis Bong. Willow. By streams. C.

**MYRICACEAE****Myrica**

Gale L. Sweet Gale. Lake margins. V. C.

**BETULACEAE (BIRCH FAMILY)****Alnus**

rubra Bong. Alder. Wet places. V. C.

sitchensis Sarg. Alder. Wet places, Cowichan Lake.

**Corylus**  
californica Rose. Hazel. Alluvial lands, Cowichan River.

### FAGACEAE (BEECH FAMILY)

**Quercus**  
Garryana Dougl. Oak. Warm situations. F.

### URTICACEAE

**Urtica**  
Lyallii Wats. Nettle. Damp places. C.

### ARISTOLOCHIACEAE

**Asarum**  
caudatum Lindl. Ginger. Moist woods. S.

### POLYGONACEAE (DOCK FAMILY)

**Polygonum**  
aviculare L. Knotweed. Introduced.  
convolvulus L. Bindweed. Introduced.  
Douglasii Greene. Gravel. Cowichan River. L.  
lineare Hooh. Gravel. Cowichan River. L.  
minimum Wats. Mossy rocks. Mt. Prevost, 2,600 ft. R.  
Persicaria L. Introduced. C.  
spergulariforme Meisn. Gravel. Cowichan River. L.

**Rumex**  
acetosella L. Sorrel. Introduced. V. C.  
martimus var. fueginus Duser. By Somenos Lake. V. C.  
occidentalis Wats. Dock. Salt marshes. F.  
salicifolius Wein. Damp places. L.

### CHENOPODIACEAE

**Chenopodium**  
album L. Lamb's quarters. Introduced. V. C.

**Salicornia**  
ambigua Michx. Glass wort. in mud, Cowichan Bay. C.

### AMARANTHACEAE (PIGWEED FAMILY)

**Amaranthus**  
retroflexus L. Pigweed. Introduced. C.

### CARYOPHYLLACEAE (PINK FAMILY)

**Arenaria**  
macrophylla Hooh. Sand wort. Open woods. F.  
tenella Nutt. Sunny banks. L.  
serpyllifolia L. Introduced. F.

**Cerastium**  
arvense L. Mouse ear, chickweed. Stony banks. F.  
vulgatum L. Introduced. C.

**Sagina**  
occidentalis Green. Pearl wort. Moist places. L.

**Saponaria**  
Vaccaria L. Soap wort. Introduced. L.

**Silene**

- antirrhina* L. *Campion*. Sunny slopes, Tzouhalem.  
*gallica* L. Introduced. L.  
*latifolia* B. & R. Introduced. L.  
*Menziesii* Hook. Sand. Cowichan River. L.

**Spergula**

- arvensis* L. *Corn spurrey*. Introduced.

**Stellaria**

- borealis* var. *alpestris* Brit. *Chickweed*. Moist places. L.  
*media* L. Introduced. V. C.

**PORTULACACEAE****Calandrinia**

- caulescens* H. B. K. *Grassy banks*. Tzouhalem. L.

**Lewisia**

- columbiana* Rob. *Bitter-root*. Cowichan Lake.

**Montia (Claytonia)**

- fontana* L. *Spring Beauty*. Ditches. L.  
*linearis* Dougl. *Damp fields*. C.  
*parviflora* Torr. *Damp fields*. C.  
*parvifolia* Dougl. *Wet rocks*. S.  
*perfoliata* Donn. *Damp places*. C.  
*sibirica* L. *Open woods*. C.

**NYMPHACEAE (WATER-LILY FAMILY)****Brasenia**

- Schreberi* Gmel. *Water shields*. Stagnant ponds. V. L

**Nymphaea**

- polysepala* Greene. *Pond lily*. Lakes. C.

**RANUNCULACEAE (BUTTERCUP FAMILY)****Actaea**

- arguta* Nutt. *Baneberry*. Open woods. S.

**Anemone**

- Lyallii* Brit. *Windflower*. Moist woods. F.  
*multifida* Poir. *Windflower*. Rocks. Chemainus. R.

**Aquilegia**

- formosa* Fisch. *Columbine*. Open woods. F.

**Caltha**

- biflora* D. C. *Marsh marigold*. Cowichan Lake.  
*leptosepala* D. C. *Marsh marigold*. Cowichan Lake.

**Delphinium**

- Menziesii* D. C. *Larkspur*. Open woods. F.

**Ranunculus**

- acris* L. *Buttercup*. Introduced.  
*aquatilis* L. *Small streams*. C.  
*Bongardii* Greene. *Damp places*. C.  
*occidentalis* Nutt. *Grassy banks*. C.  
*orthorhynchus* Hook. *Wet fields*. F.  
*repens* L. *Wet places*. C.  
*reptans* L. *Wet places*. F.

**Thalictrum**

- occidentale* Gray. *Meadow rue*. Stream sides. S.

**Trautvetteria**

- grandis* Nutt. *Stream sides*. L.

**Trollius**

- laxus* Salisb. *Globe flower*. Cowichan Lake.

**BERBERIDACEAE (BARBERRY FAMILY)****Achlys**

triphylla D. C. May leaves. Fir woods. C.

**Berberis**

aquifolium Pursh. Mahonia. Gravelly woods. S.

nervosa Pursh. Oregon grape. Fir woods. C.

**PAPAVERACEAE (POPPY FAMILY)****Plastystigma**

oreganum Wats. Shaly banks. Tzouhalem. V. L.

**FUMARIACEAE****Dicentra**

formosa D. C. Bleeding heart. Rich woods. F.

**CRUCIFERAE (CABBAGE FAMILY)****Arabis**

Breweri Wats. Grassy ledges. Tzouhalem. V. R.

glabra Berk. Tower mustard. Introduced.

hirsuta Scop. Rocky places. L.

**Brassica**

arvensis L. Charlock. Introduced. V. C.

campestris L. Mustard. Introduced. V. C.

**Capsella**

bursa-pastoria L. Shepherd's purse. Introduced. V. C.

**Cardamine**

angulata Hook. Bitter cress. Wet places. L.

hirsuta L. Introduced.

oligosperma Nutt. Wet places. L.

**Dentaria**

tenella Pursh. Tooth wort. Damp woods. C.

**Draba**

verna L. Gravelly places. Introduced.

**Erysimum**

elatum Nutt. Cowichan Lake.

**Lepidium**

Menziesii D. C. Pepper grass. Gulf shores. R.

**Radicula**

Armoracia L. Horseradish. Introduced.

curvisiliqua Hook. Damp places. F.

**Subularia**

aquatica L. Awlwort. Margin of Quamichan Lake. L.

**Thlaspi**

arvense L. Penny cress. Introduced. S.

**Thysanocarpus**

curvipes. Lace pod. Rocky banks. Quamichan. L.

**Sisymbrium**

altissimum L. Tumble mustard. Introduced. L.

officinale L. Hedge mustard. Introduced.

**DROSERACEAE (SUNDEW FAMILY)****Drosera**

rotundifolia L. Sundew. Bogs. C.

## CRASSULACEAE

**Sedum**

- Douglasii* Hook. Stonecrop. Rocks by sea. L.  
*spathulifolium*. Rocks. C.  
*stenopetalum*. Rocks. Cowichan Lake. L.

## SAXIFRAGACEAE (SAXIFRAGE FAMILY)

**Boykinia**

- occidentalis* T. & G. Rocks by Cowichan River. L.

**Heuchera**

- cylindrica* Dougl. Alum root. Open woods. S.  
*glabra* Willa. Cowichan Lake.  
*micrantha* Dougl. Rocks. F.

**Leptarrhena**

- amplexifolia* Ser. Pear leaves. Mt. Brenton, 3,500 ft. R.

**Mitella**

- caulescens* Nutt. Mitrewort. By streams. R.  
*ovalis* Greene. By streams. R.

**Parnassia**

- fimbriata* Banks. Grass of Parnassus. Wet rocks.  
 Chemainus River. V. R.

**Philadelphus**

- Lewisii* Pursh. Mock orange. By creeks. F.

**Ribes**

- bracteosum* Dougl. Currant. By streams. F.  
*divaricatum* Dougl. By streams. F.  
*lacustre* Poir. By streams. R.  
*Lobbii* Gray. Dry woods. C.  
*sanguineum* Pursh. Rocky woods. C.

**Saxifraga**

- argata* Don. Saxifrage. Cowichan Lake.  
*Bongardi* Presl. Sunny rocks. Mt. Prevost, 2,600 ft. L.  
*bronchialis* L. Cowichan Lake.  
*caespitosa* L. Mossy rocks. Tzouhalem Mount.  
*cernua* L. Cowichan Lake.  
*integrifolia* Hook. Grassy banks. F.  
*Mertensiana* Bong. Wet rocks. Cowichan River.  
*Nelsonia* Don. Cowichan Lake.  
*occidentalis* Grey. Wet rocks. Tzouhalem Mount. R.  
*rufidula* Small. Cowichan Lake.  
*Tolmiei* T. & G. Cowichan Lake.

**Tellima**

- grandiflora* R. Rr. Fringe cup. Damp woods. S.  
*tenella* Walp. Grassy banks. S.

**Tiarella**

- laciniata* Hook. Foam flower. By streams. In mountains. R.  
*trifoliata* L. In fir woods. V. C.

**Tolmiea**

- Menziesii* Pursh. Damp woods. F.

## ROSACEAE (ROSE FAMILY)

**Amelanchier**

- Cusickii* Fer. June berry. Open woods. C.  
*florida* Lindl. June berry (flowers later). L.

- Aruncus**  
 sylvester Kost. Goat's beard. By streams. L.
- Crataegus**  
 Douglasii Lindl. Hawthorn. Bottom lands. F.
- Fragaria**  
 bracteata Heller. Strawberry. Sunny banks. F.  
 cuneifolia Nutt. Sunny places. C.
- Geum**  
 macrophyllum Wild. Open places. F.
- Neillia (Physocarpus)**  
 opulifolia B. & W. Nine bark. By streams. F.
- Nuttallia**  
 cerasiformis T. & G. Indian cherry. Damp woods. C.
- Potentilla**  
 anserina L. Silverleaf. Ditches, Cowichan Bay. F.  
 glandulosa Lindl. Gravel by Cowichan River. L.  
 Monspelicensis L. By Keatings Lake. R.  
 palustris Scop. Marsh cinquefoil. Lake margins. C.
- Prunus**  
 demissa Walp. Choke cherry. Cowichan Bay. R.  
 emarginata Walp. Choke cherry. Bottom lands. C.
- Pyrus**  
 rivularis Dougl. Crab apple. Bottom lands. C.  
 sitchensis Piper. Mountain ash. Rocky bluffs. L.
- Rosa**  
 gymnocarpa Nutt. Wild rose. Open woods. S.  
 Nutkana Presl. Wild rose. Wet places. C.  
 pisocarpa Gray. Wild rose. Wet places. L.
- Rubus**  
 lasiococcus Gray. Cowichan Lake.  
 leucodermis Dougl. Black raspberry. Open woods. F.  
 macropetalus Dougl. Blackberry. Clearings. V. C.  
 nivalis Dougl. Cowichan Lake.  
 parviflorus Nutt. Thimble berry. Open places. F.  
 pedatus Smith. Mount Brenton, 3,000 feet.  
 spectabilis Pursh. Salmon berry. By streams. C.
- Sanguisorba**  
 annua Nutt. Burnet. Open places. L.
- Spiraea**  
 discolor Pursh. Spiraea. Dry woods. C.  
 Douglasii Hook. Tea brush. Swamps. V. C.  
 pectinata T. & G. Cowichan Lake.
- LEGUMINOSAE (PEA FAMILY)**
- Hosackia**  
 parviflora Benth. Gravelly banks. L.
- Lathyrus**  
 Nuttallii Wats. Pea vine. Open woods. C.  
 palustris L. Pea vine. Salt marshes. L.
- Lupinus**  
 bicolor Lindl. Lupine. Sunny banks. L.  
 polyphyllus Lindl. Open woods. F.
- Psoralea**  
 physodes Dougl. Devil's shoe string. Open woods. F.

**Trifolium**

- cyanthiferum* Lindl. Clover. Rocks, Chemainus River. L.  
*fimbriatum* Lindl. Wet places. F.  
*hybridum* L. Alsike. Introduced. S.  
*microcephalum* Pursh. Sunny banks. L.  
*pratense* L. Red clover. Introduced. C.  
*procumbens* L. Hop clover. Introduced. C.  
*repens* L. White clover. Introduced.  
*tridentata* Lindl. Sunny banks. L.

**Vicia**

- americana* Muhl. Vetch. Open places. C.  
 var. *angustifolia* Nees. Open places. L.  
 var. *truncata* Muhl. Open places. L.  
*gigantea* Hook. Woods by sea. L.

**GERANIACEAE (GERANIUM FAMILY)****Erodium**

- cicutarium* L. Crane's bill. Grassy banks. (Possibly introduced.) C.

**Geranium**

- dissectum* L. Stork's bill. Introduced. S.  
*molle* L. Stork's bill. Introduced. S.  
*pusillum* L. Stork's bill. Introduced. C.

**CALLITRICHACEAE****Callitriche**

- heterophylla* Pursh. Still waters. L.

**EMPETRACEAE****Empetrum**

- nigrum* L. Crowberry. Bogs. L.

**CELASTRACEAE****Pachystima**

- mysinities* Raf. False box. Dry woods. L.

**ACERACEAE (MAPLE FAMILY)****Acer**

- glabrum* Torr.  
*macrophyllum* Pursh. Broad-leaved maple. Moist places. C.

**RHAMNACEAE (BUCKTHORN FAMILY)****Ceanothus**

- sanguineus* Pursh. Snow brush. Rocky woods. R.

**Rhamnus**

- Purshiana* D. C. Cascara. Bottom lands. F.

**MALVACEAE****Sidalcea**

- Hendersonii* Wats. Marsh hollyhock. Salt marshes. R.

**HYPERICINEAE****Hypericum**

- anagalloides* C. & S. St. John's wort. Wet places. F.  
*Scouleri* Hook. St. John's wort. Lake margins, etc. L.

**VIOLACEAE (VIOLET FAMILY)****Viola**

- adunca Smith. Open places. C.  
 glabella Nutt. Damp woods. C.  
 palustris var. leimonia V. N. Wet places. S.  
 Nuttallii var. praemorsa Dougl. Oak woods. L.  
 sempervirens Greene. Fir woods. F.

**CACTACEAE****Opuntia**

- polyacantha Haw. var. borealis. Cactus. Rocks by sea. L.

**ELEAGNACEAE (OLEASTER FAMILY)****Shepherdia**

- canadensis Nutt. Dry woods. S.

**HALORAGIDACEAE****Hippuris**

- vulgaris L. Mares tail. Somenos Lake. L.

**Myriophyllum**

- sicatum L. Water milfoil. Somenos Lake. R.

**ONAGRACEAE****Circea**

- pacifica Arch. Creek beds. S.

**Clarkia**

- pulchella Pursh. Fields. Somenos. (Possibly introduced)

**Epilobium**

- angustifolium L. Fireweed. Clearings. V. C.  
 franciscanum Bar. Damp places. F.  
 luteum Pursh. Cowichan Lake.  
 minutum Lindl. Open places in mountains.  
 paniculatum Nutt. Gravelly banks. F.

**Godetia**

- caurina Abrams. Dry woods by sea. S.  
 tenella Wats. Sunny banks. Tzouhalem Mountain. R.

**Ludvigia**

- palustris Ell. Water purslane. Margin of Quamichan  
 Lake. F.

**UMBELLIFERAE (PARSLEY FAMILY)****Angelica**

- geniflexa Nutt. Wet places. V. L.

**Carum**

- Gairdneri Gray. Caraway. Open places. S.

**Caucalis**

- microcarpa H. & A. Sunny banks. Tzouhalem Mt. R.

**Cicuta**

- Douglasii C. & R. Poison parsnip. Lake sides, etc. F.

**Daucus**

- pusillus Michx. Wild carrot. Sunny slopes. Gulf. R.

**Heracleum**

- lanatum Michx. Cow parsnip. Wet places. F.

**Leptotaenia**

- dissecta Nutt. Oak woods. R.

**Lilaeopsis**

occidentalis C. &amp; R. Salt marshes. L.

**Oenanthe**

sarmentosa Presl. Water parsley. Streams. V. C.

**Osmorrhiza**

divaricata Nutt. Sweet Cicely. Open woods. F.

**Peucedanum (Lomatium)**

leiocarpum Nutt. Hog fennel. Gravel. Sahtlam. L.

triternatum C. &amp; R. Tzouhalem Mountain. R.

utriculatum Nutt. Rocky banks. F.

**Sanicula**

bipinnatifida Dougl. Sanicle. Sunny banks. Gulf. R.

Menziesii H. &amp; A. Open dry woods. L.

septentrionalis Greene. Open woods. F.

**Sium**

cicutaeifolium Gmel. Lake sides. F.

**ARALIACEAE (GINSENG FAMILY)****Fatsia**

horrida B. &amp; H. Devil's club. Wet woods in mount'ns. F.

**CORNACEAE (DOGWOOD FAMILY)****Cornus**

canadensis L. Bunch berry. Open woods. Mount

Brenton, 3,000 feet.

Nuttallii T. &amp; C. Dogwood. Warm situations. F.

pubescens Nutt. Red Osier Dogwood. Swamps. F.

**ERICACEAE (HEATH FAMILY)****Arctostaphylos**

media Greene. Bearberry. Cowichan Lake. L.

tomentosa Dougl. Dry hillsides. L.

Uva-ursi Spreng. Gravel slopes. L.

**Arbutus**

Menziesii Pursh. Madrona. Dry hillsides. F.

**Cassiope**

Mertensiana Don. Moss heather. Cowichan Lake. F.

**Chimaphila**

Menziesii Spreng. Prince's Pine. Dry woods. S.

umbellata Nutt. Dry woods. F.

**Cladothamnus**

pyrolaeiflorus Bong. Copper bush. Cowichan Lake.

**Gaultheria**

ovalifolia Gray. Tea berry. Cliffs. Chemainus River. R.

shallon Pursh. Salal. Fir woods. V. C.

**Kalmia**

polifolia Wang. Bogs. L.

**Ledum**

latifolium. Labrador tea. Bogs. F.

**Menziesia**

ferruginea Smith. By Chemainus River. R.

**Moneses**

uniflora Gray. One-flowered pyrola. Cowichan Lake.

**Oxycoccus**

*palustris* Pers. Cranberry. Bogs. F.

**Pyrola**

*aphylla* Smith. Winter green. Fir woods. R.  
*asarifolia* Michx. Fir woods. C.  
*chlorantha* Swartz. Fir woods. S.  
*bracteata* Hook. Fir woods. L.  
*picta* Smith. Fir woods. S.  
 var. *dentata* Piper. Fir woods. R.  
*secunda* L. Fir woods. F.

**Phyllodoce**

*empetriformis* Don. False heather. Cowichan Lake.

**Rhododendron**

*albiflorum* Hook. Mount Brenton, 3,000 feet. R.

**Vaccinium**

*caespitosum* Mich. Blueberry. Margins of lakes. F.  
*membranaceum* Dougl. In the mountains. R.  
*ovalifolium* Smith. In the mountains. F.  
*ovatum* Pursh. Koksilah hills. L.  
*parvifolium* Smith. Damp woods. C.  
*uliginosum* L. Bogs. R.

**MONOTROPACEAE (INDIAN PIPE FAMILY)****Allotropa**

*virgata* T. & G. Fir woods. S.

**Hypopites**

*Hypopites* Small. Fir woods. R.

**Monotropa**

*uniflora* L. Indian pipe. Fir woods. S.

**Pterospora**

*andromeda* Nutt. Fir woods. R.

**PLUMBAGINACEAE****Statice**

*armeria* L. Thrift. Rocks by shore. R.

**PRIMULACEAE (PRIMROSE FAMILY)****Dodecatheon**

*pauciflorum* Greene. Shooting star. Wet rocks. Cowichan River, etc. F.

**Lysimachia**

*thyrsoflora* L. Loose strift. Lake sides. C.

**Trientalis**

*aretica* Fisch. By lakes. L.  
*latifolia* Hook. Star flower. Open woods. F.

**GENTIANACEAE (GENTIAN FAMILY)****Gentiana**

*acuta* Michx. Open places. S.  
*seeptrum* Poll. Swamp gentian. By lakes. R.

**Menyanthes**

*trifoliata* L. Buckbean. Margins of lakes. C.

## APOCYNACEAE

**Apocynum**

- androsaemifolium* L. Dogbane. Dry woods. F.  
*cannabinum* L. Shale by Cowichan River. R.

## CONVOLULACEAE (CONVOLVULUS FAMILY)

**Convolvulus**

- arvensis* L. Bindweed. Introduced. F.

**Cuscuta**

- arvensis* Beyrich. Dodder. On clover. S.

## POLEMONIACEAE (PHLOX FAMILY)

**Gilia**

- canitata* Dougl. Shale. R.  
*gracilis* Hook. Gravel. F.  
*grandiflora* Gray. Gravel. S.  
*heterophylla* Dougl. Open woods. F.  
*linearis* Gray. Open woods. S.  
*tenella* Benth. Grassy banks. F.  
*squarrosa* H. & A. Grassy banks. R.

**Phlox**

- Douglasii* Hook. Phlox. In the mountains. Cowichan Lake.

## HYDROPHYLLACEAE

**Nemophila**

- parviflora* Dougl. Grove lover. Open woods. F.  
*pedunculata* Dougl. Dry slopes. L.  
*sepulta* Parish. Dry slopes. F.

**Romanzoffia**

- sitchensis* Bong. Cowichan Lake.

## BORAGINACEAE (BORAGE FAMILY)

**Amsinckia**

- lycopsoides* Lehm, var. *bracteosa*. Alluvial lands. F.

**Allocarya**

- californica* D. C. Damp places. F.

**Lappula**

- echinata* Gil. Stickseed. Introduced. S.

**Mysotis**

- arvensis* Hill. Forget-me-not. Wet places. Cowichan.  
*macrosperma* Eng. Gravel beds. Sahtlam. L.  
*versicolor* Sm. Introduced.

## LABIATEAE (MINT FAMILY)

**Lycopus**

- uniflorus* Mi. Bugleweed. Lake margins. F.

**Marrubium**

- vulgare* L. Horehound. Introduced. L.

**Mentha**

- canadensis* L. Mint. Wet places. F.  
*spicata* L. Introduced. L.

**Micromeria**

- Douglasii* Benth. Dry woods. F.

**Nepeta**

- Cataria* L. Catnip. Introduced. C.  
*hederacea* Trev. Ground Ivy. Introduced. S.

**Prunella**

- vulgaris* L. Seal heal. Open places. C.

**Scutellaria**

- galericulata* L. Skull cap. Margin of Somenos Lake. S.  
*lateriflora* L. Margin of Somenos Lake. F.

**Stachys**

- ciliata* Dougl. Hedge nettle. Wet places. F.

**SCROPHULARIACEAE (FIGWORT FAMILY)****Castilleja**

- angustifolia* var.  
*Bradburyi* Fern. Paint brush. Grassy banks. L.  
*miniata* Dougl. Grassy banks. F.

**Chelone**

- nemorosa* Dougl. Turtle head. Cowichan Lake.

**Collinsia**

- grandiflora* Dougl. "Blue-eyed Mary". Stony places. F.  
 var. *pusilla* Gray. "Blue-eyed Mary". Stony places. F.  
*parviflora* Dougl. Stony places. Maple Bay. R.

**Gratiola**

- virginiana* L. Hedge hyssop. Wet places. V. L.

**Linaria**

- vulg.* 's Mill. Toad flax. Introduced. L.

**Mimulus**

- alpinus* Gray. Monkey flower. Cowichan Lake.  
*alsinoides* Dougl. Wet banks. F.  
*Langsdorfii* Don. Wet places. C.  
 var. *nasutus* Greene. Wet rocks. L.  
*Lewisii* Pursh. Cowichan Lake.  
*Moschatus* Dougl. Musk. Wet places. C.

**Orthocarpus**

- attenuatus* Gray. Small paint brush. Sunny banks. Gulf. L.  
*pusillus* Benth. Grassy places. F.

**Penstemon**

- diffusus* Dougl. Beard tongue. Open woods. Cowichan.  
*Menziesii* Hook. Cowichan Lake.

**Veronica**

- arvensis* L. Speedwell. Introduced.  
*americana* Schw. Streams. C.  
*peregrina* L. Wet places. F.  
*scutellata* L. Swamps. F.  
*serpyllifolia* L. Wet places. C.

**OROBANCHACEAE (BROOM RAPE FAMILY)****Boschniakia**

- strobilacea* Gray. Poque. On salal by Cowichan River. V. L.

**Orobanche**

- comosa* Hook. On *Grindelia*. Gulf Islands. V. L.  
*fasciculata* Nutt. In sand. Menzies Creek. V. L.  
*pinorum* Gey. On firs. Cowichan River. V. L.  
*uniflora* L. Cancer root. On grass etc. Cowichan. F.

### LENTIBULARIACEAE

**Pinguicula**  
vulgaris L. Butterwort. In the mountains. Cowichan L.

**Utricularia**  
vulgaris L. Bladder-wort. Keatings Lake.  
minor L. Somenos Lake.

### PLANTAGINACEAE (PLANTAIN FAMILY)

**Plantago**  
lanceolata L. Plantain. Introduced. C.  
major L. Plantain. Clearings. C.  
maritima L. By the sea. Cowichan. S.

### RUBIACEAE

**Galium**  
aparine L. Cleavers. Damp places. Cowichan.  
boreale L. Shaly banks. Cowichan. L.  
trifidum L. Open places. F.

### CAPRIFOLIACEAE (HONEYSUCKLE FAMILY)

**Linnea**  
borealis L. Twin flower. In fir woods. C.

**Lonicera**  
ciliosa Poir. Orange honeysuckle. In fir woods. F.  
hispidula Lindl. Purple honeysuckle. Rocky hillsides. L.  
involucrata Banks. Bush honeysuckle. By streams. F.

**Sambucus**  
glauca Nutt. Elder. Open woods. S.  
racemosa L. Red elder. Wet places. F.

**Symphoricarpus**  
racemosus Michx. Snowberry. Open woods. F.  
var. pauciflorus Robbins. Snowberry. Dry woods. S.

**Viburnum**  
pauciflorum Raf. Bear Lake, near Cowichan Lake.

### VALERIANACEAE (VALERIAN FAMILY)

**Valeriana**  
sitchensis Bong. Valerian. Rocky woods. L.

**Valerianella**  
congesta D. C. Sea blush. Shaly banks. F.  
samolifolia K. Open woods. Sahtlam. L.

### CAMPANULACEAE

**Campanula**  
rotundifolia L.  
var. Alaskana. Bluebell. Rocks. Chem. River. V. L.  
Scouleri Hook. Dry woods. S.

**Specularia**  
perfoliata A. D. C. Sandy slopes by Maple Bay. V. L.

### COMPOSITAE (DAISY FAMILY)

**Achillea**  
millefolium L. Yarrow. Dry woods and clearings. C.

**Agroseris**  
heterophylla Greene. False dandelion. Gravel. Saht-  
laciniata Greene. Gravel. F. lam. V. L.

- Adenocaulon**  
bicolor Hook. Silver green. Damp woods. F.
- Anaphalis**  
margaritacea Benth. Everlasting. Damp banks. F.
- Anthemis**  
cotula L. Mayweed. Introduced. C.
- Antennaria**  
Howellii Greene. Dry fir woods. S.
- Artemisia**  
ludoviciana Nutt. Sage brush. Open places. S.  
sp. ? Rocks by sea. L.
- Arnica**  
amplexicaulis Nutt. Arnica. Wet rocks. Cowichan  
aspera. Gordon River. Cowichan Lake. River. F.  
latifolia Bong. Rocks by Chemainus River. L.
- Arctium**  
minus Brh. Burdock. Introduced. C.
- Aster**  
Douglasii Lindl. Michaelmas daisy. Open places. C.  
modestus Lindl. Michaelmas daisy. Damp places. F.
- Balsamorhiza**  
deltoidea Nutt. Balsam root. Oak woods. R.
- Bellis**  
perennis L. Daisy. Introduced. F.
- Bidens**  
amplissima Greene. Bur marigold. By Somenos Lake. L.
- Chrysanthemum**  
leucanthemum L. Ox-eyed daisy. Introduced. C.
- Cotula**  
coronopifolia L. Mud, Cowichan Bay. L.
- Carduus**  
arvensis L. Canada thistle. Introduced. F.  
edulis Greene. Open places. S.  
lanceolatus L. Spear thistle. Introduced. V. C.
- Crepis**  
biennis L. Hawksbeard. Introduced. V. C.
- Cichorium**  
Intybus L. Chicory. Introduced. S.
- Crocidium**  
multicaule Hook. Spring daisy. Shaly banks. L.
- Erigeron**  
canadensis L. Fleabane. Introduced. F.  
philadelphicus L. Fleabane. Damp clearings. F.  
strigosus Muhl. Fleabane. Rocks, Chem. River. V. L.
- Eriophyllum**  
caespitosum Dougl. Woolly sunflower. Dry places. L.
- Gnaphalium**  
microcephalum Nutt. Cudweed. Dry woods. L.  
purpureum L. Cudweed. Dry ground. F.  
uliginosum L. Cudweed. Dry ground. C.

- Grindelia**  
 nana Nutt. Gum weed. Sunny rocks. Gulf. F.
- Hieracium**  
 albiflorum Hook. Hawk weed. Dry woods. F.  
 canadense Mich. By Somcnos Lake. R.
- Hypochoeris**  
 glabra L. Cat's ear. Introduced. L.  
 radicata L. Cat's ear. Introduced. V. C.
- Lactuca**  
 spicata Hitch. Tall lettuce. Damp clearings. F.  
 scariola L. Prickly lettuce. Introduced. S.
- Luina**  
 hypoleuca Benth. Sunny rocks. Chem. River. V. L.
- Madia**  
 exigua Greene. Tar weed. Dry woods. S.  
 glomerata T. & G. Tar weed. Road sides. F.  
 madioides Nutt. Tar weed. Dry woods. S.  
 racemosa T. & G. Tar weed. Dry woods. F.  
 sativa Mol. Tar weed. Clearing. Cobble Hill. L.
- Matricaria**  
 suaveolens Buck. Pineapple weed. Introduced. C.
- Petasites**  
 speciosa Nutt. Colt's foot. By streams. F.
- Prenanthes**  
 alata Gray. Damp woods. Chemainus River. L.
- Rudbeckia**  
 hirta L. Cone flower. Introduced. R.
- Senecio**  
 balsamitae Muhl. Ragwort. Gravel. L.  
 triangularis Hook. Damp woods. Chemainus River. L.  
 vulgaris L. Groundsel. Introduced. F.
- Sericocarpus**  
 rigidus Lindl. Oak woods. R.
- Solidago**  
 clongata Nutt. Golden rod. Open woods. F.
- Sonchus**  
 oleraceus L. Sow thistle. Introduced. C.
- Taraxacum**  
 officinale Weber. Dandelion. Introduced. V. C.
- Tragopogon**  
 porrifolius L. Salsify. Introduced. L.





