

CIHM/ICMH Microfiche Series.

1.0

0

CIHM/ICMH Collection de microfiches.



Canadian Institute for Historical Microreproductions / Institut canadien de microreproductions historiques




Technical and Bibliographic Notes/Notes techniques et bibliographiques

The Institute has attempted to obtain the best original copy available for filming. Features of this copy which may be bibliographically unique, which may alter any of the images in tha reproduction, or which may significantly change the usual method of filming, are checked below.

L'Institut a microfilmé le meilleur exemplaire qu'il lui a été possible de se procurer. Les détails de cet exemplaire qui sont peut-être uniques du point de vue bibliographique, qui peuvent modifier une image reproduite, ou qui peuvent exiger une modification dans la méthode normale de filmage sont indiqués ci-dessous.

Coloured covers/		Coloured pages/
Couverture de couleur		Pages de couleur
Covers damaged/		Pages damaged/
Couverture endommagée		Pages endommagées
Covers restored and/or laminated/		Pages restored and/or laminated/
Couverture restaurée et/ou pelliculée		Pages restaurées et/ou pelliculées
Cover title missing/		Pages discoloured, stained or foxed/
Le titre de couverture manque	V	Pages décolorées, tachetées ou piquéas
Coloured maps/		Pages detached/
Cartes géographiques en couleur		Pages détachées
Coloured ink (i.e. other than blue or black)/		Showthrough/
Encre de couleur (i.e. autre que bleue ou noire)		Transparence
Coloured plates and/or illustrations/		Quality of print varies/
Planches et/ou illustrations en couleur		Qualité inégale de l'impression
Bound with other material/		Includes supplementary material/
Relié avec d'autres documents		Comprend du matériel supplémentaire
Tight binding may cause shadows or distortion		Only edition available/
along interior margin/ La reliure serrée peut causer de l'ombre ou de la		Seule édition disponible
distorsion le long de la marge intérieure		Pages wholly or partially obscured by errata
Blank leaves added during restoration may		slips, tissues, etc., have been refilmed to
appear within the text. Whenever possible, these		ensure the best possible image/ Les pages totalement ou partiellement
have been omitted from filming/		obscurcles par un feuillet d'errata, une pelure,
Il se peut que certaines pages blanches ajoutées lors d'une restauration apparaissent dans le texte.		etc., ont été filmées à nouveau de façon à
mais, lorsque cela était possible, ces pages n'ont		obtenir la meilleure image possible.
pas été filmées.		
Additional comments: '		
Commentaires supplémentaires:		

This item is filmed at the reduction ratio checked below/ Ce document est filmé au taux de réduction indiqué ci-dessous.



re létails es du nodifier er une ilmage

85

errata to

pelure, on à

32X

The copy filmed here hes been reproduced thenks to the generosity of:

D. B. Weldon Library University of Western Ontario (Regional History Room)

The images appearing here are the best quality possible considering the condition and legibility of the original copy and in keeping with the filming contract specifications.

Originei copies in printed peper covers ere filmed beginning with the front cover and ending on the last page with a printed or Illustrated impression, or the beck cover when appropriete. All other original copies are filmed beginning on the first pege with a printed or illustrated impression, end ending on the last pege with a printed or Illustreted impression.

The lest recorded frame on each microfiche shall contain the symbol \longrightarrow (meening "CON-TINUED"), or the symbol ∇ (meening "END"), whichever epplies.

Maps, plates, charts, etc., may be filmed at different reduction ratios. Those too lerge to be entirely included in one exposure are filmed beginning in the upper left hand corner, left to right and top to bottom, es meny frames as required. The following diegrams illustrate the method:

1	2	3

L'exempleire filmé fut reproduit grâce à la générosité de:

D. B. Weldon Library University of Western Ontario (Regional History Room)

Les images suivantes ont été reproduites avec le pius grend soin, compte tenu de le condition et de la nettuté de l'exemplaire filmé, et en conformité avec les conditions du contret de filmege.

Les exempleires origineux dont le couverture en papier est imprimée sont filmés en commençant par le premier plat et en terminent soit per la dernièra pege qui comporte une empreinte d'impression ou d'illustretion, soit par le second plat, selon le cas. Tous les autres exemplaires originaux sont filmés en commençant per la première pege qui comporte une empreinte d'impression ou d'illustration et en terminent par le dernière pege qui comporte une teile empreinte.


Un des symboles suivents appareîtra sur la dernière image de cheque microfiche, seion le cas: le symbole → signifie "A SUIVRE", la symbole ▼ signifie "FiN".

Les certes, planches, tableaux, etc., peuvent être flimés à des taux de réduction différents. Lorsque le document est trop grand pour être reproduit en un seul cliché, li est filmé à partir de l'angle supérieur geuche, de geuche à droite, et de heut en bes, en prenant le nombre d'imeges nécessaire. Les diegrammes suivants illustrent le méthode.



1	2	3
4	5	6

C. M. しましえいましたさいとうできしましました 1892 1891 SUPPLEMENTARE Stove + Catalogue Chie MCCLARY MFG. CO. LONDON, TORONTO, MONTREAL WINNIPEG. AND CHARLES CHERCE ADVERTISER PRINTING CO., LONDON.



The World's Argand

21 Dec 1982

Gift of John Bustnick, Broch U. L. b.

With Ventilated Steel Plate Oven.

 $\nabla \Gamma E$ confidently call the attention of the trade to these stoves as the greatest production in the Range Line of the age, embodying as they do every improvement that science can suggest, and years of experience experiment, and test confirm.

One of the chief features is the self equalizing ventilated Steel Oven-the system of circulation being simple, thorough and always active-while the construction being of sheet metal insures quick, even and perfect operation, with a great saving in fuel. Its originality and adaptability were at once recognized by the trade in the United States as the farthest advance that science and thought have yet reached toward the ideal stove The immediate and large demand for them has fully proved this superiority.

The Fire Box is proportioned to secure the most perfect combustion of fuel, whether hard or soft coal or wood. Linings for coal or wood are interchangeable without disturbing bed plate.

The Grates.—The Bi-Plex grate for coal is in two sections, which are operated by being geared together. By removing two bolts, which are always operative, the grates are released, and are interchangeable without disturbing fire box linings or bed plate. Gear wheels are protected from the fire, and can never get out of working order.

Water Front and Water Back.—The former for coal is of cast iron, and has large capacity. The latter for wood consists of heavy wrought pipes in an open back guard. The most perfect water heating device ever u-ed where wood is the fuel. Grates or brick lining can be removed and replaced without disturbing either water front or back.


The Reservoir receives heat upon all sides, and baking can be carried on whether reservoir damper is open or closed. Change from reservoir to square, or vice versa, can be quickly made by changing one plate.

The Hearth .-- Bottom has removable sides, which can be easily replaced. Hearth slide is arranged with drop hinge

Broiler Opening is of sufficient size to admit of large broiler, which, with the broad fire surface, makes a very superior arrangement for this kind of cooking. Top of range is large, and has broad burnished edges 1 1/4 inches deep. Top guard with damper box-an excellent device-is handsomely ornamented and furnished with two nickel plated swing shelves, and arranged for attachment of pipe shelf or high closet.

The Range as a whole is full size, handsomely ornamented. and easily kept clean. It has no equal for utility, appearance, economy or durability, and the dealer that secures the sale of it for his locality will certainly control the trade.








For Coal or Wood.

No. 8-16 s	quar	e\$32 8	0
" 9 1 9 ,	"	37 6	0


An entirely new stove from the ground up. The design is such as to command admiration at a glance, and it is provided with all the new improvements known to the trade.


Owing to having very large flues it will burn hard or soft coal or wood equally well; and we have no hesitation in warranting every stove to give perfect satisfaction.


We look with pardonable pride to our full line ot cook stoves and ranges, and, without doubt, this particular stove is better value. for the money than any made.













The Famous Base Burner.

GHIS stove in its line as a base burner stands on a par with the World's Argand Range as the most complete conception of a heating stove that the stove iounders' art has yet produced, and has reached the point where it seems impossible to suggest any further improvement.

It is constructed in the most modern style, and of a character to render it powerful in operation.


Special attention is called to the flue arrangement. Instead of the products of combustion being taken down one flue they are divided, and pass down two flues, one being at each corner of the back of the stove, thus distributing the heat to the extreme rear corners. Each of the descending flues are large, giving greatly increased flue capacity. After the heat passes down the two rear flues it is made to travel along both sides of the bottom to the front, being equally distributed to the outer surfaces; the heat then moves back through the centre flue, and makes its exit through the large ascending flue in the rear, thus rendering the entire lower portion of the stove direct radiating surfaces, giving it more heating capacity for its size than any ever before devised. Between the descending and ascending flues are large circulating flues, which are highly heated by direct radiation from them. Air is taken from floor through opening in bottom of stove, passing through these flues and discharged at top of stove fully heated. Double heater attachment provided, by which this heat may be carried to upper rooms. Fresh air pipe can be connected when desired. Stove is provided with patent telescope magazine, lower part of which can be pushed within upper half, allowing fire pot to be lifted out through front. The trade will appreciate this feature at once. Stove is fitted with either duplex or flat shaking centre draw grates as may be desired. Ash pit and pan will catch all ashes. Guaranteed to be the cleanest stove built. Ornamental black section between large nickel jacket and swinging top provides rest for coal hod when filling stove, and prevents injury to nickeling.

The original paterns of this stove cost \$8000.


IT IS A TRIUMPH OF ART AND UTILITY.

(11)

















Franklin stoves are now the ruling passion, and we are proud to say we

have a line of them that will please the most fastidious, the Famous Franklin being the "newest thing out" in this particular line. This stove is made with round fire pot, front sliding doors, beautifully ornamented with nickel and tile. This stove must be seen to be appreciated, and will make an ornament to any home beside being a perfect ventilator and good heater. Fire can be kept in over night, and will look particularly luminous owing to the large mica front.

0

