

**CIHM
Microfiche
Series
(Monographs)**

**ICMH
Collection de
microfiches
(monographies)**



Canadian Institute for Historical Microreproductions / Institut canadien de microréproductions historiques

© 1998

Technical and Bibliographic Notes / Notes techniques et bibliographiques

The Institute has attempted to obtain the best original copy available for filming. Features of this copy which may be bibliographically unique, which may alter any of the images in the reproduction, or which may significantly change the usual method of filming are checked below.

- Coloured covers / Couverture de couleur
- Covers damaged / Couverture endommagée
- Covers restored and/or laminated / Couverture restaurée et/ou pelliculée
- Cover title missing / Le titre de couverture manque
- Coloured maps / Cartes géographiques en couleur
- Coloured ink (i.e. other than blue or black) / Encre de couleur (i.e. autre que bleue ou noire)
- Coloured plates and/or illustrations / Planches et/ou illustrations en couleur
- Bound with other material / Relié avec d'autres documents
- Only edition available / Seule édition disponible
- Tight binding may cause shadows or distortion along interior margin / La reliure serrée peut causer de l'ombre ou de la distorsion le long de la marge intérieure.
- Blank leaves added during restorations may appear within the text. Whenever possible, these have been omitted from filming / Il se peut que certaines pages blanches ajoutées lors d'une restauration apparaissent dans le texte, mais, lorsque cela était possible, ces pages n'ont pas été filmées.
- Additional comments / Commentaires supplémentaires:

L'Institut a microfilmé le meilleur exemplaire qu'il lui a été possible de se procurer. Les détails de cet exemplaire qui sont peut-être uniques du point de vue bibliographique, qui peuvent modifier une image reproduite, ou qui peuvent exiger une modification dans la méthode normale de filmage sont indiqués ci-dessous.

- Coloured pages / Pages de couleur
- Pages damaged / Pages endommagées
- Pages restored and/or laminated / Pages restaurées et/ou pelliculées
- Pages discoloured, stained or foxed / Pages décolorées, tachetées ou pliquées
- Pages detached / Pages détachées
- Showthrough / Transparence
- Quality of print varies / Qualité inégale de l'impression
- Includes supplementary material / Comprend du matériel supplémentaire
- Pages wholly or partially obscured by errata slips, tissues, etc., have been refilmed to ensure the best possible image / Les pages totalement ou partiellement obscurcies par un feuillet d'errata, une pelure, etc., ont été filmées à nouveau de façon à obtenir la meilleure image possible.
- Opposing pages with varying colouration or discolourations are filmed twice to ensure the best possible image / Les pages s'opposant ayant des colorations variables ou des décolorations sont filmées deux fois afin d'obtenir la meilleure image possible.

This item is filmed at the reduction ratio checked below / Ce document est filmé au taux de réduction indiqué ci-dessous.

10x	14x	16x	20x	22x	24x	26x	30x	32x
						✓		
12x	14x	16x	20x	22x	24x	26x	30x	32x

**The copy filmed here has been reproduced thanks
to the generosity of:**



**Library
Agriculture Canada**

**The images appearing here are the best quality
possible considering the condition and legibility
of the original copy and in keeping with the
filming contract specifications.**

**Original copies in printed paper covers are filmed
beginning with the front cover and ending on
the last page with a printed or illustrated impres-
sion, or the back cover when appropriate. All
other original copies are filmed beginning on the
first page with a printed or illustrated impres-
sion, and ending on the last page with a printed
or illustrated impression.**

**The last recorded frame on each microfiche
shall contain the symbol → (meaning "CON-
TINUED"), or the symbol ▽ (meaning "END"),
whichever applies.**

**Maps, plates, charts, etc., may be filmed at
different reduction ratios. Those too large to be
entirely included in one exposure are filmed
beginning in the upper left hand corner, left to
right and top to bottom, as many frames as
required. The following diagrams illustrate the
method:**



L'exemplaire filmé fut reproduit grâce à la générosité de:



Bibliothèque
Agriculture Canada

Les images suivantes ont été reproduites avec le plus grand soin, compte tenu de la condition et de la netteté de l'exemplaire filmé, et en conformité avec les conditions du contrat de filmage.

Les exemplaires originaux dont la couverture en papier est imprimée sont filmés en commençant par le premier plat et en terminant soit par la dernière page qui comporte une empreinte d'impression ou d'illustration, soit par le second plat, selon le cas. Tous les autres exemplaires originaux sont filmés en commençant par la première page qui comporte une empreinte d'impression ou d'illustration et en terminant par la dernière page qui comporte une telle empreinte.

Un des symboles suivants apparaîtra sur la dernière image de chaque microfiche, selon le cas: le symbole → signifie "A SUIVRE", le symbole ▽ signifie "FIN".

Les cartes, planches, tableaux, etc., peuvent être filmés à des taux de réduction différents. Lorsque le document est trop grand pour être reproduit en un seul cliché, il est filmé à partir de l'angle supérieur gauche, de gauche à droite, et de haut en bas, en prenant le nombre d'images nécessaire. Les diagrammes suivants illustrent la méthode.



MICROSCOPY RESOLUTION TEST CHART
(ANSI and ISO TEST CHART No. 2)



APPLIED IMAGE Inc

1653 East Main Street
Rochester, New York 14609 USA
(716) 482-0300 phone
(716) 288-5989 fax

EXHIBITION CIRCULAR No. 8.

DOMINION OF CANADA.

DEPARTMENT OF AGRICULTURE.

EXPERIMENTAL FARMS.

J. H. GRISDALE, B. Agr.,
Director.

M. O. MALTE, Ph. D.,
Dominion Agrostologist.

DIVISION OF FORAGE PLANTS.

PROFITABLE FIELD ROOT VARIETIES FOR THE MARITIME PROVINCES AND EASTERN QUEBEC

BY

F. S. BROWNE, B.S.A.

Assistant.

IMPORTANCE OF ROOTS TO THE STOCK-FEEDER.

Owing to their succulence and palatability combined with a moderately high food content field roots, in fairly large quantities, are both acceptable and profitable in the ration for nearly every class of live stock. In Denmark and Sweden, where the dairy and bacon industries have reached a very high state of perfection, field roots constitute a large part of the ration for both cattle and hogs.

It is true that in Canada farmers and stock feeders are rapidly realizing the value of Indian corn ensilage as a feed, with the result that Indian corn is being more widely grown each year. Indian corn ensilage is without doubt a very valuable feed and is usually a little more concentrated than the average field root. Yet, when we consider the fact that ten to twelve pounds of field roots containing one pound of dry matter is equal in feeding value to 8 pounds of ensilage, one pound of Indian corn meal, $\frac{1}{10}$ pounds of oats, or, $\frac{2}{3}$ pounds of mixed clover hay, it is at once apparent that an average crop of field roots is equally profitable, if not more so, than a like crop of Indian corn grown for ensilage, or in fact any other crop grown for stock feed.

THE VARIETY TESTS AT THE EXPERIMENTAL FARMS.

Ever since the establishment of the Dominion Experimental Farms, in 1886, one branch of the work has been the conducting of variety tests with the different varieties of field roots. Owing to the ever changing factors influencing such experiments, the results of these tests, as published from year to year in the farm reports, have in some instances appeared to have been more or less confusing. For instance, a certain variety may lead all the others in both yield and dry matter per acre for one year, or even for a period of years, when the next year's results will show it in last place. The natural, and correct, conclusion to draw from such a phenomenon is that some change in soil or weather condition influenced that particular variety much more than it did the others. The only way, therefore, to obtain reliable information from a series of variety tests with field roots, is to compare the average yield of each

variety for a number of years. By following this method, the variety which, say at the end of a period of six years, shows the highest average may, other factors being equal, be considered as the most useful variety to grow.

VARIETIES RECOMMENDED.

From the average of six years' results the variety tests conducted at the Dominion Experimental Farm, Napan, Nova Scotia, and, from the average of an analysis, for the same length of time, made by the Dominion Chemist with the same varieties grown at Ottawa, we are prepared to recommend the varieties of Mangels, Swedes and Carrots mentioned below:—

MANGELS.

Six Years Average.

Variety.	Yield per Acre.		Dry Matter per Acre.	
	Tons.	Lb.	Tons.	Lb.
Giant Yellow Intermediate.....	30	1,118	3	1,194
Giant Half Sugar White.....	30	1,356	3	1,144
Selected Yellow Globe.....	30	1,856	3	247
Gate Post.....	28	259	3	88

DESCRIPTION OF VARIETIES.

Giant Yellow Intermediate is a half-long variety, yellowish orange in colour; large but fairly uniform in size and shape with a medium sized top. It is easy to handle and of good keeping quality.

Giant Half Sugar White is a long, greenish white variety, somewhat rough and irregular in shape although usually large. It has a fairly heavy top and is often broken in handling. Its keeping quality may be considered as fair.

Selected Yellow Globe is a yellow, globular variety of fairly uniform size and shape. It has a small top and is easy to handle. Its keeping quality is only fair.

Gate Post is a long, red variety, somewhat inclined to be rough in shape and unevenly large in size. The top is rather heavy and the root is sometimes faulted as being disagreeable to handle. Its keeping qualities are good.

SWEDES.

Six Years Average.

Variet.	Yield per Acre.		Dry Matter per Acre.	
	Tons.	Lb.	Tons.	Lb.
Good Luck.....	32	334	3	1,529
Halewood's Bronze Top.....	32	101	3	1,207
Hall's Westbury.....	32	42	3	355
Hartley's Bronze Top.....	31	1,276	3	372
Jumbo.....	32	493	3	282
Perfection.....	30	186	3	93

DESCRIPTION OF VARIETIES.

Good Luck is a light purple top variety, oval in shape and uniform in type. It is usually smooth and though rather small is easy to handle. Its keeping qualities are good.

Halewood's Bronze Top is a greenish brown top variety, nearly tankard in shape and somewhat uniform in type. It is usually large and inclined to have a large number of small roots. The top is heavy and the neck often long. Its keeping qualities are good.

Hall's Westbury is a purple top, oval variety, fairly uniform in size and shape. The top and neck are of medium size while the root itself is usually smooth and clean. It is of medium size and is considered easy to handle. Its keeping quality is good.

Hartley's Bronze Top is a medium, bronze top variety, somewhere near tankard in shape although decidedly uniform in type. It often produces numerous small roots and is considered by many as hard to handle. The top and neck are of medium size, and the keeping qualities of the root are excellent.

Jumbo is a purple top variety of fairly large size, tankard to oval in shape. It is smooth and uniform in type with a small neck and top. Its keeping qualities are fair.

Perfection is a purple top, globe shaped variety, fairly uniform in type with a small top and neck. It is smooth and of medium size with good keeping qualities.

FIELD CARROTS.

Six Years Average.

Variety.	Yield per Acre.		Dry Matter per Acre.	
	Tons.	Lb.	Tons.	Lb.
Mammoth White Intermediate.....	19	83	1	1,147
Improved Short White	18	1,394	1	1,410
Ontario Champion	17	1,723	1	1,373

DESCRIPTION OF VARIETIES.

Mammoth White Intermediate is a half long, large, white variety. It is somewhat rough and ununiform in type. Its keeping qualities are good.

Improved Short White is a half-long, large, white variety, fairly uniform in type and usually smooth. Its keeping qualities are good.

Ontario Champion is a long, large, white variety, uniform and smooth in type although somewhat hard to harvest, as owing to the length, the plough frequently cuts them in harvesting. Its keeping qualities are good.

CULTURAL METHODS FOR FIELD ROOTS.

For cultural methods suitable for field roots we beg to refer you to Bulletin 67 by J. H. Grisdale, B. Agr., on Mangels, Sugar Mangels and Forage Sugar Beets, which may be obtained upon application from the Central Experimental Farm, Ottawa, Ont.

The preparation of the soil, seeding and following cultural practices up to the time of harvesting, given therein for mangels, are applicable for both swedes and carrots, with the exceptions that swedes should be sown ten (10) days to two weeks later than mangels, and that carrots should be thinned to not more than three to four inches apart in the row.

For further information we advise you to write the Superintendent at the nearest branch Farm or to communicate direct with M. O. Malte, Ph. D., Dominion Agrostologist, Central Experimental Farm, Ottawa, Ont.

Published by authority of Hon. MARTIN BURRELL, Minister of Agriculture, Ottawa, Ont.



