

SEPTEMBER, 1893

PRICE 20 CENTS

As any one passes up and down in the public buildings, hotels, clubs, dwellings and business Structures, he seems invariably to ride in Otis Elevators, built by Otis Brothers & Co., 38 Park Row, New York. Canadian Offices: 45 St. Sacrament Street, Montreal, and Queen's Hotel, Toronto.



Δ HARDWOOD FLOOR .

Relief Ornament Wood Floors

92 to 96 Bay Street.

TORONTO

should be an artistic as well as a useful feature in the house. Wide boards with 1/8 in. crevices between are not beautiful. Our floors are 5/16 in. thick, are laid on top of any ordinary floor, are so perfect that a sheet of paper could not be inserted in the joints. They are made in oak, cherry, walnut, mahogany and other woods. Cost little more than a good carpet, and can be laid by any good carpenter. We quote prices to supply or supply and lay in any part of Canada. Send for sheet of designs and price list. Wall Papers Stained Glass

E . Box GIADEAS 4 AIROLA DOMINION BRIDGE CO. (LIMITED) WE BUILD Bridges of all designs in both Iron and Steel, Roofs, Telephone Poles, House Girders, and all kinds of Structural Iron Work. OUR STOCK IN HAND COMPRISES Steel Beams, Angles, Tees, Channels, Plates, Rolled Edged Flats, Bars, Rivets, Rounds, &o.; Iron Beams, Bars, Squares, Rounds, Turnbuckles, Rivots, &o. Estimates furnished for Structural Iron Work delivered at building or erected. J. H. McGREGOR, R. B. ROSS, Montreal Agent: 35 St. Francois-Xavier St. Bell Telephone 806. Ontario Agency : 85 York Street, Toronto. Telephone 2164. WM. J. HYNES, ' **Contractor and Plasterer** Relief Decorations to Detail in Plaster, Staff or Papier-Mache. 97 Winchester Street. Shop, 125 Adelaide St. West. Telephone 3414



INDEX TO ADVERTISEMENTS Church and School Furniture. Architects. Pipe Covering Can. Mineral Wool Co vii Ontario Directory III Quebec Directory vi

Architeotural Sculp-tors and Carvers.

Carnovsky, B. H..... IV Hicks, W. Stivens.... II Holbrook & Mollington..... i

Architectural Iron-Work.

Hostwick, Geo. F.... xiv R. Greening Wire Co. 11 Dennis, R....... 11 Dominion Bridge Co. 1 Ives & Co., H. R.... xi Mendows, Geo. B.... 11 Whitfield, John..... II

Architects' Supplies Heatn & Harrison vi

Art Woodwork.

Barrister. etc. Morgan, Godfrey St V II

Bricks (Pressed).

Beamsville Pressed Ilrick Co...... ii Don Valley Pressed Ilrick Works..... viii Toronto Pressed Brick & Ferra Cotta Co.... iii

Builders' Supplies. Adamant Mfg Co....viii Brenner, Alex, ... iv Currie & Co., W & F P.xvi

Boiler Covering. Can. Mineral Wool Co vii

Building Stone Dealers.

Deaters. Carroll, Vick & Co... IV Canadian Granite Co. xvi Longford Quarry ar.d Line Co...... viii Noii Granite Co..... viii Noii Granite Co IV Sanuel & Sons, Thos. II The Toronto & Orillia Stone Quarry Co... xi

Builders' Hard-

Rice Lewis & Son IV

Creanata Stains Cabot, Samuel... ... 11

MANTE

Mosaic Floors,

Tiled Fire Places.

First-class work, Architects' Designs faithfully carried out, Architects' Designs faithfully carried out, Estimates free, Correspondence invited.

Furniture. Bostwick, Geo. F....xiv Can. Office & School Furniture Co..... v Office Specialty Co...

Coments. mant Mfg. Co....viii Bremner, Alex..... iv Curric&Co,W.&FP... xvi Currick Co, W. & F. P., xvi Estate of John Battle iv McNally & Co., Wm. iv Morris, E. D., ii Morris, E. D., viii Rathbun Co........ viii Usher & Son, Issac... iv Webster Bros. & Parkes i

Contractors and Builders. Tumer & Co., G. W.. vi

Contractors' Plant and Machinery

Rice Lewis & Son.... IV Rowe, Geo II

Cut Stone Con-tractors.

Isaac Bros..... It Oakley & Holmes.... It

Chimney Topping. Bremner, Alex..... iv Currie&Co., W &F.P. xvi

Drain Pipe

Drain Proc Bremner, Alex.... iv Currie & Co., W&F. P.xvi Hamilton and Toronto Sewer PipeCo....xiii McNally & C., W... iv Maguire Bros..... i The Colman - Hamil-ton Co......ii Webster Bros.& Parkes i

Dumb Waiters King & Son, Warden xiv

Elevators Fensom, John...... 11 Miller Bros, & Toms., vii Unis Brothers & Co... 1 Leitch & Turnbull.... 1

Elevator Motors Ball Electric Co..... IV

Engravers. Can. Photo-Eng Bu-reau..... iii

Fire Brick and Clay

Galvanized Iron Workers.

Tucker & Dillon 11

Grates and Tiles. Bostwick, G. F......iv Holbrook&Mollington i Webster Bros.& Parkes i Rice Lewis & Son....IV Heating.

Iron Pipe. King & Son, Warden..xiv

Lime. Curris & Co, W &F P. xvi Longford Quarry and Lime C>.....viii Morris, E. D.....viii

Legal. Denton & Dods.... IV

Lumber, Richardson, Walker & Co..... 3

Mantels Bustwick, Geo. F.... xv Webster Bros.& Parkes i

Mortar Colors and Shingle Stains,

Cabot Samuel, 11 Maguire Bros..... i Murhead, Andrew... iv Toronto Pressed Brick Co...... iii

Ornamental Plasferers. Baker, J. D..... II Hynes, W J...... I

Paints & Varmishes, Muirhead, Andrew.... is

Painters.

Delage, Theo..... vi Gilmoi & Casey..... II Tourville, Chas..... vi

Puving. The Guelich Silica Barytic Stone Co....

Plasterers Hynes, W. J..... I es, W. J.... Plate Glass bs Mfg. Co.... Lausland & Son... ington Brothers..

obbs Mi McCaustan Pilking Plumbers McCrae & Watson.... vi

Parquetry Floors Ellion & Sen...... 1

Tiles for Walls.

14


Roofing Materiais Merchant & Co II Metallic Roofing Co ix Wittiams & Co., H..., 11 Sanitary Appli ances Malcolm, W. B. ii St. Johns Stone China-ware Co...... iii Sanitas Mfg. Co.... xi Toronto Steel Clad Bath & Metal Co...... II Shingle Stains Cabot, Samuel...... 11 Stiding Blinds Lea & Semian..... xvi Stained and Decora-tive Glass

Terra Cotta Toronto Pressed Brick & Terra Cotta Co... The Raritan Hollow & Porous Brick Co.....

Terra Cotta Fire-proofing

Rathbun Co.....viii The Raritan Hollow & Po.ous Brick Co....viii Wall Paper and Celling Decorations Elliatt & Son..... 11 Faircloth Bros..... v Staunton & Co.,.... ix

Wall Plaster AJaman Mfg. Co. of



D. W. MOIR, President. SIDNEY STEVENS, Vice-President,

GEO. H. HOUSE, Sec.-Treasurer.

America..... viii Nowell & Co., B.L... xii

Fire Bricks.

CEMEN Drain Pipes, Dados, Bathrooms.

FIRE


Chimney Vents, Sewer Bottoms.

CI

TELEPHONE 2400

EBSTER BROS. & PARKES, 692 Craig Street, MONTREAL.

Please mention the CANADIAN ARCHITECT AND BUILDER when corresponding with advertisers.







Our goods cannot be excelled in quality. No time or impurilles as often found in clay. DAILY OUTPUT, 50,000 BRICKS. Office and Works: SALES AGENT: BEAMSVILLE, ONT. E. C. HOPKINS, 145 St. James St., MONTREAL

September, 1893



Our lines include the leading English and American patterns, and are in the hands of iobbers from Halifax to Victoria.

The attention of Architects and Plumbers throughout the Dominion is invited to our goods.

SEND FOR CATALOGUES.

ST. JOHNS, P.Q.

СН

HNS STON

EMBOSSED "ENGLISH" CLOSET.

ST.J

"CLAW-FOOT" CLOSET, PLAIN WHITE, A favorite American Pattern.

INAWARE Co.

ίv.



September, 1893

HENRY LONGHURST,

Domestic

R. Gilson.

tisers.

Church and STAINED C

of every description

W. J. Thomas.

Please mention the CANADIAN ARCHITECT

AND BUILDER when corresponding with adver-

N. F. Baldwin. S. A. Bradley. A. A. Mackey. DOMINION GLASS CO.

ESTABLISHED 1881. Manufacturers of Ecclesiastical & Densetic Art Glass of EVERY DESCRIPTION. Loud Glazing and Sand Out a opociality. 48 TEMPERANCE STREET, - TORONTO. S. J. Dunion, Manager.

J. C. SPENCE & SONS.

ARTISTS IN STAINED GLASS. ECCLESIASTICAL AND DOMESTIC. Mural Decorations, Art Tiles, Brasses. Church Furniture, etc.

Stained Glass, EMBOSSED GLASS. SAND CUT. and LEAD GLAZING. G. & J. E. GRIMSON, 411 St. James Street, - MONTREA,

ART GLASS WORKS ESTABLISHED 1876. Memorial Church Windows, sometrical and Quarrie Windows, Art Glass for Residences, etc.

Send for designs and prices t H. HORWOOD & SONS, PRESCOTT, ONT., and Ogdensburg, N.Y. Head Office of the "METROTOLITAN" Plate Glass QUESNEL, SHARPE & CO. IMPORTERS OF

Plate, Window and Ornamental Glass Paints, Oils, Varnish, Wall Papers, etc. anufacturers of Mirrors. Bevelling a Specialty.

1639 and 1641 Notre Dame St.,

MONTREAL

ufacturers of Mirrors.

Telephone 2718.

BLEURY STREET.

MONTREAL.



٧.


A GREAT VICTORY!

Another City changes its Plumbing Laws

- AND ADMITS THE -----

Sanitas Traps without Back Venting

ON Thursday, March 10th, 1892, a test of the leading Traps of the country was made before a Committee of the Board of Health of the City of Rochester, N.Y., for the purpose of ascertaining their merits as anti-siphonic fatures. The Traps tested were the S-Trap with the McClellan Vent, the Delehanty, the Sanitas, the Puro, the Bower and the Bennor traps. The first three traps were represented by their manu-facturers. The last three were not so represented, but were tested under precisely the same cardiniane. The Committee mede its report to the Board of Health March equi same conditions. The Committee made its report to the Board of Health, March 21st, and the following is an extract from their report :



TO THE BOARD OF HEALTH --Your Committee begs leave to present to the Board the following report on the result of the test in relation to Trap Siphonage: The traps selected for the test were the BANNOK, the BOWER, the PURO, the common S-Trap with McClellan vent, the DELENHART and the SANITAS iting. These traps were all easily siphon-d with the single exception of the SANITAS, which alone successfull presisted siphonage. In view, there-fore, of the results of the experiments, your Committee respectivity recommends that Section so of the Rules and Regulations of the Board of Health of the City of Rochester, relating to Drainage and Plumbing, be revised to read as follows: All traps shall be protected from Loss of Sent, through e-aporation, siphonage on air-pressure. . The

The above report and the revised rules were adopted by the Board of Health. The SANITAS is the only Trap allowed by the City of Rochester, without venting. As Architects in other cities are interested in saving their clients the needless expense and the dangerous complications of back venting, we invite their co-operation in getting the Anti-Siphon Traps allowed in their respective cities, without venting.

Sanitas Manufacturing Company, 117 BANK ST. OTTAWA.

Architect and Valuator,

I.F. PEACHY,

September, 1893

ERIC MANN,

Architect and Valuator, Member Province of Quebec Association of Architects. 30 ST. JOHN STREET, MONTREAL, Bell Telephone 2506.

I. R. RHIND,

Architect and Valuator, Member Province of Quebec Association of Architects, Board of Trade Building, - MONTREAL Telephone 2767. MONTREAL

TAMES AMESS,

ARCHITECT 64 TEMPLE BUILDING, - MONTREAL. Telephone 2299.

DAVID OUELLET.

Architecte et Evaluateur, Member Province of Quebec Association of Architects. No. 13, Rue Saint-Jean, H.-V. Telephone 314. QUEBEC.

H. AUSTIN JONES,

ARCHITECT (Successor to the late W. H. Hodson.)

204 ST. JAMES STREET. - MONTREAL.

Montreal Contractors.

W. G. TURNER & CO.. **General Contractors and Builders** Room 56, Imperial Building, 107 St. James Street, - MONTREAL. Repairs to Masonry and Cut Stone Work promptly attended to. Telephone 930.

MCCRAE & WATSON, Practical Plumbers, Gas, Hot Water and Steam Fitters, &c.

796 DORCHESTER STREET, - MONTREAL. Five doors west of Beaver Hall. Telephone No. 4188. MONTREAL.

CHAS. TOURVILLE,

PAINTER AND DECORATOR. Imitation of Wood and Marble a specialty. Diplona of honor obtained at the Provincial Exhibition, 1891, for imitation of wood. No. 199 AQUEDUC STREET, - MONTREAL.

Theo. Delage, PRINTER, DECORATOR IN ALL STYLES Hardware, Oll, Vanish, Wall Paper, Etc. 2979 & 2981 St. Catherine St., MONTREAL. Telepione 370



ADAMANT MFG. CO. OF AMERICA.

100 Esplanado East, TORONT().

W. McNALLY & CO. 50 MoGill Street, - MONTREAL, QUE.

McRAE & CO. 16 Metcalfo Street, - OTTAWA, ONT.

W. A. FREEMAN James Street North, - HAMILTON, ONT.

THIS Beautiful, Ornamenial and Decorative Wood-Work, for Doors, Transoms, Arches and Wis-dows, known as Moorish Frei-Work, is manufactured (only) by

C. S. RANSOM & CO., CLEVELAND, OHIO.

Now York Office, 10 West 28th St.

There is no limit of design into which this work can be made. It is made of any domestic or imported words, finished natural, stained or in white and gold of bronzes. All leading decorating, draperty or furniture houses will supply you. Patented as an article of manufacture, September 15, 1885.

	<u>Architect</u> and Fallator, Member Province of Quebec Association of Architects.
ROY & GAUTHIER, ARCHITEOTS	-
Members Province of Quebec Association of Architects.	
180 ST. JAMES STREET, MONTREAL.	J. W. Hopkins, R.C.A. E. C. Hopkins. J. W. & E. C. HOPKINS, Auchdrothe and Walkitons
I. NELSON, A.R.C.A.,	J. Architects and Valuators, Members Province of Quebec Association of Architects.
Architect and Valuator, Member Province of Quebec Association of Architects.	145 St. James Street, MONTREAL. Telephone 959.
1724 Notre Dame Street, MONTREAL, Bell Telephone 9305.	A. G. Fôwler. J. H. Bowe. FOWLER & BOWE,
H. STAVELEY,	Architects and Valuators, Members Province of Quebec Association of Architects.
ARCHITEOT Member Province of Quebec Association of Architects.	198 St. James Street, MONTREAL. Telephone 2694.
113 St. Peter Street, QUEBEC.	THEO. DAOUST, (Formerly of Duoust & Gendron),
A. C. HUTCHISON, R.C.A.,	Architect and Valuator, Member Province of Quebec Association of Architects.
Architect and Valuator, Member Province of Quebec Association of Architects.	Barron Block, 162 St. James St., MONTREAL. P. O. Deawer 509. Telephone 9321.
181 St. James Street, - MONTREAL. Telephone 858.	I. H. BERNARD,
J. Z. RESTHER & SON, ABOHITEOTS	Architect and Valuator,
J. <u>AROHITEOTS</u> Mombers Province of Quebec Association of Architects. Offices: Imperial Duilding, MONTREAL,	61 St. James Street, MONTREAL. Telephone 2782.
107 St. James St., MONTREAL. Telephone 1800.	WRIGHT & SON,
A. T. Taylor, F.R.I.B.A., R.C.A. C. H. Gordon, TAYLOR & GORDON, London.	Architects and Valuators,
ARCHITEOTS Members Province of Quebec Association of Architects	Members Province of Quebec Association of Architects. Mechanics' Institute Building, ACOMENTICAL
Union Buildings, 43 ST. FRANCOIS XAVIER ST. Telephone 2817.	(Room 23) MONTREAL.
PERRAULT & LESAGE, (Joseph Periault. Simon Lesage.)	G. DE GLANGUEDOC,
Architects and Engineers.	Architect and Civil Engineer, Member Province of Quebec Association of Architects.
Members Province of Quebec Association of Architects. 17 Place d'Armes Hill, - MONTREAL. Telephone 1860.	Office: 180 St. James Street, - MONTREAL. Telephone No. 1723.
M. Perrault PERRAULT & MESNARD,	J. A. P. BULMAN,
PERRAULT & MESNARD, AROHITEOTS	Architect and Valuator,
Members Province of Quebec Association of Architects. 11 & 17 Place d'Armes Hill, MONTREAL.	156 St. James Street, - MONTREAL.
Telephone 696.	CHAS. CHAUSSE,
D ^{UNLOP & HERIOT,} Architects and Valuators,	ARCHITECT
Member Province of Quebec Acconistion of Architecte	Member Province of Quebec Association of Architects. ROOM 34, IMPERIAL BUILDING, MONTREAL.
185 St. James Street, - MONTREAL. Telephone 1627.	Telephone 2080.
W. E. DORAN,	J. ALCIDE CHAUSSE,
Architect and Valuator, Member Province of Quebec Association of Architects.	Architect and Superintendent, 153 SHAW STREET, MONTREAL, QUE.,
80 ST. James Street, MONTREAL, Telephone 1299.	153 SHAW STREET, MONTREAL, QUE., and 3124 Notre Dame St., St. Cunegonde, Que. <i>Telephone 8373</i> .
F. X. BERLINQUET,	P. Lortie. A. Lortie. P. LORTIE & SON,
Architect and Valuator,	Architects and Valuators.
Member Province of Quebec Association of Architects. 209 St. John Street, QUEBEC.	1933 Notre Dame Street, MONTREAL. Telephone 1836.
CHRIS. CLIFT,	ALPH. DUBREUIL,
Architect and Valuator, Member Province of Quebec Association of Architects.	Architect and Valuator,
180 St. James Street MONTREAL.	Member Province of Quebec Association of Architects. 1608 NOTRE DAME ST., - MONTREAL.
Telephone 1956.	R. MONTBRIANT,
A. RAZA,	Architect and Valuator,
Architect and Valuator, Member Province of Quebec Association of Architects.	Member Province of Quebec Association of Architects.
3 Place D'Armes Hill, MONTREAL, Telephone 96r.	42 ST. ANDRE STREET, - MONTREAL. Telephone 6703.

vi.

Quebec Architects.

Architects and Valuators, 933 Notre Dame Street, MONTREAL. Telephone 1836. LPH. DUBREUIL, Architect and Valuator, ember Province of Quebec Association of Architects. 508 NOTRE DAME ST., MONTREAL. R. MONTBRIANT. Architect and Valuator, fember Province of Quebec Association of Architects. 2 ST. ANDRE STREET, - MONTREAL. Telephone 6703.



ARCHITECTS · CONTRACTORS · ENCINEERS · ETC.

Just Issued-A Second Edition of the

Canadian

Contractor's

Hand-Book

150 PAGES OF THE MOST VALUABLE INFORMATION

SUBSTANTIALLY BOUND IN CLOTH.

The Canadian Contractor's Hand-Book will be sent to any address in Canada or the United States on receipt of price, \$1.50; to subscribers of the CANADIAN ARCHITECT AND BUILDER, \$1.00.

C. H. MORTIMER, Publisher,

Branch Office : 64 Temple Building, Montreal. Confederation Life Building, TORONTO.

Successors to Miller Bros. & Milchell, Established 1869.)

MACHINISTS MILLWRIGHTS AND ENGINEERS

· BUILDERS OF · ·

Standard · Elevators

for all purposes, of any capacity, and operated by any desired motor.

Foundry and Machine Shop Cranes, any capacity. Builders' Winches and Hoisting Engines, all sizes. Builders' Derricks, Hand or Steam, 1, $1\frac{1}{2}$, 2, 3, 5 and 8 tons.

23 YEARS' EXPERIENCE.

Any one in want of anything in the above lines, or in general machine work, will save money by addressing

MILLER BROS. & TOMS, MONTREAL.

Adamant Wall Plaster

is shipped dry in bags, like flour, and is ready for use by simply adding water. This allows the mixing to be done in the same room where work is going on.

This saves { Time, Material, Money, Delays, Dirt, Labor.

You can work Adamant whether it rains, shines, snows, or hails. An Adamant wall is fire-proof, water-proof, hard, smooth, and durable. Send for our Adamant primer.

ADAMANT MFG. CO. OF AMERICA

WM. THOMSON.

GEO. THOMSON.

A. CRAIG.

M. HALL, Sec.-Treas.

Longford Quarry and Lime Co.

DEALERS IN ALL SIZES OF

LIME STONE, DIMENSION, COURSINC, RUBBLE, ETC., ETC.

The thickness in strata is very even in beds; and runs from 6 inches to 14 inches in depth. We have arrangements made so that any of the stone can be dressed in the quarry, and be a large saving in freight.

Write for Quotations.

Our address is Longford Mills, Ont. Bonded Warehouse and Yard: C.P.R., North Toronto Station

E. D. MORRIS

Office Telephone, 701. Vard, 4091.

ENGLISH AND CANADIAN PORTLAND CEMENTS, LIME AND HYDRAULIC CEMENT, SEWER PIPES, FIRE BRICK AND FIRE OLAY, MORTAR STAINS AND LUMBER IN CAR LOTS, PLASTER AND HOLLOW FIREPROOFING MATERIAL.

The Rathbun Company

MANUFACTURERS

DESERONTO, ONTARIO

<u>porous</u> TERRA · COTTA

Proved by actual and thorough tests to be the best fireproofing material in use.

Unequalled for making buildings vermin, heat, cold and noise proof.

For partitions costs no more and weight one third that of brick.

SEND FOR CATALOGUE AND PARTICULARS.





Our own manufacture and unexcelled

Its use is authorized by the Province of Ontario and Toronto City Engineers.

Quality guaranteed and always the same.

WRITE FOR PRICES, TESTS AND SAMPLES.



Special designs made to order in Red, Buff or Brown.

Work promptly executed and satisfaction guaranteed. 語をうないないというないないないであるというである

LARGE STOCK ON HAND OF STRINGS, PANELS, TILES, CAPS BASSES, CRESTINGS AND FINIALS.

WRITE US FOR FURTHER INFORMATION.

CANADIAN ARCHITECT AND BUILDER.

/or. VI.-No. 1X.

SEPTEMBER, 1893

PRICE 20 CENTS

THE Canadian Architect and Builder. A Monthly Journal of Modern Constructive Methods, (With a Weekly Intermediate Edition-The CANADIAN CONTRACT RECORD). PURLISHED ON THE THIRD THURSDAY IN EACH MONTH IN THE INTEREST OF RCHITECTS, CIVIL AND SANITARY ENGINEERS, PLUMBERS, DECORATORS, BUILDERS, CONTRACTORS, AND MANU-FACTURERS OF AND DEALERS IN BUILDING MATERIALS AND APPLIANCES. C. H. MORTIMER. Publisher. onfederation Life Building. TORONTO, CANADA.

Telephone 2362. 64 TEMPLE BUILDING. MONTREAL.

Bell Telephone 2299.

AUBSCRIPTIONS. CAMADIAN ARCHTECT AND BUILDER will be mailed to any address in Canada Control States for \$2.00 per year. The price to subscribers in foreign ries, is \$2.50. Subscriptions are payable in advance. The paper will be inseed at expiration of term paid for, if so stipulated by the subscriber; but are stated and harrearger paid.

A DV ERTISENENTS, Prices for advertising sent promptly on application. Orders for advertising sould reach the office of publication not later than the rath day of the month, and ages of advertisements not later than the sith day of the month.

EDITOP'S ANNOTION: The persons in whose interests this journal is sublished, are cordially invited. Subscribers are also requested to forward news-aper clippings or written items of interest from their respective localities.

The "Canadian Architect and Builder" is the official paper of he Architectural Associations of Ontariv and Quebec.

The publisher desires to ensure the regular and prompt delivery of this wirnal to every subscriber, and requests that any cause of complaint in site instructure be reported at once to the object of publication. Subscript we may change their address should also give prompt motice of same, and we doing to, subtly give both the old and theo address.

ONTARIO ASSOCIATION OF ARCHITECTS.

OFFICERS FOR 1802

	OLLICER	o rok	1093.			
PRESIDENT -		D. B. DICK, Toronto.				
IST VICE-PRESIDENT				DLDI, Ollawa.		
2ND VICE-PRESIDENT	r •	Jo	IIN E. B	ELCHER, Peterboro'.		
TREASURER -	-	Eo	мико В	URKE, Toronto.		
	COU	NCIL :				
DAVID EWART	•	•	· -	Ottawa.		
S. G. CURRY .	· -	-	•	Toronto.		
S. H. TOWNSEND	•			Toronto.		
FRANK DARLING.	-	•		Toronto.		
W. A. EDWARDS	•	•	•	Hamilton.		
REGISTRAR AND LIBRARIAN :						
W. A. LANGTON	-	Canad	a Life B	uilding, Toronto.		

PROVINCE OF QUEBEC ASSOCIATION OF ARCHITECTS.

OFFICERS FOR .Pos

	OFFIC	EKS FUR	(1093	•	
PRESIDENT				Montre	
IST VICE-PRES	IDENT	• J.	NELSO	DN, MOI	otreal.
2ND VICE-PRES	IDENT -	• H	. STAV	ELEY, C	Duebec.
SECRETARY		· A.	C. Hu	TCHISO	N, Montreal,
TREASURER	• -	j,	Z. Res	THER,	Montreal.
		COUNCIL	:		
A. T. TAYLOR,	F.R.I.B.A.	, R.C.A.	-	•	Montreal,
AL PERRAULT		•	-		Montreal.
A. F. DUNLOP,	R.C.A.	•			Montreal.
L. L. HROWAR	•	-		•	Montreal.
J. HAYNES	• •	· • ·			Montreal.
D. OUELLET	•	•		•	Ouchec.

TORONTO BUILDERS' EXCHANGE.

BOARD OF DIRECTORS

I. LISTER NICHOLLS. WM, BOOTH. AS. ISAAC. OHN LOGAN. WM. PARK. H, MARTIN.

JOHN L. PHILLIPS, Secretary.

THE by-law under which \$155,000 was expended in the erection of new County buildings at Woodstock, Ont., has been declared informal, a vote of the ratepayers not having been taken upon it as required by law. A special meeting of the County Council has been called to frame a new by-law.

THE young architect should be taught to regard the ability to chmb a ladder or a series of ladders as one of the essential qualifications of his profession. Without this ability he is not in a position to see for himself that the work on the parts of his building which can be reached only by scaling a ladder, is being properly carried out. Some architects are lacking in this requirement, and rather than take the chances of a fall, are content to take for granted the quality of the work at the top of the ladders.

THE passenger elevator, which has come to be such a universal and highly appreciated feature of every important office building in America, is but little known in Europe. The disappointment in this respect of the Canadian who visits England and is continually obliged to climb stairs is in inverse ratio to that of the European visitor to Canada, who is delighted to find himself carried from bottom to top of the highest buildings without exertion and within the period of a few seconds.

AMERICAN architects are sharing the burden of the depression which at present exists throughout the United States. In New York, Chicago and other large American cities, the staffs are being greatly reduced in architectural offices. Some Canadian draughtsmen employed in American cities have been so fortunate as to be retained in their situations, whilst others have been deprived of them, and are finding their way back to the Dominion where, unfortunately, the chances for employment are none too frequent.

ANOTHER derrick broke down while under strain in Toronto the other day, one of the chains, striking and seriously injuring an attendant. The frequency with which accidents of this character have recently occurred should lead contractors to be more careful to see that derricks are sufficiently strong for the work which they are required to perform. If greater care is not exercised the Legislature should step in and protect the lives of workmen. Not alone in Canada but in Great Britain and Australia, accidents from this cause have become frequent, and the necessity of enforcing greater carefulness in order that they may be avoided is properly engaging attention.

A COMPANY has been formed with the object of erecting a crematory in the City of Toronto. The cost of the building and equipment are placed at about \$3,000. A description of the design of the proposed building and of the process of incineration of human bodies, has appeared in the daily press. The amount which is proposed to be risked on the experiment is small, and it is perhaps well for the investors that it is so. The outlook for the success of the venture does not appear to us to be very encouraging. We were recently afforded some particulars concerning the crematory at Buffalo which go to show that the institution has not been a profitable one, the favor bestowed on the new method having been of a very disappointing character. If such has been the result in an American city, there is less reason to expect that so important a deprature from established usage will meet with approval in a community where the people are known to be more conservative in their views.

WITH the close of the vacation and the approach of the long evenings incident to autumn and winter, the present would seem to be a fitting time to consider the proposal which has been made that an Architectural Club, composed of architects and students, should if possible be established in Toronto. The desirability of forming a local organization which would provide means of social relagation as well as profitable instruction for the architects and students of the city, and which would receive the united support of these classes, was clearly set forth in the letter by Mr. A. H. Gregg announcing the dissolution of the Toronto Architectural Club at the close of last winter. We hope that Mr. Gregg will further endeavor to enlist the co-operation of those who should be interested in an endeavor to give practical shape to the idea.

RECENT legislation and the increased caution exercised by the loan companies is strongly tending to force out of the ranks of the builders those who possess little or no capital. These causes, aside from the lifeless condition of the real estate market, are operating to check speculative building in Toronto. Under present conditions the loan companies will not advance money to the builder until his building is ready to be roofed in, and not then even unless he can present a statutory declaration in accordance with the provisions of the amended Mechanics' Lien Law, showing that not more than fourteen days wages are due to his employees. Should the mortgagor fail to satisfy himself on this point before granting a loan, the claim of the employees for arrears of wages is given priority over the mortgage. Under clause 6 of the amended Mechanics' Lien Act, a similar declaration is required for the protection of the owner before payments are made to the builder on account of the work done on his contract. All this means that the builder must have the means to purchase considerable material and pay the wages of his workmen until his contract is well advanced.

WE are pleased to observe that the remarks recently printed in this journal anent the improvement of the water front of the City of Toronto, are seconded in an editorial which has appeared in the Toronto Globe, the writer of which says : "On the waterfront is a great stretch of property, from Yonge to York street, affording admirable dockage for the steadily-increasing fleet of passenger steamers that make their head-quarters in Toronto. They carry hundreds of thousands of passengers yearly, many of them tourists, who spend large sums in Toronto. These visitors obtain their first impressions of Toronto, in many cases, from the temporary and ugly sheds around the wharves. First impressions last. The Mayor and Council should see to it that the present season ends all this, The land in question was, after a bitter fight with the C. P. R., reserved for public docks. Full possession of it will be secured in a few weeks at latest, and before the end of the year new and substantial wharves should be build, the place reserved for a public square fixed upon, and reclamation work begun. It will be too late to build the wharves next season before lake traffic opens. The work, if done now, will pay the city a large dividend and will do much to expand the already large lake travel."

THE untiring energy of Mr. E. A. Madconald has once again revived the Georgian Bay canal scheme. With much adroitness he has presented a tempting prospectus-a ship canal and shortened navigation; a power canal with an unlimited supply of water capable of developing more electrical energy than Toronto can use for many a long year; and Lake Simcoe-a happy solution of the water question. The canal question, with shortened water route to the north west lakes, will always present attractions : there are many reasons why the question should be carefully debated ; there is good reason for believing that shortened water routes will be acceptable to the commerce of the country. The present canal project alone, (independently of the water power and supply), is one of immense magnitude. To bring the level of Lake Huron to the south side of the water shed known as the Oak Ridges, will require cuttings from 150 to 180 feet deep. When Lesseps tried to do this on his Panama canal, he brought down the whole country side into his canal. In the construction of the Manchester ship canal in England, the route was much better known than the country between Toronto and Collingwood. It had been carefully sur-

veyed and was thoroughly examined. There were ample data at hand to determine the topography and geology of the route; the promotors were in possession of the fullest possible information before the work was commenced. Unforseen difficulties encountered during the construction caused the ruin of the company, who had to appeal to the City of Manchester for a very large sum of money to help them along. The Georgian Bay canal and aqueduct scheme is in its present form a vision. ary proposal, projected by some unknown philanthropic American capitalists for the special benefit of "land poor" Toronto. It is one with which the City of Toronto should have no dealings till it comes recommended by the Board of Trade and some large financial institutions.

MR. SALEY, editor of the Northwestern Lumberman, present. ed a paper to the International Forestry Congress at Chicago, entitled, "Ignorance Concerning Woods." It may interest architects to read his opinion as to their knowledge of the qualities of the various kinds of wood employed in building. It is contained in the following extract : "If I were to arraign more severely one class of men than another for their ignorance concerning woods, it would be our architects, for the reason that it is their business to know. They can tell us about the wearing quality of different stones, the crushing strength of this material and that, but when it comes to any specific knowledge of the lumber used inside of our houses for doors, casings, floors, mopboards and possibly ceilings-objects which are constantly before our eyes-they are wofully ignorant. When furnishing a fine house you select for one room furniture, carpets and draperies of colors to blend, and for adjoining rooms other shades to carry out a general idea of harmony. If the upholstering of the furniture, the carpets, or the portières were to lurn another color the harmony would be destroyed. So it may be destroyed through lack of knowledge on the part of the architect. Were you to ask the question, 'I desire to finish my front parlor in one kind of wood, my back parlor in another, the reception-hall in another, my library in another ; now as these rooms are practically one, what woods shall I use in order that the harmony may be preserved after the house shall have been in use for years?' 1 am fearful you would fail to find an architect who could answer at, Architects pay little attention to these vital points, which are really most intimately connected with their business-in fact, are and should be regarded as a part of their business. I am not aware that an architectural journal has given a line to this subject, and the furniture papers are equally dumb." The above criticism could not be fairly applied to Canadian architects, the majority of whom have at least a fairly satisfactory acquaintance with the different varieties of wood. That this acquaintance might with advantage be improved is, however, not to be disputed, and it is also a fact that in no other country can the knowledge be more easily acquired. In this connection we would express the hope that the valuable series of tests of native building stones conducted last year at the School of Practical Science, Toronto, under the direction of a committee appointed by the O. A. A., will in the near future be supplemented by a series of tests under similar conditions, of native woods:

PROVINCE OF QUEBEC ASSOCIATION OF ARCHITECTS.

The annual meeting of the above Association will be held in the Legislative buildings, city of Quebec, on Thursday, the 28th There will be held both forenoon and afternoon sessions. inst. one of the principal subjects for discussion will probably be the tariff of charges which the Association has asked the legislature to authorize. It is expected that papers will be read by Quebec and Montreal members of the Association. In the evening the annual Association dinner will be held at the Florence Hotel, invitations to which have been extended to members of the Quebec Government, the Rector of Laval University, the Mayor of Quebec, officers of the Ontario Association of Architects, and representatives of the press.

Mr. Thos. Beatty, a respected member of the Toronto Builders' Exchange, died at his residence in Toronto a fortnight ago. The members of the Exchange in a body attended the funeral.

GORRESPONDENCE.

[Letters are invited for this department on subjects related to the building inter-set. To secure insertion, all communications must be accompanied by the name and address of the author, not necessarily for publication. The publisher will not swame responsibility for the optinions of correspondents.]

ENGLISH STAINED GLASS FOR CANADA.

ENGLISH STAINED GLASS FOR CANADA. Three very large and handsome windows of stnined glass have just been com-picted by a local firm (Messar, Waits & Strange of Westgate-mody and forwarded for shymen to Hahlar, Nova Scula. They are designed for St. Pan's, Hailfar, the oldest, largest and neat veshifty claim W. Riccios Scota and hocoberben to a judge of the start funded to the start of the start start of the chancel of the charch, and from very superior examples of the glass interview of the chancel of the charch, and from very superior examples of the glass interview of the start start of the start start of the start start of the start start of the start start of the start start of the start in Non Scotia, New Brunswick, Toronto, and throughout the Domision generally.- *The Networt to Chart A*. The start of the start Bonsino generally.- *The Networt to Chart A*. The start of the start start of the start of the

Editor CANADIAN ARCHITECT AND BUILDER.

DEAR SIR,-The enclosed clipping from an English newspaper has come under our notice, and we think merits attention. While every one with true artistic instincts would welcome undoubted specimens of the work of the best English designers in stained glass, it seems a cause for regret that when commissions of this kind represents a moderate outlay of money, it should not be spent in Canada. Work such as the firm in question does can be and is easily surpassed by Canadian firms. It is surely time that the idea, so prevalent formerly in other lines, that an imported article is necessarily superior, should have been exploded also in this branch of work as it has in many others.

Yours truly,

ELLIOTT & SON, 94 Bay Street, Toronto,

OBJECT LESSONS FOR STUDENTS. TORONTO, Sept. 12, 1893.

Editor CANADIAN ARCHITECT AND BUILDER.

SIR .- I beg to submit herewith a few observations and queries touching work in course of erection as a means of education to students of architecture.

Competent builders must be, first of all, practical men. The practical side of the work does not enter so largely into the essential qualifications of an architect, but the more practical architects and draughtsmen are, the more pleasant will be the relations of all branches of the "allied arts," and the more satisfactory will be the results of all their efforts.

In obtaining the practical knowledge so much to be desired, all students of architecture will no doubt regard works in course of crection as the most helpful. But to what extent do students avail themselves of this help, and to what extent is it available in proportion to the great benefits which should be derived therefrom? An individual draughtsman with ambition, energy, perception and common sense, will occasionally betake himself to some particular job for the purpose of gathering some bits of information. So, also, an opportunity is sometimes afforded to students or architects to visit a special work in a body, under the guidance of an experienced head, thus making such a visit of great interest and profit. But the writer believes that such visits as those referred to constitute a very small part of the attention which should be given to works in course of erection; and I desire to mention one circumstance which I believe operates more than any other to discourage and limit the use of this kind of study. This restraining influence is the fact that all works of such a nature as to be interesting to the student are hedged about more or less with notices of "No Admittance," etc., and a general air of exclusiveness which is not at all conducive to quiet and peaceful observation. I know it is necessary to keep the general public outside of certain limits, to carry on work. Should one venture to penetrate a little beyond this limit, he is very likely to be made to understand that he is regarded as an intruder, and an interference with the progress of the work.

Generally, by going to more or less trouble, a student can get permission to make a solitary visit, or possibly more, to an attractive work. But would it not encourage students to seek out these attractions more frequently if the privileges sought were to be expected as a matter of common courtesy to the profession, instead of being obtained as a special favor?

There are at all times works going on in this city which would be of very great interest and value as objects of study could one but feel at liberty to spend a few minutes on them now and again while passing and repassing, as they are progressing. The City Hall and Court House and the new Drill Shed might be cited as splendid examples of first-class work. Of particular interest to some students would the iron roof trusses of the Drill Shed be in their present stage. Will anybody pretend that these and other works are benefitting as they should the students of architecture of the city?

Suppose it should be announced throughout the province that Toronto proposed to expend two millions of dollars or so in the next five years in providing the best possible object lessons for students of architecture, would it not create great enthusiasm? And is not just such work being done without any regard for its utility in-the direction here suggested?

Now I believe, that if it was generally understood throughout the building trailes, and among architects and students, that a special uniform card or badge, presented at the entrance to any work, public or private, would secure cheerful admittance and courteous treatment within reasonable limitations, students would make ten such visits for every one that is now made. Would not such an arrangement be worthy of the kindly consideration of architects and builders, with a view of placing practical knowledge within easier reach of those interested, in some such way as here suggested ?

STUDENT.

ILLUSTRATIONS.

DESIGN FOR A SMALL TOWN HOUSE. The house comprises parlor, dining room and kitchen on ground floor, four bed rooms and bath room on first floor, and two bed rooms and store room in attic, besides closets, pantries, &c. It is of frame construction. Externally the entire building may be shingled, or if desired, clap boards may be used up to the water-table above ground floor.

If cedar shingles be used, they will need no staining, but the window sash and frame and all other external woodwork should be painted white. Interior wood work, if of pine, should be painted white or in light tones to harmonize with the decorations of the various rooms.

A sheet of details to accompany this design will be published in the ARCHITECT AND BUILDER for October.

This house would cost, according to local conditions, from \$2,000 to \$2,500.

HOUSE ON ST. GEORGE STREET, TORONTO, FOR MR. ALEX. MCARTHUR .- D. B. DICK, ARCHITECT.

In this house all the cut stone work, also the coursing and squared rubble, are of brown Credit Valley stone, and the gables are tile hung. The house contains 4 public rooms and 9 bedrooms and dressing rooms, exclusive of those for servants ; also 2 bathrooms. The principal rooms, the bathrooms and the main halls and staircase, are all finished in polished hardwoods of different kinds, including quarter cut white oak, mahogany, bird's eye maple, cherry and chestnut. The windows are finished with sliding shutters. The house and conservatory are warmed by hot water, and the lighting throughout is by gas and electric light combination fixtures. The total cost was about \$25,000.

CARVED PANELS IN THE RESIDENCE OF MR. DUNCAN MCINTYRE, MONTREAL-W. T. THOMAS, ARCHITECT ;

H. BEAUMONT, SCULPTOR.

ERSKINE CHURCH, MONTREAL-A. C. HUTCHISON, ARCHITECT.

PERSONAL

Mr. A. E. Wells, who during the last year has been in the office of a New York architectural firm, spent his vacation in Toronto and at Niagaraon-the-Lake.

The marriage is announced at St. Southsea, Eng., on the 3rd of August, of Mr. E. W. Rathbun, president of the Rathbun Co., Deseronto, Ont., to Miss Aileen Blair.

Mr. Richard Bond, who was one of the pioneers in milroad construction in Canada, died at his daughter's residence in Toronto on the rath of August, aged 82 years.

To MAKE POSITIVE COPIES OF DRAWINGS.—The paper to receive the impression is coated with a two per cent, solution of bichromate of ammonium, to which a little grape sugar has been added and then dried in the dark. The sheet containing the drawing is laid upon the prepared paper and exposed to be light with the parent has a structured a party color. the drawing is and upon the prepared paper and exposed to the light until the paper has assumed a gray color. It is now dipped into a 1 per cent solution of nitrate of silver, one-tenth of the volume of which consists of acetic acid. The positive image developed thereby becomes dark brown on drying.

QUESTIONS AND ANSWERS.

[Readers are invited to ask through this department for any information which they may require on lines consistent with the objects of the paper. Every effort will be mode to furnish satisfactory answers to all such inquirts. Readers are requested to supply information which whild assist us in our replica. The names and addresses if correspondents must accompany their communications, but not necessarily for publication.]

A Nova Scotia subscriber, "H. E. G.," writes : Can you give me the name of the Professor in Architecture in the School of Practical Science, Toronto. I desire to apply for particulars regarding tuition, etc.

Ans.-Address Mr. C. H. C. Wright, Lecturer in Architecture, School of Practical Science, Toronto.

THE DORIC ORDER.

IN the Doric order, the number of channels is either sixteen or twenty,-afterwards increased in the other orders to twentyfour; for they are invariably of an even number, capable of being divided by four; so that there shall always be a center flute on each side of the column, that is, in a line with the middle of each side of the abacus. Doric flutings are much broader and shallower than those of the Ionic or Corinthianorders; broader for two reasons,-first because they are fewer in number; and secondly, because there are no fillets or plain spaces left between them on the surface of the shaft. Their proportionately much greater shallowness, again, may be accounted for equally well; were the channels deeper not only would they seem to cut into the shaft too much, and weaken it, but also produce much too strong shadows, and another inconvenience would be occasioned, for the arrises or ridges between the channels would become very sharp and thin, and liable to be injured. The mode of fluting Doric columns with more arrises between the channels instead of fillets, has been retained by the moderns as characteristic of the order; but, as the order has been treated by them, it is little better than a mere distinction, with very little regard to general character. In the original Doric, almost every part is marked by breadth or by flatness, or by sharpness. There are no curved mouldings or surfaces, except the cymatium of the cornice and the echinus of the capital, which last is generally kept exceedingly flat. The breadth and shallowness of the channels, and the flat curves in which they commence and terminate, are therefore in perfect keeping with the style in other respects; so also are the sharp arrises or ridges between the channels or flutings on the surface of the shaft, they being expressive of a severe simplicity. The same remark applies to the horizontal annular narrower channels or more incision immediately beneath the echinus of the capital, and lower down, which last are just the reverse of the projecting astragal or convex mouldings given to the Doric capital by the moderns. Why such horizontal channels or grooves should have been cut in the very thinnest and weakest part of the column, where they diminish instead of adding to strength, it is not easy to say, except that they were merely for the sake of effect,-of producing shadow, and increasing the proportions of the capital to which they belong. We leave others, should any be so disposed, to object that the lowermost groove or grooves, as the case may be, give the capital the appearance of being a separate piece, merely joined on to the shaft, without such joining being concealed. Looking at it differently, we will rather say that such groove is intended to mark to the eye the commencement of the capital, the proportion above it of the shaft being thereby converted into the hypotrachelium or necking of the capital itself, which is thus enlarged in appearance, without being actually increased, and rendered unduly heavy. It is not, however, every example of the order that has such necking ; while in some the groove separating the capital from the shaft is diminished to a mere line,-which looks like a joining not intended to show itself, -in others it is omitted altogether. With respect to the echinus we have little more to remark than that its office-which it performs admirably,-is by expanding out, to connect the diminished upper end of the column with the overhanging abacus; and the former being circular and the latter square, but adapted to each other in size, a beautiful combination is produced of a circle inscribed within a square; and the result is variety, contrast, and harmony. In its profile or section - by which latter term is understood the contour of any moulding or other member,-it is usually very flat, little more than a portion of a cone (turned downwards), with scarcely any perceptible degree of convexity, except just beneath the abacus, where it is suddenly rounded and diminished, so that the abacus does not seem to press upon or compress it too much.—Granite Cutter's Journal.

MONTREAL.

(Correspondence of the CANADIAN ARCHITECT AND BUILDER.)

The Building Inspector for the city of Montreal is a most efficient officer, and might well be taken as an example by the inspectors in other Canadian cities. Scarcely a week passes in which he does not figure as the prosecutor of persons who violate the city building ordinance. He has just entered actions against a number of individuals and corporations for having neglected to take out permits for new buildings. I have noticed by the ARCHITECT AND BUILDER that the by-laws of Toronto-Hamilton and other cities, are not complied with in this respect, and that no determined effort on the part of the Inspectors appears to be made to enforce the law. Building laws, like laws of other kinds, are valueless if not enforced.

The contractors for public works have been complaining for some time past of the scarcity of workmen, and in some cases have sent into the country to endeavor to secure laborers. Notwithstanding this condition of affairs, the local unions have petitioned the Council against allowing the employment of outside workmen. Such a dog in the manger spirit deserves no encouragement.

A petition is being largely signed by the citizens for presentation to the City Council asking that the Chateau de Ramczay opposite the City Hall be purchased by the city and used as a public library and museum. The petition states that the Chateau is one of the few remaining buildings of the old regime, and by reason of its historic importance as a monument of old Ville Marie, should be preserved.

Several actions at law have arisen out of the construction of a large chimney for the Royal Electric Company. The design for the chimney was prepared by Mr. McLea Walbank, architect. Mr. Alex. Wand was the contractor for the work. Owing as it is alleged to defects having been discovered subsequent to completion, a portion of the chimney was torn down and rebuilt. For this purpose it is said the plans were modified. Mr. Wand brought an action for the value of his work, but the case was dismissed. Now the company has brought suit for the cost of demolition and reconstruction of the chimney on the new plans; and Mr. Wand is suing the architect, on the ground that the loss and damage were not caused through any fault of the workmanship, but through defective plans.

From the twenty-five designs submitted by artists for the statue to be erected on Duminion Square to the memory of the late Right Hon. Sir John A. Macdonald, the Design Committee acting with the advice of experts, have chosen that of Mr. Geo. E. Wade, the well known London sculptor. The statue will cost \$20,000, and is to be ready to be unveiled during the autumn of 1894.

Messrs. Vanier & Keefer, the engineers appointed to report on the means which should be adopted to improve the efficiency of the Montreal city water works, has recommended the expenditure of \$100,000 in new plant and improvements, including a 10,000,000 gallon pumping engine and a new engine for the high level service.

OTTAWA.


(Correspondence of the CANADIAN ARCITITECT AND BUILDER.)


The total expenditure on the erection of new buildings and on improvements to existing buildings in this city during the last year is stated at \$350,000. This is about e yual to the amount expended in 1802, and considerably less than in some previous years. In view of the scarcity of dwellings of moderate size and the high rentals which owing to this fact must be paid by those who are not fortunate enough to own their own houses, a good opportunity appears to exist for builders to make money by erecting a number of dwellings of the class mentioned. Enquiry reveals the fact that rents are very much higher in Ottawa than in Toronto.


While writing on this subject 1 may also refer to the excessive water rate which is imposed in this city. I was recently informed by a gentleman residing here, and who is the owner of property in Toronto, that the cost of water in Ottawa is more than double what it is in Toronto. It is difficult to understand why this should be the case, seeing that in this city there is ne expensive pumping plant to be maintained, such as exists in Toronto. It would seem that large profits are being derived from the sale of water, and are applied to pay the expense of other departments of the public service. If so, the principle is a wrong one, and the citizens should insist on each department being maintained on a distinct footing.

Building operations at Stratford, Ont., during the present year are said to be 50 per cent. in excess of 1892.


Vol. VI.] The Canada














LIBRARY PANELS, RESIDENCE OF MR. D. W. MCINTYRE, MONTREAL. W. T. THOMAS, ARCHITECT. | H BEAUMONT, SCULPTOR.



DINING ROOM PANEL, RESIDENCE OF MR. D. W. MCINTYRE, MONTREAL. W. T. THOMAS, ARCHITECT. J H. BEAUMONT, SCULPTOR.

TECHNICAL REQUIREMENTS OF ARCHITECTS.

WHAT to specify is a question that often gives rise to some hesitation in the minds of many architects. They can design with tolerable completeness in the main structure, its general accommodation, the plan of its floors ; but when the fittings and details have to be considered, the extent of the architect's knowledge is reached. The rest is technical and precise; it is thought to have no connections with, or relation to the design. Many in the profession think that their proper and legitimate work is accomplished when they have prepared the design, and that they have nothing to do with questions of heating, lighting, or ventilation; what kind of appliances and fittings are to be provided and fixed. If we should ever come to view the art in this light, we should be ignoring completely all opportunities of making architecture commensurate with the progress of science and the development of our industries. This view of restricting the building art would be to keep architecture back, and to prevent her from controlling and moulding the agencies which affect our civilization and material wants. If art is really to direct the fashioning of our commonest objects, of our chairs and tables, and to permeate the everyday objects of our domestic life, it is the true office of architecture to bring everything that contri butes to the convenience and comfort of our buildings under her influence. The radiator, the heating stove, the electrolier, the gasolier, the ventilating inlet and outlet, even those appliances by which we perform the commonest functions of life or of trade. fall rightly under its influence. If we think aright, what has been called the "hierarchy" of art implies a descending scale. The modes of classification adopted, such as that which makes Architecture, Sculpture, and Painting the primary trinity, have apparently excluded the useful arts. These three primary arts represent an ascendency of thought and feeling from the structure raised by the architect to the more idealised and ethereal productions of the sculptor and painter; the material yields to the spiritual. But does not architedture represent more than the mere outside shell of the building? Does it not descend to every fitting and contrivance which finds a place in the building? We have too long set a limit to architecture, and we have not considered that it commences at the very beginning of the conversion of the raw materials, and also includes everything besides floors and walls, doors and windows.

These thoughts are necessary to help us to see the universality of the art of the architect, that his work is wider and deeper than that of making an embellished building of brick or stone, and then leaving it to be finished and made convenient, or comfortable, or healthy by the fitter or engineer. Specification ought to imply selection. What to select is as important a question to the architect as how to design, because the exercise of his knowledge and taste may be, and is often, quite as much called into requisition by one as the other. For example, in looking over an illustrated catalogue, or the stock of goods in a showroom of an ironmonger, the architect has to call into exercise many of those very faculties he uses in designing the given article. If it is a drawing-room stove, he has to look to see whether the construction is likely to be economical in the use of fuel, whether the firebrick back is of good form for radiating the heat, and the opening for smoke shaped so as to avoid eddying currents and smokniess. He chooses the one which he thinks will be the best; he will avoid the more ornamental patterns, or those which are unnecessarily showy with cast ornament tiles and brasswork. But if the stove is merely specified in the usual terms, and the selection is left to the employer or to the builder-a mode often adopted-a very different result follows. Probably the most showy and the least efficient as a fuel economizer and heat radialor will be selected. To specify and not to select is an imperfect procedure, calculated to bring discredit on the architect, while it only gives temporary pleasure to the employer. In matters requiring scientific knowledge, the architect's opinion may be asked-say, for example, a heating apparatus, or a ventilating exhaust ; but in artistic things, like ornamental gas-fittings or lesselated paving, the selection is often left to the client, who thinks himself quite as good a judge in matters of taste. The provisional sum inserted in specifications has at least the effect preventing a contractor supplying inferior articles. An amount may be provided for a mantel piece or any decorative work, but unless the architect has a voice in the design, even this mode of provision may be rendered of little value. Most

specifications are two discursive and inexplicit, and architects unfortunately attach little importance to inventions and appliances, imagining that it is not their principal business. The great evil of this indifference to fittings and details is that the makers cater to please the public taste, for if there is no one to select and examine that knows something about the matter, they have no encouragement to make valuable improvements, or to expend capital in the production of artistic designs.


Three principal classes of goods comes under the notice of the architect in specifying. The first are the structural requirements and materials, in which we may include inventions to prevent the rising of damp in walls, damp-proof courses, materials for building walls, floors of fireproof construction, window-sashes, iron work; a second class comprehends the various internal fittings of buildings, like sanitary, gas, electric-light fittings, heating and ventilating appliances; and the third class artistic and decorative details.

Certain principles of specification are necessary to be observed: (1) An architect must know what he wants, for if he does not, he is likely to be contented with anything that first offers itself to his mind. Many of those who write specifications depend on illustrated trade catalogues for their information; they select a certain article or pattern, and name it in the specification, because they have not made up their minds, or do not know exactly what they require. If, for example, an architect is carrying out baths and warehouses, he should know what kinds of private baths to specify-whether porcelain baths with glazed rims, whether cased, what hot and cokl water fittings, what apparatus for shower or spray is to be fixed, what other necessary fittingslike electric bells, foot grid, wall lining, coat and hat pegs, and mirror-are to be provided. What he wants can only, therefore, be answered by a knowledge of the requirements of baths, and surely this it worth finding out before referring to a trade catalogue. In warming and ventilating it is absolutely necessary to find out the conditions of the building, how it is affected by cold winds, by cold surfaces such as glass, and to find out what proportion the heating surface must bear to the cubic feet of air necessary to be warmed. To specify without such knowledge is to leave all in the hands of the engineer or contractor, who may be tempted to take a very inadequate estimate of the requirements. (2) How to obtain it. The name of a firm is often a sufficient guarantee of skill and good workmanship. The architect may adequately supply his own deficiency by naming firms of repute to execute these works. The "approved apparatus" of the contract is often left to someone who has no reputation, and no one is responsible for its efficiency. But by naming any one of the firms which are known to do satisfactory work, the architect obtains at least competent experience and the the architect obtains at tests competent experience and the guarantee of a responsible name. There are a lew ways open to the architect. One of the best is to consult the pages of a respectable professional journal, where he may find lists of makers and vendors of building specialities. Our own Directory of the Building Trades may be of value. The larger firms whose special branches have a wide repute take care to draw attention to any improvements of manufacture or new appliances which they bring out, and the architect of to-day, if he desires to keep himself "up to date" with materials or improved systems, will and it necessary to make himself acquainted with them, or the catalogues and descriptive literature of well-known firms. Technicological museums are another means by which the profession and the tradesman can be brought to know each other's wants. An instance of a sanitary museum equipped with appliances for the instruction of builders we lately noticed instituted by the Hornsey Local Board. Attached to it is a library and testing. room. The builders' "Exchange," so common in America, is a means of mutual benefit; and in connection with our technical schools and architectural schools, as that of King's College, a start has been made to collect typical specimens of manufactures and fittings, though very incomplete at present. The way of all others the most practical is to visit buildings and establishments where systems and goods have been produced, and to obtain experimental evidence of the actual working and effect. Firms of manufacturers often give the profession and Press opportuni-ties of seeing for themselves the operation of improved appliances, though there is naturally a limit to this, as it is not always convenient to inspect public and private establishments in working order. These are some of the ways by which the practitioner may learn the value of specialities. In the artistic class he is more free, not being hampered by technical points and want of experience. What and how to specify is not the least onerous and responsible of the architect's duties, for it implies a wide knowledge of details, and a general acquaintance with the principles of science, more especially of hygiene, pneu-matics, heat, and the laws of light and sound.—Building News,



LEADED WINDOWS.

THE increasing love of picturesqueness and quaintness in our dwellings has caused us to revive and admire in the present day many of the old customs and fashions of our remote forefathers. Strangely, too, says *Furniture and Decoration*, we have thus often reproduced from sheer choice those very things that were made some centuries ago from absolute necessity. In no matter




of househould taste is this peculiar fact more demonstrated than in the present revival of leaded windows.

In olden days when glass was dear and difficult to make in large pieces the subtle cunning of "ye skilful glazier" prompted him to join his little bits of glass into a large window by means of grooved leads. Into these "cames" he set his small panes, adding piece to piece, until by dint of such conjunctions he produced a lattice or sliding window to fit the wall opening which it was his mission to fill.


Now these old leaded windows—even the simplest of them, as seen in some of the country cottages at the present time—are remarkably picturesque, and many of them are admirable lessons in design, and bespeak much gifed thought upon the part of him who first invented them. It is no wonder then that they are nowdays so assiduously studied and revived, and it is well that such charming and homely embellishments to the modern house should continue to be regarded with the admiration that they dererve.

The several fine old examples of leaded windows which appear on this page have been collected from various places at



home and abroad, hence they are considerably diversified in character. The first sketch shows a delightful old window which we noted some time since in the sleepy silent town of Bruges. It is an example designed with consummate skill, and may be regarded as a standard of excellence in its particular style.

Figs. 2 and 3 are rough notes of two leaded windows existing at Moreton Hall, Cheshire. The first of these is simple and formal, but the second is more fanciful, and is evidently intended to illusively convey an idea of projection by the geometrical arrangements of the diamonds and straight bars. The next example (Fig. 4) diverts our attention in the direction of French art, and will doubtless be useful to our conferes



as a *bona fide* specimen of leaded work of the Louis Quinze period. It should not be forgotten that in much of the leaded

Smill Landed Window in Method 175 pelois Streig et al work of that period, gilt was largely employed to enhance the effect.

The next sketch (Fig. 5) presents us with a beautiful specimen of old Tudor work. The flow of the lines and the consequent dropping of the pattern, the evident strength of the judiciously joined glass, are points that must at once commend this example to our attention. There is just sufficient Gothic feeling in it to make it interesting, whilst the abundance of easy curves in its outline make it agreeable even to the taste of those who dislike mediæval art.

The last illustration is interesting, not only because of its design, but also on account of its associations. It is a sketch of a small window in Michael Angelo's private study in his house, or rather palace, at Florence. Whether it was designed by the great

FIG. 5. Whether it was designed by the great master or not it is impossible to say, but that it was in his house will be, to most of us, a sufficient recommendation of its beauty.

LEGAL DECISIONS.

MORRIS V. THARLE.—Judgment of the Chancery Court on appeal by the plaintiff from an order of Meredith, J., in Chumbers, upon appeal from a Master's certificate, disallowing the claim of the plaintiff, a material man, to establish a mechanic's lien upon the land of the defendant Ryan, upon the ground that the registration was late, having regard to the times of the supplying of the materials. The court held that the plaintiff's sub-contract with the defendant Tharle, the contractor, must be considered a continuing contract for the supply of all the gools, and although some of the articles supplied were not within thirty days of the registration, the plaintiff was entitled to the benefit of his lien. Appeal allowed with costs, to be added to the plaintiff's claim.

SPANISH GLASS.—The first mention of plass works in Spain is found in Pliny and the next allusion to this is in the works of San Isadore, who lived in the seventh century. Glass was made to a great extent in the Spanish Peninsula during the Roman period. The manufacture had ceased to exist in the seventh century. There are no specimens of Spanish glass of the Visgothic period, but from the eighth to the fitteenth century it is inferred that the industry of glass making became as important in Spain as that of pottery. No specimens of the earlier period, however, have reached our time, and we must judge of what it is from the glass vessels belonging to the Reaaissance period, which preserve their oriental form and are of afferent style to that of Venice and other localities in Europe.

PAINTERS' MEASUREMENTS.

IN England the custom is to employ a clerk quick at figures, whose duty it is to take off, from the plans and specifications, an accurate list of all the materials and labor required in the performance of the work, setting down in each case the number of yards or feet, as the case may be, of each item. In the case of painting, the figures obtained for the curpenter and joiner prove of service also for the work to be done by the painter. The following is a table that is intended to indicate the method of measurement of painters' work, and also the order in which the various items may be taken. A similar table added to, or changed, as might be necessary to suit American methods of construction, would be very useful to have on hand when getting out estimates, as it would insure nothing being left out. The table which follows accurately indicates the English practice :

Lead, in oil on white work, at-	per	yard super.
" " cement " "	."	ía a
Ornamental railings, etc., "	cc ("
Skylights, "	**	""
Skirtings, 12 in. girth and under,	at—	-per ft. run.
Strings, " " "	"	`u u
Chair rails, " " "	"	46 46
Hand"""""	"	•• ••
Balusters, " " "	"	66 66
Newels, " " "	"	""
Rain pipes, " " "	"	
Ornamental heads,	"	number.
Ears	"	"
Shoes,	**	**
Eaves, gutter,	**	foot run.
Stopped ends,	"	number.
Outlets,	"	"
Swan necks,	"	"
Cement reveals (jambs)	"	foot run.
Cornices under — girth	"	"
Window sills, "	4	"
Coping edge, "	"	**
Stone strings, "	"	"
Stone plinths, ".	"	**
Iron castings, "	"	**
Grate bars "	f 1	46
Sash squares,	u	dozen.
Sash frames,	**	number.
Small "	46 46	"
Two-light casement frames,	•	
Four " " "		"
Sash squares,		dozen.
Brackets,	u u	number.
Finials,		"
Step ladders,	ĸ	
Dressers,	"	"
Chimney pieces,	•	••
Four oils and extra finished var-	e.	yard super.
nish, gray, Grainer; extra grain for wainscot		yaru super.
and twice varnish,	"	11 EL
Grainer; extra grain enrichment		
for brackets 4 in. wide,	**	foot run.
Stainer; stain to an approved tint		
and twice varnish with the	41	fores
best copal varnish,		foot super.
French polisher; French polishing,		
French polishing to hand rails,		foot run.
Gilder; gikling on flat surface, Gilder on carved work, stating		foot super.
Gilder on carved work, stating height and description,	"	foot run.
Molded work, stating girth,	"	** **
Boards, etc., " "	4	64 CC
Carved caps,	ų	
Brasses and simple items of a		
similar nature,	"	4 H
A FAVORABLE COMP. R. James A. Macdonald, architect, F		
···· James A. Macdonald, architect, h	cegina,	ASSA., WILLES #

MR. James A. Macdonald, architect, Regina, Assa., writes as follows: "Enclosed please find \$2, for which please send to me for one year the CANDIAN ARCHITECT AND BUILDER. I have been taking your paper through the news dealers, and like it very much, as I consider it compares very favorably with the best American publications of the same class."

A FRENCH METHOD OF WARMING HOUSES.

To sum up these new methods, the teachings of M. Somesco, suggest that the natural porosity of the walls, especially the outer walls should not be destroyed. These walls should be decorated, not with paper and paint, but with porous, non-conducting substances, such as wooden drapery. The outer walls on the side nearest to the inner surface should be hollowed throughout, thus constituting a double wall, with a space of about four inches between the two walls. A heating contrivance, of whatever description may be found most expedient or economical, should be placed in the basement of the house. A warm-air chamber or shaft traveling round the base of the outer walls should supply to the hollow in the walls air taken from the outside and warmed at the point of admission in the wall to a temperature of from 100 degrees to 120 degrees Fahr. This should maintain the temperature of the inner wall at from 80 degrees to 90 degrees Fahr. Then he considers, the walls will radiate sufficient heat through the rooms to enable the inhabitants to constantly open the doors and windows, and to breathe cold, fresh, outer air without inconvenience. As a rule fires will be unnecessary, dampness will be completely banished from the house, and to maintain some moisture in the air it would, he thinks, be expedient to decorate the house with numerous evergreen plants. The inhabitants should then be able to benefit by unlimited ventilation, and could breathe pure, cold, and fresh air, coming upon them directly from the outside -Popular Science Monthly.

NUMBER OF SLATE IN ANY NUMBER OF SQUARES, FROM ½ UP TO 60 SQUARES.							
12 X	14 x	5 5		8 ×	N 100. N 100.	2	
	- mo 5 5 5	<u> </u>				12 1 10	
2230 1634 2530 1634	8543999	138 11 23	388	<u>877</u>	822	562	бж
535 505 525 525 505 525	374	246	192 213				ĕ.,
094 884 94 884 94 884	7485581 7485581 74855	5493 5493 5493 5493 5493 5493 5493 5493	4364	308 222	253 276	23961	۶»
<u>8</u> 47888			576 576	5128	325 379 413	302 200	õω
110071133411000180791133 12801000193022192309 160013002193022192300 182023000193020300350 18282855274332003657 18134256732003734,4307	748 1048 1163 1496		832 G	676 565 676	595	457 393	Š+
1334 1000 1600 1920 2000 2400 2285 2743 2667 3200	935 1122 1091 1310 1309 1570 1454 1745 1454 1745 1636 1964 1870 2244	924 1108 1107 1339 1231 1477 1385 1662	<u> </u>	£3388	631 SA	571 428	Ser.
1920 1920 2400 2743 3200	1122 1310 1570 1570 1745 1964 1964	1108 1339 1477 1477 1662	960 1120 1280 1152 1344 1536 1280 1493 1766	1017 924 924	826 826	588	۶°
3737 3200 2500 2510 2510 2510 2510	13091490 13271743 18332094 20362326 20362326 20362326 20182992	1938	1120 1280 1344 1536 1493 17c6	7 988	\$65 884 858	888	۶,
2210213322002667 22210259928793200 2800320036004000 3200365741144571 3734426748005334	1745 1745 2326 2326 2326 2326 2326 2326 2326 232	11477 1462 1847 2031 2216 2400 2383 2772 1993 2215 2436 2658 2880 3101 1969 2215 2461 2707 2953 3200 3446 1999 2215 2491 2709 2953 3200 3876	1280 1536 1706	1232	1011 102	585 914	δœ
12400/2667/2994 2679/3200/3520 3600/4000/4400 4114/4571/3028 4800/5334/5867	\$3659°465°1039°56°28°48°148°14°24°24°24°24°24°24°24°24°24°24°24°24°24	1662 1993 2215 2492	1928	536136	1240	772 881 1029	80
3200 3200 4571 5334	1870 2057 2618 2880 2909 3200 3740 4114	1847 2031 2216 2215 2436 2658 2461 2707 2953 2769 3046 3323	1920 1920	1412	1363	857 979 143	\$ 5
	2880 2880 3200 4114	2031 2436 2707 3046	1760 2112 2346	1921 1921 1921 1921	1191 1389 1389	\$85£	Ş:
3300 3840 4800 5485 6400	722442431 926182836 931413403 934903781 934903781 934903781 934903781 934903781	2216 2953 3323	1920	1452 1691 1848	1300 1515 1653	137	õ 5
930-934,9300(9467)37,94,4004467(4,534) 9350-9340(4800,9500)5500(5400)5500(5400) 5628(54.85)5949(5396)56857/7344)7771 5657(6400)6934(74.97)8600(8534(9467) 5857(6400)6934(74.97)8600(8534(9467)	2244 2431 2618 2836 3141 3403 3490 3781 3490 3781 3927 4254 4486 4862	2216 2400 2585 2770 2658 2680 3101 3323 2953 3200 3446 3692 3323 3600 3876 4153	0 1600 1760 1920 2080 2240 2400 8 1920 2112 2301 2496 2688 2880 0 2133 2346 2560 2773 2986 3200	21573169418151 4 1835197621175 8 200221562310 8 200223562310	179 164	51273	Ş2
3734 5600 7437	30518 3055 3065 3065 3065 3065 3065 3065 3065	3446	3 29863 3 29863 3 2240	10976 2156 2371	15161	1300	ő:
853888	53927 24363 24363 5610	2770 3092 4153	2400	2310	1625	1200 1286 1371 1469 1600 1714	õ5
8534 8534	05 2992 3179 3 23490 3709 3 27 4189 4490 4 33 4654 4945 5 39 5236 556 5 39 5236 5 39 5236 5 39 52 56 56 56 56 56 56 56 56 56 56 56 56 56	2770 ¹ 29543139 332335443766 369239384184 415344304707	2400 2560 2720 2880 3072 3264 3200 3413 3626	31094181519302057 51976211722582400 221562310 4642618 2371254127102880	1516 1625 1733 1841 1768 1894 2021 2147 1929 2006 2304 2342	1372	85
9172 85404	4450 3563 3563 3563 3583 4450	295413130 35443766 39384184 41304707	32720	2618	2147	1458	85
942674453444800 9512054405760 9640068007200 7731477718228 9853491679600	5890 5336 5336	93324 63987 44430 74984	0 2720 2880 2 3264 3456 3 3626 3840	1004 1803 ao3422004 23712541 2710 880 3049 1412 1425 1630 1835 18062117 22582400 2521 1454 1553 1634 1835 18062117 22582400 2521 273 1610 1331 14551 15731 16941815 1936 1805 18178 1710 1433 14551 15731 16941815 1936 1805 18178	1841 1949 2147 2273 2342 2480	2051	<u>چ</u>
5067 6080 7600 8685 10134	3553 4185 5527 5527 7106	3308 5261 5261	3040 3648	2082 3318 3318	2058 2058	1629 1861 2171	Ş2
5334 9142 700	3740 4364 5236 5820 6545 7480	3693 4430 4928 5338	3300 3840 4366	2420 2823 3080 3388	2166 2526 2755	1715	Ş S
8000 9600 12000 13714 16000	5610 6545 8727 9818	5539 6646 8307	4800 5760 6400	3630 4620 5082	3294 1925 1925	2572 2938 3428	ş,s
10667 12800 16000 18285 18285 21334	7480 8727 10472 11636 13090 14961	-	8533 8533	5547 6160 6160	4331 5052 5511	3449 3918 4571	\$ 5
13334 16000 22857 26667	9350 10909 13090 14545 16363 18701	13840 113302 11020 11020	8888 8888	6050 7058 7700 8470	5414 6315 6889	4286 4897 5714	88
19200 27428 37428	111120 113090 15709 19036	113392 14769 14769	12800	10164 10164	6497 7578 8267	6857 5873 5873	è 8

USEFUL HINTS.

The following are the recipes of body and white glaze :--White body--74 lb. china clay; 18 lb. flint; $17\frac{1}{4}$ lb. stone; $3\frac{1}{2}$ lb. plaster. All must be mixed together dry, before adding water, on account of the plaster. Dip the brick at 30 oz. to the pint slop, and pass the body twice through a fine sieve. White Glaze--19 lb. felspar; 6 lb. stone; $1\frac{1}{2}$ lb. whiting; $\frac{1}{4}$ lb. flint; $\frac{1}{2}$ lb. plaster; $2\frac{1}{2}$ lb. best flint glass; 12 oz. white lead. Mix as above.

Conrad Mischler writes to the Painter' Magazume: "I have been painting Iron work for the last 18 years and find that by using Venetian red and brandon, thinned with raw linseed oil and japan, the article painted will stand the weather much better than when painted with any other. I painted two bridges some years ago which were not painted again until I did them after. One I painted with V. R. & B., as it is called, the other with red lead. The one painted with red lead was blistered and peeled to a great exient, while the other was in a very good condition. I painted them both over with V. R. & B., and they stand to-day looking almost as they did after being painted. Some ten years ago I painted the Fall River Railroad bridge with the V. R. & B. This bridge has iron beams in the water which I painted to low water mark, between tides. It has not been touched since, and has stood the wear of the water splendidly. I also painted an iron door with the same years ago, only giving it one coat. It is used every day by shop hands, and is clean and smooth to-day. I first clean the article thoroughly, and then use the V. R. & B. for the first coar, using for the next whatever color the party having the work done may desire. It has never failed to do everything expected of it, and has always given satisfaction. I have used red and white lead and experimented with all kinds of paint."

WEIGHT PER SQUARE FOOT OF SHEET IRON.—It will be interesting to those who have anything to do with sheet iron boiler plate or similar material to have an easily remembered rule for finding the weight per square foot of material they are working with. The *Ironmanger* says that it has been found by experience that a square foot of iron plate ½ inch thick weighed almost exactly five pounds, and this forms a basis for a very simple and easy rule. As a square foot of iron ½ inch thick weighs five pounds, as quare foot of ½ inch thick meighed not we can say that the area of any sheet iron (or plate iron) in square feet multiplied by the thickness in one-eighths and multiplied by five will give the weight of the piece. There is a piece of tank iron 5:16 inch thick, 3 feet wide and five feet long, how much does it weigh? The area will be 3 feet by 5 feet, or 15 square feet. Now how many eighths is 5:16 of an inch? Since $\frac{1}{2}$ =16 and 2 is contained in 5 $\frac{1}{2}$ times, we say =1.875. Where the thickness is even eighths of an inch, it is much simpler; but even this is not a hard thing to do as shown. If it is desired to use this rule for other than iron, we simply find the difference between the weight of the two metals per cubic inch and find what a square foot ½ inch thick will weigh, then work as shown above.

ZINC IN ARCHITECTURE.—Copper plating sheet zinc for building purposes has recently been tried abroad with considermechanical wear takes place. The zinc combines very well with the copper. The galvanic method of copper plating is advantageously used, but the zinc may also be coated with copper by ordinary means. In the first place the sheet zinc is cleaned with soda from any adhering dirt or grease, and is also purified by a weak acid bath from the covering of zinc oxide. There are then dissolved in twenty-four parts of water one part of refined verdigris and twelve parts of tartar, being heated to boiling point, after which three or foor pints of Spanish while are added. The Spanish white is here decomposed and is precipitated as lime tartrate. The dark blue liquid is poured off and filtered, and can be used either as a bach for the sheet zinc or for the production of copper-plating paste. The first mode of action is the more recommendatory, as the fluid forces its way into the corners and angles of the zinc articles and is uniformly distributed all over. If it be desired to coat an immovable zinc object with copper, but article, after being cleaned, is painted with the copper solution and chalk compound likewise prove of vaue for architectural purposes where it is desired to remedy the generally unpleasing effect of zinc adornments.—*American Artisan.*

ENAMELLING SLATE BRICKS, &C.—Some five years ago, when first the manufacture of bricks and tiles from slate waste commenced to be made in North Wales, says the *British Clay Worker*, the white glazed brick was successfully produced by the Biscuit-brick process and recrops: .—The process is called the Biscuit-brick process—that is, the firing of the brick only slightly at first, all care being taken in setting and drawing the bricks so as not to damage them in any way. The bricks need to be fired at about half the customary heat for the first fire; they must then be taken to the dipping-house to be dipped in the body and glaze. Having everything in readiness, dip the part required to be glazed in clean water; you then pass on the brick to the next hand, whose dip will be the white body; then on to the next hand whose dip will also be the white body; again, pass on the brick to the fourth hand, whose dip will be to the glaze. Allow the brick to dry a little; then take a knife and scrape off all body and glaze that may have run over the side of the brick. The brick can then be set in the klin to be fired again. The slate waste, however, is a ticklish material and will not stand a hard fire. The heat it will take is a good red clay heat; it will thus be seen that a down-draft kiln will not do for glazing slate waste. It must be fired in a kiln where all the flash heat can be kept from the brick—the kiln generally used is the Simmer mufflekiln. The kiln isteff when set with bricks is almost a box-kiln. The bricks must be fired gently at first, and when on full fire it must not be neglected or allowed to sink too low. The firing should be continued until the glaze has run bright.

MANVEACT VRESAND/MATERIALS

QUALITY OF SHINGLES.

TOUCHING on the shingle question in a paper on "Ignorance Concerning Woods," read at the International Forestry Congress, Chicago, Mr. Shley snid: There are builders who really believe that the old-fashioned white pine shingle is out of the raca. Cypress, red cedar and red wood are in fact supplanting it, but not for the reason that they are driving from the markets a poor roofing material. This shingle controversy is really amusing, Manufacturers tear from old roofs the kinds of shingles in which they are interested and hold them up to illustrate how durable they are. The fact is that a shingle of any of the woods named, or even of a meaner wood, would keep our heads dry as long as it will be necessary to protect them from dampness. To make shingles last still longer, lower, as some would say, the grade of them. That nay sound parudoxical, and I am not aware that the theory holds in any other line. "A good thick shingle" is a for forting out, and the thinner the but over which the water runs and drops on the shingle below, the longer the shingle underneath will hest. A steady dropping, it is said, will wear away a stone, and the shorter distance the water falls the longer the stone will hast. This philosophy applies with great exactness to the durability of shingles.

A charter of incorporation has been granted to the Wright Cement Co., of Hull, Que.

The Rathbun Co. of Deseronto, lately purchased from Mr. E. B. Eddy, of Hull, machinery for the manufacture of patent lath and sheating.

A train comprising fifteen cars loaded with British Columbia shingles was recently despatched from Vancouver over the C. P. R. to Eastern Canada.

Steps are being taken at Quebec to organize a company with a capital of \$100,000 to manufacture at St. Francois, pulp boards for interiors of buildings and furniture.

The Canadian exhibit of brick-making machinery at the World's Fair has attracted great attention and is constantly examined by United States and foreign experts.

A representative of the National Wall Paper Association of the United States, recently interviewed the Customs Department at Ottawa regarding the import tariff on wall paper.

The St. Johns Stone Chinaware Co., whose works at St. Johns, Que., were destroyed by fire some months ago, express their intention of rebuilding on the same site provided the town will grant them a bonus of \$25,000.

The Rosedale Pressed Brick and Terra Cotta Co. has lately been organized in Toronto. The Company have leased a deposit of clay 27 acres in extent on the banks of the Don, and have erected buildings thereon. The necessary plant has been ordered, and manufacturing will shortly be commenced. Mr. John Flett is President of the Company, and Mr. J. V. Wright, Managing Director.


Artificially stained bricks of a rich chocolate color, and others made from clay mixed with soot, have been sometimes sold as black for ornamenting walls with diapers, checquers and strings. The latter description are very inferior, while surface-washed imitations weather indifferently. The *British Clay Worker* states that a little manganese and much iron in clay raised to an intense heat will produce bricks of no fleeting blackness.

Messrs. McRae & Co., of Ottawa, have secured control for Canada, of a German patent for seasoning and stanning becch and birch woods. By the new process the say is sweated out of the boards by being placed, in a green state, in steam chambers for twelve days, and subsequently for three days in a drying chamber. The wood is then by a chemical application stained a rich walnut color. Beech and birch thus treated have met with a favorable reception in the Euorpean market, to which part of the product of the Canadian kilns will be exported.

THE Stanstend Granite Company has been incorporated.

The Danville Slate Co., of Danville, Que., will it is said seek a market among the school slate manufacturers in Germany.

The following are a few of the com-binations that may be successfully used for wall spaces and dados, when decorated either in paper or colors : wall space fawn color, dado tints of salmon and orange; wall space likely group dada data result wall space light grey, dado dark grey; wall space cream, dado varying shades of Vandyke brown; wall space pate terra cotta, with ornaments stirred in a still deeper color, approaching black.



Hayes' Patent Steel Lath

Now being used in the "Grand Seminaire," Montreal. ... WE ALSO MANUFACTURE ... Copper, Galvanized Iron and Painted Steel Shingles and Tiles,

Sheet Steel Pressed Brick and other Siding Plates,

Galvanized and Painted Pressed Corrugated Iron.

CORRESPONDENCE SOLICITED.

CU., LIMITED. KUUFING

Factories: MONTREAL AND TORONTO.

... ADDR688 ...

84 Yonge Street, Toronto.

STONE CO. SILICA BARYTIC OF ONTARIO, LIMITED

For Malt Houses, Brewerles, Slaughter Houses, Stable

STREET PAVING AND SIDEWALKS A SPECIALTY.

Estimates given promptly on application.

Head Office : INGERSOLL, ONT.



FINISH

PUBLICATIONS.

x.

Mr. Owen B. Maginais, No. 357 West 124th St., New York, is the author of an illustrated treatise entitled " How to Frame a House ; or Baloon and Roof Framing." Price \$1.00.

A copy of the new catalogue just issued by the Toronto Radiator Manufacturing Company, has reached our table. It is most artistically printed, and embellished with engravings in half-tone of numerous important buildings throughout Canada, which have been fitted with Safford radiators.

" Hicks' Builders' Guide " is the title of an illustrated book of 160 pages compiled by Mr. I. P. Hicks, of Omaha, Neb., and published by David Williams, Reade St., New York. The book contains a number of tables and rules for estimating, and is designed to be a comprehensive guide to those engaged in the various branches of the building trades. Price st.oo. Messrs. Switzer & Barry, of Fairbury, Neb., have sent us a copy of a book which they have just published, entitled "The Lumberman's Actuary." This book is entirely composed of tables which show at a glance the amount of any number of feet between 2 feet and 25,000 feet at any price between \$6 and \$50 per thousand feet ; also the feet in any number of pieces between 1 and 1000 pieces, for any thickness. The net price of the book bound in limp cloth is \$2.50.

The September number of The Cosmopolitan magazine, has more than one bundred illustrations, giving the chief points of interest in the Columbian Exposition, and the Fair is treated by more than a dozen authors, including the famous English novelist, Walter Besant ; the Midway Plaisance, by Julian Hawthorne ; Electricity, by Murat Halstead ; the Liberal Arts Building, by Kunz, the famous gem expert of Tiffany & Company ; the Department of Mines, by the chief of that department, etcetra,

14,905 VALLEY BROWN STONE pounds is the average crushing strength per square inch of our Credit Valley Brown Stone. From Carroll & Vick's No. 6 Quarry, Credit Forks, Ont. The highest standard of test attained by any pure Sandstone in America. In confirmation of the facts above stated, we have pleasure in directing your attention to the accompanying table, showing the result of the test of our stone, in connection with the series of tests of building stones conducted in 1892 at the School of Practical Science. Toronto, under the direction of a committee of the Oration Astronometric Mathematics By referring to the results of the tests above mentioned, it will be seen that the average crushing stress of the majority of Canadian and American standstones is far below that of ours, the difference in our favor ranging from 75 to 50 per cent. The Credit Valley Brown Stone, owing to its modest tone, harmonizes beautifully with red or cream colored brick. To correct this mistaken notion, we wish to state to architests and the public that we have 40,000 cubic feet of stone ready to ship on the shortest motics, which can be followed up with an unlimited supply. Last year we made extensive additions to our plant and opened up new quarries and mines, and will supply promptly all orders given to us or our ngents. SANDSTONE, fine grained, reddish brown. Con-tains quartz, and a little felspar and mica. The stone is in beds of four feet and under, and can be handled in pieces up to five tons. Quarry 300 yards from Railway. Height. Crushing Crushing Average Crush-Load. per sq. in. Square Inch Section under Pressure Speci-men. Pds. Pds. Pds. Ins. Ins. ABCD 2% × 3 215 × 3 21/8 27/8 27/8 15.188 131,000 0,000 14,751 3,000 14,777 14,905 Montreal Agents : T. A. MORRISON & CO., 118 St. Peter Street. 4×3 3×3 1 30,000 133,000 lley Pressed Bricks Don V STILL LEAD THE MARKET. Aggregate sales for 1892 nearly as large as the combined output of all other SPECIALTIES FOR 1893: STANDARD RED AND BUFFS, and many new colors, including BROWNS, MOTTLES, GREYS, etc., etc. The elegant finish on our goods adapts them for inside decorations and mantels. Terra Cotta and Enamelled Bricks IN ALL SHADES. Office and Show-rooms: TAYLOR BROTHERS. -60 Adelaide Street East, TORONTO. WE know many people who think it wise to buy an article because it is cheap. That is poor policy. We ORNAMENTAL Please mention the CANADIAN ARCHITECT AND BUILDER when corresponding with adver-Grille and Fret Work SELL tisers. the highest grade of mortar known in the trade, and anyone who has used Adamant will back up this statement. Use Adamant and get full value for ... FOR ... your SITUATION WANTED DOORS MONEY. ROHES By Draughtsman; capable and experienced in in all branches of draughting. No objection to any part of Canada. Can furnish the best of Toronto references. Ardress "Draughtsman," office of CAN. ARCHITECT AND BUILDER. WINDOWS ADAMANT MFG. CO. OF AMERICA. AND STORE 100 ESPLANADE EAST, DECORATIONS TORÓNTO. Telephone 2180. Any design to order or designs furnished

OFFICE . SCHOOL


CHURCH & LODGE FURNITURE

I

SEND FOR CATALOGUE

FINE BANK, OFFICE,

COURT HOUSE 8 DRUG STORE FITTINGS



MANUFACTURING CO., LTD. Ottérville, Ontario.






of Warming, Ventilating and Sanitary Construction for Schools and Public Buildings is the best and most economical in use.

Robb Engineering Co. (LIMITED) AMHERST, NOVA SCOTIA,

Agents for Canada.

Please mention the CANADIAN ARCHITECT AND BUILDER when corresponding with advertisers.



THE above cut shows the Bigley Patent Hot-water Heater placed in the base-burning Furnace. The Hot-Water Heater sits on top of the fire-pot, consequently it is in the centre of the hottest part of combustion, immediately above the fire-pot. The Heater does not in any way interfere with the Hot-air heating surface of the furnace. In heating a dwelling we heat two-thirds with hotwater and one-third with hot-air, making a direct and indirect heater. The halls and center rooms are heated with hot-air, and all the exposed parts of the dwelling with hot-water ; by this means you have the circulation of the combined heats and a uniform heat throughout the dwelling. THE above cut is a rear view of the Furnace. The arrows show how the combustion is passel over the entire surface of the furnace. When the direct draft damper is closed the heat travels to the base on both sides, making a circle around the outside then through the center to the return flue and out to the smoke pipe; by this means there is no heat loss up the chimney. The check dampers work from the back of furnace a little below the grate. It does its work effectually as it is connected directly with the snoke pipe. Another advantage, in this furnace, it has no flat surface for the dust or asles to cling to, except the base from which the dust is removed through the two small doors in front for this purpose.

TORONTO

TENDERS FOR HEATING AND VENTILATING ALL KINDS OF BUILDINGS WILL RECEIVE PROMPT ATTENTION BY APPLYING TO

96 and 98 Queen Street East Telephone 2139. TO







Would like to send you our Furnace Book. It will interest you.

CLARE BROS. & CO. PRESTON, ONT.

Makers of Coal and Wood Furnaces, Combination heaters (hot air and hot water), Hot water heaters, hot air registers, fine ranges, sloves, etc.







ACME CEM PLASTER


"NATURE'S PERFECT PLASTERING MATERIAL."

Is not an artificial compound, but perfect in its natural state, requiring only calcining to prepare it for use. No acids, chemicals, hair, fibre or ingredients of any kind used in its manufacture; requires only the addition of sand in its application to the wall. More simple in application, uniform, reliable, durable, stronger, cheaper and requires less labor than any plastering material ever produced. Most perfect fire-proof plastering material on the market. 30,000 tons used in the United States in 189 (1 ton Acme will cover same surface as 3 tons of the patent materials that are furnished to the trade mixed with sand.) Nearly 2,000 tons

Actine win cover same surface as 5 cons of the pattern materials may meet be transfer a set of the World's Fair buildings at Chicago. Does not require skilled labor. A house plastered with this material can be occupied 4 to 6 weeks sooner than if plastered with Lime Mortar. Owing to its density it makes a house warmer in winter and cooler in summer. But little more expensive than common lime mortar.

Send for samples, &c., prices delivered at any point, and further information to **B. L. NOWELL & CO., ACENTS** 12 & 14 NAZARETH STREET, MONTREAL. .

Please mention the CANADIAN ARCHITECT AND BUILDER when corresponding with advertisers



THE CANADIAN CRANITE CO. (LIM.)

Columns, Pilasters, Landings and Steps, Wainscoting. Bathroom Furnishings, Tile Flooring, etc., etc.

PLUMBERS' WORK, SCREEN TOPS, FURNITURE MARBLE, etc.

ARTIFICIAL STONE or CONCRETE WORK. In SIDEWALKS, PATHWAYS, STAIR-WAYS, BASEMENT FLOORS, STABLE and COACH HOUSE FLOORING, their work is unrivalled.

Crushed granite for concrete purposes, for SIDEWALK Construction. and for ROAD MACADAM, are furnished by contract.

High-class monuments a specialty, large stock always on hand. Monuments of any design made to order for the trade. A Ottawa, January, 1893.



FIRE BRICKS,

FIRE CLAY.

WHITING.

PLASTER OF PARIS BORAX, CHINA CLAV.

MANUFACTURERS OF BESSEMER STEEL, SOFA, CHAIR AND BED SPRINGS. A LARGE STOCK ALWAYS ON HAND.

