

**CIHM
Microfiche
Series
(Monographs)**

**ICMH
Collection de
microfiches
(monographies)**



Canadian Institute for Historical Microreproductions / Institut canadien de microreproductions historiques

© 1998

Technical and Bibliographic Notes / Notes techniques et bibliographiques

The Institute has attempted to obtain the best original copy available for filming. Features of this copy which may be bibliographically unique, which may alter any of the images in the reproduction, or which may significantly change the usual method of filming are checked below.

- Coloured covers /
Couverture de couleur
 - Covers damaged /
Couverture endommagée
 - Covers restored and/or laminated /
Couverture restaurée et/ou pelliculée
 - Cover title missing / Le titre de couverture manque
 - Coloured maps / Cartes géographiques en couleur
 - Coloured ink (i.e. other than blue or black) /
Encre de couleur (i.e. autre que bleue ou noire)
 - Coloured plates and/or illustrations /
Planches et/ou illustrations en couleur
 - Bound with other material /
Relié avec d'autres documents
 - Only edition available /
Seule édition disponible
 - Tight binding may cause shadows or distortion along
interior margin / La reliure serrée peut causer de
l'ombre ou de la distorsion le long de la marge
intérieure.
 - Blank leaves added during restorations may appear
within the text. Whenever possible, these have been
omitted from filming / Il se peut que certaines pages
blanches ajoutées lors d'une restauration
apparaissent dans le texte, mais, lorsque cela était
possible, ces pages n'ont pas été filmées.
 - Additional comments /
Commentaires supplémentaires:

L'Institut a microfilmé le meilleur exemplaire qu'il lui a été possible de se procurer. Les détails de cet exemplaire qui sont peut-être uniques du point de vue bibliographique, qui peuvent modifier une image reproduite, ou qui peuvent exiger une modification dans la méthode normale de filmage sont indiqués ci-dessous.

- Coloured pages / Pages de couleur
 - Pages damaged / Pages endommagées
 - Pages restored and/or laminated /
Pages restaurées et/ou pelliculées
 - Pages discoloured, stained or foxed /
Pages décolorées, tachetées ou piquées
 - Pages detached / Pages détachées
 - Showthrough / Transparence
 - Quality of print varies /
Qualité inégale de l'impression
 - Includes supplementary material /
Comprend du matériel supplémentaire
 - Pages wholly or partially obscured by errata slips,
tissues, etc., have been refilmed to ensure the best
possible image / Les pages totalement ou
partiellement obscurcies par un feuillet d'errata, une
pelure, etc., ont été filmées à nouveau de façon à
obtenir la meilleure image possible.
 - Opposing pages with varying colouration or
discolourations are filmed twice to ensure the best
possible image / Les pages s'opposant ayant des
colorations variables ou des décolorations sont
filmées deux fois afin d'obtenir la meilleure image
possible.

This item is filmed at the reduction ratio checked below /
Ce document est filmé au taux de réduction indiqué ci-dessous.

A horizontal timeline with labels at 10x, 14x, 18x, 22x, 26x, 30x, 12x, 16x, 20x, 24x, 28x, and 32x. There are 12 empty boxes below the timeline.

The copy filmed here has been reproduced thanks
to the generosity of:



National Library of Canada

The images appearing here are the best quality
possible considering the condition and legibility
of the original copy and in keeping with the
filming contract specifications.

Original copies in printed paper covers are filmed
beginning with the front cover and ending on
the last page with a printed or illustrated impres-
sion, or the back cover when appropriate. All
other original copies are filmed beginning on the
first page with a printed or illustrated impres-
sion, and ending on the last page with a printed
or illustrated impression.

The last recorded frame on each microfiche
shall contain the symbol → (meaning "CON-
TINUED"), or the symbol ▽ (meaning "END"),
whichever applies.

Maps, plates, charts, etc., may be filmed at
different reduction ratios. Those too large to be
entirely included in one exposure are filmed
beginning in the upper left hand corner, left to
right and top to bottom, as many frames as
required. The following diagrams illustrate the
method:



L'exemplaire filmé fut reproduit grâce à la
générosité de:


Bibliothèque nationale du Canada

Les images suivantes ont été reproduites avec le
plus grand soin, compte tenu de la condition et
de la netteté de l'exemplaire filmé, et en
conformité avec les conditions du contrat de
filmage.

Les exemplaires originaux dont la couverture en
papier est imprimée sont filmés en commençant
par le premier plat et en terminant soit par la
dernière page qui comporte une empreinte
d'impression ou d'illustration, soit par le second
plat, selon le cas. Tous les autres exemplaires
originaux sont filmés en commençant par la
première page qui comporte une empreinte
d'impression ou d'illustration et en terminant par
la dernière page qui comporte une telle
empreinte.

Un des symboles suivants apparaîtra sur la
dernière image de chaque microfiche, selon le
cas: le symbole → signifie "A SUIVRE", le
symbole ▽ signifie "FIN".

Les cartes, planches, tableaux, etc., peuvent être
filmés à des taux de réduction différents.
Lorsque le document est trop grand pour être
reproduit en un seul cliché, il est filmé à partir
de l'angle supérieur gauche, de gauche à droite,
et de haut en bas, en prenant le nombre
d'images nécessaire. Les diagrammes suivants
illustrent la méthode.



LABORATORY
OF THE
INLAND REVENUE DEPARTMENT
OTTAWA, CANADA

BULLETIN No. 236

GROUND GINGER

LABORATORY
OF THE
INLAND REVENUE DEPARTMENT
OTTAWA, CANADA.

BULLETIN No. 236

GROUND GINGER

OTTAWA, March 8, 1912.

W. J. GERALD, Esq.,
Deputy Minister of Inland Revenue.

SIR.—I beg to hand you a report upon 151 samples of ground ginger, purchased throughout Canada in October, 1911.

Ground ginger has been investigated and reported by this department as follows:—

	Total Samples.	Percentages.		
		Genuine.	Adulterated	Doubtful.
Bulletin 48 - 1896	98	67	28	5
" 95 - 1904	10	60	40	0
" 137 - 1907	30	97	0	3
" 184 - 1909	150	65	21	14
" 236 - 1912	151	84	9	7

The results of previous work on ginger have been synopticallyised in Bulletin 184, from which the following is reprinted:—

'The usual recognized adulteration of ginger consists in the substitution of cheaper materials (flour, starch, &c.) or in the use of exhausted rhizomes, i.e., stock from which the valuable principles have been more or less completely removed by washing. The examinations which form the basis for reports above referred to, have regard primarily to the detection of adulteration as described. But each report contains an account of more or less investigatory work, undertaken in the desire to put on record such data regarding ginger as should, at some future time, enable us to recommend the adoption of a definition of ginger, based upon its physical and chemical constants, and comprehensive enough to warrant its being made legal, under Section 26 of the Adulteration Act.'

'A definition of ginger recommended by the United States Food Standards Committee, is as follows:—Ginger is the washed and dried or decorticated and dried, rhizome of *Zingiber Zingiber* (L.) Karst., and contains not less than forty-two (42) per cent of starch, not more than eight (8) per cent of erude fibre, not more than six (6) per cent of total ash, not more than one (1) per cent of lime, and not more than three (3) per cent of ash insoluble in hydrochloric acid.'

'Limed ginger, blanched ginger, is whole ginger, coated with carbonato of lime, and contains not more than ten (10) per cent of ash, not more than four (4) per cent of carbonate of lime, and conforms in other respects to the standard for ginger.'

The British Pharmacopeia describes ginger as 'The scraped and dried rhizome of *Zingiber officinale*, Roscoe'; and gives the physical characters of the rhizome; but does not mention ground ginger, nor attempt any enumeration of chemical characters. (Edn. 1898). Squire's Companion (Edn of 1908) gives the following tests for ginger:—The cells contain resin, (and) pyriform compressed starch grains 12 to 40 micm. long, appearing linear when seen laterally, having the hilum at the smaller end; thin walled, polygonal parenchymatous cells, and sometimes septate bast fibres with irregularly nodose extremities. When unbleached yields 3 to 4 per cent ash, and 5 per cent should not be exceeded. Not less than 1.5 per cent soluble ash. Extractive matter to cold water usually about 10 per cent and should not be less than 8.5 per cent; the extractive matter soluble in 90 per cent alcohol usually amounts to about 5 per cent and should not be materially below this figure.'

It is apparent, from these citations, that we have but a very vague and indefinite knowledge of ginger; and it may be well to synoptize the main points brought out by the research work reported in the bulletins from this laboratory.

Bulletin No. 40 contains photomicrographic reproductions of genuine and adulterated gingers, magnified 225 diameters, and seen under polarized light. The differences between ginger starch, and such starches as are commonly employed in adulteration of ginger, are well shown.

A synoptical table of published results in the chemical examination of ginger is furnished, and the following conclusion reached. 'An examination of these results shows that no single component of ginger is sufficiently constant in amount to make the identification of a sample as genuine possible by its means.'

Analytical numbers concerning 98 samples include moisture, cold water extractive, total ash; and in certain cases, petroleum ether and alcohol extractive, soluble ash, and alkalinity of ash.

Samples are only condemned as adulterated where foreign starch in amount exceeding 10 per cent is found.

Bulletin No. 95 reports only 10 samples of ginger; giving moisture, cold water extractive and results of microscopic examination. One sample is condemned as containing wheat starch. Three others are called in question as giving only 14.1, 15.3, and 14.9 per cent extractive to cold water. These probably contain exhausted ginger, since similar extraction of genuine samples afforded nearly or quite 20 per cent of extractive. But it would be safer to describe these samples as 'doubtfully genuine' than as adulterated.

The details for cold water extraction of ginger are given (pp. 24 and 25), and the analyst adds:—'I have not met with an authenticated sample of ginger which gave less than 19 per cent of extractive to cold water, when treated as described.'

Bulletin No. 187 reports upon 30 samples, of which 29 appear to be genuine, as judged by microscopic characters, and the cold water extractive, carried out by the process described above. Extraction amounts to above 20 per cent by weight on the dry ginger, in most samples, and in several reaches 24 per cent.

A consideration of all work recorded for ginger leads to the conclusion that microscopic examination and determination of cold water extractive are quite the most valuable tests that can be applied to the ground ginger of commerce. Deter-

nimation of ash is rendered comparatively valueless on account of the variability in methods of preparing ginger for the market. The rhizome may be merely washed, or it may be scraped, or decorticated or limed; and ground ginger may result from the grinding of rhizomes prepared in any or all of these ways. The total ash of 64 samples of ginger, believed to be genuine, reported in Bulletin 48, varies from 3.60 per cent to 7.14 per cent.

The ash of ginger consists partly of alkaline carbonates, which are soluble in water; partly of earthy carbonates, sulphates, and phosphates, insoluble in water but easily dissolved by hydrochloric acid, and partly of silicates and sand, insoluble in acid. Extraction of the ginger with water (which is one of the commonest forms of adulteration) has the effect of greatly reducing the amount of soluble ash, yielded by the sample, as shown in the following table:—

Effect of Water Extraction of Ginger upon the amount and character of the ash.

Number of Sample.	Before Extraction.			After Extraction.		
	Total.	Water Soluble.	Ratio.	Total.	Water Soluble.	Ratio.
37584	5.42	2.18	0.40	3.11	0.65	0.21
37587	4.65	1.98	0.42	2.25	0.30	0.13
39458	4.59	2.38	0.52	1.38	0.24	0.18
39464	3.63	1.86	0.51	0.98	0.15	0.15

A study of these results shows that the total ash is much reduced by previous extraction, as might be expected; and nearly 70 per cent of the diminution in amount is due to a reduction in water soluble ash.

Effect of Water Extraction of Ginger upon the amount and character of the ash.

Number of Sample.	Total ash reduced.	Soluble ash reduced.	Ratio p.c.	
			Reduced.	Ratio p.c.
37584	2.28	1.53	69	
37587	2.40	1.68	70	
39458	3.21	2.14	67	
39464	2.65	1.71	65	

The samples of ginger upon which this work was done appear to be genuine, as evidenced by the microscopic examination, the cold water extractive, and other characters.

The presence of foreign starches or of flour in ground ginger will naturally reduce the total ash, since the normal ash of flour is less than one-half of one per cent, and that of starch practically nil. The ratio of soluble to total ash will be but little affected by addition of starch to a normal ginger.

In the absence of legal recognition of the value of this ratio in discriminating between normal and exhausted ginger, I am unable to make use of it in judging the genuineness of the samples now reported; but I have noted all cases where the ratio falls beyond the limits 0.40 to 0.70, as '*abnormal*'. When the total ash exceeds 6 per cent I have noted 'ash high'; when below 3 per cent I have noted 'ash low.' These terms cannot be regarded as having legal value in establishing the character of the article.

Of course the amount of extractive to cold water will be affected by the method of carrying out the extraction. This is described in Bulletin No. 95, p. 24, as it was employed by me in the work recorded in Bulletins 95 and 137. It involved the use of a mechanical shaker and centrifuge, and genuine gingers yielded about 20 per cent of extractive. The cold water extraction, as now reported, has been made by treating 5 grammes of the sample with 250 cc. of water, in a glass flask, which is shaken by hand at intervals of half an hour during eight hours; allowed to stand over night when an aliquot part by volume of the solution is evaporated in platinum to constant weight. This method is less effective in exhausting the ginger, but has the advantage of being available in laboratories not equipped with the mechanical devices required for carrying out the first method described. The normal extractive, by this method, appears to be about 15 or 16 per cent of the weight of the ginger (dry).

It is interesting to note that the low extractive recorded in the accompanying table, for certain samples, is usually correlated to the presence of foreign starchy matters. Where a low extractive is not explained by presence of foreign starch, the only explanation available would seem to be the previous extraction of the rhizome.

The requirements of the British Pharmacopædia in the matter of extractive would appear to be entirely too low.

I have not seen any investigatory work on ginger since 1909, which materially alters the conclusions above recorded.

The cold water extractive in the samples now reported, has been made by the same method used in Bulletin 184, and normal samples should yield about 16 per cent of extractive, calculated upon the dry material.

Six samples of the present collection are found to contain foreign starch, and are therefore adulterated under the Act (See, 3a).

Sixteen other samples contain less than 14 per cent of extractive to cold water. These must be judged to contain more or less of exhausted ginger, if we apply the results of investigatory work recorded on the preceding pages. In the absence of a legal standard for cold water extractive, I am unable to pronounce them adulterated under the terms of the Act; but they cannot be regarded as of less than doubtful quality. Eight of these samples yield less than 12 per cent to cold water, thereby indicating a very considerable admixture of exhausted rhizomes.

I beg to recommend publication of this report as Bulletin No. 236.

I have the honour to be, sir,

Your obedient servant,

A. MCGILL,
Chief Analyst.

BULLETIN No. 236—

Date of Collection.	Nature of Sample.	No. of Sample.	Name and Address of Vendor.	Covt.		Name and Address of Manufacturer or Furnisher as given by the Vendor.		Inspector's Report (Is not an expression of opinion.)
				Quantity	Cents.	Manufacturer.	Furnisher.	

DISTRICT OF NOVA SCOTIA—

1911.								
Oct.	16	Ground Ginger.	46701 D. C. Mullhall, Liverpool, N.S.	1 lb.	7	Nat. Drug & Chem. Co., W.H. Schwartz & Sons, Halifax, N.S.	Manufacturers.	"Sovereign" Brand, Labelled Pure.
"	17	"	46702 Hendry Ltd., Liverpool, N.S.	1 lb.	8	"	"	"
"	25	"	46703 Nat. Drug & Chem. Co., Halifax, N.S.	1 lb.	8	Vendors	"	"Sovereign" Brand.
"	25	"	46704 J. Frank Crowe Co., Ltd., Halifax, N.S.	1 lb.	7	W.H. Schwartz & Sons, Halifax	Manufacturers.	Peerless Brand Pure.
"	25	"	46705 Bauld Bros. Ltd., Halifax, N.S.	1 lb.	6	"	"	"
"	26	"	46706 Jno. P. Mott & Co., Halifax, N.S.	1 lb.	nil.	Vendors	"	Labelled Pure.
"	27	"	46707 Wentzells Ltd., Halifax, N.S.	1 lb.	7	Jno. P. Mott & Co., Halifax	Manufacturers.	"
Nov.	14	"	46708 B. H. Dodge, Kentville, N.S.	1 lb.	8	G. E. Barbour, St. John, N.B.	"	"Acorn" Brand.
"	17	"	46709 B. O. Bishop, Dartmouth, N.S.	1 lb.	8	Jno. P. Mott & Co., Halifax	"	Labelled Pure.
"	20	"	46710 W. H. Schwartz & Sons, Halifax, N.S.	1 lb.	6	Vendors	"	"

DISTRICT OF PRINCE EDWARD ISLAND—

Oct.	16	Ground Ginger.	46126 John McKenna, Charlottetown, P.E.I.	1 lb.	10	W.H. Schwartz & Sons, Halifax.
"	17	"	46127 E. Toombs, Charlottetown, P.E.I.	1 lb.	10	N. Rattenbury, Charlottetown, P.E.I.
"	18	"	46128 M. Duffy, Charlottetown, P.E.I.	1 lb.	10	Unknown
"	18	"	46129 Stewart & Son, Charlottetown, P.E.I.	1 lb.	30	Maritime Spice & Coffee Mills,
"	19	"	46130 Coffin & Co., Charlottetown, P.E.I.	1 lb.	18	St. John, N.B.
"	19	"	46131 L. A. Hazard, Charlottetown, P.E.I.	1 lb.	10	G. E. Barbour, St. John, N.B.
"	20	"	46132 J. A. Hynes, Kensington, P.E.I.	1 lb.	10	McCreedy & Sons, Ltd., St. John, N.B.
						Crown Spice Mills,

GROUND GINGER.

RESULTS OF ANALYSIS.						Microscopical Examination.	No. of Sample.	Remarks and opinion of the Chief Analyst.
Total Ash.	Ash, Water soluble.	Insoluble in water.	Moisture.	Cold water Extractive.	Calculated to dry Ginger.			
Total Ash.	Water soluble.	Insoluble in water.	Moisture.	Normal.	Calculated to dry Ginger.		No. of Sample.	Remarks and opinion of the Chief Analyst.
3.54	2.34	1.20	9.95	16.30	18.10	Ginger Starch and tissues	46701	Genuine.
5.76	2.44	3.32	9.17	15.10	16.62	"	46702	"
3.62	2.42	1.20	10.02	15.60	17.34	"	46703	"
4.74	2.50	2.24	10.00	14.20	15.77	"	46704	"
5.12	1.86	3.26	10.35	17.50	19.51	"	46705	"
3.92	1.90	2.02	9.35	14.00	15.44	"	46706	"
3.54	2.80	0.74	9.02	14.10	15.49	"	46707	"
4.20	2.26	1.94	9.12	15.70	17.27	"	46708	"
6.00	3.10	2.90	10.05	14.60	16.23	"	46709	"
4.78	2.28	2.50	10.27	14.30	15.93	"	46710	

WM. A. WEEKS, INSPECTOR.

5.60	2.92	2.68	9.88	15.60	17.19	Ginger Starch and tissues	46126	Genuine.
7.26	3.46	3.80	9.92	13.85	15.26	"	46127	" Ash high.
1.82	1.42	0.40	9.31	10.95	12.07	Ginger Starch and tissues with maize starch.	46128	Adulterated.
3.42	2.44	0.98	10.54	17.45	19.49	Ginger Starch and tissues	46129	Genuine.
4.10	2.16	1.94	9.46	16.60	18.33	"	46130	"
3.98	2.00	1.98	8.00	17.20	18.69	"	46131	"
8.84	4.12	4.72	9.00	15.90	17.47	"	46132	" Ash high.

BULLETIN No 236—

Date of Collection.	Nature of Sample.	No. of Sample.	Name and Address of Vendor.	Cost.	Name and Address of Manufacturer or Furnisher, as given by the Vendor.		Inspector's Report. (Is not an expression of Opinion.)
					Quantity.	Cents.	

DISTRICT OF PRINCE EDWARD ISLAND—

Oct.	21	Ground Ginger.	46133 D. McKenzie & Co., $\frac{1}{2}$ lb. Kensington, P.E.I.	10	G. E. Barbour & Co., St. John, N.B.	
"	21	"	46134 James Kennedy, $\frac{1}{2}$ lb. Kensington, P.E.I.	10	Dearborn & Co., St. John, N.B.	
"	21	"	46135 McLellan & Co., $\frac{1}{2}$ lb. Ltd., Summerside, P.E.I.	10	Nat. Drug Co., Halifax, N.S.	

DISTRICT OF NEW BRUNSWICK—

Oct.	12	Ground Ginger.	45560 Dearborn & Co., $\frac{1}{2}$ lb. St. John, N.B.	10	Vendors	
"	12	"	45561 Geo. E. Barbour, $\frac{1}{2}$ lb. Co., Ltd., St. John, N.B.	10	"	
"	20	"	45562 H. S. Francis, St. John, N.B.	10	C. H. Cochrane, Ottawa, Ont.	
"	20	"	45563 M. E. Grass, St. John, N.B.	10	White Swan Co., Ltd., Toronto.	
Nov.	3	"	45564 H. E. Hill, St. Stephen, N.B.	10	Wright Crossley & Co., Liverpool, Eng.	
"	7	"	45565 The Yerxa Groceries Co., Fredericton, N.B.	10	Dearborn & Co., St. John, N.B.	
"	10	"	45566 H. N. Dickinson, $\frac{1}{2}$ lb. Perth, N.B.	10	Geo. E. Barbour, Co., Ltd., St. John, N.B.	
"	14	"	45567 Sussex Mercantile Co., Ltd., Sussex, N.B.	10	C. H. Cochrane & Co., Ottawa.	
"	16	"	45568 S. A. Russell, $\frac{1}{2}$ lb. Newcastle, N.B.	10	H. W. Cole, Thistle Brand, Ltd., St. John, N.B.	
"	17	"	45569 S. Holdengräber, $\frac{1}{2}$ lb. Bathurst, N.B.	10	Unknown, Unknown.	

DISTRICT OF QUEBEC—

Oct.	11	Ground Ginger	37318 J. B. Gironoux, 385 Rue St. Joseph, Quebec.	1 lb.	30 Carton Signy, Mfrs.	
"	12	"	37319 Cantin & Frere, 271 Rue St. Joseph, Que.	1 lb.	5 Gillett & Co., Unknown, Toronto.	

GROUND GINGER.

RESULTS OF ANALYSIS.						Microscopical Examination.	No. of Sample.	Remarks and Opinion of the Chief Analyst.
Total	Ash.	Cold Water Extractive.	Moisture.	Normal.	Calculated to dry ginger.			
p.e.	p.e.	p.e.	p.e.	p.e.	p.e.	Ginger Starch and tissues	46133	Genuine.
4.62	2.28	2.34	9.25	15.70	17.35			
4.60	1.98	2.62	8.67	13.20	14.46	"	46134	Extractive low.
4.58	1.90	2.68	8.90	11.17	12.57	"	46135	"

WM. A. WEEKS, INSPECTOR—Concluded.

3.22	2.24	0.98	8.97	17.10	18.78	Ginger, starch and tissues	45560	Genuine.
3.70	2.46	1.24	8.80	18.20	19.95	"	45561	"
4.24	2.16	2.08	9.15	16.10	17.72	"	45562	"
3.60	2.34	1.26	8.50	16.30	17.81	"	45563	"
6.48	3.49	3.08	8.72	12.50	13.69	"	45564	Extractive low.
4.84	2.20	2.64	9.75	13.02	14.42	"	45565	"
5.74	3.00	2.74	10.75	17.20	19.27	"	45566	Genuine.
4.40	2.20	2.20	9.97	15.70	17.43	"	45567	"
5.06	3.46	2.60	9.72	15.50	17.16	"	45568	"
3.24	2.12	1.12	10.40	15.40	17.18	"	45569	"

F. X. W. E. BELAND, INSPECTOR.

3.58	2.60	0.98	9.75	15.50	17.17	Ginger, starch and tissues	37318	Genuine.
3.40	1.50	1.90	10.00	11.55	12.83	"	37319	Extractive low. Ash low.

BULLETIN No. 236—

Date of Collection.	Nature of Sample.	No. of Sample.	Name and Address of Vendor.	Cost.	Name and Address of Manufacturer or Furnisher as given by the Vendor.		Inspector's Report (Is not an expression of opinion).
					Quantity.	Manufacturer	

DISTRICT OF QUEBEC—

Oct.	13	Ground Ginger.	37320 G. Gingras, 268 $\frac{1}{2}$ lb. Rue du Roi, Q.	5	J. J. Duffy, J. B. Renaud, Montreal, Que.		
"	13	"	37321 " .. $\frac{1}{2}$ "	10	Unknown .. "		
"	16	"	37322 J. E. Gregoire, $\frac{1}{2}$.. 128 Rue du Pont, Que.	8	Pure Gold Co., Mfrs., Toronto.		
"	17	"	37323 W. Cantin, 133 $\frac{1}{2}$.. Rue du Pont, Q.	10	Unknown .. Unknown.		
"	19	"	37324 A. Pichette, 176 $\frac{1}{2}$.. Rue D'Orchester, Que.	10	J. J. Duffy, N. Turcotte & Cie, Montreal.		
"	19	"	37325 Elzear Gagnon, $\frac{1}{2}$.. 138 Rue D'Orchester, Que.	5	Marcotte & Leblanc, Bedard & Frere.		
"	19	"	37326 Jd. Marier, 136 $\frac{1}{2}$.. Rue D'Orchester, Que.	5	S. H. Ewing & Son, Montreal.	Turcotte & Frere.	
"	20	"	37327 W. Pamplon, 120 $\frac{1}{2}$.. Rue D'Orchester, Que.	6	Unknown .. N. Turcotte & Cie.		

DISTRICT OF ST. HYACINTHE—

Oct.	10	Ground ginger.	1171 P. Larochelle, $\frac{1}{2}$ lb., Farnham, P.Q.	10	S. H. Ewing & Son, Montreal.	
"	26	" ..	1172 Nelson Mitchell $\frac{1}{2}$.. & Co., Granby.	9	Unknown ..	Unknown ..	
Nov.	6	" ..	1173 L. H. Oliver, $\frac{1}{2}$.. Sherbrooke.	10	The F. F. Dally Co., Ltd., Hamilton. Labelled pure ground ginger.	
"	8	" ..	1174 M. J. Smith, $\frac{1}{2}$.. Megantic.	10	W. Galbraith & Co., Montreal.	
"	8	" ..	1175 D. P. Matheson $\frac{1}{2}$.. & Co., Megantic.	10	Pure Food Co., Ltd., Toronto.	
"	9	" ..	1176 D. W. Stenson, $\frac{1}{2}$.. Sherbrooke.	12	Pure Gold Mfg. Co., Ltd., Toronto.	
"	9	" ..	1177 J. W. Paige, $\frac{1}{2}$.. Coaticook.	8	White Swan Spices and Cereals Ltd., Toronto.	
"	22	" ..	1178 J. O. Peloquin, $\frac{1}{2}$.. Sorel.	10	Unknown ..	Unknown ..	
"	23	" ..	1179 J. Chiaut, St. Hyacinthe.	10	
"	23	" ..	1180 J. B. J. Phaneuf, $\frac{1}{2}$.. St. Hyacinthe.	10	Eugene Benoit, St. Hyacinthe.	
"	21	" ..	1190 J. O. L. Dulresse, $\frac{1}{2}$.. Nicolet.	10	Lacaille-Gendreau & Cie, Montreal.	

GROUND GINGER.

RESULTS OF ANALYSIS.

Total.	Ash.		Moisture.	Cold Water Extractive.		Microscopical Examination.	No. of Sample.	Remarks and Opinion of the Chief Analyst.
	Water soluble.	Insoluble in water.		Normal.	Calculated to dry ginger.			
p. c.	p. c.	p. c.	p. c.	p. c.	p. c.			

F. X. W. E. BELAND, INSPECTOR - Concluded.

2.90	1.49	1.41	10.12	15.20	16.90	Ginger starch and tissues	37320	Genuine. Ash low.
4.94	2.40	2.54	9.72	14.70	16.28	"	37321	"
5.18	2.48	2.70	10.12	14.70	16.36	"	37322	"
2.67	1.39	1.28	9.70	10.86	12.02	Ginger, starch and tissues, with foreign starch, (probably wheat).	37323	Adulterated.
3.04	1.56	1.48	9.92	13.47	14.95	Ginger, starch and tissues	37324	Extractive low.
6.59	1.20	5.39	9.37	14.10	15.55	"	37325	Soluble ash low.
3.14	1.78	1.36	10.75	14.00	15.69	"	37326	Genuine.
2.82	1.14	1.68	10.90	9.70	10.88	"	37327	Extractive low. Ash low.

J. C. ROULEAU, INSPECTOR.

4.10	2.62	1.48	8.10	17.40	18.93	Ginger starch and tissues.	1171	Genuine.
3.66	2.55	1.11	9.40	16.20	17.88	"	1172	"
3.58	2.18	1.40	8.28	15.50	16.78	"	1173	"
3.26	1.80	1.46	8.87	14.10	15.47	"	1174	"
4.10	1.80	2.30	10.90	15.20	17.06	"	1175	"
3.60	2.14	1.43	9.37	16.90	18.64	"	1176	"
2.60	0.86	1.74	8.25	15.20	16.56	"	1177	Ash low.
3.40	1.60	1.80	8.12	15.40	16.76	"	1178	Genuine.
4.44	3.04	1.49	9.42	18.50	20.42	"	1179	"
3.50	1.36	2.14	9.57	17.20	19.02	"	1180	"
3.14	1.49	1.74	8.28	9.80	10.68	Ginger starch and tissues and maize starch.	1190	Adulterated.

BULLETIN NO. 236--

Date of Collection.	Nature of Sample.	No. of Sample.	Name and Address of Vendor.	Cost.		Name and Address of Manufacturer or Furnisher, as given by the Vendor.		Inspector's Report. (Is not an expression of opinion.)
				Quantity.	Gross.	Manufacturer.	Furnisher.	

DISTRICT OF MONTREAL—

Oct.	19	Ground ginger.	40931	L. L. Desauzier, 437 Notre Dame St. West, Montreal.	1 lb.	10	Unknown.....	
"	19	"	40932	J. A. Villeneuve, 185 Ottawa St., Montreal.	1 lb.	10	".....	
"	20	"	40933	J. Deneau, 53 Jurors St., Montreal.	53 1/2 oz.	10	S. H. Ewing & Son, Mon- treal.	
"	20	"	40934	J. L. Steele, 188 Dorchester St., Montreal.	188 1/2 oz.	10	".....	
"	20	"	40935	O. Murtel, 166 Dorchester St., Montreal.	166 1/2 oz.	10	J. V. Boudrais, Montreal.	
"	20	"	40936	B. Lipson, 309 George St., Montreal.	309 1/2 oz.	10	S. H. Ewing & Son, Mon- treal.	
"	23	"	40937	J. S. Belisle, 129 Wellington St., Montreal.	129 1/2 oz.	10	".....	Sold as pure.
"	24	"	40938	Mde. N. Four- nelle, Agathe de Monts, P.Q.	4 oz.	10	Watt & Godin, Montreal.	
"	27	"	40939	E. Dufour, Joli- ette, P.Q.	1/2 lb.	10	".....	
"	27	"	40940	J. A. Lavallee, Joli- ette, P.Q.	1/2 lb.	10	".....	

DISTRICT OF OTTAWA

Oct.	10	Ground ginger.	49041	J. H. Edwards, Carleton Place	1 lb.	10	Gorman Eckert & Co., Ltd., London, Ont.	
"	13	"	49042	Jas. L. P. Sanders, Kemptville,	1/2 lb.	10	C. H. Cochrane & Co., Ottawa.	Pure Jamaica ginger.
"	16	"	49043	Geo. Hingworth, Almonte.	1/2 lb.	10	".....	Robertson, Nicolle & Co., Smith Falls.
"	20	"	49044	A. E. Hey & Co., Fouch.	1/2 lb.	8	Unknown.....	Unknown.
"	20	"	49045	Fulton Bros., Chesterville.	1/2 lb.	8	".....	Birk's Corner, Montreal.
"	25	"	49046	McDonald Bros., Ottawa.	1/2 lb.	10	C. H. Cochrane & Co., Ottawa.	

GROUND GINGER.

RESULTS OF ANALYSIS.

Total.	Ash.			Cold Water Extractive.		Microscopical Examination.	Remarks and Opinion of the Chief Analyst.
	Water soluble	Insoluble in water.	Moisture.	Normal.	Calculated to dry ginger.		

J. J. COSTIGAN, INSPECTOR.

p.e.	p.e.	p.e.	p.e.	p.e.	p.e.		
3.42	2.46	0.46	8.87	15.50	17.00	Ginger starch and tissues.	40931 Genuine.
1.96	1.03	0.93	9.00	17.00	18.68	Ginger starch and tissues, with a little maize starch.	40932 Ash low.
4.80	2.90	1.90	8.57	15.50	16.95	Ginger starch and tissues.	40933 Genuine.
5.96	0.92	5.04	8.87	10.67	11.70	Ginger starch and tissues	40934 Adulterated, and maize starch.
3.12	1.80	1.32	8.92	14.50	15.92	Ginger starch and tissues.	40935 Genuine.
3.44	1.80	1.64	8.90	15.90	17.45	"	40936 "
3.66	1.84	1.82	8.82	18.80	20.61	"	40937 "
12.64	6.08	6.56	8.79	16.80	18.41	"	40938 Ash very high.
3.61	1.59	2.02	8.00	10.90	11.83	"	40939 Extractive low.
1.56	1.96	2.60	8.85	14.10	15.46	"	40940 Genuine.

J. A. RICKY, INSPECTOR.

5.04	2.86	2.18	10.27	17.30	19.28	Ginger starch and tissues.	49041 Genuine.
3.64	2.22	1.42	8.87	17.30	18.98	"	49042 "
3.30	1.42	1.88	10.12	10.95	12.18	"	49043 Extractive low. Ash low.
3.42	2.30	1.12	9.47	15.20	16.97	"	49044 Genuine.
4.40	2.88	1.22	9.52	17.50	19.34	"	49045 "
3.76	2.10	1.66	9.67	15.00	16.60	"	49046 "

BULLLTIN No. 236--

Date of Collection.	Nature of Sample.	No. of Sample.	Name and Address of Vendor.	Cost.	Name and Address of Manufacturer or Furnisher as given by the Vendor.		Inspector's Report (Is not an expression of opinion).
					Quantity.	Cts.	
DISTRICT OF OTTAWA—							
1911							
Oct. 25	Ground ginger.	49047	A. Moreland, ½ lb., Bank st., Ottawa.	10	C. H. Cochrane & Co., Ottawa.	
" 25	"	49048	A. E. Rea & Co., ½ lb., Ltd., Ottawa.	10	Heron & Leblanc, Montreal.	
" 25	"	49049	P. Lamoureux & Cie., Dalhousie st., Ottawa.	10	Unknown, Provost & Allard, Ottawa.	
" 26	"	49050	F. A. Scott & Son., Wellington st., Ottawa.	10	McLaren & Sons Ltd., Toronto.	

DISTRICT OF KINGSTON—							
Nov. 1	Ground ginger.	48574	C. Saunders, ½ lb., Kingston.	10	Gorman Eckert, London.	
" 1	"	48575	Anderson Bros., ½ lb., Kingston.	10	Unknown,	
" 1	"	48576	D. Couper, King, ½ lb., Kingston.	10	Pure Gold Co., Toronto.	
" 1	"	48577	Kelley Bros., ½ lb., Kingston.	15	"	
" 2	"	48578	D. B. Gage, King, ½ lb., Kingston.	10	Unknown,	
" 2	"	48579	J. T. Morris, ½ lb., Kingston.	7	Dalton Bros., Toronto.	
" 2	"	48580	G. A. Valleau, ½ lb., Kingston.	10 Robertson Nicolle Co., Kingston.	
" 2	"	48581	J. McCulla, ½ lb., Kingston.	10	Pure Gold Co., Toronto.	
" 2	"	48582	J. R. B. Gage, ½ lb., Kingston.	10 Fewick Hendry Co., Kingston.	
" 2	"	48583	J. Redden, King, ½ lb., Kingston.	10	Todhunter & Mitchell, Toronto.	

DISTRICT OF TORONTO—							
Oct. 16	Ground ginger.	47385	J. & R. Williams, ½ lb., Murray St., Hamilton.	10	R. Simpson & Co., Hamilton.	
" 18	"	47386	R. J. Hewson, ½ lb., Main St., Hamilton.	10	Unknown,	
" 20	"	47387	M. Weiss, 341 Parliament St., Toronto.	10	

GROUND GINGER.

RESULTS OF ANALYSIS.						Microscopical Examination.	No. of Sample.	Remarks and Opinion of the Chief Analyst.
Total.	Ash.	Cold water Extractive.						
	Water soluble.	Insoluble in water.	Moisture.	Normal.	Calculated to dry ginger.			
p.e.	p.e.	p.e.	p.e.	p.e.	p.e.			
4.32	2.56	1.76	9.82	15.20	16.87	Ginger starch and tissues	49047	Genuine.
2.60	1.28	1.32	9.20	13.50	14.80	" " "	49048	Extractive and ash low.
5.00	2.80	2.20	9.50	15.60	17.23	" " "	49049	Genuine.
4.10	2.10	2.00	8.72	16.00	17.52	" " "	49050	"

JAS. HOGAN, INSPECTOR.

3.56	2.44	1.12	9.12	17.30	19.03	Ginger starch and tissues.	48574	Genuine.
4.68	2.40	2.28	9.27	15.70	17.30	" " "	48575	"
4.26	2.10	2.16	10.12	16.50	18.39	" " "	48576	"
3.80	2.50	1.30	9.67	16.40	18.15	" " "	48577	"
4.94	3.52	1.42	9.27	16.60	18.28	" " "	48578	"
4.40	1.96	2.44	9.57	15.80	17.47	" " "	48579	"
2.34	1.10	1.24	9.80	10.60	11.75	" " "	48580	Extractive low. Ash low.
5.66	2.96	2.70	9.57	14.10	15.55	" " "	48581	Genuine.
3.60	2.05	1.55	9.85	15.90	17.63	" " "	48582	"
3.48	2.00	1.48	10.90	15.50	17.39	" " "	48583	"

H. J. DAGER, INSPECTOR.

2.06	1.17	0.89	9.60	9.70	10.73	Ginger starch and tissues and maize starch.	47335	Adulterated.
4.76	1.60	3.16	9.87	12.02	13.33	Ginger starch and tissues	47386	Extractive low.
2.30	1.21	1.09	9.60	10.20	11.29	Ginger starch and tissues and maize starch.	47387	Adulterated.

BULLETIN No. 236—

Date of Collection.	Nature of Sample.	No. of Sample.	Name and Address of Vendor	Cost.	Name and Address of Manufacturer or Furnisher as given by the Vendor.		Inspector's Report (Is not an expression of opinion.)
					Quantity.	Gens.	

DISTRICT OF TORONTO—

1911.

Oct.	20	Ground Ginger.	47388 W. J. Street, 2913 1/2 lb. Parliament St., Toronto.	8	The White Swan Ce- reals Co., Ltd., To- ronto.
—	23	—	47389 M. Robinson & Son, Orange ville.	10	Unknown
—	21	—	47390 Lloyd Bros., 1/2 oz. Owen Sound.	10
—	26	—	47391 Sycord Bros., 1/2 oz. Meaford.	10	McLachlan Sons & Co., Owen Sound
—	26	—	47392 J. Mitchell, Col. 1/2 oz. Kingwood.	10	Young Wind- field, Ltd. Hamilton.
Nov.	2	—	47393 R. J. Goldring, 1/2 oz. Whitby.	10	Eby Blain & Co., Ltd., Toronto.
—	2	—	47394 J. D. Caroeth, 1/2 oz. Oshawa.	10	J. M. Lowes & Co., To- ronto.

DISTRICT OF WINDSOR—

Oct.	17	Ground ginger.	47817 Orendorf Bros., 3 pgs.	30	I. X. L. Spice & Coffee Co., Ridgewood.	Labelled 'Sweetheart' pure ginger.
—	18	—	47826 B. C. Watson, 6 oz.	15	Hamilton Spice & Coffee Co., Leamington.
—	18	—	47827 J. Vandtomp & Son, Leam- ington.	15	Unknown
—	18	—	47830 B. & W. McIn- tyre, Leam- ington.	15
—	18	—	47832 Geo. A. Sawyer, 6 oz.	15
—	18	—	47836 Robinson Bros., 6 oz.	15	Todhunter & Mitchell, To- ronto.
—	19	—	47840 A. Raines, Essex 6 oz.	15	McLaren's
—	19	—	47842 O. H. Stricker, 6 oz.	15	E. F. Dally, Hamilton.
—	19	—	47844 A. Detwiler, Es- sex.	10	J. F. Smyth & Co., Wind- sor.
—	19	—	47846 A. H. Scarff, Es- sex.	15	Todhunter & Mitchell, To- ronto.

GROUND GINGER.

RESULTS OF ANALYSIS.						Microscopical Examination.	No. of Sample.	Remarks and opinion of the Chief Analyst.
Ash.			Cold water Extractive.					
Total.	Water soluble.	Insoluble in water.	Moisture.	Normal.	Calculated to dry Ginger.			
3.62	2.30	1.32	9.50	14.60	16.13	Ginger starch and tissues	47388	Genuine.

H. J. DAGER, INSPECTOR—Concluded.

p. c.								
3.54	1.60	1.94	9.50	10.40	11.49			47389 Extractive low.
3.24	2.26	0.98	9.17	17.50	19.28			47390 Genuine.
3.56	1.46	2.10	9.40	9.45	10.43			47391 Extractive low.
5.00	2.20	2.80	9.52	15.00	16.58			47392 Genuine.
3.90	2.00	1.30	9.75	13.87	15.35			47393 "
5.56	2.76	2.80	8.97	15.00	16.47			47394 "

JNO. TALBOT, INSPECTOR.

6.04	3.24	2.80	10.55	15.00	19.00	Ginger starch and tissues	47817	Genuine.
2.66	0.90	1.76	8.55	16.70	18.25			47826 Genuine. Ash low.
5.08	2.50	2.58	9.40	15.70	17.33			47827 "
4.32	2.88	1.44	9.25	16.50	18.18			47830 "
4.53	2.27	2.36	9.60	14.70	16.26			47832 "
4.14	3.54	0.60	8.80	17.20	18.85			47836 "
4.00	2.56	1.44	9.62	15.20	16.81			47840 "
4.70	3.30	1.40	9.40	14.00	15.45			47842 "
5.20	2.00	3.20	9.65	14.20	15.71			47844 "
3.50	2.08	1.42	9.65	17.30	19.14			47846 "

BULLETIN No. 236—

Date of Collection.	Nature of Sample.	No. of Sample.	Name and Address of Vendor.	Cost.	Name and Address of Manufacturer or Furnisher as given by the Vendor.		Inspector's Report (Is not an expression of opinion).					
					Quantity.	Cents.						
DISTRICT OF MANITOBA —												
1911												
Oct. 23	Ground Ginger.	47438	Blue Ribbon Ltd., Winni- peg.	1 lb.	10	Vendors	Blue Ribbon "Brand."					
" 23	"	47439	Campbell Bros. Wilson, Win- nipeg.	1 lb.	10	nil.	Royal Shield "					
" 23	"	47440	The Gold Stand ard Mfg. Co., Winnipeg.	1 lb.	10	nil.	Gold Standard "					
" 24	"	47441	The White Star Mfg. Co., Win- nipeg.	1 lb.	10	nil.	White Star "					
" 24	"	47442	The Dyson Co., Winnipeg.	1 lb.	10	nil.	Red Cross "					
" 25	"	47443	Mikush & Bier- bammer, Win- nipeg.	½ lb.	10	The Dyson Co., Unknown Winnipeg.	"					
" 25	"	47444	Moffett & Don- glas, Winnipeg.	1 lb.	10	The Pure Gold Mfg. Co., Ltd., Toronto	Regal (Pure Ginger.)					
" 25	"	47445	Western Metal can tile Co., Winnipeg.	1 lb.	10	Blue Ribbon Co., Winni- peg.	Blue Ribbon "Brand."					
" 25	"	47446	A. J. Kornball, Winnipeg.	1 lb.	15	Gorman Eckert & Co., Ltd., London and Winnipeg.	Forest City "					
" 26	"	47447	W. H. Wright, Winnipeg.	½ lb.	20	Foley Bros., Unknown Larson Co., Winnipeg.	Premier (Pure.)					

DISTRICT OF CALGARY —

Nov. 8	Ground ginger.	44041	LePage Bros., 3 pgs. Medicine Hat.	30	Gold Standard Mfg. Co., Winnipeg.		
" 8	"	44042	L. B. Cochran, 1 lb. Medicine Hat.	10	"		
" 9	"	44043	H. W. Ireland & 3 pgs. Co., Medicine Hat.	30	"		
" 9	"	44044	Spencer & Todd, 3 Medicine Hat	30	Balfour, Smye & Co., Hamil- ton.		
" 9	"	44045	Mewitt & Son, 4 lb. strong, Med- icine Hat.	10	Medicine Hat Grocery Co., Medicine Hat		
" 15	"	44046	L. T. Mewit, & Co., Ltd., Calgary.	3 tins.	20	Imperial Cocoa and Spice Co., Hamil- ton.	
" 15	"	7	Georgeson & Co., 3 Ltd., Calgary.	n.	25	Vendors	

GROUND GINGER.

RESULTS OF ANALYSIS.

Total.	Ash.			Cold water Extractive.		Microscopical Examination.	No. of Sample.	Remarks and opinion of the Chief Analyst.
	Water soluble.	Insoluble in water.	Moisture.	Normal.	Calculated to dry ginger.			
4.00	2.68	1.32	8.37	15.40	16.80	Ginger, Starch and tissues.	47438	Genuine.
7.40	2.44	1.96	1.25	17.00	17.31	"	47439	Genuine, but very dry. Ash high.
4.68	1.94	2.74	8.37	14.60	15.93	"	47440	Genuine.
3.44	2.34	1.10	7.80	18.40	19.95	"	47441	"
2.20	1.40	0.80	7.15	17.70	19.06	"	47442	" Ash low.
3.80	1.80	2.00	5.70	14.80	15.70	"	47443	"
3.68	2.40	1.28	8.80	17.50	19.18	"	47444	"
3.90	2.50	1.40	8.27	17.70	19.20	"	47445	"
3.64	1.84	1.80	9.00	14.20	15.60	"	47446	"
3.30	1.80	1.50	8.72	15.80	17.30	"	47447	"

R. W. FLETCHER, INSPECTOR.

5.88	1.96	3.92	9.57	14.60	16.14	Ginger starch and tissues.	44041	Genuine.
5.06	2.34	2.72	9.30	15.10	16.15	"	44042	"
4.46	1.88	2.58	9.75	14.00	15.51	"	44043	"
5.17	2.21	2.36	10.75	13.20	14.77	"	44044	Extractive low.
4.28	1.90	2.38	9.25	14.30	15.70	"	44045	Genuine.
5.40	4.20	1.20	8.75	16.90	18.52	"	44046	"
5.30	2.00	3.30	8.75	14.20	15.56	"	44047	"

BULLETIN No. 236—

Date of Collection	Name of Sample	No. of Sample	Name and Address of Vendor	Quantity	Cost	Name and Address of Manufacturer or Furnisher as given by the Vendor	Inspector's Report (Is not an expression of opinion).
				Grams	Cents	Manufacturer, Furnisher.	

DISTRICT OF CALGARY—

1911.

Oct. 15	Ground Ginger	41048 G. Eland & Galt, 3 tins	30	Blue Ribbon Mfg. Co., Ltd., Winni-
16		41049 Campbell, Wil- son & Horner, Calgary,	30	Campbell Wil- son, Ltd., Winnipeg.
— 15 —	—	41050 Georgeson & Co., 3 Ltd., Calgary.	30	Vendors

DISTRICT OF NELSON

Oct. 19	Ground ginger.	48427 Crow's Nest & Co. Trading Co., Fernie.	10	Dalton Bros., Toronto.
19		48428 — — — — —	10	White Star Mfg. Co., Winnipeg.
19	—	48435 Trites Wood Co., Fernie.	10	Gold Standard Mfg. Co., Winnipeg.
— 19 —	—	48439 Fernie Co. (p.p.), Store, Fernie.	5	W. Brain, Van- couver.
— 19 —	—	48440 — — — — —	10	Georgeson & Co., Calgary.
— 27 —	—	18150 W. R. Braden & Son, Rossland	10	Kelly, Douglas & Co., Van- couver.
— 27 —	—	48452 Union Co. (p.p.), Assn., Rossland	10	Georgeson & Co., Calgary.
— 27 —	—	48463 Hunter Rice, 1 tin Rossland	10	Empress Mfg. Co., Van- couver.
— 27 —	—	48464 — — — — —	5	—
— 27 —	—	48481 A. S. Horswill, 4 Nelson.	10	Oriental Mills, Vancouver.

DISTRICT OF VANCOUVER

Oct. 27	Ground Ginger.	38255 London Grocery & Co., City Branch, Van- couver.	10	Kelly, Dou- glas, Van- couver.
— 27 —	—	38256 Walford & Romey & Granville St., Vancouver.	10	Empress Mfg. Co., Van- couver.
— 27 —	—	38257 J. F. May, Gran- ville St., Van- couver.	15	W. Brain & Co., Vancouver.
— 27 —	—	38258 City Grocery, 4 Davie St., Van- couver.	10	Guaranteed absolute- ly pure.

GROUND GINGER.

RESULTS OF ANALYSIS.

Total	Ash.			Cold Water Extractive.		Microscopical Examination.	No. of Sample.	Remarks and Opinion of the Chief Analyst.
	Water-soluble	Insoluble in water	Moisture	Normal.	Calculated to dry ginger			
R. W. FLETCHER, INSPECTOR. <i>Concluded.</i>								
p.e.	p.e.	p.e.	p.e.	16 e.	p.e.			
4.02	2.90	1.12	9.62	17.10	18.87	Ginger starch and tissues.	44048	Genuine.
7.98	2.80	5.18	10.17	14.60	16.28	"	44049	" Ash high.
5.52	2.04	3.48	9.15	14.00	15.40	"	44050	"
THOS. PARKER, INSPECTOR.								
2.26	1.34	0.92	10.25	17.00	18.31	Ginger starch and tissues.	48427	Genuine. Ash low.
7.70	2.60	5.10	9.75	16.00	17.12	"	48428	" Ash high.
7.14	2.66	4.48	8.77	14.80	16.22	"	48435	" "
6.68	3.74	2.94	10.50	15.00	17.87	"	48439	"
5.44	2.94	2.50	10.10	15.40	17.13	"	48440	"
4.58	2.20	2.38	7.00	15.80	16.98	"	48450	"
6.72	2.08	4.64	9.62	15.40	17.03	"	48452	"
4.14	2.12	2.02	8.80	17.00	18.64	"	48463	"
5.76	2.64	3.12	9.27	14.70	16.20	"	48464	"
6.20	3.36	2.94	9.90	12.52	13.88	"	48481	Extractive low.
J. F. POWER, INSPECTOR.								
3.76	2.24	1.52	8.35	15.70	17.33	Ginger starch and tissues.	38256	Genuine.
6.20	2.10	4.10	8.30	14.70	16.03	"	38256	"
5.28	2.20	3.08	7.90	15.60	16.93	"	38257	"
5.14	1.40	3.74	7.00	14.40	15.48	"	38258	"

BULLETIN No. 236—

Date of Collection.	Nature of Sample.	No. of Sample.	Name and Address of Vendor.	Cost.	Quantity.	Manufacturer or Furnisher.	Name and Address of Manufacturer or Furnisher as given by the Vendor.	Inspector's Report (Is not an expression of opinion).
					Qu.	Cents		

DISTRICT OF VANCOUVER

1911	Ground Ginger.							
Oct.	27	"	38259 Vancouver Grocery, Granville St., Vancouver	10	lb	Oriental Mills, Vancouver.		
"	31	"	38260 Edgett's Grocery, Hastings St., Vancouver.	10	lb	Empress Mfg. Co., Vancouver.		
"	31	"	38261 Woodward's Dept. Stores, Ltd., Hastings St., Vancouver.	10	lb	Wm. Braith & Co., Vancouver.		
"	31	"	38262 Don's Grocery, Abbott St., Vancouver.	10	lb	Kelly Don's "Columbia" Brand, glass, Vancouver.		
"	31	"	38263 Foran Bros., Car- ral St., Vancouver.	10	lb	Unknown.		
"	31	"	38264 F. Filion, Carrall St., Vancouver	10	lb	Empress Mfg. Co., Vancouver.		

DISTRICT OF VICTORIA

Oct.	25	Ground Ginger.	47651 Windsor Grocery Co., Victoria.	10	lb	Pioneer Coffee and Spice Mills, Ltd., Victoria, B.C.		Extraquality ginger.
"	25	"	47652 The West End Grocery Co., Ltd., Victoria.	10	lb	Todhunter Mitchell A Co., Toronto, Ont.		
Nov.	9	"	47653 Copas & Young, Victoria.	10	lb	W. H. Mal- kin & Co., Vancouver, B.C.		
"	9	"	47654 Wm. B. Hall, Victoria.	10	lb	Pioneer Coffee and Spice Mills, Vic- toria, B.C.		
"	13	"	47655 Erskine & Co., Victoria.	10	lb	Victoria Coffee and Spice Mills, Vic- toria, B.C.		
"	13	"	47656 F. E. Plummer, Victoria.	10	lb	R. P. Rithet & Co., Vic- toria, B.C.		
"	15	"	47657 D. H. Ross & Co., Victoria.	10	lb	Empress Mfg. Co., Van- couver, B.C.		
"	15	"	47658 Harrison & Mc- Donald, Vic- toria.	10	lb	"		
"	16	"	47659 E. G. Bailey, Victoria.	10	lb			
"	16	"	47660 Acton Bros., Victoria.	10	lb	W. A. Jameson Coffee Co., Victoria, B.C.		

GROUND GINGER.

RESULTS OF ANALYSIS.

Total.	Ash.			Cold water Extractives.		Microscopical Examination.	No. of Sample.	Remarks and opinion of the Chief Analyst.
	Water soluble.	Insoluble in water.	Moisture.	Normal.	Calculated to dry Ginger.			
J. F. POWER, INSPECTOR. Concluded.								
7.14	3.06	3.08	8.17	16.10	17.52	Ginger starch and tissues	38259	Genuine. Ash high.
4.84	2.36	2.48	7.25	16.30	17.57		38260	"
4.16	2.00	2.16	6.25	14.50	15.46		38261	"
4.76	2.08	2.68	7.12	14.50	16.49		38262	"
4.94	2.54	2.40	7.75	15.10	16.37		38263	"
4.40	2.80	1.60	7.40	16.60	17.92		38264	"
D. O'SULLIVAN, INSPECTOR.								
3.60	2.42	1.18	7.45	16.20	17.50	Ginger starch and tissues	47651	Genuine.
5.24	2.30	2.94	7.92	14.20	15.42		47652	"
6.83	2.62	4.21	7.25	16.70	18.00		47653	"
3.58	2.04	1.54	7.62	16.00	17.31		47654	"
7.44	2.10	5.54	7.10	16.00	17.22		47655	" Ash high.
3.42	1.94	1.48	7.50	16.00	17.29		47656	"
6.04	2.88	3.16	7.05	15.00	16.13		47657	"
7.66	4.46	3.20	8.95	17.20	18.80		47658	" Ash high.
5.26	2.30	2.96	7.22	16.30	17.55		47659	"
5.44	2.30	3.14	6.52	11.30	15.29		47660	"

