

A close-up photograph showing a horizontal interface between two materials. The upper portion is a light-colored, possibly white or light gray, surface with a fine, granular texture. The lower portion is a dark, almost black, material with a coarser, more irregular texture. A sharp, dark horizontal line separates the two materials, suggesting a joint or a change in material composition. The lighting is even, highlighting the textures of both surfaces.

DOUGLAS & CO.

ARE OPENING

New Goods Daily.

AMHERST, N. S.

THIS WEEK'S ARRIVALS.

23 Packages Glassware, including a Splendid Assortment of Table and Hall Lamps, Chandeliers, &c.

3 barrels Ball Wax;
1 gross Edge Ink;
1 gross Burnishing Ink;
1 gross Shoe Dressing;
1 gross Harness Dressing;
1 gross Harness Soap;
1 case Shoemakers' Tools;
4 cases Saddlery Hardware;
2 cases Patent Harness Leather;
50 pairs Sleigh Runners and Rives;
1 bale Carriage Grass Mats;
2 bales Horse Rugs;
1 bale Robe Trimming;

DUNLAP BROTHERS & COMPANY, AMHERST, N. S.

RETAIL! RETAIL!

WE beg to announce that our Fall Stock, personally selected by our Mr. Baird in the leading Markets of the United States and Canada, especially for our RETAIL DEPARTMENT, is now complete, comprising a Splendid Assortment of Gent's, Ladies', Misses' and Children's KID and VELVET SLIPPERS. Also Ladies' and Misses' KID and GOAT BOOTS, Button and Lace, in the new styles of cut and finish, and a large variety of INFANTS' WEAR, strong and handsome, surpassing in QUALITY, STYLE and CHEAPNESS anything hitherto offered in this market.

TEN THOUSAND DOLLARS worth of American and Canadian Rubbers, Over-Shoes and Snow Excluders, in all the sizes, widths, and styles, Plain and Fancy. The "QUEEN CITY" RUBBER is the nearest and most stylish Shoe ever offered, is very comfortable, and a becoming dress Over Shoe for Ladies and Misses.

SOLE and UPPER LEATHERS of all kinds constant on hand and for sale by the side or piece. Best ENGLISH UPPERS and C. D. FRONTS always in Stock.

Custom Work and Repairing promptly attended to, as heretofore.

AMHERST BOOT, SHOE & TANNING CO., Amherst, N. S.

November 15, 1882.

GRAND CLEARANCE SALE FOR CASH ONLY!

Goods at Cost! Bargain in Earnest!

Intending to make a CHANGE in our Business in the Spring, we have decided DURING THE SEASON (instead of at the end of it) to OFFER ALL OUR

Stock of New and Fashionable Goods,

to intending purchasers, AT COST. Come early and secure the FIRST CHOICE. Remember the place.

W. D. MAIN & CO., AMHERST, N. S.

NEW FALL GOODS!

Having received my English, Scotch, American and Canadian New and Magnificent Stock of

Fall and Winter Goods,

I now offer the following Goods at very Small Profits.

DRESS GOODS:

Fine All-Wool Serge in Myrtle, Garnet, Navy, Seal, &c.; All-Wool Suitings, Mixed Dress Goods—Trimming and Buttons to match, latest styles; All-Wool Black Cashmeres (extra value in London); Black and Cold Velveteens, &c., &c.

Millinery—Hats, Feathers, Flowers, Ornaments, Laces, Collarets, Frillings, Satins, Crapes, Ribbons, &c., with a great many of the latest Novelties.

Ladies' Fur Jackets, \$25 to \$40; Ladies' Rubber Gossamers, Mantles, Vests, Fur Caps.

Ready-Made Clothing—Over-Coats, \$4.50 up; Tweed Suits, Reefing Jackets, &c.

Gent's Furnishing Goods—Shirts, Collars, Cuffs, Ties, Hats, Fur Caps from \$2 to \$10, Wool Knit Under-Shirts and Drawers, all prices.

Tapestry and All-Wool Carpets, Groceries, Hardware, Crockery-ware, Furniture, &c.

10 per Cent. Discount for Cash on Dress Goods, Millinery, Ready-Made Clothing, Fur Caps, Muffs and Boas.

AMHERST, N. S., Oct. 7, 1882. W. J. MORAN.

HALIFAX BANKING CO.

Head Office, - - - - - Halifax, N. S.

AGENCIES:

NOVA SCOTIA. NEW BRUNSWICK.

ACADIA IRON MINES, Londonderry.

TRURO, PARISHROB.

LUNenburg, SHIRBURN—with Sub-Agencies at BARRINGTON, LOCKPORT, OXFORD, PUGWASH, WINDSOR.

THE BANK grants Drafts and Telegraphic Transfers on its Agencies, and also on New York, Boston, and Montreal. It also grants Drafts on Winnipeg, Emerson, Brandon, and Portage la Prairie; also on the Agencies of the Montreal Bank and Merchants' Bank of Canada, throughout Canada.

The Bank also buys and sells Sterling and other Exchange, and grants cable transfers on Union Bank of London.

Interest granted on Special Deposit, and Collections promptly attended to and remitted for at lowest rates.

THE SACKVILLE Agency is now prepared to conduct a GENERAL BANKING BUSINESS under the management of JONATHAN WOOD, Esq.

Office Hours: 10 a. m. to 3 p. m. Saturdays, 10 a. m. to 1 p. m. J. W. PITCAITLY, Cashier.

LOCAL AND GENERAL NEWS.

A milk condensing and canning factory is to be established at Truro.

Potatoes are selling at Windsor for 30c. per bushel; turnips, 20c.

A sugar refinery is to be built at Dartmouth, N. S., next year.

The Sussex tannery and boot and shoe factory are to be combined.

The Canada Temperance Act has been declared in force in Colchester, N. S.

The foundation of a new Methodist Church at Alma, A. C., are being laid.

The Women's Christian Temperance Union of Moncton have opened a coffee house.

A new ash and dirt factory is about completed at Woodstock, by Messrs. D. and J. L.

The overflow of the Mississippi River last year that produced such disasters, has resulted in remarkable crops.

Large catches of codfish have been made on the North coast of Cape Breton during the past month.

On Thursday at Weymouth, J. R. Nichol, carriage-maker, was instantly killed by falling through a trap-door.

There were recently shipped at Victoria, B. C., 200 cases of canned salmon for England. Each case is worth 95c.

The Truro Hat Factory shipped over the I. C. R. on Saturday 22 cases of hats to Messrs. Baily & Co., Montreal.

Columbian churches who established themselves upon the Putnamo River, Ecuador, have been taken by the Indians.

The Government will open military schools of instruction during the coming year at London, Ottawa, Quebec and St. John.

Slavers, it is stated, ascend the tributaries of the Amazon and capture Indians, whom they sell to Brazilian planters.

What professes to be the miraculous restoration to health and vigour of a helpless cripple is said to have occurred at Pigeon Creek, Pa.

It is estimated the amount of stored manure in Annapolis County, this season, is 4,000, and the potatoes used to be 1,000,000 bushels.

Rev. Levi S. Johnson, of Hallowell, Me., drew the 1000th ticket in the Dominion Lottery—a building lot valued at \$400 or \$500.

A young man named Caron, a brakeman on the I. C. R., was killed on Saturday night at St. Charles, Bellefleur, a portion of the train running over him.

The Evansville (Ind.) papers give interesting notes of a Harvest festival held at the club of the Trinity on 12th, Rev. Alexander T. Bow is pastor.

In the Marine Hospital, Quebec, on Friday, an insane patient, named Kirkwood, with a piece of glass he got in the stomach, cut his throat. She died next morning.

The missing boat's crew of the steamer "Westphalia" has been landed at New Haven. They report having seen the vessel with all hands.

Two shafts have been sunk in the property of Mr. Geo. McKimble, Alma, and a vein of copper 18 inches thick has been found. The shafts were sunk to a large quantity has been shipped to Boston.

On Thursday night, Colour-Sergeant Dickson, of the Royal Munster Fusiliers, deserted from his regiment, and has not since been heard of. He was a married man, and is said to have induced a young woman of Dartmouth to accompany him.

The new town hall, at River Hebert, is about completed. The building is owned by a joint stock company, and stands near the river, on land which was given for that purpose by Angus McDonald, Esq. It will be a great convenience to the town.

The representative of a large importing house in New York, writes that no less than from seventy-five to eighty thousand pounds of frogs' legs were consigned to the market in the last week, and that about 125,000 pounds find their way into the United States, from Canada, per annum.

At a meeting of the shareholders of the Bank of Nova Scotia, held on Monday, a resolution was passed authorizing the directors to amalgamate the Bank with the Union Bank of P. E. Island, if they thought desirable, and increase the capital to an amount not to exceed \$250,000 for the purpose of carrying out this amalgamation.

The Church of England Institute, at Halifax, on Monday evening debated whether the ordinary amusements of society, such as dancing, etc., are inconsistent with the Christian life. Rev. Canon Partridge led in the affirmative, and Mr. Sydney Harrington, Q. C., and others, sustained the negative. On the vote being taken it was decided in favor of Temperance and Thalia.

The St. Croix Courier says: Machinery for the cotton mill at St. Stephen, N. B., is arriving every week and is being placed as rapidly as possible. It will be nearly a year before the mill will be working to its full capacity. The mill is the first one of the kind ever erected in the Dominion, and is in every way superior to what was anticipated.

In a case before an English Probate Court a few days since, Mr. W. V. G. de la Roche, a Frenchman, who had been married to a French woman, was executed by a will, by which all his property was left to his wife, who was his only child. The will was proved in his case. Some time afterwards, in a quarrel, she tore it up, and threw the fragments into the fire. The right counsel for the estate, who had been called in to advise, which he labelled "poison." This envelope was found upon him after his death, and the last act of his life, during which time he was asked to pronounce for it as the only executed will. The Court was satisfied as to the execution of the document, and decided accordingly.

On Thursday last a young man named James Lawrence Mason, of Newport, met with a melancholy accident at Vaughan's plaster quarries, on the St. Croix River. He was at work in the quarries when a large rock weighing about five tons fell and came near crushing him. At the instant and at both ends. The workmen had to prop up the large rock for fear of falling, and they dared to remove the smaller ones that were holding his mangled body to the ground. After a time the men were released from their perilous position, in an inhuman condition, and he is so badly injured that he is thought he may never live. He has a wife and three children. —Windsor Mail.

On the Tyrone Division of the Pennsylvania Railroad, where 180 coal trains are run every day, they have recently installed a new and improved automatic signal system. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on poles between danger signals, which at the entrance of trains up and down the line, and certain through sections, mark red, danger, and passing from the section, do the same, while every switch connection indicates danger. The system is a great improvement on the old one, and is a great safety to the trains. It is a wire stretched on

